

OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599

Email : info@ottokemi.com, Web : www.ottokemi.com

ISO 9001: 2015

MATERIAL SAFETY DATA SHEET

1. Identification

1.1 GHS Product identifier
Acetyl acetone, GR 99%+
Code A 1307

2. Hazard identification

2.1 Classification of the substance or mixture
Flammable liquids, Category 3
Acute toxicity - Oral, Category 4
2.2 GHS label elements, including precautionary statements
Pictogram(s)



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour
H302 Harmful if swallowed

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P370+P378 In case of fire: Use ... to extinguish.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/112 if you feel unwell.
P330 Rinse mouth.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container to ...

Response

Storage

Disposal

2.3 Other hazards which do not result in classification

none

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
acetylacetone	acetylacetone	123-54-6	none	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

In case of skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.

4.2 Most important symptoms/effects, acute and delayed

Inhalation causes dizziness, headache, nausea, vomiting and loss of consciousness. Contact with liquid irritates eyes. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

FIRST AID: Inhalation--Fresh air, rest. Artificial respiration if indicated. Refer for medical attention. Skin--Remove contaminated clothes. Rinse and then wash skin with water and soap. Eyes--First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor. Ingestion--Rinse mouth. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

To fight fire, use alcohol foam, carbon dioxide, or dry chemical.

5.2 Specific hazards arising from the chemical

Behavior in Fire: Vapor is heavier than air and may travel to a source of ignition and flash back. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Ventilation. Collect leaking liquid in sealable containers. Wash away remainder with plenty of water.

6.3 Methods and materials for containment and cleaning up

Ventilation. Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water. Do NOT let this chemical enter the environment (extra personal protection: filter respirator for organic gases and vapors).

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants. Keep in the dark. Fireproof. Separated from strong oxidants. Keep in the dark.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state

colorless or yellow colored liquid

Colour

Colorless or slightly yellow liquid

Odour

Pleasant odor

Melting point/ freezing point

-23\u00b0C(lit.)

Boiling point or initial boiling point and boiling range

140.4\u00b0C(lit.)

Flammability

Flammable.

Lower and upper explosion limit / flammability limit

Lower flammable limit in air: 2.4%; Upper flammable limit in air: 11.6%

Flash point

38\u00b0C

Auto-ignition temperature

350\u00b0C

Decomposition temperature

no data available

pH	no data available
Kinematic viscosity	0.6 mPa.s at 20°C
Solubility	In water: 16 g/100 mL (20°C)
Partition coefficient n-octanol/water (log value)	log Kow = 0.40
Vapour pressure	6 mm Hg (20°C)
Density and/or relative density	0.975g/mL at 25°C (lit.)
Relative vapour density	3.5 (vs air)
Particle characteristics	no data available

10. Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Flammable liquid when exposed to heat or flame. The vapour is heavier than air. Ketones, such as PENTANE-2,4-DIONE, are reactive with many acids and bases liberating heat and flammable gases (e.g., H₂). The amount of heat may be sufficient to start a fire in the unreacted portion of the ketone. Ketones react with reducing agents such as hydrides, alkali metals, and nitrides to produce flammable gas (H₂) and heat. Ketones are incompatible with isocyanates, aldehydes, cyanides, peroxides, and anhydrides. They react violently with aldehydes, HNO₃, HNO₃ + H₂O₂, and HClO₄. May dissolve plastics (USCG, 1999).

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Incompatible with oxidizing materials.

10.6 Hazardous decomposition products

no data available

11. Toxicological information

Acute toxicity

Oral: LD50 Rat (male) oral 760 mg/kg

Inhalation: LC50 Rat inhalation 1224 ppm/4 hr (5.1 mg/L/4 hr)

Dermal: LD50 Rabbit percutaneous 810 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1 Toxicity

Toxicity to fish: LC50 Pimephales promelas (fathead minnow) 200 mg/L/24 hr /Conditions of bioassay not specified in source examined

Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia magna (water flea) 75 mg/L/48 hr; Effect: mortality or immobility; closed static bioassay, total hardness (CaCO₃) 240 mg/L, pH 8.0 + or - 0.3, aerated (before use), carbon-filtered well water, 23°C, 16 hr photoperiod ... /Reagent grade

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In a screening study using settled sewage seed at 20°C, 5.6, 40.0, 62.8, and 69.6 % of theoretical B.O.D. was determined after 5, 10, 15, and 20 incubation days, respectively(1).

12.3 Bioaccumulative potential

An estimated BCF of 3.2 was calculated in fish for acetyl acetone(SRC), using a log Kow of 0.40(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

The Koc of acetyl acetone is estimated as 39(SRC), using a log Kow of 0.40(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that acetyl acetone is expected to have very high mobility in soil.

12.5 Other adverse effects
no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: UN2310

IMDG: UN2310

IATA: UN2310

14.2 UN Proper Shipping Name

ADR/RID: PENTANE-2,4-DIONE

IMDG: PENTANE-2,4-DIONE

IATA: PENTANE-2,4-DIONE

14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

14.4 Packing group, if applicable

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: no

IMDG: no

IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
acetylacetone	acetylacetone	123-54-6	none
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.