

# OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599

Email : [info@ottokemi.com](mailto:info@ottokemi.com), Web : [www.ottokemi.com](http://www.ottokemi.com)

ISO 9001: 2015

## MATERIAL SAFETY DATA SHEET

### SECTION 1 Product identifiers

Product name : Ammonia solution, 25%

Product Code: A 2024

CAS 1336-21-6

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Component	Classification	Concentration
ammonia solution		
CAS-No. 1336-21-6 EC-No. 215-647-6	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 2; H314, H318, H335, H400, H411 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10	>= 25 - < 30%

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

##### General advice

First aiders need to protect themselves.

##### If inhaled

After inhalation: fresh air. Call in physician.

##### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

##### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

##### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

##### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

##### Nitrogen oxides (NOx)

Not combustible.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not empty into drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH<sup>-</sup>, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling  
Observe label precautions.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal or light-weight-metal containers.

Tightly closed.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Tightly fitting safety goggles

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,40 mm

Break through time: 240 min

##### Body Protection

protective clothing

##### Respiratory protection

Recommended Filter type: Filter type K

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not empty into drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Physical state                               | liquid   |
| b) Color  | colorless  |
| c) Odor   | stinging   |
| d) Melting point/freezing point                 | Melting point: -57,5 °C  |
| e) Initial boiling point and boiling range      | 37,7 °C at 1.013 hPa   |
| f) Flammability (solid, gas)                    | No data available  |
| g) Upper/lower flammability or explosive limits | Upper explosion limit: 33,6 %(V)<br>Lower explosion limit: 15,4 %(V) |
| h) Flash point                                  | No data available  |

i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	at 20 °C strongly alkaline
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	at 20 °C soluble
n) Partition coefficient: n-octanol/water	log Pow: -1,38 - (anhydrous substance), (Lit.), Bioaccumulation
o) Vapor pressure	483 hPa at 20 °C
p) Density	0,903 g/cm <sup>3</sup> at 20 °C
Relative density	No data available
q) Relative vapour density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none
9.2 Other safety information	
No data available	

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

### 10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

#### Oxidizing agents

Mercury

Oxygen

silver compounds

nitrogen trichloride

hydrogen peroxide

silver

antimony hydride

#### Halogens

#### Acids

Calcium

Chlorine

Chlorites

auric salts

perchlorates

sodium hypochlorite

mercury compounds

halogen oxides

#### Heavy metals

Heavy metal salts

Acid chlorides

Acid anhydrides

Risk of ignition or formation of inflammable gases or vapours with:

Boranes

Boron

Oxides of phosphorus

Nitric acid

silicon compounds

chromium(VI) oxide

chromyl chloride

Exothermic reaction with:

Acetaldehyde

Acrolein


Barium

boron compounds

Bromine

halogen-halogen compounds

hydrogen bromide



silane  
Hydrogen chloride gas  
halogen compounds  
dimethylsulfate  
nitrogen oxides  
Fluorine  
Hydrogen fluoride  
chlorates  
carbon dioxide  
Ethylene oxide  
polymerisable  
10.4 Conditions to avoid  
Heating.  
10.5 Incompatible materials  
Aluminum, Lead, Nickel, silver, Zinc, Copper, metal alloys, various metals  
10.6 Hazardous decomposition products  
In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Mixture

No data available

### 12.2 Persistence and degradability

Biodegradability Remarks: No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

No data available

Components

ammonia solution

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 0,068 mg/l - 96 h

Remarks: (ECHA)

The value is given in analogy to the following substances:

ammonium sulphate

Toxicity to daphnia

and other aquatic

invertebrates

static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48

h

Remarks: (ECHA)

anhydrous  
Toxicity to  
fish(Chronic toxicity)  
flow-through test NOEC - Ictalurus punctatus - 0,048 mg/l - 31  
d  
(OECD Test Guideline 215)  
Remarks: anhydrous  
Toxicity to daphnia  
and other aquatic  
invertebrates(Chronic  
toxicity)  
flow-through test LC50 - Daphnia magna (Water flea) - 4,07  
mg/l - 96 h  
(US-EPA)  
Remarks: The value is given in analogy to the following  
substances:  
The value is given in analogy to the following substances:  
ammonium chloride  
flow-through test NOEC - Daphnia magna (Water flea) - 0,79  
mg/l - 96 h  
(US-EPA)  
Remarks: The value is given in analogy to the following  
substances:  
The value is given in analogy to the following substances:  
ammonium chloride

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID: 2672

IMDG: 2672

IATA: 2672

#### 14.2 UN proper shipping name

ADR/RID: AMMONIA SOLUTION

IMDG: AMMONIA SOLUTION

IATA: Ammonia solution

#### 14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

#### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

#### 14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

#### 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European

Parliament and of the Council on the control of

major-accident hazards involving dangerous

substances.

: ENVIRONMENTAL HAZARDS

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

### Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.