An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Creation Date: 25-05-2025 Revision Date: 24-10-2030

### MATERIAL SAFETY DATA SHEET (MSDS)

**SECTION 1. Product identifiers** 

Product name: Chloroethane solution, 2.0 M in THF

Product Code: C 1611 CAS No: 75-00-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification
OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,

Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email info@ottokemi.com

1.4. Emergency telephone number

Phone no.: + 91 22 2207 0099 (9:00am - 6:00 pm).

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Flammable gases, (Category 1)
Gases under pressure, (Liquefied

gas)

Carcinogenicity, (Category 2) Reproductive toxicity, (Category

1B)

Long-term (chronic) aquatic

hazard, (Category 3) 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram Signal Word Hazard Statements

H220

H280 H351 H360FD H412

**Precautionary Statements** 

P202

P273 P280

P308 + P313 P405 P410 + P403 Supplemental Hazard

Statements

Reduced Labeling (<= 125 ml)

Pictogram Signal Word

**Hazard Statements** 

H220

H220: Extremely flammable gas.

H280: Contains gas under pressure; may

explode if heated.

H351: Suspected of causing cancer. H360FD: May damage fertility. May

damage the unborn child.

H412: Harmful to aquatic life with long

lasting effects.

### Danger

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

Suspected of causing cancer.

May damage fertility. May damage the unborn child. Harmful to aquatic life with long lasting effects.

Do not handle until all safety precautions have been read and

understood.

Avoid release to the environment.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

IF exposed or concerned: Get medical advice/ attention.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

none

Danger

Extremely flammable gas.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

understood.

protection.

none

Store locked up.

Suspected of causing cancer.

Harmful to aquatic life with long lasting effects.

May damage fertility. May damage the unborn child.

Do not handle until all safety precautions have been read and

IF exposed or concerned: Get medical advice/ attention.

Wear protective gloves/ protective clothing/ eye protection/ face

H351

H412 H360FD

**Precautionary Statements** 

P202

P280

P308 + P313 P405

Supplemental Hazard

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. May displace oxygen and cause rapid suffocation.

### SECTION 3: Composition/information on ingredients

3.1 Substances

 Synonyms
 : Ethyl chloride

 Formula
 : C2H5Cl

 Molecular weight
 : 64,51 g/mol

 CAS-No.
 : 75-00-3

 EC-No.
 : 200-830-5

 Index-No.
 : 602-009-00-0

Index-No.	: 602-009-00	: 602-009-00-0		
Component		Classification	Concentration	
Chloroethane				
CAS-No. 75-00-3	1	Flam. Gas 1; Press. Gas Liquefied gas;	<= 100 %	
EC-No. 200-830-5		Carc. 2; Repr. 1B; Aquatic Chronic 3;		
2		H220, H280, H351, H360FD, H412		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Ca In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact

lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Stop flow of gas, move leaking cylinder to open air if without risk.

6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized

persons. Keep away from combustible materials and sources of ignition.

Contents under pressure.

Storage class

Storage class (TRGS 510): 2A: Gases

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton®

Minimum layer thickness: 0,7 mm Break through time: 30 min

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/mists are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

a) Physical state

b) Color

c) Odor

d) Melting

point/freezing point

e) Initial boiling point and boiling range

f) Flammability (solid,

gas)

g) Upper/lower

flammability or explosive limits

h) Flash point

i) Autoignition

temperature

j) Decomposition

temperature k) pH

I) Viscosity

m) Water solubility

n) Partition coefficient: I

n-octanol/water

o) Vapor pressure

p) Density

Relative density

q) Relative vapor

density

r) Particle

characteristics

s) Explosive properties

Liquefied gas

colorless

No data available

Melting point: -139,0 °C

12,3 °C at 1.013 hPa

No data available

Upper explosion limit: 14,8 %(V)

Lower explosion limit: 3,16 %(V)

-50,0 °C - closed cup

519 °C

No data available

No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available

5,74 g/l at 20 °C - soluble

og Pow: 1,43 - Bioaccumulation is not expected.

1.323 hPa at 20,0 °C

3.975,8 hPa at 55,0 °C

0,921 g/cm3 at 0 - 4 °C

No data available

No data available

No data available

No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

t) Oxidizing properties

none

9.2 Other safety information Surface tension

21,18 mN/m at 5 °C

#### **SECTION 10: Stability and reactivity**

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with:

Alkali metals

Alkaline earth metals

Risk of ignition or formation of inflammable gases or vapours with:

Aluminum

magnesium

Zinc

zinc alloys

Oxidizing agents

Generates dangerous gases or fumes in contact with:

Water

release of hydrochloric acid

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

## SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 58 mg/l - 48 h

(Directive 67/548/EEC, Annex V, C.2.)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 118

mg/l - 72 h

(Directive 67/548/EEC, Annex V, C.3.)

Toxicity to bacteria static test EC10 - Pseudomonas putida - > 140 mg/l - 17 h

(DIN 38 412 Part 8)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable.

(Directive 67/548/EEC Annex V, C.4.E.)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product

Pressurised gas bottle: dispose of only in empty condition!

**SECTION 14: Transport information** 

14.1 UN number

ADR/RID: 1037 IMDG: 1037 IATA: 1037

14.2 UN proper shipping name

ADR/RID: ETHYL CHLORIDE IMDG: ETHYL CHLORIDE IATA: Ethyl chloride

Passenger Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 2.1 IMDG: 2.1 IATA: 2.1

IMDG Marine pollutant: no

14.4 Packaging group

ADR/RID: 14.5 Environmental hazards

ADR/RID: no 14.6 Special precautions for user

Tunnel restriction code : (B/D)

Further information : No data available

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006.

Authorisations and/or restrictions on use

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P2 FLAMMABLE GASES

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or

stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all

IATA: -

IATA: no

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use


Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date: 25-05-2025 Revision Date: 24-10-2030



Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.