

OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599

Email : info@ottokemi.com, Web : www.ottokemi.com

ISO 9001: 2015

MATERIAL SAFETY DATA SHEET

1. Identification

1.1 GHS Product identifier
Chloro choline chloride, 98%
Code: C 2035

2. Hazard identification

2.1 Classification of the substance or mixture
Acute toxicity - Oral, Category 4
Acute toxicity - Dermal, Category 4
2.2 GHS label elements, including precautionary statements
Pictogram(s)
Signal word
Warning
Hazard statement(s)
H302 Harmful if swallowed
H312 Harmful in contact with skin
Precautionary statement(s)
Prevention
P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P312 Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see ... on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
Storage
none
Disposal
P501 Dispose of contents/container to ...
2.3 Other hazards which do not result in classification
none

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Chloro choline chloride	chlormequat chloride	999-81-5	none	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled Fresh air, rest.

In case of skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

Inhalation of spray and prolonged or repeated contact with skin should be avoided. (EPA, 1998)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary.

Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Poisons A and B/

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

(Non-Specific -- Poisonous Solid, n.o.s.) For small fires, use dry chemical, carbon dioxide, water spray, or foam. For large fires, use water spray, fog, or foam. (EPA, 1998)

5.2 Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible.

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Sweep spilled substance into containers. Carefully collect remainder, then remove to safe place. Do NOT let this chemical enter the environment. (Extra personal protection: P2 filter respirator for harmful particles).

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Dry. Keep in a well-ventilated room. Store in glass, high-density plastic, rubber or epoxy resin-protected metal containers. Pesticide

Storage: Store in original container. DO NOT store below freezing temperatures.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state White crystals with a fishlike odor.

Colour White crystalline solid

Odour TYPICAL AMINE ODOR

Melting point/ freezing point 117\°C(lit.)

Boiling point or initial boiling point and boiling range 175\°C/27mmHg(lit.)

Flammability Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper explosion limit / flammability limit no data available

Flash point 46\°C(lit.)

Auto-ignition temperature no data available

Decomposition temperature 245\°C

pH pH = 5.14

Kinematic viscosity no data available

Solubility greater than or equal to 100 mg/mL at 22.78\°C

Partition coefficient n-octanol/water (log value) log Kow = -3.80

Vapour pressure 7.5e-08 mm Hg at 20\°C

Density and/or relative density 1.14 to 1.15 g/mL at 20°C
Relative vapour density no data available
Particle characteristics no data available

10. Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable up to 50°C for at least 2 years.

10.3 Possibility of hazardous reactions

Noncombustible solid. CHLORMEQUAT CHLORIDE is incompatible with strong oxidizing agents. It is corrosive to unprotected metals. Quaternary ammonium salts often serve as catalysts in reactions. They are incompatible with many strong oxidizers and reducing agents, such as metal hydrides, alkali/active metals, and organometallics.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Should not be combined with dinoseb, cyanazine, or other contact herbicides.

10.6 Hazardous decomposition products

The substance decomposes on heating producing toxic and corrosive fumes including nitrogen oxides, hydrogen chloride. The substance decomposes on heating with strong aqueous alkali solutions producing trimethylamine and other gaseous products.

11. Toxicological information

Acute toxicity

Oral: LD50 Rat oral 330-750 mg/kg.

Inhalation: LC50 Rat inhalation >5.2 mg/l/4 hr

Dermal: LD50 Rat percutaneous >4000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1 Toxicity

Toxicity to fish: LC50; Species: *Lepomis macrochirus* (Bluegill, weight 1.5 g); Conditions: freshwater, static, 17°C, pH 7.4, hardness 272 mg/L CaCO₃; Concentration: >100 mg/L for 24 hr /98.1% purity, technical material

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (Water flea, age 6-24 hr); Conditions: freshwater, static; Concentration: 16700 µg/L for 48 hr (95% confidence interval: 14900-19200 µg/L); Effect: intoxication, immobilization /100% purity

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In soil, chlormequat chloride is rapidly degraded by microbial activity and has no influence on soil microflora or fauna(1). Half-lives in 4 soils were reported as averaging 32 days at 10°C and 1 to 28 days at 22°C(1). Studies with soil microorganisms indicated that chlormequat chloride breakdown occurred through oxidative processes(2). Chlormequat chloride, at an initial concentration of 282 ppm, biodegraded 18% after running a compost operation consisting of poultry and pig manure for 56 days; the high concentration may have retarded degradation(3). Based on analogy to other quaternary ammonium compounds(4), the reduction of biomass or other nutrient materials in natural water may reduce the biodegradation rate of the chlormequat chloride cation and acclimation enhances biodegradation of quaternary ammonium compounds.

12.3 Bioaccumulative potential

An estimated BCF of 3.2 was calculated for chlormequat chloride(SRC), using a log Kow of -3.80(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

The Koc of chlormequat chloride has been reported to be 203(1). According to a classification scheme(2), this Koc value suggests that chlormequat chloride is expected to have moderate mobility in soil. However, this compound exists as a quaternary ammonium cation and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(3).

Chlormequat chloride is expected to adsorb strongly to various materials, including suspended solids in wastewater treatment facilities, sediments in rivers and lakes, suspended organics and minerals in natural water systems, clays, proteins, and microorganisms(4-6). Further, adsorption of quaternary ammonium compounds to river sediment occurs primarily by an ion-exchange mechanism(5). Monitoring studies of river water samples from Germany reported that 50% of an alkyltrimethyl quaternary ammonium compound detectable in the water column was associated with suspended solids in the water; the suspended solids in the water comprise a small fraction of the water(7).

12.5 Other adverse effects
no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: UN2811 IMDG: UN2811 IATA: UN2811

14.2 UN Proper Shipping Name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S.

IMDG: TOXIC SOLID, ORGANIC, N.O.S.

IATA: TOXIC SOLID, ORGANIC, N.O.S.

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packing group, if applicable

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Chloro choline chloride	chlormequat chloride	999-81-5	none
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Not Listed.
Vietnam National Chemical Inventory			Not Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.