

# OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599

Email : [info@ottokemi.com](mailto:info@ottokemi.com), Web : [www.ottokemi.com](http://www.ottokemi.com)

ISO 9001: 2015

## MATERIAL SAFETY DATA SHEET

### SECTION 1 Product identifiers

Product name : Ferric sulphate, GR

Product Code: F 1357

CAS-No. : 15244-10-7

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Danger

Hazard statement(s)

H290

May be corrosive to metals.

H302

Harmful if swallowed.

H315

Causes skin irritation.

H318

Causes serious eye damage.

Precautionary statement(s)

P234

Keep only in original packaging.

P264

Wash skin thoroughly after handling.

P280

Wear protective gloves/ eye protection/ face protection.

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P302 + P352

IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

none

Statements

Reduced Labeling

(<= 125 ml)

Pictogram

Signal Word

Danger

Hazard statement(s)

H318

Causes serious eye damage.

Precautionary statement(s)

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : iron(III) sulfate hydrate (x H<sub>2</sub>O)

Formula : Fe<sub>2</sub>O<sub>7</sub>S<sub>3</sub> · xH<sub>2</sub>O

Molecular weight : 399,88 g/mol

CAS-No. : 15244-10-7

Component	Classification	Concentration
Ferric sulfate		
CAS-No. 15244-10-7 EC-No. 233-072-9	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; H302, H315, H318	<= 100 %

sulphuric acid CAS-No. 7664-93-9 EC-No. 231-639-5	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318 Concentration limits: >= 15 %: Skin Corr. 1A, H314; 5 - < 15 %: Skin Irrit. 2, H315; 5 - < 15 %: Eye Irrit. 2, H319; >= 0,3 %: Met. Corr. 1, H290;	>= 1 - < 3 %
---	--	--------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

##### 4.1 Description of first-aid measures

###### General advice

Show this material safety data sheet to the doctor in attendance.

###### If inhaled

After inhalation: fresh air.

###### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

###### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

###### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

##### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

##### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

###### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

##### 5.2 Special hazards arising from the substance or mixture

###### Sulfur oxides

###### Iron oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

##### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

##### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

##### 6.2 Environmental precautions

Do not let product enter drains.

##### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

##### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed. Dry.

hygroscopic Light sensitive.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection  
protective clothing

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |                               |
|---|-------------------------------|
| a) Physical state                               | solid                         |
| b) Color  | yellow                        |
| c) Odor   | No data available             |
| d) Melting point/freezing point                 | 480 °C                        |
| e) Initial boiling point and boiling range      | No data available             |
| f) Flammability (solid, gas)                    | The product is not flammable. |
| g) Upper/lower flammability or explosive limits | No data available             |
| h) Flash point                                  | Not applicable                |

i) Autoignition temperature	does not ignite
j) Decomposition temperature	No data available
k) pH	acidic
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	soluble
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	ca.3,1 g/cm <sup>3</sup>
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	The substance or mixture is not classified as oxidizing.
9.2 Other safety information	
No data available	

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Avoid moisture. Light.

no information available

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to fish. Information given is based on data on the ingredients and the ecotoxicology of similar products.

Toxicity to daphnia

and other aquatic

invertebrates

Remarks: Harmful to aquatic organisms.

Information given is based on data on the ingredients and the ecotoxicology of similar products.

(iron(III) sulfate hydrate (x H<sub>2</sub>O))

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID: 3260

IMDG: 3260

IATA: 3260

#### 14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (iron(III) sulfate hydrate (x H<sub>2</sub>O), sulphuric acid)

IMDG: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (iron(III) sulfate hydrate (x H<sub>2</sub>O), sulphuric acid)

IATA: Corrosive solid, acidic, inorganic, n.o.s. (iron(III) sulfate hydrate (x H<sub>2</sub>O), sulphuric acid)

#### 14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

#### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

#### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

#### 14.6 Special precautions for user

No data available

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use  
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors  
: sulphuric acid

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.