

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Creation Date: 23-04-2025

Revision Date: 11-09-2030

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Lithium diisopropylamide, 2.0 M in Heptane
Product Code: I 1014
CAS No : 4111-54-0

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number

Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, (Category 2)

Skin corrosion, (Sub-category 1B)

Serious eye damage, (Category 1)

Carcinogenicity, (Category 2)

Specific target organ toxicity -

single exposure, (Category 3),

Respiratory system

Specific target organ toxicity -

single exposure, (Category 3),

Central nervous system

Specific target organ toxicity -

repeated exposure, (Category 2),

hearing organs

Aspiration hazard, (Category 1)

Short-term (acute) aquatic hazard, (Category 1)

Long-term (chronic) aquatic hazard, (Category 1)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Hazard Statements

H225

H304

H314

H335

H336

H351

H373

H225: Highly flammable liquid and vapor.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H351: Suspected of causing cancer.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs through prolonged or repeated exposure.

H304: May be fatal if swallowed and enters airways.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Danger

Highly flammable liquid and vapor.

May be fatal if swallowed and enters airways.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Suspected of causing cancer.

May cause damage to organs (hearing organs) through

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

H410
Precautionary Statements
P210

P280

P301 + P330 + P331
P303 + P361 + P353

P304 + P340 + P310

P305 + P351 + P338

Supplemental Hazard information (EU)

EUH014

EUH019

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Hazard Statements

H351

H304

H314

Precautionary Statements

P280

P301 + P330 + P331

P303 + P361 + P353

P304 + P340 + P310

P305 + P351 + P338

Supplemental Hazard information (EU)

EUH014

EUH019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.]

prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Reacts violently with water.

May form explosive peroxides.

Danger

Suspected of causing cancer.

May be fatal if swallowed and enters airways.

Causes severe skin burns and eye damage.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Reacts violently with water.

May form explosive peroxides.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : LDA

Component	Classification	Concentration
lithium diisopropylamide		
CAS-No. 4111-54-0 EC-No. 223-893-0	Pyr. Sol. 1; Skin Corr. 1B; Eye Dam. 1; H250, H314, H318	>= 20 - < 30 %

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

Water Foam

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NO_x)

Magnesium oxide

Lithium oxides

Mixture with combustible ingredients.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.
6.4 Reference to other sections
For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Keep workplace dry. Do not allow product to come into contact with water.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Never allow product to get in contact with water during storage.

Storage stability Recommended storage temperature

2 - 8 °C

Test for peroxide formation periodically and before distillation.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Protective gloves against thermal risks

Splash contact

Material: Fluorinated rubber

Minimum layer thickness: 0,7 mm

Break through time: 10 min

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.


These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



a) Physical state	liquid, clear
b) Color	yellow, to, dark yellowdark red
c) Odor	No data available
d) Melting point/freezing point	No data available
e) Initial boiling point and boiling range	No data available
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	2 °C - closed cup
i) Autoignition temperature	The substance or mixture is not classified as pyrophoric.
j) Decomposition temperature	> 40 °C
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	No data available
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	In use may form flammable/explosive vapor-air mixture.
t) Oxidizing properties	none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Formation of peroxides possible.

Vapors may form explosive mixture with air.

Reacts violently with water.

10.2 Chemical stability

Decomposes on heating. Decomposes when moist.

sensitive to moisture

10.3 Possibility of hazardous reactions

No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

10.4 Conditions to avoid

Warming.

Moisture.

10.5 Incompatible materials

Reacts violently with water., acids, Strong oxidizing agents, Alcohols

10.6 Hazardous decomposition products

Peroxides

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

n-heptane

Toxicity to fish LL50 - Rainbow darter (*Etheostoma caeruleum*) - > 13,4 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 0,23 mg/l - 21 d

Remarks: (ECHA)

(in analogy to similar products)

Toxicity to algae EL50 - Pseudokirchneriella subcapitata (green algae) - 29 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (ECHA)

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

NOELR - Pseudokirchneriella subcapitata (green algae) - 6,3
mg/l - 72 h
(OECD Test Guideline 201)
Remarks: (ECHA)
lithium diisopropylamide
No data available
Tetrahydrofuran
Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead
minnow) - 2.160 mg/l - 96 h
(OECD Test Guideline 203)
Toxicity to daphnia
and other aquatic
invertebrates
static test EC50 - Daphnia magna (Water flea) - 3.485 mg/l -
48 h
(OECD Test Guideline 202)
Toxicity to
fish(Chronic toxicity)
flow-through test NOEC - Pimephales promelas (fathead
minnow) - 216 mg/l - 33 d
Remarks: (ECHA)
ethylbenzene
Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -
4,2 mg/l - 96 h
(OECD Test Guideline 203)
Toxicity to daphnia
and other aquatic
invertebrates
static test EC50 - Daphnia magna (Water flea) - 1,8 - 2,4 mg/l
- 48 h
(US-EPA)
Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae)
- 3,6 mg/l - 96 h
(US-EPA)
Toxicity to bacteria EC50 - Photobacterium phosphoreum - 9,68 mg/l - 30 min
Remarks: (IUCLID)
N-(1-Methylethyl)-2-propanamine magnesium salt
No data available
diisopropylamine
Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - 26 mg/l - 96 h
(DIN 38412 part 15)
Toxicity to daphnia
and other aquatic
invertebrates
static test LC50 - Daphnia magna (Water flea) - 110 mg/l - 48
h
Remarks: (ECHA)
Toxicity to algae static test EC50 - SELENASTRUM - 20 mg/l - 96 h
(US-EPA)
Toxicity to bacteria static test EC50 - activated sludge - > 100 mg/l - 3 h
(OECD Test Guideline 209)
Toxicity to
fish(Chronic toxicity)
semi-static test EC50 - Gasterosteus aculeatus - 250 mg/l - 35
d
(OECD Test Guideline 210)

SECTION 13: Disposal considerations

13.1 Waste treatment methods
No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 14: Transport information

14.1 UN number		
ADR/RID: 2924	IMDG: 2924	IATA: 2924
14.2 UN proper shipping name		
ADR/RID : FLAMMABLE LIQUID, CORROSIVE, N.O.S. (n-heptane, Tetrahydrofuran, lithium diisopropylamide)		
IMDG : FLAMMABLE LIQUID, CORROSIVE, N.O.S. (n-heptane, Tetrahydrofuran, lithium diisopropylamide)		
IATA : Flammable liquid, corrosive, n.o.s. (n-heptane, Tetrahydrofuran, lithium diisopropylamide)		
14.3 Transport hazard class(es)		
ADR/RID: 3 (8)	IMDG: 3 (8)	IATA: 3 (8)
14.4 Packaging group		
ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazards		
ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no
14.6 Special precautions for user		
Tunnel restriction code : (D/E)		
Further information : No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use
National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

O1 OTHER HAZARDS

P5c FLAMMABLE LIQUIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date: 23-04-2025

Revision Date: 11-09-2030

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product