An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

### MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1. Product identifiers

Product name: Lithium aluminium hydride, 99.95% Product Code: L 5749 CAS NO: 16853-85-3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Substances and mixtures which in contact with water emit flammable gases, (Category 1) Skin corrosion, (Sub-category 1A)
Serious eye damage, (Category 1)
2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram
Signal Word Hazard Statements H260

H314 Precautionary Statements P223 P231 + P232

P260 P280

P303 + P361 + P353

P305 + P351 + P338

Supplemental Hazard Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements H314 Precautionary Statements P260 P280 H260: In contact with water releases flammable gases which may ignite spontaneously. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.

#### Danger

In contact with water releases flammable gases which may ignite spontaneously. Causes severe skin burns and eye damage.

Do not allow contact with water. Handle and store contents under inert gas. Protect from moisture. Do not breathe dust. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. none

Danger

Causes severe skin burns and eye damage.

Do not breathe dust. Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

rinsing.

none

clothing. Rinse skin with water.

IF ON SKIN (or hair): Take off immediately all contaminated

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P303 + P361 + P353

P305 + P351 + P338

Supplemental Hazard Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances	
Synonyms	: LAH
Formula	: H4AlLi
Molecular weight	: 37,95 g/mol
CAS-No.	: 16853-85-3
EC-No.	: 240-877-9

Component	Classification	Concentration
aluminium lithium hydride		
CAS-No. 16853-85-3 EC-No. 240-877-9	Water-react 1; Skin Corr. 1A; Eye Dam. 1; H260, H314, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor

in attendance. If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media Sand Dry powder Cement Unsuitable extinguishing media Water Carbon dioxide (CO2) Foam 5.2 Special hazards arising from the substance or mixture Lithium oxides Aluminum oxide Combustible. May not get in touch with: Water Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. Risk of explosion. 6.3 Methods and materials for containment and cleaning up Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Keep workplace dry. Do not allow product to come into contact with water. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Keep away from heat and sources of ignition. Never allow product to get in contact with water during storage. Handle and store under inert gas. Reacts violently with water. Storage class Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 

8.1 Control parametersIngredients with workplace control parameters8.2 Exposure controlsPersonal protective equipment

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Eye/face protection	
Use equipment for eye protection tested and approved under	er appropriate
government standards such as NIOSH (US) or EN 166(EU).	
goggles	3 , 3 ,
Skin protection	
This recommendation applies only to the product stated in the	ne safetv data sheet.
supplied by us and for the designated use. When dissolving	
substances and under conditions deviating from those state	
contact the supplier of CE-approved gloves (e.g. KCL Gmb-	
Internet: www.kcl.de).	
Full contact	
Material: Nitrile rubber	
Minimum layer thickness: 0,11 mm	
Break through time: 480 min	
Material tested:KCL 741 Dermatril® L	
This recommendation applies only to the product stated in the	ne safety data sheet,
supplied by us and for the designated use. When dissolving	in or mixing with other
substances and under conditions deviating from those state	d in EN 16523-1 please
contact the supplier of CE-approved gloves (e.g. KCL GmbH	H, D-36124 Eichenzell,
Internet: www.kcl.de).	
Splash contact	
Material: Nitrile rubber	
Minimum layer thickness: 0,11 mm	
Break through time: 480 min	
Material tested:KCL 741 Dermatril® L	
Body Protection	
protective clothing	
Respiratory protection	
required when dusts are generated.	
Our recommendations on filtering respiratory protection are	
standards: DIN EN 143, DIN 14387 and other accompanying	g standards relating to
the used respiratory protection system.	
Recommended Filter type: Filter type P2	
The entrepeneur has to ensure that maintenance, cleaning a	
protective devices are carried out according to the instructio	ns of the producer.
These measures have to be properly documented. Control of environmental exposure	
Do not let product enter drains. Risk of explosion.	
Do not let product enter drains. Misk of explosion.	
SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties	
a) Physical state	powder
b) Color	No data available
c) Odor	No data available
d) Melting	Melting point/ range: 125 °C - dec.
point/freezing point	
e) Initial boiling point	89 - 90 °C at 2,66 hPa
and boiling range	
f) Flammability (solid,	No data available
gas)	
g) Upper/lower	No data available
flammability or	
explosive limits	
h) Flash point	Not applicable
i) Autoignition	No data available
temperature	
j) Decomposition	No data available
temperature	
k) pH	No data available
I) Viscosity	Viscosity, kinematic: No data available
	Viscosity, dynamic: No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

m) Water solubility No data available n) Partition coefficient: Not applicable for inorganic substances n-octanol/water o) Vapor pressure No data available p) Density 0,920 g/cm3 Relative densitv No data available q) Relative vapor No data available density r) Particle No data available characteristics s) Explosive properties Not classified as explosive. t) Oxidizing properties none 9.2 Other safety information No data available **SECTION 10: Stability and reactivity** 10.1 Reactivity The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Risk of ignition or formation of inflammable gases or vapours with: Water Oxygen Alcohols acids Risk of explosion with: boron compounds Ether Dioxane **Organic Substances** Oxidizing agents amides hydrogen peroxide Esters acetonitrile Peroxides Exothermic reaction with: Aldehydes pyridine 10.4 Conditions to avoid Moisture. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

### SECTION 12: Ecological information

SECTION 12: Ecolog	gical information			
12.1 Toxicity				
No data available				
12.2 Persistence and	r degradability ermining biodegradability are not applic	able te inerganie aubetenese		
12.3 Bioaccumulative		able to morganic substances.		
No data available	potential			
12.4 Mobility in soil				
No data available				
12.5 Results of PBT a	and vPvB assessment			
	ire contains no components considered			
bioaccumulative and levels of 0.1% or high	toxic (PBT), or very persistent and very ner.	y bioaccumulative (vPvB) at		
12.6 Endocrine disrup Product:	oting properties			
Assessment :	The substance/mixture does not conta	ain components		
	considered to have endocrine disrupting			
	according to REACH Article 57(f) or Co			
[	Delegated regulation (EU) 2017/2100 o	or Commission		
	Regulation (EU) 2018/605 at levels of 0	0.1% or higher.		
12.7 Other adverse e Biological effects:	liects			
Harmful effect due to	nH shift			
	ures with water even if diluted.			
	vironment must be avoided.			
SECTION 13: Dispos	sal considerations			
13.1 Waste treatment	t methods			
No data available				
SECTION 14: Transp 14.1 UN number	port information			
ADR/RID: 1410		IMDG: 1410	IATA: 1410	
14.2 UN proper shipp	ping name		W(I)(. 1410	
ADR/RID	: LITHIUM ALUMINIUM HYD	RIDE		
IMDG	LITHIUM ALUMINIUM HYD	RIDE		
IATA	: Lithium aluminium hydride			
	lot permitted for transport			
14.3 Transport hazar	d class(es)		1474 40	
ADR/RID: 4.3		IMDG: 4.3	IATA: 4.3	
14.4 Packaging group ADR/RID: I		IMDG: I	IATA: I	
14.5 Environmental h	azards	INDO. I		
ADR/RID: no		IMDG Marine pollutant: no	IATA: no	
14.6 Special precauti	ons for user	···· ······ ·····		
Tunnel restriction coc				
Further information	: No data available			
SECTION 15: Regula				
15.1 Safety, health and environmental regulations/legislation specific for the				
substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No.				
1907/2006.				
National legislation				
Seveso III: Directive 2012/18/EU of the				
European Parliament and of the Council				
on the control of major-accident hazards				
involving dangerous				
O2 OTHER HAZARD	2			
Other regulations	3/EC on the protection of young people	e at work		
Take Hole OF DI 94/3		S at WUIN.		

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.


An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product