An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: 3-Methoxy benzylamine, 97%+ Product Code: M 1871 CAS No : 5071-96-5

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 4) Skin irritation, (Category 2) Eye irritation, (Category 2) Specific target organ toxicity -single exposure, (Category 3), Respiratory system 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H302 H315 H319 H335 Precautionary Statements P261 P264 P271 P301 + P312 P302 + P352 P305 + P351 + P338 Supplemental Hazard

Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements Precautionary Statements Supplemental Hazard Statements 2.3 Other hazards This substance/mixture contain H302: Harmful if swallowed. H315: Causes skin irritation.

- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.

Warning

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. none

Warning none none none

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances	
Formula	: C8H11NO
Molecular weight	: 137,18 g/mol
CAS-No.	: 5071-96-5
EC-No.	: 225-779-6

Component	Classification	Concentration
3-Methoxybenzylamine		
CAS-No. 5071-96-5	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2;	<= 100 %
EC-No. 225-779-6	STOT SE 3; H302, H315, H319, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures
General advice
Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air.
In case of skin contact
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with
water/ shower.
In case of eye contact
After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact
lenses.
If swallowed
After swallowing: immediately make victim drink water (two glasses at most). Consult a
physician.
4.2 Most important symptoms and effects, both acute and delayed
The most important known symptoms and effects are described in the labelling (see section
2.2) and/or in section 11
4.3 Indication of any immediate medical attention and special treatment needed
No data available
18
SECTION 5: Firefighting measures
5.1 Extinguishing media
Suitable extinguishing media
Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media
For this substance/mixture no limitations of extinguishing agents are given.
5.2 Special hazards arising from the substance or mixture
Carbon oxides
Nitrogen oxides (NOx)
Combustible.
Vapors are heavier than air and may spread along floors.
Forms explosive mixtures with air on intense heating.
Development of hazardous combustion gases or vapours possible in the event of fire.
5.3 Advice for firefighters
Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by
keeping a safe distance or by wearing suitable protective clothing.
5.4 Further information

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Storage class Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated SECTION 8: Exposure controls/personal protection 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection required Body Protection protective clothing Respiratory protection required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state clear. liquid

 a) Physical state
 clear, inquid

 b) Color
 light yellow

 c) Odor
 No data available

 d) Melting
 No data available

 point/freezing point
 140 °C at 49 hPa - lit.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

and boiling range f) Flammability (solid, gas) g) Upper/lower flammability or explosive limits h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH l) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available No data available

No data available

113 °C - closed cup No data available

No data available

No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available No data available log Pow: 0,975

No data available 1,072 g/cm3 at 25 °C - lit. No data available No data available

No data available

No data available none

SECTION 10: Stability and reactivity

10.1 Reactivity
Forms explosive mixtures with air on intense heating.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.
10.2 Chemical stability
The product is chemically stable under standard ambient conditions (room temperature).
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
Strong heating.
10.5 Incompatible materials
Strong oxidizing agentsacids, Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates
10.6 Hazardous decomposition products
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 12: Ecological information

SECTION 12: Eco	logical information			
12.1 Toxicity				
No data available				
12.2 Persistence a	ind degradability			
No data available				
12.3 Bioaccumulat	ive potential			
No data available				
12.4 Mobility in soi	I			
No data available				
	T and vPvB assessment	d to be either persistent		
	xture contains no components considere nd toxic (PBT), or very persistent and ver			
levels of 0.1% or h		y bloaccumulative (vFvB) at		
12.6 Endocrine dis				
Product:	rupting properties			
Assessment	: The substance/mixture does not cont	ain components		
Accocontone	considered to have endocrine disruptin			
	according to REACH Article 57(f) or Co			
	Delegated regulation (EU) 2017/2100			
	Regulation (EU) 2018/605 at levels of		1	
12.7 Other adverse	S ()			
No data available				
SECTION 13: Dis	posal considerations			
13.1 Waste treatm	ent methods			
No data available				
	Concerne C			
	nsport information			
14.1 UN number	lan - a			
ADR/RID: 2735 I		MDG: 2735	IATA: 2735	
14.2 UN proper sh				
	S, LIQUID, CORROSIVE, N.O.S. (3-Met			
	S, LIQUID, CORROSIVE, N.O.S. (3-Met			
	s, liquid, corrosive, n.o.s. (3-Methoxybenz	zylamine)		
14.3 Transport haz	Lard class(es)			
ADR/RID: 8		IMDG: 8	IATA: 8	
14.4 Packaging gr	que	IMDG: III	IATA: III	
ADR/RID: III	horarda	INDG. III	IATA. III	
14.5 Environmenta ADR/RID: no	il flazarus	IMDC Marina pollutant: pa	IATA: no	
14.6 Special preca	utions for usor	IMDG Marine pollutant: no	IATA. IIU	
Tunnel restriction				
Further information : No data available				
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the				
substance or mixture				
This material safety data sheet complies with the requirements of Regulation (EC) No.				
1907/2006.				
Other regulations				
Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or				
stricter national regulations where applicable.				
	4/33/EC on the protection of young peopl	le at work.		
15.2 Chemical Saf	, , , , , ,			
For this product a chemical safety assessment was not carried out				

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all

DISCLAIMER


Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.



An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use