An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Methyl vinyl ketone, 90%, stab. with 0.5% hydroquinone Product Code: M 2262 CAS No : 78-94-4

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture H225: Highly flammable liquid and vapor. Flammable liquids, (Category 2) H300: Fatal if swallowed. Acute toxicity, (Category 2) Acute toxicity, (Category 1) H330: Fatal if inhaled. Acute toxicity, (Category 1) H310: Fatal in contact with skin. Skin corrosion, (Sub-category H314: Causes severe skin burns and eye 1B) damage. Serious eye damage, (Category H318: Causes serious eye damage. 1) Skin sensitization, (Category 1) H317: May cause an allergic skin reaction. Short-term (acute) aquatic H400: Very toxic to aquatic life. hazard, (Category 1) Long-term (chronic) aquatic H410: Very toxic to aquatic life with long hazard, (Category 1) lasting effects. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements Highly flammable liquid and vapor. H225 H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eve damage. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. Precautionary Statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection IF ON SKIN (or hair): Take off immediately all contaminated P303 + P361 + P353 clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P310 for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Supplemental Hazard none Statements

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

| Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements H317 H314 H300 + H310 + H330 Precautionary Statements P280 | Danger May cause an allergic skin reaction. Causes severe skin burns and eye damage. Fatal if swallowed, in contact with skin or if inhaled. Wear protective gloves/ protective clothing/ eye protection/ face | | | |
|---|--|--|--|--|
| P303 + P361 + P353 | protection. IF ON SKIN (or hair): Take off immediately all contaminated | | | |
| P304 + P340 + P310 | clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable | | | |
| P305 + P351 + P338 | for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue | | | |
| Supplemental Hazard | rinsing. | | | |
| Supplemental Hazard Statements | none | | | |
| 2.3 Other hazards | to be either persistent | | | |
| This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at | | | | |
| levels of 0.1% or higher. Ecological information: | | | | |
| The substance/mixture does not contain components consid | | | | |
| disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. | | | | |
| Toxicological information: | | | | |
| The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. | | | | |
| SECTION 3: Composition/information on ingredients | | | | |

۱g

-4 60-6

| 3.1 Substances | |
|----------------|-----------|
| Formula | : C4H6O |
| CAS-No. | : 78-94-4 |
| EC-No. | : 201-160 |
| | |

| Component | Classification | Concentration |
|-------------------------------------|---|---------------|
| butenone | | |
| CAS-No. 78-94-4 EC-No. 201-160-6 | Flam. Liq. 2; Acute Tox. 2; Acute Tox. 1; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 1; H225, H300, H330, H310, H314, H318, H317, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately. In case of eye contact

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses. If swallowed If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions Do not let product enter drains. Risk of explosion.
6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
6.4 Reference to other sections For disposal see section 13.
SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Storage conditions Protected from light.Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Recommended storage temperature see product label. Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Chloroprene Minimum layer thickness: 0,65 mm Break through time: 10 min Material tested:KCL 720 Camapren® Body Protection Flame retardant antistatic protective clothing. Respiratory protection required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state liquid b) Color colorless c) Odor unpleasant d) Melting No data available

DISCLAIMER

point/freezing point

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

e) Initial boiling point and boiling range
f) Flammability (solid, gas)
g) Upper/lower
flammability or explosive limits
h) Flash point
i) Autoignition
temperature
j) Decomposition
temperature
k) pH
l) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Relative vapor density

SECTION 10: Stability and reactivity

10.1 Reactivity tends to polymerise Vapors may form explosive mixture with air. 10.2 Chemical stability heat-sensitive Sensitivity to light Please observe stabilisation. The product is chemically stable under standard ambient conditions (room temperature). Contains the following stabilizer(s): hydroquinone (<=0,50,5 %) Acetonitrile (<=0.70.7 %) 10.3 Possibility of hazardous reactions Risk of ignition or formation of inflammable gases or vapours with: Strong oxidizing agents Exothermic reaction with: polymerisation initiators alkali hydroxides Amines Air Reducing agents Peroxides 10.4 Conditions to avoid Warming. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products Peroxides In the event of fire: see section 5

DISCLAIMER

- Otto Chemie Pvt Ltd shall not be responsible for any damage resulting from handling or from contact with the above product.
- Otto Chemie Pvt Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

80 - 81 °C at 1.013 hPa

No data available

Upper explosion limit: 15,6 %(V) Lower explosion limit: 2,1 %(V)

-7 °C No data available

No data available

No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available at 20 °C soluble log Pow: 0,41 - (Lit.), Bioaccumulation is not expected.

100 hPa at 20 °C 0,85 g/cm3 at 20 °C No data available No data available

No data available

Not classified as explosive.

none 2 42

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 0,12 - 0,13 mg/l - 96 h (butenone) Remarks: (ÈCOTOX Database) (butenone) Toxicity to bacteria Remarks: (Lit.) (butenone) 12.2 Persistence and degradability Biodegradability Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301D) Ratio BOD/ThBOD 10 % (butenone) Remarks: (Lit.) 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent. bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Avoid release to the environment. Discharge into the environment must be avoided. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods Product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. **SECTION 14: Transport information** 14.1 UN number ADR/RID: 1251 IMDG: 1251 IATA: 1251 14.2 UN proper shipping name ADR/RID METHYL VINYL KETONE, STABILIZED : METHYL VINYL KETONE, STABILIZED IMDG : Methyl vinyl ketone, stabilized IATA Passenger Aircraft : Not permitted for transport Cargo Aircraft : Not permitted for transport 14.3 Transport hazard class(es) ADR/RID: 6.1 (3, 8) IMDG: 6.1 (3, 8) IATA: 6.1 (3)(8)

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

| 14.4 Packaging group ADR/RID: I 14.5 Environmental hazards ADR/RID: yes 14.6 Special precautions for Tunnel restriction code Further information | | IMDG: I IMDG Marine pollutant: yes | IATA: - IATA: no | | | |
|--|------------------------------|---------------------------------------|---------------------|--|--|--|
| SECTION 15: Regulatory in | | | | | | |
| 15.1 Safety, health and environmental regulations/legislation specific for the | | | | | | |
| substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. | | | | | | |
| 1907/2006. | | | | | | |
| Authorisations and/or restric | tions on use | | | | | |
| National legislation | | | | | | |
| Seveso III: Directive 2012/18/EU of the | | | | | | |
| European Parliament and of the Council | | | | | | |
| on the control of major-accident hazards involving dangerous substances. | | | | | | |
| H1 ACUTE TOXIC | | | | | | |
| P5c FLAMMABLE LIQUIDS | | | | | | |
| E1 ENVIRONMENTAL HAZ | ARDS | | | | | |
| Other regulations | | | | | | |
| Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or | | | | | | |
| stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. | | | | | | |
| 15.2 Chemical Safety Asses | | Die al work. | | | | |
| | safety assessment was not ca | rried out | | | | |
| . ee pressor a onormour | | | | | | |
| SECTION 16: Other Inform | ation | | | | | |

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product