An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Neisser's stain B Product Code: N 1369 CAS No : 548-62-9

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email <u>info@ottokemi.com</u>

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Carcinogenicity (Category 2), H351 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410 For the full text of the H-Statements mentioned in this Section, see Section 16. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard statement(s) Harmful if swallowed. H302 H318 Causes serious eye damage. H351 Suspected of causing cancer. H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P202 Do not handle until all safety precautions have been read and understood. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina P308 + P313 IF exposed or concerned: Get medical advice/ attention. Supplemental Hazard none Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Danger Hazard statement(s) H351 Suspected of causing cancer. H318 Causes serious eye damage. Precautionary statement(s) P202 Do not handle until all safety precautions have been read and

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

P280			otective clothing/ eye protection/ face
P305 + P351 + P338			sly with water for several minutes. present and easy to do. Continue
P308 + P313			Get medical advice/ attention.
Supplemental Hazard		none	
Statements			
2.3 Other hazards	ntains no components considere	d to be either persistent	
	(PBT), or very persistent and ver	•	
levels of 0.1% or higher.			
3 1 Substances	/information on ingredients		
Synonyms	: Basic Violet 3		
5	Methyl Violet 10B		
	Hexamethylpararosaniline cl	hloride	
Formula	Gentian Violet : C25H30CIN3		
Molecular weight	: 407,98 g/mol		
CAS-No.	: 548-62-9		
EC-No.	: 208-953-6		
Index-No.	: 612-204-00-2		
Queenset			
Component	Classification	7/ 200	Concentration

Component	(The case	Classification	Concentration
Crystal violet			
CAS-No. 548-62-9 EC-No. 208-953-6		Acute Tox. 4; Eye Dam. 1; Carc. 2; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H351, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. Call in physician. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician. In case of eye contact After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. Light sensitive. Storage class Storage class (TRGS 510): 11: Combustible Solids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Body Protection protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state powder b) Color dark green c) Odor odorless d) Melting Melting point/range: 205 °C - lit. point/freezing point e) Initial boiling point No data available and boiling range f) Flammability (solid, No data available gas) g) Upper/lower No data available flammability or explosive limits h) Flash point Not applicable i) Autoignition > 190[°]C temperature does not ignite j) Decomposition No data available temperature k) pH 2,5 - 3,5 at 10 g/l at 20 °C I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available m) Water solubility 10 g/l at 20 °C - completely soluble n) Partition coefficient: log Pow: 1,172 at 25 °C - Bioaccumulation is not expected. n-octanol/water o) Vapor pressure No data available 1,19 g/cm3 at 20 °C p) Density Relative density No data available q) Relative vapor No data available density r) Particle No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Surface tension

No data available none

44,2 mN/m

SECTION 10: Stability and reactivity

10.1 Reactivity The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Violent reactions possible with: Strong oxidizing agents Strong acids Oxidizing agents 10.4 Conditions to avoid no information available 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0,13 mg/l - 96 h Remarks: The value / statement given is based on a (Q)SAR approach Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 0,24 - < 0,5 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 0,2 - < 0,8 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria EC50 - Bacteria - 10 - 100 mg/l Remarks: (External MSDS) 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 3,6 % - Not readily biodegradable. (OECD Test Guideline 301F) Ratio BOD/ThBOD 0,12 % 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

This substance/mixt bioaccumulative and levels of 0.1% or hig 12.6 Endocrine disru Product: Assessment	The substance/mixture does not con considered to have endocrine disrupti according to REACH Article 57(f) or C Delegated regulation (EU) 2017/2100 Regulation (EU) 2018/605 at levels of	ery bioaccumulative (vPvB) at ntain components ing properties Commission or Commission	
13.1 Waste treatmen Product	osal considerations nt methods		
See www.retrologist	ik.com for processes regarding the rel ct us there if you have further questior		
SECTION 14: Trans	sport information		
14.1 UN number ADR/RID: 3077		IMDG: 3077	IATA: 3077
14.2 UN proper ship			
ADR/RID		ZARDOUS SUBSTANCE, SOLID, N.O.S. (Crystal vie	olet)
IMDG	(Crystal violet) : ENVIRONMENTALLY HA	ZARDOUS SUBSTANCE, SOLID, N.O.S. (Crystal vie	olet)
	(Crystal violet)		,
ΙΑΤΑ	: Environmentally hazardou violet)	s substance, solid, n.o.s. (Crystal violet) (Crystal	
14.3 Transport haza			
ADR/RID: 9		IMDG: 9	IATA: 9
14.4 Packaging grou ADR/RID: III	qt	IMDG: III	IATA: III
14.5 Environmental	hazards	IMDG. III	
ADR/RID: yes		IMDG Marine pollutant: yes	IATA: yes
14.6 Special precau			
Tunnel restriction co Further information	ode (-)		
	(ADR 2.2.9.1.10, IMDG code 2.10.3) f	or single packagings and	
combination packag	ings containing inner packagings with	Dangerous Goods > 5L for liquids	
	ackages smaller than or equal to 5 kg	/ L , not dangerous goods of	
Class 9	P. II		
SECTION 15: Regu	latory information		
	and environmental regulations/legislati	on specific for the	
substance or mixture	e data sheet complies with the requirem	cente of Degulation (FC) No	
1907/2006.	data sheet complies with the requirem	ients of Regulation (EC) No.	
	or restrictions on use		
	ns on the manufacture,		
placing on the marke	et and use of certain es, mixtures and articles		
(Annex XVII)			
: Crystal violet			
National legislation	2012/19/ELL of the Evenence		
	2012/18/EU of the European e Council on the control of		
	ands involving dangerous		
substances.			

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com


: ENVIRONMENTAL HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product