An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : Nitro benzene, 99% Product Code: N 1710 CAS-No.: 98-95-3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email <u>info@ottokemi.com</u>

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 3) Acute toxicity, (Category 3) Acute toxicity, (Category 3) Carcinogenicity, (Category 2) Reproductive toxicity, (Category 1B) Specific target organ toxicity repeated exposure, (Category 1), Blood Long-term (chronic) aquatic hazard, (Category 3) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H301 + H311 + H331 H351 H360F H372 H412 Precautionary Statements P202 P273 P280 P301 + P310 P302 + P352 + P312

Supplemental Hazard Statements Restricted to professional users. Reduced Labeling (<= 125 ml) Pictogram

P304 + P340 + P311

H301: Toxic if swallowed.

- H331: Toxic if inhaled. H311: Toxic in contact with skin.
- H311: Toxic in contact with skin. H351: Suspected of causing cancer.
- H360F: May damage fertility.

H372: Causes damage to organs through prolonged or repeated exposure if inhaled.

H412: Harmful to aquatic life with long lasting effects.

Danger

Toxic if swallowed, in contact with skin or if inhaled. Suspected of causing cancer. May damage fertility. Causes damage to organs (Blood) through prolonged or repeated exposure if inhaled. Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. none

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Signal Word Hazard Statements	Danger	
Hazard Statements H351	Suspected of causing cancer.	
H372	Causes damage to organs through prolonged or repeated	
	exposure if inhaled.	
H412	Harmful to aquatic life with long lasting effects.	
H360F	May damage fertility. Taxia if availaved in contact with align an if inhaled	
H301 + H311 + H331 Precautionary Statements	Toxic if swallowed, in contact with skin or if inhaled.	
P202	Do not handle until all safety precautions have been read and	
	understood.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face	
	protection.	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/	
P304 + P340 + P311	doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable	
F304 + F340 + F311	for breathing. Call a POISON CENTER/ doctor.	
Supplemental Hazard	none	
Statements		
2.3 Other hazards		
This substance/mixture contains no components		
bioaccumulative and toxic (PBT), or very persiste	ent and very bioaccumulative (vPvB) at	
levels of 0.1% or higher. Ecological information:		
	pents considered to have endocrine	
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation		
(EU) 2017/2100 or Commission Regulation (EU)		
Toxicological information:		
The substance/mixture does not contain compor		
disrupting properties according to REACH Article		
(EU) 2017/2100 or Commission Regulation (EU) Rapidly absorbed through skin.	2018/005 at levels of 0.1% or higher.	
Napidiy absorbed unough skin.		
SECTION 3: Composition/information on ing	redients	
3.1 Substances		
Formula C6H5NO2		

Formula : C6H5NO2 Molecular weight : 123,11 g/mol CAS-No. : 98-95-3 EC-No. : 202-716-0

Component	Classification	Concentration
Nitrobenzene Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 98-95-3 EC-No. 202-716-0	Acute Tox. 3; Carc. 2; Repr. 1B; STOT RE 1; Aquatic Chronic 3; H301, H331, H311, H351, H360F, H372, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures
General advice
First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
In case of skin contact

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

water/ shower. Call a physician immediately. In case of eye contact After eve contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. If swallowed If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as guickly as possible. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters Stav in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Remove container from danger zone and cool with water. Suppress (knock down)

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains.
6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions
(see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Advice on safe handling
Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition. Take precautionary
measures against static discharge.
Hygiene measures
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Store under nitrogen. Storage class Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eve/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0,6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M) **Body Protection** protective clothing Respiratory protection Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state liquid, oily b) Color colorless, yellow c) Odor pungent Melting point/range: 5 - 6 °C - lit. d) Melting point/freezing point

210 - 211 °C - lit.

DISCLAIMER

e) Initial boiling point

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

and boiling range f) Flammability (solid, gas) g) Upper/lower flammability or explosive limits h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH l) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Surface tension Relative vapor densitv

SECTION 10: Stability and reactivity

10.1 Reactivity Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Risk of explosion with: Alkali metals bases aluminium chloride ammonium nitrate anilines chlorosulfonic acid glycerol Potassium sodium Sodium hydroxide Potassium hydroxide nitrating acid fuming sulfuric acid Strong oxidizing agents perchlorates Peroxides Reducing agents Nitric acid conc. sulfuric acid nitrogen oxides sodium chlorate

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

No data available

Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V)

88 °C - c.c. 480 °C at 1.013 hPa - DIN 51794 > 380 °C

8,0 - 8,5 at 1,00000 g/l at 20,0 °C Viscosity, kinematic: No data available Viscosity, dynamic: 2,03 mPa.s at 20 °C 1,9 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6 log Pow: 1,86 at 24,5 °C - Bioaccumulation is not expected.

0,2 hPa at 20 °C 1,196 g/cm3 at 25 °C - lit. 1,2 at 20 °C 4,1

No data available

No data available

none

43,4 mN/m at 20,0 °C 4.1

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

peroxodisulfuric acid phosphorus pentachloride silver perchlorate tetranitromethane uranium perchlorate phenol with aluminium chloride Generates dangerous gases or fumes in contact with: hydrides metallic chlorides Heat Violent reactions possible with: organometallic compounds 10.4 Conditions to avoid Strong heating. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish flow-through test LC50 - Danio rerio (zebra fish) - 92 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 35 mg/l - 48 h Remarks: (ECHA) Toxicity to algae static test ErC50 - Chlorella pyrenoidosa - 18 mg/l - 96 h (OECD Test Guideline 201) Toxicity to bacteria static test EC20 - activated sludge - 1.000 mg/l - 30 min (OECD Test Guideline 209) Toxicity to fish(Chronic toxicity) flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) -0,002 mg/l - 23 d Remarks: (ECHA) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Daphnia magna (Water flea) - 2,6 mg/l - 21 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 50 % - Readily biodegradable. (OECD Test Guideline 301F)


DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use


Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

H2 ACUTE TOXIC Other regulations Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.