An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Creation Date: 10-03-2025

Revision Date: 29-07-2030

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Phenidone, 97% Product Code: P 1505 CAS No : 92-43-3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email <u>info@ottokemi.com</u>

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 4) Long-term (chronic) aquatic hazard, (Category 2) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H302 H411 **Precautionary Statements** P264 P270 P273 P301 + P312 P391 P501 Supplemental Hazard Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements **Precautionary Statements** Supplemental Hazard Statements 2.3 Other hazards

H302: Harmful if swallowed. H411: Toxic to aquatic life with long lasting effects.

Warning

Harmful if swallowed. Toxic to aquatic life with long lasting effects.

Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Collect spillage. Dispose of contents/ container to an approved waste disposal plant. none

Warning none none none

2.3 Other hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Ecological information:

The substance/mixture does not contain components considered to have endocrine

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances	
Synonyms	: Phenidone
Formula	: C9H10N2O
Molecular weight	: 162,19 g/mol
CAS-No.	: 92-43-3
EC-No.	: 202-155-1

Component	Classification	Concentration
1-phenyl-3-pyrazolidone		
CAS-No. 92-43-3	Acute Tox. 4; Aquatic Chronic 2; H302,	<= 100 %
EC-No. 202-155-1	H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. In case of eye contact After eye contact: rinse out with plenty of water. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters In the event of fire, wear self-contained breathing apparatus. 5.4 Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. Storage class Storage class (TRGS 510): 11: Combustible Solids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated SECTION 8: Exposure controls/personal protection 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eve protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. **Body Protection** protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Physical state b) Color c) Odor d) Melting point/freezing point e) Initial boiling point and boiling range f) Flammability (solid, gas) g) Upper/lower flammability or explosive limits h) Flash point i) Autoignition temperature i) Decomposition temperature k) pH I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . 10.3 Possibility of hazardous reactions Violent reactions possible with: Strong oxidizing agents Strong aikalis 10.4 Conditions to avoid

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

crystalline beige No data available Melting point/ range: 119 - 121 °C - lit.

> 300 °C at 976,4 hPa - OECD Test Guideline 103

No data available

No data available

135,3 °C - Pensky-Martens closed cup No data available

No data available

4,02 at 30 °C Viscosity, kinematic: No data available Viscosity, dynamic: No data available 2,59 g/l at 30 °C - OECD Test Guideline 105 log Pow: 0,012 at 25 °C - Bioaccumulation is not expected.

No data available 1,25 g/cm3 at 20 °C - OECD Test Guideline 109 No data available No data available

No data available

No data available none

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Light.

Strong heating. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eve contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information** 12.1 Toxicity Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 6,25 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Chlorella vulgaris (Fresh water algae) - 9,25 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria EC50 - Photobacterium phosphoreum - 3,02 mg/l - 5 min Remarks: (ECHA) 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 24,06 % - Inherently biodegradable. (OECD Test Guideline 301D) 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 14: Transport information				
14.1 UN number	0077	1474 0077		
	3077	IATA: 3077		
14.2 UN proper shipping name ADR/RID : ENVIRONMENTALLY HAZARDOUS SUBST.	ANCE COULD NO. C. (4 shared 2			
	ANCE, SOLID, N.O.S. (1-pnenyi-3-			
pyrazolidone) IMDG : ENVIRONMENTALLY HAZARDOUS SUBST.	ANCE SOUD NOS (1 shand 2			
	ANCE, SOLID, N.O.S. (1-prienyi-3-			
iATA pyrazolidone) IATA : Environmentally hazardous substance, solid,	n o o (1 nhonyl 2 nyrozolidano)			
14.3 Transport hazard class(es)	n.o.s. (1-prienyi-3-pyrazolidone)			
ADR/RID: 9 IMDG	÷ 0	IATA: 9		
14.4 Packaging group	. 9	IATA. 9		
ADR/RID: III IMDG	9- III	IATA: III		
14.5 Environmental hazards				
	Marine pollutant: yes	IATA: yes		
14.6 Special precautions for user	Marine polititant. yee			
Tunnel restriction code : (-)				
Further information				
EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single	packagings and			
combination packagings containing inner packagings with Dangero		1		
or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not o				
Class 9				
14.7 Maritime transport in bulk according to IMO instruments				
Not applicable for product as supplied.				
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the				
substance or mixture				
This material safety data sheet complies with the requirements of Regulation (EC) No.				
1907/2006.				
National legislation				
Seveso III: Directive 2012/18/EU of the E2 ENVIRONMENTAL HAZARDS				
European Parliament and of the Council				
on the control of major-accident hazards				
involving dangerous substances.				
Other regulations				
Observe work restrictions regarding maternity protection in accorda	ance to Dir 92/85/EEC or			
stricter national regulations where applicable.				
Take note of Dir 94/33/EC on the protection of young people at wor	ГК.			
15.2 Chemical Safety Assessment				
For this product a chemical safety assessment was not carried out				
SECTION 16: Other Information				

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date: 10-03-2025

Revision Date: 29-07-2030

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product