OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Potassium acetate, 99% Product Code: P 2105 CAS No : 127-08-2

 1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only. 1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD 101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Email info@ottokemi.com 1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008. 2.2 Label elements No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required 2.3 Other hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
SECTION 3: Composition/information on ingredients3.1 SubstancesSynonymsFormulai C2H3KO2Molecular weighti 98,14 g/molCAS-No.i 127-08-2EC-No.i 204-822-2
No components need to be disclosed according to the applicable regulations.
SECTION 4: First aid measures 4.1 Description of first-aid measures If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

In case of eye contact After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

water/ shower.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell. 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Potassium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions Do not let product enter drains.
6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Tightly closed. Dry.
Hygroscopic.
Storage class
Storage class
Storage class (TRGS 510): 13: Non Combustible Solids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Ingredients with workplace control parameters
8.2 Exposure controls
Personal protective equipment
Eye/face protection
Use equipment for eye protection tested and approved under appropriate
government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin protection

DISCLAIMER


Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com



No data available

7,0 - 9 at 98,2 g/l at 25 °C Viscosity, kinematic: No data available Viscosity, dynamic: No data available 98,2 g/l at 20 °C - completely soluble No data available

< 0,0000001 hPa at 25 °C 1,57 g/cm3 at 25 °C No data available

DISCI AIMER

p) Density

temperature k) pH

I) Viscosity

m) Water solubility

n-octanol/water o) Vapor pressure

Relative density

n) Partition coefficient:

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

q) Relative vapor
 density
 r) Particle
 characteristics
 c) Evolosive properties

s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available No data available

No data available

No data available The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

SECTION TO: Stability and reactivity	
10.1 Reactivity	
No data available	
10.2 Chemical stability	
The product is chemically stable under standard ambient con	ditions (room temperature).
10.3 Possibility of hazardous reactions	
Violent reactions possible with:	
Strong oxidizing agents	
10.4 Conditions to avoid	
Exposure to moisture. Heat.	
no information available	
10.5 Incompatible materials	
No data available	
10.6 Hazardous decomposition products	
In the event of fire: see section 5	

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None, by NTP, None, by OSHA, None, by NIOSH, Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information** 12.1 Toxicity Toxicity to fish LC50 - Danio rerio (zebra fish) - > 992 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia - > 919 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae EC50 - Skeletonema costatum (marine diatom) - > 1.000 mg/l - 72 h (ISO 10253) 12.2 Persistence and degradability Biodegradability Result: - Readily biodegradable. 12.3 Bioaccumulative potential Does not accumulate in organisms. 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

12.6 Endocrine disrupting properties Product: Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECTION 14: Transport information

14.1 UN number			
ADR/RID: -	IMDG: -	IATA: -	
14.2 UN proper shipping name			
ADR/RID:	Not dangerous goods		
IMDG:	Not dangerous goods		
IATA:	Not dangerous goods		
14.3 Transport hazard class(es)			
ADR/RID: -	IMDG: -	IATA: -	
14.4 Packaging group			
ADR/RID: -	IMDG: -	IATA: -	
14.5 Environmental hazards			
ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
14.6 Special precautions for user			
No data available			
Further information		-12	
Not classified as dangerous in the meaning of transport regulations.			
SECTION 15: Regulatory information			
15.1 Safety, health and environmental regulations/legislation specific for the			
substance or mixture			

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product