An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

# MATERIAL SAFETY DATA SHEET (MSDS)

**SECTION 1. Product identifiers** 

Product name: Potassium bromate, GR 99%+ Product Code: P 2127 CAS No : 7758-01-2

1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use : Industrial. For professional use only	i.
1.3. Details of the supplier of the safety d	
Company identification	
OTTO CHEMIE PVT LTD	
101, Aarkay Ruby Industrial Estate(1B), 0	Onn Shroo Narayan Industrial Estato
Chinchpada, Vasai East, Waliv, Maharas	IIIIa 401200.
Email info@ottokemi.com	
1.4. Emergency telephone number	
Phone no. : + 91 22 2207 0099 (9:00am ·	- 6:00 pm)
SECTION 2: Hazards identification	
2.1 Classification of the substance or mix	
Classification according to Regulation (E	C) No 1272/2008
Oxidizing solids (Category 1), H271	
Acute toxicity, Oral (Category 3), H301	
Carcinogenicity (Category 1B), H350	
For the full text of the H-Statements men	tioned in this Section, see Section 16.
2.2 Label elements	
Labelling according Regulation (EC) No 2	1272/2008
Pictogram	
Signal Word	Danger
Hazard statement(s)	Dungon
H271	May cause fire or explosion; strong oxidizer.
H301	Toxic if swallowed.
H350	May cause cancer.
Precautionary statement(s)	way cause cancer.
P202	Do not handle until all safety precautions have been read and
F202	understood.
P210	
P210	Keep away from heat, hot surfaces, sparks, open flames and
Daga	other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Supplemental Hazard	none
Statements	
Restricted to professional users.	
2.3 Other hazards	
	ponents considered to be either persistent,
	persistent and very bioaccumulative (vPvB) at
levels of 0.1% or higher.	
SECTION 3: Composition/information	on ingredients
3.1 Substances	-
	BrKO3
Molocular weight	167.00 a/mol

3.1 Substances	
Formula	: BrKO3
Molecular weight	: 167,00 g/mol
CAS-No.	: 7758-01-2
EC-No.	: 231-829-8

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Component		Classification	Concentration
Potassium bromate			
CAS-No.	7758-01-2	Ox. Sol. 1; Acute Tox. 3; Carc. 1B; H271,	<= 100 %
EC-No.	231-829-8	H301, H350	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen bromide gas

Potassium oxides

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions

(see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them. Storage class Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated SECTION 8: Exposure controls/personal protection 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet. supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L **Body Protection** protective clothing Respiratory protection Recommended Filter type: Filter B-(P3) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties a) Physical state b) Color c) Odor d) Melting point/freezing point e) Initial boiling point and boiling range f) Flammability (solid, gas) g) Úpper/lower flammability or explosive limits h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH I) Viscosity

m) Water solubility

n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties

9.2 Other safety information No data available

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No data available 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Risk of explosion with: ammonium compounds arsenic bromates organic combustible substances phosphorus Powdered metals Sulfides sulfur carbon Risk of ignition or formation of inflammable gases or vapours with: semimetals

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

powder, finecrystalline off-white odorless Melting point/range: 409 - 413 °C - OECD Test Guideline 102

> 425 °C at ca.1.023 hPa - OECD Test Guideline 103 -(decomposition) The product is not flammable. - Flammability (solids)

No data available

Not applicable No data available

370 °C

5,0 - 9,0 at 50 g/l at 20 °C Viscosity, kinematic: No data available Viscosity, dynamic: No data available ca.66 g/l at 20 °C - OECD Test Guideline 105- completely soluble Not applicable for inorganic substances

Not applicable 3,13 g/cm3 at 20,7 °C - OECD Test Guideline 109 3,13 at 20,7 °C - OECD Test Guideline 109

No data available

No data available The substance or mixture is classified as oxidizing with the category 1.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

nonmetals nonmetallic halides Reducing agents Exothermic reaction with: selenium Generates dangerous gases or fumes in contact with: acids Violent reactions possible with: sulfuric acid Cyanides 10.4 Conditions to avoid no information available 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information** 12.1 Toxicity No data available Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - Desmodesmus subspicatus (green algae) - 31,6 mg/l - 72 h (OECD Test Guideline 201) 12.2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic substances 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent. bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

12.7 Other adverse effects No data available

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods No data available

### **SECTION 14: Transport information**

14.1 UN number ADR/RID: 1484 IMDG: 1484 14.2 UN proper shipping name ADR/RID: POTASSIUM BROMATE POTASSIUM BROMATE IMDG: IATA: Potassium bromate 14.3 Transport hazard class(es) ADR/RID: 5.1 IMDG: 5.1 14.4 Packaging group ADR/RID: II IMDG: II 14.5 Environmental hazards ADR/RID: no IMDG Marine pollutant: no 14.6 Special precautions for user Tunnel restriction code (E) Further information : No data available **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. Authorisations and/or restrictions on use REACH - Restrictions on the manufacture. placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) . Potassium bromate National legislation Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ACUTE TOXIC : OXIDISING LIQUIDS AND SOLIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or

stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

IATA: 1484

IATA: 5.1

IATA: II

IATA: no

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.