An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Creation Date: 10-03-2025

Revision Date: 29-07-2030

# MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers Product name: Potassium hydroxide, pellets, 85% Product Code: P 2305 CAS NO: 1310-58-3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Corrosive to Metals, (Category 1) H290: May be corrosive to metals. Acute toxicity, (Category 4) H302: Harmful if swallowed. Skin corrosion, (Sub-category H314: Causes severe skin burns and eye damage. 1A) Serious eye damage, (Category H318: Causes serious eye damage. 1) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H290 May be corrosive to metals. H302 Harmful if swallowed. Causes severe skin burns and eye damage. H314 **Precautionary Statements** P234 Keep only in original packaging. P260 Do not breathe dust. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312 unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Supplemental Hazard none Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Danger Hazard Statements H314 Causes severe skin burns and eye damage.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Precautionary Statements					
P260	Do not breathe dust.				
P280	Wear protective gloves/ protective clo	thing/ eye protection/ face			
	protection.				
P303 + P361 + P353	IF ON SKIN (or hair): Take off immed	iately all contaminated			
	clothing. Rinse skin with water.				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with wa	ter for several minutes.			
	Remove contact lenses, if present and	d easy to do. Continue			
	rinsing.				
Supplemental Hazard	none				
Statements					
2.3 Other hazards					
This substance/mixture contains no compor	ents considered to be either persistent,				
bioaccumulative and toxic (PBT), or very pe	rsistent and very bioaccumulative (vPvB) at				
levels of 0.1% or higher.					
Ecological information:					
The substance/mixture does not contain cor	mponents considered to have endocrine				
disrupting properties according to REACH A	rticle 57(f) or Commission Delegated regulat	ion			
(EU) 2017/2100 or Commission Regulation	(EU) 2018/605 at levels of 0.1% or higher.				
Toxicological information:					
The substance/mixture does not contain components considered to have endocrine					
disrupting properties according to REACH Article 57(f) or Commission Delegated regulation					
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
SECTION 3: Composition/information on	ingredients				
3.1 Substances					
Synonyms : Caustic potash					
Formula : HKO					
Molecular weight : 56,11 g/mol					
CAS-No. : 1310-58-3					
EC-No. : 215-181-3					
Component	Classification	Classification			
caustic potash					
CAS-No. 1310-58-3	Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A;	<= 100 %			
EC-No. 215-181-3	Eye Dam. 1; <mark>H</mark> 290, H302, H314, H318				
	Concentration limits: >= 5 %: Skin Corr.				
	1A, H314; 2 - < 5 %: Skin Corr. 1B, H314;				
	0,5 - < 2 %: Skin Irrit. 2, H315; 0,5 - < 2				
	0/ . Eve Imit 2 11210. >= 0 5 0/ . Met Com				

%: Eye Irrit. 2, H319; >= 0,5 %: Met. Corr.

For the full text of the H-Statements mentioned in this Section, see Section 16.

1, H290;

# **SECTION 4: First aid measures**

4.1 Description of first-aid measures
General advice
First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air. Call in physician.
In case of skin contact
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact
After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.
Remove contact lenses.
If swallowed
After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of

perforation). Call a physician immediately. Do not attempt to neutralise. 4.2 Most important symptoms and effects, both acute and delayed

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Potassium oxides Not combustible. Ambient fire may liberate hazardous vapours. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Gives off hydrogen by reaction with metals.Prevent fire extinguishing water from

contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions No metal containers. Tightly closed. Dry. Absorbs carbon dioxide (CO2) from air. Air sensitive. strongly hygroscopic Storage class Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters Ingredients with workplace control parameters Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Workers	Inhalation	Long-term local effects	1 mg/m3
Consumers	Inhalation	Long-term local effects	1 mg/m3

#### DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

8.2 Exposure controls	
Personal protective equipment Eye/face protection	
Use equipment for eye protection tested and approved under	or appropriato
government standards such as NIOSH (US) or EN 166(EU)	
goggles	
Skin protection	
This recommendation applies only to the product stated in t	he safety data sheet.
supplied by us and for the designated use. When dissolving	
substances and under conditions deviating from those state	
Full contact	
Material: Nitrile rubber	
Minimum layer thickness: 0,11 mm	
Break through time: 480 min	
Material tested:KCL 741 Dermatril® L	
This recommendation applies only to the product stated in t	
supplied by us and for the designated use. When dissolving substances and under conditions deviating from those state	
contact the supplier of CE-approved gloves (e.g. KCL Gmbl	
Internet: www.kcl.de).	
Splash contact	
Material: Nitrile rubber	
Minimum layer thickness: 0,11 mm	
Break through time: 480 min	
Material tested:KCL 741 Dermatril® L	
Body Protection	
protective clothing	
Respiratory protection required when dusts are generated.	
Our recommendations on filtering respiratory protection are	based on the following
standards: DIN EN 143, DIN 14387 and other accompanyin	
the used respiratory protection system.	g standards fordung to
Recommended Filter type: Filter type P2	
The entrepeneur has to ensure that maintenance, cleaning	and testing of respiratory
protective devices are carried out according to the instruction	ons of the producer.
These measures have to be properly documented.	
Control of environmental exposure	
Do not let product enter drains.	
SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties	2
a) Physical state	pellets
b) Color	colorless
c) Odor	odorless
d) Melting	Melting point/ range: 361 °C - lit.
point/freezing point	
e) Initial boiling point	1.327 °C at 1.013 hPa
and boiling range	
f) Flammability (solid,	No data available
gas) q) Upper/lower	No data available
flammability or	NO GALA AVAIIADIE
explosive limits	
h) Flash point	Not applicable
i) Autoignition	No data available
temperature	
j) Decomposition	No data available
temperature	
k) pH	ca.13,5 at 5,6 g/l at 25 °C
I) Viscosity	Viscosity, kinematic: No data available
	Viscosity, dynamic: No data available

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available

**SECTION 10: Stability and reactivity** 

1.130 g/l at 20 °C - completely soluble Not applicable for inorganic substances

1 hPa at 719 °C 2,04 g/cm3 at 20 °C No data available No data available

No data available

Not classified as explosive. none

10.1 Reactivity No data available 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . Heat of solution is very high, and with limited amounts of water, violent boiling may occur 10.3 Possibility of hazardous reactions No data available 10.4 Conditions to avoid Do not heat above melting point. no information available 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None, by NTP, None, by OSHA, None, by NIOSH, Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

# **SECTION 12: Ecological information**

12.1 Toxicity Toxicity to fish static test LC50 - Gambusia affinis (Mosquito fish) - 80 mg/l - 96 h Remarks: (ECOTOX Database) 12.2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic substances. 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent. bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product<sup>.</sup> Assessment : The substance/mixture does not contain components

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>


considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods No data available

# **SECTION 14: Transport information**



15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance

# **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date: 10-03-2025

Revision Date: 29-07-2030

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product