

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Creation Date: 04-02-2025

Revision Date: 17-06-2030

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Potassium silicofluoride, 98%
Product Code: P 2479
CAS No : 16871-90-2

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number

Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 3)

Acute toxicity, (Category 3)

Acute toxicity, (Category 3)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Hazard Statements

H301 + H311 +

Precautionary Statements

P261 A

P264

P280

P301 + P310

P302 + P352 + P312

P304 + P340 + P311

Supplemental Hazard
Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Strong hydrogen fluoride-releaser

H301: Toxic if swallowed.

H331: Toxic if inhaled.

H311: Toxic in contact with skin.

Danger

H331 Toxic if swallowed, in contact with skin or if inhaled.

void breathing dust.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.

none

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : F6K2Si
Molecular weight : 220,27 g/mol
CAS-No. : 16871-90-2
EC-No. : 240-896-2

Component	Classification	Concentration
Dipotassium hexafluorosilicate		
CAS-No. 16871-90-2 EC-No. 240-896-2	Acute Tox. 3; H301, H331, H311	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Potassium oxides

silicon oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Moisture sensitive. Do not store in glass

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state

crystalline

b) Color

white

c) Odor

No data available

d) Melting

No data available

point/freezing point

e) Initial boiling point

No data available

and boiling range

f) Flammability (solid,

The product is not flammable.

gas)

g) Upper/lower

No data available

flammability or

explosive limits

h) Flash point

Not applicable

i) Autoignition

No data available

temperature

j) Decomposition

No data available

temperature

k) pH

No data available

l) Viscosity

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

No data available

m) Water solubility

n) Partition coefficient:

No data available

n-octanol/water

o) Vapor pressure

No data available

p) Density

2,665 g/mL at 25 °C - lit.

Relative density

No data available

q) Relative vapor

No data available

density

r) Particle

No data available

characteristics

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

s) Explosive properties
t) Oxidizing properties
9.2 Other safety information
No data available

No data available
No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Reacts dangerously with glass.

no information available

10.5 Incompatible materials

glass

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 14: Transport information

14.1 UN number		
ADR/RID: 2655	IMDG: 2655	IATA: 2655
14.2 UN proper shipping name		
ADR/RID : POTASSIUM FLUOROSILICATE		
IMDG : POTASSIUM FLUOROSILICATE		
IATA : Potassium fluorosilicate		
14.3 Transport hazard class(es)		
ADR/RID: 6.1	IMDG: 6.1	IATA: 6.1
14.4 Packaging group		
ADR/RID: III	IMDG: III	IATA: III
14.5 Environmental hazards		
ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user		
Tunnel restriction code : (E)		
Further information : No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date: 04-02-2025

Revision Date: 17-06-2030

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product