# otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

# MATERIAL SAFETY DATA SHEET (MSDS)

## **SECTION 1. Product identifiers**

Product name: Propylamine, 98% Product Code: P 2630 CAS No : 107-10-8 1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only. 1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD 101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Email info@ottokemi.com 1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor. H290: May be corrosive to metals. Corrosive to Metals, (Category 1) H302: Harmful if swallowed. Acute toxicity, (Category 4) H331: Toxic if inhaled. Acute toxicity, (Category 3) H311: Toxic in contact with skin. Acute toxicity, (Category 3) H314: Causes severe skin burns and eye Skin corrosion, (Sub-category 1B) damage. Serious eye damage, (Category H318: Causes serious eye damage. 1) Specific target organ toxicity -H335: May cause respiratory irritation. single exposure, (Category 3), Respiratory system 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H225 Highly flammable liquid and vapor. H290 May be corrosive to metals. Harmful if swallowed. H302 H311 + H331 Toxic in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. **Precautionary Statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312 unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P310 for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Supplemental Hazard Statements Reduced Labeling (<= 125 ml)	none			
Pictogram Signal Word Hazard Statements	Danger			
H314 H311 + H331	Causes severe skin burns and eye damage. Toxic in contact with skin or if inhaled.			
Precautionary Statements P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.			
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.			
P304 + P340 + P310	IF INHÅLED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Supplemental Hazard Statements 2.3 Other hazards	none			
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Ecological information:				
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine				
disrupting properties according to REACH Article (EU) 2017/2100 or Commission Regulation (EU)	57(f) or Commission Delegated regulation			

### SECTION 3: Composition/information on ingredients

3.1 Substances		10
Synonyms	: 1-Aminopropane	
Formula	: C3H9N	
Molecular weight	: 59,11 g/mol	
CAS-No.	: 107-10-8	
EC-No.	: 203-462-3	2

Component		Classification	Concentration	
n-propylamine				
CAS-No. EC-No.	107-10-8 203-462-3	Flam. Liq. 2; Met. Corr. 1; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H225, H290, H302, H331, H311, H314, H318, H335	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures General advice First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen. In case of skin contact

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately. In case of eye contact After eve contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Combustible. Pay attention to flashback. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. Risk of explosion. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling

7.1 Precautions for safe handling
Advice on safe handling
Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Hygiene measures
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
For precautions see section 2.2.

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

7.2 Conditions for safe storage, including any incompatibilities Storage conditions No metal containers. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Storage stabilityRecommended storage temperature 2 - 8 °C Handle and open container with care. Moisture sensitive. Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 60 min **Body Protection** Flame retardant antistatic protective clothing. Respiratory protection Recommended Filter type: Filter type K The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state clear. liquid b) Color colorless c) Odor ammoniacal d) Melting Melting point/ range: -83 °C - lit. point/freezing point e) Initial boiling point 48 °C - lit. and boiling range f) Flammability (solid, No data available gas) g) Upper/lower Upper explosion limit: 10,4 %(V) flammability or Lower explosion limit: 2 %(V) explosive limits h) Flash point < -35 °C i) Autoignition 317 °C temperature at 1.013 hPadoes not ignite j) Decomposition > 300 °C

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

temperature k) pH I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Solubility in other Solvents

Dissociation constant Relative vapor Density

## **SECTION 10: Stability and reactivity**

10.1 Reactivity Vapors may form explosive mixture with air. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Exothermic reaction with: acids Risk of explosion with: Strong oxidizing agents Mercury Violent reactions possible with: Halogenated hydrocarbon Alcohols Aldehydes Ketones Nitriles acid halides phenols anhydrides Esters Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! 10.4 Conditions to avoid Warming. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

12,6 at 100 g/l at 20 °C Viscosity, kinematic: No data available Viscosity, dynamic: ca.0,35 - 0,37 mPa.s at 25 °C at 20 °C miscible in all proportions log Pow: 0,28 at 23 °C - Bioaccumulation is not expected.

330 hPa at ca.19,6 °C 0,719 g/cm3 at 25 °C - lit. 0,72 at 20 °C 2,04 - (Air = 1.0)

No data available

Not classified as explosive. none

Acetone at 20 °C - soluble Benzene at 20 °C - soluble Chloroform at 20 °C - soluble 10,68 at 25 °C 2,04 - (Air = 1.0)

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

# SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - ca. 46 mg/l - 96 h (DIN 38412 part 15) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 70,7 mg/l - 48 h (OECD Test Guideline 202) Toxicity to bacteria EC50 - Pseudomonas putida - 46 mg/l - 17 h Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Ceriodaphnia dubia (water flea) - 1,5 mg/l -7 d (US-EPA) Remarks: The value is given in analogy to the following substances: 1-amino-n-butane 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 14 d Result: 85 % - Readily biodegradable. (OECD Test Guideline 301C) Remarks: The value is given in analogy to the following substances: 1-amino-n-butane 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects

Discharge into the environment must be avoided. Neutralization will reduce ecotoxic effects. May be harmful to aquatic organisms due to the shift of the pH.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

### **SECTION 14: Transport information**

14.1 UN number					
ADR/RID: 1277	IMDG: 1277	IATA: 1277			
14.2 UN proper shipping name					
ADR/RID:	PROPYLAMINE				
IMDG:	PROPYLAMINE				
IATA:	Propylamine				
14.3 Transport hazard class(es)					
ADR/RID: 3 (8)	IMDG: 3 (8)	IATA: 3 (8)			
14.4 Packaging group					
ADR/RID: II	IMDG: II	IATA: II			
14.5 Environmental hazards					
ADR/RID: no	IMDG Marine pollutant: no	IATA: no			
14.6 Special precautions for user					
Tunnel restriction code	: (D/E)				
Further information	: No data available				
SECTION 15: Regulatory information		ET à			
15.1 Safety, health and environmental regulation	ons/legislation specific for the				
substance or mixture					
This material safety data sheet complies with the	ne requirements of Regulation (EC) No.	N			
1907/2006.	1 <b>3 -</b> ( <b>- /</b>				
National legislation					
Seveso III: Directive 2012/18/EU of the					
European Parliament and of the Council					
on the control of major-accident hazards					
involving dangerous substances.					
Н2 АСЙТЕ ТОХІС					
P5c FLAMMABLE LIQUIDS					
Other regulations					
Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or					
stricter national regulations where applicable.					
Take note of Dir 94/33/EC on the protection of young people at work.					
15.2 Chemical Safety Assessment					
A Chemical Safety Assessment has been carried out for this substance.					
SECTION 16: Other Information					

### **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product