An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030

### **MATERIAL SAFETY DATA SHEET (MSDS)**

#### **SECTION 1. Product identifiers**

Product name: Propylene glycol, GR 99%+ Product Code: P 2645 CAS No : 57-55-6

<ol> <li>Relevant identified uses of the substance or mixture and uses advised against</li> <li>Use : Industrial. For professional use only.</li> <li>Details of the supplier of the safety data sheet</li> </ol>	
Company identification OTTO CHEMIE PVT LTD	
101, Aarkay Ruby Industrial Estate(1B),	Opp Shrop Narayan Industrial Estato
Chinchpada, Vasai East, Waliv, Mahara	
Email info@ottokemi.com	sina 401200.
1.4. Emergency telephone number	
Phone no. : + 91 22 2207 0099 (9:00am	- 6:00 pm)
	o.oo piny
SECTION 2: Hazards identification	
2.1 Classification of the substance or mi	xture
Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.	
2.2 Label elements	
No hazard pictogram, no signal word, no hazard statement(s), no precautionary	
statement(s) required.	
2.3 Other hazards	
This substance/mixture contains no components considered to be either persistent,	
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at	
levels of 0.1% or higher.	
Ecological information:	
The substance/mixture does not contain components considered to have endocrine	
disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
Toxicological information:	
The substance/mixture does not contain components considered to have endocrine	
disrupting properties according to REACH Article 57(f) or Commission Delegated regulation	
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
(	
SECTION 3: Composition/information on ingredients	
3.1 Substances	
Synonyms	: Propylene glycol
Ren II	1,2-Propanediol
Formula	: C3H8O2
Molecular weight	: 76,09 g/mol
CAS-No.	: 57-55-6
EC-No.	: 200-338-0

No components need to be disclosed according to the applicable regulations.

#### SECTION 4: First aid measures

4.1 Description of first-aid measures
If inhaled
After inhalation: fresh air.
In case of skin contact
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of eye contact
After eye contact: rinse out with plenty of water. Remove contact lenses.

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

# otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling

For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. hygroscopic Storage class Storage class (TRGS 510): 10: Combustible liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum laver thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Respiratory protection Recommended Filter type: Filter A-(P2) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state liquid b) Color colorless c) Odor No data available d) Melting Melting point/ range: -60 °C - lit. point/freezing point e) Initial boiling point 187 °C - lit. and boiling range f) Flammability (solid, No data available gas) g) Upper/lower Upper explosion limit: 12,5 %(V) flammability or Lower explosion limit: 2,6 %(V) explosive limits h) Flash point 104 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9 i) Autoignition > 400 °C at > 1.000.1 - < 1.014.4 hPa temperature i) Decomposition No data available temperature k) pH No data available Viscosity, kinematic: No data available I) Viscosity Viscosity, dynamic: 12,78 mPa.s at 45 °C m) Water solubility at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6completely miscible Pow: 0,085; log Pow: -1,07 at 20,5 °C - Regulation (EC) No. n) Partition coefficient: n-octanol/water 440/2008, Annex, A.8 - Bioaccumulation is not expected. o) Vapor pressure 0,2 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 1,036 g/cm3 at 25 °C - lit. p) Density Relative density 1,03 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3 q) Relative vapor density

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

#### r) Particle

characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Surface tension

#### No data available

Not classified as explosive. none

71,6 mN/m at 1,01g/l at 21,5  $^\circ\text{C}$  - Surface tension

### **SECTION 10: Stability and reactivity**

10.1 Reactivity Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions increased reactivity with: Oxidizing agents Acid anhydrides Acid chlorides 10.4 Conditions to avoid Strong heating. 10.5 Incompatible materials various plastics 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

### SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 40.613 mg/l - 96 h Remarks: (ECHA) Toxicity to daphnia and other aquatic invertebrates static test LC50 - Ceriodaphnia dubia (water flea) - 18.340 mg/l - 48 h (US-EPA) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -19.000 mg/l - 96 h (OECD Test Guideline 201) Toxicity to bacteria NOEC - Pseudomonas putida - > 20.000 mg/l - 18 h Remarks: (ECHA) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Ceriodaphnia (water flea) - 29.000 mg/l - 7 d (US-EPA) 12.2 Persistence and degradability


DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>



substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

#### SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse

#### DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.




An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date :- 10-04-2025

Rivision Date :-22-07-2030



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product