

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Product identifiers

Product Name : Sodium pieces, 99%  
Product Code: S 1595  
CAS-No.: 7440-23-5

1.2. Relevant identified uses of the substance or mixture and uses advised against  
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification

OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email [info@ottokemi.com](mailto:info@ottokemi.com)

1.4. Emergency telephone number

Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Substances and mixtures which in contact with water emit flammable gases (Category 1),

H260

Skin corrosion (Category 1B), H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Danger

Hazard statement(s)

H260

In contact with water releases flammable gases which may  
ignite spontaneously.

Causes severe skin burns and eye damage.

H314

Precautionary statement(s)

P223

Do not allow contact with water.

P231 + P232

Handle under inert gas. Protect from moisture.

P280

Wear protective gloves/ protective clothing/ eye protection/ face  
protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant  
foam to extinguish.

P422

Store contents under inert gas.

Supplemental Hazard information (EU)

EUH014

Reacts violently with water.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent,  
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at  
levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

3.1 Substances

Molecular weight : 22,99 g/mol

Component	Classification	Concentration
sodium		
CAS-No. 7440-23-5	Water-react 1; Skin Corr.	<= 100 %

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

EC-No. 231-132-9	1B; Eye Dam. 1; H260, H314, H318	
paraffin oils		
CAS-No. 8012-95-1 EC-No. 232-384-2	Asp. Tox. 1; H304	>= 10 - < 20%

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Unsuitable extinguishing media

Water Foam

### 5.2 Special hazards arising from the substance or mixture

Sodium oxides

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Forms explosive mixtures with air on intense heating.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep away from heat and sources of ignition.

Never allow product to get in contact with water during storage.

Storage stability

Recommended storage temperature

2 - 30 °C

Handle and store under inert gas. Air sensitive.

Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail [sales@kcl.de](mailto:sales@kcl.de), test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts are generated.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Physical state	Pieces
b) Color	gray
c) Odor	No data available
d) Melting point/freezing point	Melting point/range: 97,8 °C - lit.
e) Initial boiling point and boiling range	883 °C - lit.
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	82 °C
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	1 hPa at 440 °C
p) Density	0,97 g/cm <sup>3</sup>
Relative density	No data available
q) Relative vapour density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available
9.2 Other safety information	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

sensitive to moisture

Contains the following stabilizer(s):

paraffin oils (<=10010 %)

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Air Do not allow water to enter container.

Strong heating.

Moisture.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product



# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

Passenger Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 4.3

IMDG: 4.3

IATA: 4.3

14.4 Packaging group

ADR/RID: I

IMDG: I

IATA: I

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

Tunnel restriction code : (B/E)

Further information : No data available

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: OTHER HAZARDS

: OTHER HAZARDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product