otto chemie pvt ltd

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Creation Date: 23-04-2025 Revision Date: 11-09-2030

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Sodium triacetoxyborohydride, Assay 98% Powder

Product Code: S 2463 CAS No: 56553-60-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,

Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email info@ottokemi.com

1.4. Emergency telephone number

Phone no.: + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable solids, (Category 1) Substances and mixtures which

in contact with water emit

flammable gases, (Category 1) Acute toxicity, (Category 4)

Serious eye damage, (Category

Reproductive toxicity, (Category

1B)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram Signal Word

Hazard Statements

H228

H260

H302 H318

H360FD **Precautionary Statements**

P210

P231 + P232

P280

P301 + P312

P305 + P351 + P338

P308 + P313

H228: Flammable solid.

H260: In contact with water releases flammable gases which may ignite

spontaneously.

H302: Harmful if swallowed.

H318: Causes serious eye damage.

H360FD: May damage fertility. May

damage the unborn child.

Danger

Flammable solid.

In contact with water releases flammable gases which may

ignite spontaneously. Harmful if swallowed. Causes serious eye damage.

May damage fertility. May damage the unborn child.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Handle and store contents under inert gas. Protect from

moisture.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

IF exposed or concerned: Get medical advice/ attention.

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

otto chemie pvt ltd

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Danger

protection.

Reacts violently with water.

Causes serious eye damage.

Reacts violently with water.

May damage fertility. May damage the unborn child.

Wear protective gloves/ protective clothing/ eve protection/ face

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard information (EU)

EUH014

Reduced Labeling (<= 125 ml) Pictogram

Signal Word Hazard Statements

H318

H360FD

Precautionary Statements P280

P305 + P351 + P338

P308 + P313

EUH014

2.3 Other hazards

Supplemental Hazard information (EU)

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher. **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : STAB Formula : C6H10BNaO6 Molecular weight : 211,94 g/mol CAS-No. 56553-60-7 EC-No. 435-580-8

| Component | Classification | Concentration |
|------------------------------|--|---------------|
| sodium triacetoxyborohydride | | |
| CAS-No. 56553-60-7 | Flam. Sol. 1; Water-react 1; Acute Tox. 4; | <= 100 % |
| EC-No. 435-580-8 | Eye Dam. 1; Repr. 1B; H228, H260, | |
| | H302 H318 H360FD | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eve contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

OTTO CHEMIE PVT LTD

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

Foam Water

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Borane/boron oxides

Sodium oxides

Combustible.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Keep workplace dry. Do not allow product to come into contact with water.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store under inert gas.

Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Never allow product to get in contact with water during storage.

Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

otto chemie pvt ltd

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

contact with water

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eve/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L **Body Protection**

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state

b) Color c) Odor

d) Melting

point/freezing point e) Initial boiling point

and boiling range f) Flammability (solid,

gas)

g) Úpper/lower flammability or explosive limits h) Flash point

i) Autoignition temperature

powder white

No data available

Melting point/ range: 111 - 111,2 °C at 1.013 hPa - OECD Test

- OECD Test Guideline 103Decomposes below the boiling point.

The substance or mixture is a flammable solid with the category

1. - Flammability (solids)

No data available

No data available

ca.365 °C

- Regulation (EC) No. 440/2008, Annex, A.16

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

OTTO CHEMIE PVT LTD

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

i) Decomposition temperature k) pH I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water

o) Vapor pressure p) Density Relative density

g) Relative vapor density r) Particle characteristics

s) Explosive properties t) Oxidizing properties 9.2 Other safety information

No data available

No data available

No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available Decomposes in contact with water. No data available

No data available 1.36 g/cm3 at 20.1 °C - OECD Test Guideline 109

No data available No data available

No data available

No data available

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of violent reaction.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Reacts violently with water.

10.2 Chemical stability

sensitive to moisture

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Water

Alcohols

Strong oxidizing agents

10.4 Conditions to avoid

Exposure to moisture. Reacts with water to generate Hydrogen gas. Do not allow water to

enter container.

Moisture.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - > 100

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

OTTO CHEMIE PVT LTD

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

12.2 Persistence and degradability

Biodegradability aerobic Dissolved organic carbon (DOC) - Exposure time 14 d

Result: 100 % - Readily biodegradable.

(OECD Test Guideline 301A)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1409 IMDG: 1409 IATA: 1409

14.2 UN proper shipping name

ADR/RID : METAL HYDRIDES, WATER-REACTIVE, N.O.S. (sodium triacetoxyborohydride) IMDG : METAL HYDRIDES, WATER-REACTIVE, N.O.S. (sodium triacetoxyborohydride)

IATA : Metal hydrides, water-reactive, n.o.s. (sodium triacetoxyborohydride)

14.3 Transport hazard class(es)

ADR/RID: 4.3 IATA: 4.3

14.4 Packaging group

ADR/RID: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user Tunnel restriction code : (D

Tunnel restriction code : (D/E)
Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council

on the control of major-accident hazards

involving dangerous substances.

O1 OTHER HAZARDS

02 OTHER HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.



An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

