An ISO 9001: 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Creation Date: 14-05-2025 Revision Date: 17-10-2030

## MATERIAL SAFETY DATA SHEET (MSDS)

**SECTION 1. Product identifiers** 

Product name: Sulphamic acid, 99%

Product Code: S 2745 CAS No: 5329-14-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,

Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email info@ottokemi.com

1.4. Emergency telephone number

Phone no.: + 91 22 2207 0099 (9:00am - 6:00 pm).

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Skin irritation, (Category 2) Eye irritation, (Category 2) Long-term (chronic) aquatic hazard, (Category 3)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram Signal Word

Hazard Statements

H315 H319

H412 **Precautionary Statements** 

P264 P273 P280 P302 + P352

P305 + P351 + P338

P332 + P313

Supplemental Hazard

Statements

Reduced Labelling (<= 125 ml)

Pictogram Signal Word

Hazard Statements

H412

**Precautionary Statements** Supplemental Hazard

Statements 2.3 Other hazards H315: Causes skin irritation.

H319: Causes serious eye irritation. H412: Harmful to aquatic life with long

lasting effects.

Warning

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

Wash skin thoroughly after handling. Avoid release to the environment.

Wear protective gloves/ eye protection/ face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If skin irritation occurs: Get medical advice/ attention.

none

Warning

Harmful to aquatic life with long lasting effects.

none none

This substance/mixture contains no components considered to be either persistent,

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product



An ISO 9001 : 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

3.1 Substances

Synonyms : Amidosulfonic acid

Formula : H3NO3S

Molecular weight : 97,09 g/mol

CAS-No. : 5329-14-6

EC-No. : 226-218-8

Component	Classification	Concentration
Sulphamic acid		
CAS-No. 5329-14-6	Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic	<= 100 %
EC-No. 226-218-8	3; H315, H319, H412	\\

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact

lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Sulphur oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions

(see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection protective clothing Respiratory protection

Recommended Filter type: Filter B-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Physical state

b) Color white c) Odor odourless

d) Melting

point/freezing point e) Initial boiling point

and boiling range

f) Flammability (solid,

gas)

g) Úpper/lower

flammability or explosive limits

h) Flash point i) Autoignition

temperature j) Decomposition

temperature

k) pH I) Viscosity V

m) Water solubility

n) Partition coefficient:

n-octanol/water o) Vapor pressure

p) Density Relative density q) Relative vapour

density r) Particle characteristics

s) Explosive properties

t) Oxidizing properties

9.2 Other safety information

Dissociation constant

crystalline

Melting point/ range: 215 - 225 °C - dec.

No data available

No data available

No data available

No data available > 400 °C

- Relative self-ignition temperature for solids

209 °C

1,5 at 10 g/l at 20 °C

iscosity, kinematic: No data available

Viscosity, dynamic: No data available

181,4 g/l at 20 °C - OECD Test Guideline 105- completely

soluble470 g/l at 80 °C No data available

0,008 hPa at 20 °C 0.025 hPa at 100 °C 2,151 g/cm3 at 25 °C No data available No data available

No data available

Not classified as explosive.

none

-0.99 at 25 °C

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with:

Chlorine

Exothermic reaction with:

halogens

alkalines

Oxidizing agents

nitrates

nitrites

Nitric acid

Metals

Strong bases

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

10.4 Conditions to avoid no information available 10.5 Incompatible materials Metals 10.6 Hazardous decomposition products In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin, Dermal contact, Eve contact, Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

#### **SECTION 12: Ecological information**

12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 70,3 mg/l

- 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic

invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - 71,6 mg/l - 48

h

(OECD Test Guideline 202)

Remarks:

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 48

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 200 mg/l - 3 h

(OECD Test Guideline 209)

EC10 - Pseudomonas putida - >= 1.000 mg/l - 16 h

Remarks: (IUCLID)

Toxicity to

fish(Chronic toxicity)

flow-through test NOEC - Danio rerio (zebra fish) - >= 60 mg/l - 34

ď

(OECD Test Guideline 210)

Toxicity to daphnia

and other aquatic

invertebrates(Chronic

toxicity)

semi-static test EC50 - Daphnia magna (Water flea) - > 60 mg/l -

21 d

(OECD Test Guideline 211)

12.2 Persistence and degradability

Biodegradability Result: - Not readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

12.6 Endocrine disrupting properties

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2967 IMDG: 2967 IMTA: 2967

IATA: 8

IATA: no

14.2 UN proper shipping name
ADR/RID : SULPHAMIC ACID
IMDG : SULPHAMIC ACID
IATA : Sulphamic acid
14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8

14.4 Packaging group
ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no

14.6 Special precautions for user Tunnel restriction code : (E)

Further information : No data available

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006.

Authorisations and/or restrictions on use

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Creation Date: 14-05-2025 Revision Date: 17-10-2030