

OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599

Email : info@ottokemi.com, Web : www.ottokemi.com

ISO 9001: 2015

MATERIAL SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Chromium chloride, hexahydrate

Code C 2245

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Skin sensitization (Sub-category 1B), H317

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Signal word Warning

Hazard statement(s)

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P234 Keep only in original packaging.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of water.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal word Warning

Hazard statement(s)

H317 May cause an allergic skin reaction.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of water.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : $\text{Cl}_3\text{Cr} \cdot 6\text{H}_2\text{O}$

Molecular weight : 266,45 g/mol

CAS-No. : 10060-12-5

EC-No. : 233-038-3

Component

chromium trichloride hexahydrate

CAS-No. 10060-12-5

EC-No. 233-038-3


Classification

Met. Corr. 1; Acute Tox. 4; <= 100 %

Skin Sens. 1B; Aquatic

Chronic 2; H290, H302,

Concentration



H317, H411

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

Chromium oxides

Not combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas.

Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

hygroscopic

Storage class


Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: solid
b) Odor	stinging
c) Odor Threshold	No data available
d) pH	2,4 - 2,6 at 50 - 53 g/l at 20 °C
e) Melting point/freezing point	Melting point/range: 80 - 83 °C at 1.013 hPa - Elimination of water of crystallization Melting point: 1.152 °C at 1.013 hPa - (anhydrous substance)
f) Initial boiling point and boiling range	No data available
g) Flash point	does not flashh)
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable.
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	1,76 g/mL at 25 °C - lit.
Relative density	No data available
n) Water solubility	590 g/l at 20 °C - soluble
o) Partition coefficient:	

n-octanol/water	Not applicable for inorganic substances
p) Autoignition temperature	No data available
q) Decomposition temperature	> 1.300 °C -
r) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s) Explosive properties	No data available
t) Oxidizing properties	none
9.2 Other safety information	
Bulk density	ca.700 kg/m ³

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1.790 mg/kg

Remarks: (RTECS)

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: chromium(III) chloride

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Remarks: The value is given in analogy to the following substances: chromium(III) chloride

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

The product is a skin sensitizer, sub-category 1B.

(OECD Test Guideline 406)

Remarks: The value is given in analogy to the following substances: chromium(III) chloride

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Method: OECD Test Guideline 473

Result: negative

Remarks: The value is given in analogy to the following substances: chromium(III)

chloride Test Type: Mutagenicity (mammal cell test): micronucleus.

Test system: Chinese hamster ovary cells

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: chromium(III) chloride Test Type:


sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 479

Result: negative

Remarks: The value is given in analogy to the following substances: chromium(III)



chloride
Carcinogenicity
No data available
Reproductive toxicity
No data available
Specific target organ toxicity - single exposure
No data available
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available

11.2 Additional Information

RTECS: GB5450000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

In contrast to chromium(VI) compounds, chromium(III) compounds are not carcinogenic in animal experiments. Only slight absorption (< 1 %) via gastrointestinal tract in comparison with hexavalent chromium. The greater, nonabsorbed part of chromium(III) is eliminated with the faeces.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 11,2 - 31,5 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: (referred to the cation)

Toxicity to daphnia
and other aquatic
invertebrates

static test EC50 - *Daphnia similis* (Water flea) - 9,9 mg/l - 48 h

(OECD Test Guideline 202)

Remarks: The value is given in analogy to the following substances:

chromium(III) chloride

Toxicity to algae ErC50 - *Scenedesmus capricornutum* (fresh water algae) - 2,0 mg/l - 96 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3260 IMDG: 3260 IATA: 3260

14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (chromium trichloride hexahydrate)

IMDG: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (chromium trichloride

hexahydrate)

IATA: Corrosive solid, acidic, inorganic, n.o.s. (chromium trichloride hexahydrate)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European: ENVIRONMENTAL HAZARDS

Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

