OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai - 400002, India. Tel: + 91 22 2207 0099 / 6638 2599 Email: info@ottokemi.com, Web: www.ottokemi.com

-----ISO 9001: 2015-----

MATERIAL SAFETY DATA SHEET

SECTION 1 Product identifiers

Product name: Citral (cis-trans) Product Number : C 2325 CAS-No.: 96680-15-8

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Skin sensitization (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Warning

Hazard statement(s)

H315 Causes skin irritation.

May cause an allergic skin reaction. H317 H319 Causes serious eye irritation.

Precautionary statement(s)

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P261

Wash skin thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the P272

workplace.

Wear protective gloves/ eye protection/ face protection. P280 P302 + P352

IF ON SKIN: Wash with plenty of water.

May cause an allergic skin reaction.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. none

Warning

Supplemental Hazard

Statements

Reduced Labeling (<= 125 ml)

Pictogram Signal word

Hazard statement(s)

H317

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P272 Contaminated work clothing should not be allowed out of the

workplace. P302 + P352 IF ON SKIN: Wash with plenty of water.

none

Supplemental Hazard Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms: Geranial and neral mixture

3,7-Dimethyl-2,6-octadienal Formula: C10H16O

Molecular weight: 152,23 g/mol

CAS-No.: 96680-15-8 EC-No.: 226-394-6

Component	Component	Concentration
citral; 3,7-dimethyl-2,6-octadienal (cis-		
/trans-mixture of isomers)		

CAS-No. 96680-15-8 EC-No. 226-394-6	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; H315, H319, H317	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact

lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary

failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Risk of dust explosion.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®).

Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoiect® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton®

Minimum layer thickness: 0,7 mm Break through time: 240 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection protective clothing Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form:

clear, liquid Color: light yellow No data available No data available No data available

e) Melting

c) Odor Threshold

b) Odor

Ha (b

Melting point/range: < -10 °C

point/freezing point

f) Initial boiling point and boiling range

g) Flash point h) Evaporation rate i) Flammability (solid,

gas)

j) Upper/lower flammability or explosive limits k) Vapor pressure

I) Vapor density m) Relative density n) Water solubility

o) Partition coefficient:

n-octanol/water

p) Autoignition temperature

98 °C - DIN 51758 No data available No data available

229 °C - lit.

Upper explosion limit: 9,9 %(V) Lower explosion limit: 4,3 %(V)

< 0,1 hPa at 25 °C No data available 0,89 at 20 °C

0,42 g/l at 25 °C - OECD Test Guideline 105

log Pow: 2,76 at 25 °C

225 °C

at 1.013 hPa - DIN 51794

q) Decomposition temperaturer) Viscosity

No data available

Viscosity, kinematic: 1,67 mm2/s at 40 °C - OECD Test

Guideline 114

Viscosity, dynamic: No data available

s) Explosive properties
t) Oxidizing properties
9.2 Other safety information

No data available
No data available

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Aluminum alkalines

Strong oxidizing agents

acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Aluminum, Mild steel

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 6.800 mg/kg

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

Skin corrosion/irritation

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

(OECD Test Guideline 405) Respiratory or skin sensitization Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

Remarks:

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative Carcinogenicity No data available Reproductive toxicity No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - female - Oral - LOAEL (Lowest observed adverse effect level)

- 335 mg/kg

RTECS: RG5075000

Cough, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge,

the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects: After absorption:

Drowsiness Further data:

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - 6,78 mg/l - 96 h

(DIN 38412) Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 6,8 mg/l - 48 h

Remarks: (ECHA)

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 103,8

mg/l - 72 h

Toxicity to bacteria EC50 - Pseudomonas putida - 2.100 mg/l - 30 min

Remarks: (External MSDS)

12.2 Persistence and degradability

Biodegradability Result: > 90 % - Readily biodegradable.

Remarks: (ECHA)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

12.6 Other adverse effects

Biological effects:

When discharged properly, no impairments in the function of adapted biological wastewater

treatment plants are to be expected.

Further information on ecology

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: -IMDG: -IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -14.4 Packaging group ADR/RID: -IMDG: -IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the : Not applicable

European Parliament and of the Council on the

control of major-accident hazards involving

dangerous substances.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

