OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599 Email : info@ottokemi.com, Web : <u>www.ottokemi.com</u>

-----ISO 9001: 2015------

MATERIAL SAFETY DATA SHEET

SECTION 1 Product identifiers

Product name: Cobalt nitrate, 99.999%

Product Code: C 8124 CAS-No.: 10026-22-9

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272
Acute toxicity, Oral (Category 4), H302
Serious eye damage (Category 1), H318
Respiratory sensitization (Category 1), H334
Skin sensitization (Category 1), H317
Germ cell mutagenicity (Category 2), H341
Carcinogenicity, Inhalation (Category 1B), H350i
Reproductive toxicity (Category 1B), H360FD

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Lungs, H373

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger Hazard statement(s)

H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.

H360F D May damage fertility. May damage the unborn child.
H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard none

Statements

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram Signal Word Danger

Hazard statement(s)

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation. H318 Causes serious eye damage.

H360F D May damage fertility. May damage the unborn child.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms: Cobaltous nitrate
Formula: CoN2O6 · 6H2O
Molecular weight: 291,03 g/mol
CAS-No.: 10026-22-9
FC-No.: 600-049-3

EC-No.: 600-049-3		
Component	Classification	Concentration
Cobaltous nitrate, hexahydrate Included in the Candidate List of Substances of Very High		
Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 10026-22-9	Ox. Sol. 2; Acute Tox. 4;	<= 100 %
EC-No. 600-049-3	Eye Dam. 1; Resp. Sens.	
	1; Skin Sens. 1; Muta. 2;	
	Carc. 1B; Repr. 1B; STOT	
	RE 2; Aquatic Acute 1;	
	Aquatic Chronic 1; H272,	
	H3 <mark>02,</mark> H318, H334, H317,	
	H341, H350i, H360FD,	
	H360F, H373, H400, H410	
	Concentration limits:	
	>= 0,01 %: Carc. 1B,	
	H350i;	
	M-Factor - Aquatic Acute:	
	10 - Aquatic Chronic: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Cobalt/cobalt oxides

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet,

supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection protective clothing Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state Crystals with lumps

b) Color red

c) Odor No data available

d) Melting Melting point/range: 55 °C - lit.

point/freezing point

e) Initial boiling point No data available

and boiling range

f) Flammability (solid, No data available

gas)

g) Úpper/lower No data available flammability or

explosive limits h) Flash point

Not applicable i) Autoignition No data available temperature No data available

j) Decomposition temperature

k) pH 4,0 at 100 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility soluble

n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

o) Vapor pressure No data available 1,88 g/cm3 p) Density Relative density No data available

q) Relative vapor density

No data available r) Particle characteristics

s) Explosive properties No data available t) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 2.

No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

ammonium compounds

carbon/soot

oxidisable substances
10.4 Conditions to avoid
Heat. Exposure to moisture.
no information available
10.5 Incompatible materials
No data available
10.6 Hazardous decomposition products
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 434 mg/kg

(Calculation method)

LD50 Oral - Rat - male and female - 978 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 978 mg/kg

(Calculation method)
Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation
Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II) nitrate

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II) nitrate

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) (anhydrous substance) May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex

VI (Table 3.1/3.2) (anhydrous substance)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Lungs

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment: The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 3 mg/kg

RTECS: QU7355500

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Symptoms of an acute cobalt intoxication: diarrhoea, loss of appetite, drop in body temperature, drop in blood pressure. Toxic effect on kidneys (proteinuria, anuria), heart, and pancreas

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

somnolence

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Pimephales promelas (fathead minnow) -

1,866 mg/l - 96 h

(US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to daphnia and other aquatic invertebrates

static test LC50 - Ceriodaphnia dubia (water flea) - 0,39 mg/l - 48 h

(US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0,095 mg/l - 72h

(OECD Test Guideline 201)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to bacteria static test EC50 - activated sludge - 120 mg/l - 30 min

(OECD Test Guideline 209) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic

substances.

12.3 Bioaccumulative potential

No data available 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment: The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1477 IMDG: 1477 IATA: 1477

14.2 UN proper shipping name

ADR/RID: NITRATES, INORGANIC, N.O.S. (Cobaltous nitrate, hexahydrate) IMDG: NITRATES, INORGANIC, N.O.S. (Cobaltous nitrate, hexahydrate)

IATA: Nitrates, inorganic, n.o.s.

14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very

High Concern for Authorisation (Article 59).

: 600-049-3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

: 600-049-3 [°]

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

- : OXIDISING LIQUIDS AND SOLIDS
- : ENVIRONMENTAL HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.