An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1 Product identifiers

Product name : Diethylene glycol dimethyl ether, 99.5% Product Code: D 4141 CAS-No. : 111-96-6

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No 1272/2008	
Flammable liquids (Category 3), H226	
Reproductive toxicity (Category 1B), H360FD	
For the full text of the H-Statements mentioned in this Section, see Section 16.	
2.2 Label elements	
Labelling according Regulation (EC) No 1272/2008	
Pictogram	
	-
Signal Word Danger	6
Hazard statement(s)	0
H226 Flammable liquid and vapor.	-
H360FD May damage fertility. May damage the unborn child.	
Precautionary statement(s)	
P202 Do not handle until all safety precautions have been read and	
understood.	
P210 Keep away from heat, hot surfaces, sparks, open flames and	
other ignition sources. No smoking.	
P233 Keep container tightly closed.	
P240 Ground and bond container and receiving equipment.	
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.	
P308 + P313 IF exposed or concerned: Get medical advice/ attention.	
Supplemental Hazard information (EU)	
EUH019 May form explosive peroxides.	
Reduced Labeling (<= 125 ml)	
Pictogram	
Signal Word Danger	
Hazard statement(s)	
H360FD May damage fertility. May damage the unborn child.	
Precautionary statement(s)	
P202 Do not handle until all safety precautions have been read and	
understood.	
P308 + P313 IF exposed or concerned: Get medical advice/ attention.	
Supplemental Hazard information (EU)	
EUH019 May form explosive peroxides.	
2.3 Other hazards	
This substance/mixture contains no components considered to be either persistent,	
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at	
levels of 0.1% or higher.	
SECTION 3: Composition/information on ingredients	
3.1 Substances	
Synonyms : 2-Methoxyethyl ether	
'Diglyme'	
Dimethyldiglycol	
Bis(2-methoxyethyl) ether	
Formula : C6H14O3	
Molecular weight : 134,17 g/mol	
CAS-No - 111-96-6	

EC-No. : 203-924-4

Diethyleneglycol dimethylether	
Included in the Candidate List of	

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 111-96-6	Flam. Liq. 3; Repr. 1B;	<= 100 %
EC-No. 203-924-4	H226, H360FD	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance. If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains. Risk of explosion.
6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions

(see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Test for peroxide formation periodically and before distillation. Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Routes of exposure	Health effect	Value
Inhalation	Long-term systemic effects	26,8 mg/m3
Skin contact	Long-term systemic effects	2,08mg/kg BW/d
Inhalation	Long-term systemic effects	6,67 mg/m3
Skin contact	Long-term systemic effects	1,04mg/kg BW/d
Ingestion	Long-term systemic effects	1,04mg/kg BW/d
	Inhalation Skin contact Inhalation Skin contact	Inhalation Long-term systemic effects Skin contact Long-term systemic effects Inhalation Long-term systemic effects Skin contact Long-term systemic effects Skin contact Long-term systemic effects

Compartment	Value
Water	9,43 mg/l
Soil	1,72 mg/kg
Sea water	0,64 mg/l
Fresh water	6,4 mg/l
Sea sediment	2,74 mg/kg
Fresh water sediment	2,74 mg/kg
Onsite sewage treatment plant	50 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 30 min Body Protection Flame retardant antistatic protective clothing. Respiratory protection Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties , clear, liquid a) Physical state b) Color colorless c) Odor ether-like d) Melting Melting point/range: -64 °C - lit. point/freezing point e) Initial boiling point 162 °C - lit. and boiling range f) Flammability (solid, No data available gas) g) Upper/lower Upper explosion limit: 17,4 %(V) flammability or explosive limits h) Flash point 57 °C - closed cup i) Autoignition not auto-flammable temperature > 165 °C j) Decomposition temperature at 20 °C k) pH neutral I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 2 mPa.s at 20 °C m) Water solubility at 20 °C soluble n) Partition coefficient: log Pow: -0,36 at 25 °C - Bioaccumulation is not expected., n-octanol/water (External MSDS) o) Vapor pressure 3,99 hPa at 20 °C p) Density 0,943 g/cm3 at 25 °C - lit. Relative densitv No data available q) Relative vapour No data available density r) Particle No data available *c*haracteristics s) Explosive properties No data available t) Oxidizing properties none 9.2 Other safety information Relative vapor 4,62 - (Air = 1.0)density

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 10: Stability and reactivity

10.1 Reactivity Formation of peroxides possible. Vapor/air-mixtures are explosive at intense warming. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). Stable under recommended storage conditions. 10.3 Possibility of hazardous reactions No data available 10.4 Conditions to avoid Heating. Moisture. 10.5 Incompatible materials Strong oxidizing agents 10.6 Hazardous decomposition products Peroxides In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information** 12.1 Toxicity Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 8.569 mg/l - 96 h Remarks: (IUCLID) Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Daphnia magna (Water flea) - 943 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae semi-static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 10.000 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC20 - activated sludge - 1.067 mg/l - 3 h (OECD Test Guideline 209) Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC - Daphnia magna (Water flea) - 320 mg/l - 21 (OECD Test Guideline 211) 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 67 % - Inherently biodegradable. (OECD Test Guideline 302B) 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

bioaccumulative and toxic (PB' levels of 0.1% or higher. 12.6 Endocrine disrupting prop Product:	nixture does not contain components disrupting properties 7(f) or Commission 7/2100 or Commission	
SECTION 13: Disposal consi 13.1 Waste treatment methods No data available		
IMDG: ETHERS,	IMDG: 3271 N.O.S. (Diethyleneglycol dimethylether) N.O.S. (Diethyleneglycol dimethylether) o.s. (Diethyleneglycol dimethylether) s) IMDG: 3 IMDG: 111 IMDG Marine pollutant: no	IATA: 3271 IATA: 3 IATA: III IATA: no
substance or mixture This material safety data sheet 1907/2006. Authorisations and/or restrictio REACH - Candidate List of Sul High Concern for Authorisation : Diethyleneglycol dimethylethe This product contains a substa 1907/2006. Listed substance / Sunset Date 22.08.2017 After the sunset date the use of be used for exempted uses, e.routine analytics or use as inte National legislation Seveso III: Directive 2012/18/E Parliament and of the Council of major-accident hazards involve substances. : FLAMMABLE LIQUIDS Other regulations Observe work restrictions rega stricter national regulations wh	Inmental regulations/legislation specific for the t complies with the requirements of Regulation (EC) No. Ins on use bistances of Very (Article 59). ar ince listed on Annex XIV of the REACH Regulation (EC) Nr. e : Diethyleneglycol dimethylether / of this substance requires either an authorization or can only g. use in scientific research and development which includes irmediate. EU of the European on the control of ng dangerous arding maternity protection in accordance to Dir 92/85/EEC or ere applicable. the protection of young people at work.	

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product. Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.


This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

A Chemical Safety Assessment has been carried out for this substance.

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.