An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : 2-Ethoxy ethyl acetate, 99% Product Code: E 1370 CAS-No.: 111-15-9

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Flammable liquids, (Category 3) H226: Flammable liquid and vapor. Acute toxicity, (Category 4) H302: Harmful if swallowed. Acute toxicity, (Category 4) H332: Harmful if inhaled. Acute toxicity, (Category 4) H312: Harmful in contact with skin. Reproductive toxicity, (Category 1B) H360FD: May damage fertility. May damage the unborn child. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H226 Flammable liquid and vapor. H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H360FD May damage fertility. May damage the unborn child. Precautionary Statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/ protective clothing/ eye protection/ face protection. P280 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P301 + P312 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P312 for breathing. Call a POISON CENTER/ doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/ attention. Supplemental Hazard none Statements Restricted to professional users. Reduced Labeling (<= 125 ml) Pictogram Signal Word Danger Hazard Statements H360FD May damage fertility. May damage the unborn child. Precautionary Statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

bioaccumulative and toxic (PBT), or very levels of 0.1% or higher. Ecological information: The substance/mixture does not contain disrupting properties according to REAC (EU) 2017/2100 or Commission Regulati Toxicological information: The substance/mixture does not contain disrupting properties according to REAC	IF exposed or concerned: Get medical adv None ponents considered to be either persistent, persistent and very bioaccumulative (vPvE components considered to have endocrine H Article 57(f) or Commission Delegated re on (EU) 2018/605 at levels of 0.1% or high components considered to have endocrine H Article 57(f) or Commission Delegated re on (EU) 2018/605 at levels of 0.1% or high	3) at gulation er. gulation		
SECTION 3: Composition/information 3.1 Substances Synonyms : 1-Acetoxy-2-ethoxyethane Ethylene glycol monoethyl ether acetate Cellosolve® acetate Formula : C6H12O3 Molecular weight : 132,16 g/mol CAS-No. : 111-15-9 EC-No. : 203-839-2				
Component	Classification	Concentration		
2-Ethyloxyethyl acetate				
CAS-No. 111-15-9 EC-No. 203-839-2	Flam, Liq. 3; Acute Tox. 4; Repr. 1B; H226, H302, H332, H312, H360FD	<= 100 %		
For the full text of the H-Statements men	tioned in this Section, see Section 16.			
SECTION 4: First aid measures 4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician. In case of eye contact After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available SECTION 5: Firefighting measures				
5.1 Extinguishing media Suitable extinguishing media Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media				

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. Risk of explosion. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eve/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Internet: www.kcl.de). Full contact Material: butyl-rubbe Minimum laver thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0,6 mm Break through time: 30 min Body Protection Flame retardant antistatic protective clothing. Respiratory protection Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Physical state clear, liquid b) Color colorless c) Odor fruity d) Melting Melting point/range: -61 °C - lit. point/freezing point e) Initial boiling point 156 °C - lit. and boiling range f) Flammability (solid, No data available gas) g) Úpper/lower Upper explosion limit: 13 %(V) flammability or Lower explosion limit: 1,7 %(V) explosive limits h) Flash point 54 °C - closed cup i) Autoignition No data available temperature j) Decomposition No data available temperature k) pH 4 - 5 at 20 °C (saturated solution) I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 1,32 mPa.s at 20 °C m) Water solubility 247 g/l at 20 °C n) Partition coefficient: log Pow: 0,24 - Bioaccumulation is not expected. n-octanol/water o) Vapor pressure 3 hPa at 20 °C p) Density 0,975 g/cm3 at 25 °C - lit. Relative density No data available q) Relative vapour No data available density r) Particle No data available characteristics s) Explosive properties No data available t) Oxidizing properties none

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

9.2 Other safety information
Surface tension
Relative vapour
density

31,8 mN/m at 25 °C 4,56 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity Vapor/air-mixtures are explosive at intense warming. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Exothermic reaction with: Oxidizing agents Bases acids Risk of ignition or formation of inflammable gases or vapours with: Aluminum Release of: Hvdroaen 10.4 Conditions to avoid Heating. 10.5 Incompatible materials Aluminum, Strong oxidizing agents 10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 40,7 - 43,6 mg/l -96 h Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 193,6 mg/l - 48 h Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 1.000 mg/l - 72 h Toxicity to bacteria EC10 - Pseudomonas putida - 435 mg/l - 16 h (DIN 38412) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) NOEC - Daphnia magna (Water flea) - 30 mg/l - 21 d (OECD Test Guideline 211) 12.2 Persistence and degradability Biodegradability Result: 97 % - Readily biodegradable. (OECD Test Guideline 301E) **Biochemical Oxygen** Demand (BOD)

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

< 440 mg/g		
Remarks: (IUCLID)		
12.3 Bioaccumulative potential		
No data available		
12.4 Mobility in soil		
No data available		
12.5 Results of PBT and vPvB assessment		
This substance/mixture contains no components	considered to be either persistent	
bioaccumulative and toxic (PBT), or very persiste		
levels of 0.1% or higher.		
12.6 Endocrine disrupting properties		
Product:		
Assessment : The substance/mixture does not co	ontain components	
considered to have endocrine disrupting propertie	•	
according to REACH Article 57(f) or Commission		
Delegated regulation (EU) 2017/2100 or Commis		
Regulation (EU) 2018/605 at levels of 0.1% or high		A
12.7 Other adverse effects		
Additional ecological		
information		
Avoid release to the environment.		N. A.
SECTION 13: Disposal considerations		
13.1 Waste treatment methods		1.0
No data available		1 M
SECTION 14: Transport information		
14.1 UN number		
ADR/RID: 1172	IMDG: 1172	IATA: 1172
14.2 UN proper shipping name		Shi -
ADR/RID: ETHYLENE GLYCOL MONO	DETHYL ETHER ACETATE	
IMDG: ETHYLENE GLYCOL MONO	DETHYL ETHER ACETATE	
IATA: Ethylene glycol monoethyl e	ther acetate	
14.3 Transport hazard class(es)		
ADR/RID: 3	IMDG: 3	IATA: 3
14.4 Packaging group		
ADR/RID: III	IMDG: III	IATA: III
14.5 Environmental hazards		
ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user		
Tunnel restriction code : (D/E)		
Further information : No data available		
SECTION 15: Regulatory information		
15.1 Safety, health and environmental regulation	s/legislation specific for the	
substance or mixture		
This material safety data sheet complies with the	requirements of Regulation (EC) No.	
1907/2006.		
Authorisations and/or restrictions on use		
REACH - Candidate List of Substances of Very	: 2-Ethyloxyethyl acetate	
High Concern for Authorisation (Article 59).		
REACH - Restrictions on the manufacture,	: 2-Ethyloxyethyl acetate	
placing on the market and use of certain		
dangerous substances, mixtures and articles		
Annex XVII)		
National legislation		
Seveso III: Directive 2012/18/EU of the	P5c FLAMMABLE LIQUIDS	
European Parliament and of the Council		
on the control of major-accident hazards	P5c FLAMMABLE LIQUIDS	
involving dangerous substances.		
Other regulations		

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product. Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com


Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.