OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai - 400002, India. Tel: + 91 22 2207 0099 / 6638 2599

Email: info@ottokemi.com, Web: www.ottokemi.com

-----ISO 9001: 2015-----

MATERIAL SAFETY DATA SHEET

1 Product identifiers

Product name: Ottolite, ORA-400, 20-50 Mesh (strongly anionic resin)

Product Code: I 1445 CAS-No.: 9002-24-8

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements None required

Hazards not otherwise classified (HNOC)

None identified

3 Composition/Information on Ingredients

	The state of the s			
Component	CAS-No		Weight %	
Ottolite, ORA-400, 20-50 Mesh (strongly	400 9002-24-8		<=100	
anionic resin)				

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Getmedical attention.

Wash off immediately with plenty of water for at least 15 minutes. Get medical Skin Contact

attentionimmediately if symptoms occur.

Remove to fresh air. Get medical attention immediately if symptoms occur. Inhalation

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attentionif

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available No information available Flash Point Method -No information available **Autoignition Temperature** No information available

Explosion Limits

Upper No data available Lower No data available

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) andfull protective gear.

NFPA

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoiddust

> formation. Should not be released into the environment. See Section 12 for additional Ecological

Environmental Precautions

Information.

Methods for Containment

and CleanUp

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoidcontact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposurelimitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as describedbyOSHA's eye and

face protection regulations in 29 CFR 1910.133 or EuropeanStandardEN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or EuropeanStandardEN 149. Use

a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

9. Physical and chemical properties

Physical State Solid Beads Appearance Amber Odor Amine compounds

Odor Threshold No information available PH No information available No information available No data available No information available No information available No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data ava<mark>ilable</mark>
Lower No data available
Vapor Pressure No information available

Vapor Density Not applicable

Specific Gravity
Solubility
No information available
Partition coefficient; n-octanol/water No data available
Autoignition Temperature
No information available

Autoignition Temperature No information available Decomposition Temperature No information available

Viscosity Not applicable

Molecular Formula Styrene-DVB; Strongly basic gel type resin

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability

Conditions to Avoid
Incompatible Materials

Stable under normal conditions.
Incompatible products.

Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Hazardous Polymerization // Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None, by NTP, None, by OSHA, None, by NIOSH,

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

12. Ecological information

Ecotoxicity

Do not empty into drains. Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available. Mobility Is not likely mobile in the environment due

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classifiedasahazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT Not regulated TDG Not regulated IATA Not regulated IMDG/IMO Not regulated

15. Regulatory information

United States of America Inventory

United States of America	nventory						
Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA RegulatoryFlags			
Ottolite, ORA-400, 20- 50 Mesh (strongly anionic resin)	9002-24-8	-	-	-			

Legend

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

U.S. Federal Regulations SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals. U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals. Other International Regulations

Mexico - Grade No information available

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.