OTTO CHEMIE PVT LTD

MATERIAL SAFETY DATA SHEET

Identification 1.1GHS Product identifier Isobutyric anhydride, 98% Code 1 1578 2.Hazard identification 2.1Classification of the substance or mixture Acute toxicity - Dermal, Category 3 Skin corrosion, Category 1B Serious eye damage, Category 1 Acute toxicity - Inhalation, Category 3 2.2GHS label elements, including precautionary statements Pictogram(s) Signal word Danger Hazard statement(s) H311+H331 Toxic in contact with skin or if inhaled H314 Causes severe skin burns and eye damage Precautionary statement(s) Prevention P280 Wear protective gloves/protective clothing/eye protection/face protection. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash ... thoroughly after handling. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P302+P352 IF ON SKIN: Wash with plenty of Response water/ P312 Call a POISON CENTER/doctor/u2026if you feel unwell. P321 Specific treatment (see ... on this label). P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P363 Wash contaminated clothing before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor/\u2026 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P311 Call a POISON CENTER/doctor/u2026 Storage P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container to ... Disposal 2.3Other hazards which do not result in classification

none

3.Composition/information on ingredients

3.1Substances

Chemical name	Common names and	CAS	EC	Concentration
	synonyms	number	number	Concentration
isobutyric acid anhydride	isobutyric acid anhydride	97-72-3	none	100%

4.First-aid measures

4.1Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2Most important symptoms/effects, acute and delayed

Excerpt from ERG Guide 132 [Flammable Liquids - Corrosive]: May cause toxic effects if inhaled or ingested/swallowed. Contact with substance may cause severe burns to skin and eyes. Fire will produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation. Runoff from fire control or dilution water may cause pollution. (ERG, 2016) 4.3Indication of immediate medical attention and special treatment needed, if necessary no data available

5.Fire-fighting measures

5.1Extinguishing media

Suitable extinguishing media

Excerpt from ERG Guide 132 [Flammable Liquids - Corrosive]: Some of these materials may react violently with water. SMALL FIRE: Dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRE: Water spray, fog or alcohol-resistant foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal; do not scatter the material. Do not get water inside containers. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn. (ERG, 2016) 5.2Specific hazards arising from the chemical

Excerpt from ERG Guide 132 [Flammable Liquids - Corrosive]: Flammable/combustible material. May be ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. (ERG, 2016)

5.3Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6.Accidental release measures

6.1Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. 6.3Methods and materials for containment and cleaning up

Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7.Handling and storage

7.1Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2. 7.2Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

8.Exposure controls/personal protection
8.1Control parameters
Occupational Exposure limit values
no data available
Biological limit values
no data available
8.2Appropriate engineering controls
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE) Eve/face protection Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Respiratory protection Wear dust mask when handling large quantities. Thermal hazards no data available 9. Physical and chemical properties Physical state clear liquid Colour LIQUID Odour no data available Melting point/ freezing 220\u00b0C(dec.)(lit.) point Boiling point or initial 182\u00b0C boiling point and boiling range Flammability no data available Lower and upper no data available explosion limit / flammability limit Flash point 64\u00b0C(lit.) Auto-ignition 625 DEG F (329 DEG C) temperature Decomposition no data available temperature pН no data available Kinematic viscosity no data available Solubility In water:decomposes Partition coefficient n- 1.75 octanol/water (log value) 10 mm Hg (67 \u00b0C) Vapour pressure Density and/or relative 0.954 density Relative vapour 5.45 (vs air) density Particle characteristics no data available 10.Stability and reactivity 10.1Reactivity no data available 10.2Chemical stability Stable under recommended storage conditions. 10.3Possibility of hazardous reactions ISOBUTYRIC ANHYDRIDE reacts exothermically with water. The reactions are sometimes slow, but can become violent when local heating accelerates their rate. Acids accelerate the reaction with water. Incompatible with a cids, strong oxidizing agents, alcohols, amines, and bases. 10.4Conditions to avoid no data available 10.5Incompatible materials no data available 10.6Hazardous decomposition products no data available 11. Toxicological information Acute toxicity Oral: no data available Inhalation: no data available Dermal: no data available Skin corrosion/irritation no data available Serious eye damage/irritation

no data available Respiratory or skin sensitization no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available STOT-single exposure no data available STOT-repeated exposure no data available Aspiration hazard no data available 12. Ecological information 12.1Toxicity Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available 12.2Persistence and degradability no data available 12.3Bioaccumulative potential no data available 12.4Mobility in soil no data available 12.50ther adverse effects no data available 13.Disposal considerations 13.1Disposal methods Product The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems. Contaminated packaging Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials. 14.Transport information 14.1UN Number ADR/RID: UN3265 IMDG: UN3265 IATA: UN3265 14.2UN Proper Shipping Name ADR/RID: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. IMDG: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. IATA: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. 14.3Transport hazard class(es) ADR/RID: 8 IMDG: 8 IATA: 8 14.4Packing group, if applicable ADR/RID: III IMDG: III IATA: III 14.5Environmental hazards ADR/RID: no IMDG: no IATA: no 14.6Special precautions for user

no data available

14.7Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code no data available

15.Regulatory information

15.1Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and	CAS	EC
Chemical hame	synonyms	number	number
isobutyric acid anhydride	isobutyric acid anhydride	97-72-3	none
European Inventory of Substances (EINECS)	Listed.		
EC Inventory	Listed.		
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Haza	Listed.		

New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Not Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

