OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599 Email : info@ottokemi.com, Web : <u>www.ottokemi.com</u>

-----ISO 9001: 2015-----

MATERIAL SAFETY DATA SHEET

1 Product identifiers

Product name : Lithium carbonate, 99% Product Number : L 1525 CAS-No. : 554-13-2

SECTION 2: Hazards identification

2.1 Classification of the substa	ance or mixture
Classification according to Re	gulation (EC) No 1272/2008
Acute toxicity, Oral (Category	
Eye irritation (Category 2), H3	
For the full text of the H-State	ments mentioned in this Section, see Section 16.
2.2 Label elements	
Labelling according Regulatio	n (EC) No 1272/2008
Pictogram	
Signal word	Warning
Hazard statement(s)	
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
Supplemental Hazard	none
Statements	
Reduced Labeling (<= 125 ml	
Pictogram	
Signal word	Warning
Hazard statement(s)	none
Precautionary	none
statement(s)	
Supplemental Hazard	none
Statements	
2.3 Other hazards	
This substance/mixture contai	ins no components considered to be either persistent,
bioaccumulative and toxic (PE	3T), or very persistent and very bioaccumulative (vPvB) at
levels of 0.1% or higher.	
SECTION 3: Composition/in 3.1 Substances	formation on ingredients

3.1 Substances Formula : CLi2O3 Molecular weight : 73,89 g/mol CAS-No. : 554-13-2 EC-No. : 209-062-5 Component Lithium carbonate CAS-No. 554-13-2 EC-No. 209-062-5 Acute Tox. 4; Eye Irrit. 2; <= 100 % <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. In case of eye contact After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known. Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Risk of dust explosion. 5.3 Advice for firefighters In the event of fire, wear self-contained breathing apparatus. 5.4 Further information Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.
Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains.
6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
6.4 Reference to other sections
For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Tightly closed. Dry.
Storage class
Storage class
Storage class (TRGS 510): 11: Combustible Solids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Ingredients with workplace control parameters Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Workers	Skin contact	Acute systemic effects	100ma/ka PM/d
		,	100mg/kg BW/d
Workers	Inhalation	Acute systemic effects	7,02 mg/m3
Workers	Skin contact	Long-term systemic effects	26,61mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	2,34 mg/m3
Consumers	Skin contact	Acute systemic effects	50mg/kg BW/d
Consumers	Inhalation	Acute systemic effects	3,03 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	0,8381 mg/l
Sea water	0,11 mg/l
Fresh water	1,05 mg/l
Sea sediment	0,41 mg/kg
Fresh water sediment	4,09 mg/kg
Sewage treatment plant	122,2 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Appearance Form: granular, powder

b) Odor c) Odor Threshold d) pH e) Melting point/freezing point f) Initial boiling point and boiling range g) Flash point h) Evaporation rate i) Flammability (solid,gas) j) Upper/lower flammability or explosive limits k) Vapor pressure I) Vapor density m) Density Relative density n) Water solubility o) Partition coefficient: n-octanol/water p) Autoignition temperature q) Decomposition temperature r) Viscosity

s) Explosive properties t) Oxidizing properties Particle Size Distribution

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity
The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
10.2 Chemical stability
The product is chemically stable under standard ambient conditions (room temperature).
10.3 Possibility of hazardous reactions
Risk of ignition or formation of inflammable gases or vapours with:
Fluorine
Alkaline earth metals
10.4 Conditions to avoid no information available
10.5 Incompatible materials

No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity LD50 Oral - Rat - 525 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male and female - 4 h - > 2 mg/l - dust/mist

Form: granular, powder Color: white odorless No data available 9,0 - 11,0 at 1 g/l Melting point/range: 618 °C - lit.

No data available

No data available No data available No data available No data available

No data available No data available No data available No data available 8,4 g/l at 20 °C - OECD Test Guideline 105- soluble Not applicable for inorganic substances

No data available

No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available No data available none D10 = 8 µm

```
D50 = 461 μm
D90 = 977 μm
Measurement method: ISO 13320
Measurement technique: laser diffraction
D10 = 1,76 μm
D50 = 5,47 μm
D90 = 12,1 μm
Measurement technique: laser diffraction
```

(OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 3.000 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405) Respiratory or skin sensitization Sensitisation test: - Guinea pig Result: negative (OECD Test Guideline 406) Germ cell mutagenicity Test Type: In vitro mammalian cell gene mutation test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative The value is given in analogy to the following substances: Lithium hydroxideTest Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative The value is given in analogy to the following substances: Lithium hydroxideTest Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative The value is given in analogy to the following substances: Lithium hydroxideCarcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available 11.2 Additional Information RTECS: 0J5800000 Nausea, Anorexia., Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and

system enects that include sturred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., Vomiting, Cyanosis and t-wave inversion have occurred in the breast-fed infants of women receiving lithium carbonate therapy.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity	
Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 30,3 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia	static test EC50 - Daphnia magna (Water flea) - 33 mg/l - 48 h
J	
and other aquatic	(OECD Test Guideline 202)
invertebrates	
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 400 mg/l - 72 h
	(OECD Test Guideline 201)
	static test NOEC - Desmodesmus subspicatus (green algae) - 50 mg/l - 72 h
	(OECD Test Guideline 201)

Toxicity to bacteria		static test EC50 - activated sludge - 278 mg/l - 3 h (OECD Test Guideline 209)			
12.2 Persistence and					
		cal degradability are not app	licable to inorganio	2	
substances.					
12.3 Bioaccumulativ	e potential				
No data available	•				
12.4 Mobility in soil					
No data available					
12.5 Results of PBT	and vPvB assessm	ient			
		nponents considered to be eit			
bioaccumulative and	toxic (PBT), or ver	y persistent and very bioaccu	imulative (vPvB) a	t	
levels of 0.1% or hig	her.				
12.6 Endocrine disru	upting properties				
No data available					
12.7 Other adverse	effects				
No data available					
SECTION 13: Dispo	sal consideration	s			
13.1 Waste treatmer					
Product					
See www.retrologist	ik.com for processe	s regarding the return of che	micals and		
		ve further questions.	1		
		•			
SECTION 14: Trans	sport information				
14.1 UN number					
ADR/RID: -		IMDG: -	ΙΑΤΑ	~- \\ /	
14.2 UN proper ship					
	Not dangerous goo				
	Not dangerous goo		2		
	Not dangerous goo	ds			
14.3 Transport haza	rd class(es)	IMDG: -	НАТА		
ADR/RID: -		IIVIDG	IATA		
14.4 Packaging grou ADR/RID: -	ib di	IMDG: -	IATA		
14.5 Environmental	hazarda	INDG		5 12 50	
ADR/RID: no	nazarus	IMDG Marine pollutant: no	ΙΑΤΑ	1 00	
14.6 Special precau	tions for user	INDO Marine polititant. No		.110	
Further information					
	nderous in the mean	ning of transport regulations.			
Not blabbilled up dal	igerous in the mea	ing of a anoport regulations.			
SECTION 15: Regu	latory information		·		
15.1 Safety, health a	and environmental r	egulations/legislation specific	for the		
substance or mixture					
This material safety	data sheet complies	s with the requirements of Re	gulation (EC) No.		

1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or

stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.