An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

#### MATERIAL SAFETY DATA SHEET (MSDS)

### **SECTION 1 Product identifiers**

Product name : Melamine, 99% Product Code: M 1555 CAS-No.: 108-78-1

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email <u>info@ottokemi.com</u>

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mi					
Classification according to Regulation (E					
Reproductive toxicity (Category 2), H361f					
For the full text of the H-Statements mentioned in this Section, see Section 16.					
2.2 Label elements	1070/0000				
Labelling according Regulation (EC) No	12/2/2008				
Pictogram					
Signal Word	Warning				
Hazard statement(s)					
H361f	Suspected of damaging fertility.				
Precautionary statement(s)					
P201	Obtain special instructions before use.				
P202	Do not handle until all safety precautions have been read and understood.				
P280	Wear protective gloves/ protective clothing/ eye protection/ face				
	protection.				
P308 + P313	IF exposed or concerned: Get medical advice/ attention.				
P405	Store locked up.				
P501	Dispose of contents/ container to an approved waste disposal plant.				
Supplemental Hazard	none				
Statements					
2.3 Other hazards					
This substance/mixture contains no components considered to be either persistent,					
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at					
levels of 0.1% or higher.					
SECTION 3: Composition/information on ingredients					
3.1 Substances					
Synonyms : 2,4,6-Triamino-1,3,5-triazine					
sym-Triaminotriazine					
Formula : C3H6N6					
Molecular weight : 126,12 g/mol					
CAS-No. : 108-78-1					
EC-No. : 203-615-4					

 Component
 Classification
 Concentration

 melamine Included in the Candidate
 List of Substances of Very High
 Image: Concentration

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 108-78-1 EC-No. 203-615-4	Repr. 2; H361f	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx) Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions

(see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid

generation of dusts.

6.4 Reference to other sections

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

For disposal see section 13.

SECTION 7: Handling and storage 7.1 Precautions for safe handling For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. Keep locked up or in an area accessible only to qualified or authorized persons. Storage class Storage class Storage class (TRGS 510): 11: Combustible Solids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
SECTION 8: Exposure controls/personal protection
8.1 Control parameters Ingredients with workplace control parameters
8.2 Exposure controls
Personal protective equipment
Eye/face protection
Use equipment for eye protection tested and approved under appropriate
government standards such as NIOSH (US) or EN 166(EU). Safety glasses
6.4 Reference to other sections
For disposal see section 13. SECTION 7: Handling and storage
7.1 Precautions for safe handling
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Tightly closed. Dry, Keep locked up or in an area accessible only to qualified or authorized
persons. Storage class
Storage class (TRGS 510): 11: Combustible Solids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Ingredients with workplace control parameters
8.2 Exposure controls Personal protective equipment
Eye/face protection
Use equipment for eye protection tested and approved under appropriate
government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection
protective clothing
Respiratory protection
required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following
standards: DIN EN 143, DIN 14387 and other accompanying standards relating to
the used respiratory protection system.
Recommended Filter type: Filter type P3
The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory
protective devices are carried out according to the instructions of the producer.
These measures have to be properly documented.
Control of environmental exposure Do not let product enter drains.
Do not let product effet drains.
SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical properties a) Physical state powder b) Color white

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

c) Odor odorless d) Melting Melting point/range: > 300 °C - lit. point/freezing point e) Initial boiling point No data available and boiling range f) Flammability (solid, May form combustible dust concentrations in air. gas) g) Úpper/lower No data available flammability or explosive limits h) Flash point 300 °C - closed cup i) Autoignition > 400 °C temperature at 1.013 hPa j) Decomposition No data available temperature k) pH No data available Viscosity, kinematic: No data available I) Viscosity Viscosity, dynamic: No data available m) Water solubility 3,48 g/l at 20 °C - OECD Test Guideline 1053,48 g/l at 20 °C log Pow: -1,22 at 22 °Clog Pow: -1,22 at 22 °C n) Partition coefficient: n-octanol/water o) Vapor pressure No data available 1,57 g/cm3 at 20 °C - Tested according to Annex V of Directive p) Density 67/548/EEC. Relative density 1,57 at 20 °C q) Relative vapor density r) Particle No data available characteristics s) Explosive properties No data available t) Oxidizing properties none 9.2 Other safety information No data available **SECTION 10: Stability and reactivity** 10.1 Reactivity Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . 10.3 Possibility of hazardous reactions Violent reactions possible with: Strong oxidizing agents Strong acids 10.4 Conditions to avoid Strong heating. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.				
SECTION 12: Ecological information 12.1 Toxicity				
Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 48 mg/l - 48 h and other aquatic				
invertebrates				
12.2 Persistence and degradability No data available				
12.3 Bioaccumulative potential				
No data available				
12.4 Mobility in soil No data available				
12.5 Results of PBT and vPvB assessm	ent			
This substance/mixture contains no com	ponents considered to be either persister			
	y persistent and very bioaccumulative (v	PvB) at		
levels of 0.1% or higher. 12.6 Endocrine disrupting properties				
Product:				
Assessment : The substance/mixture do				
considered to have endocrine disrupting according to REACH Article 57(f) or Cor				
Delegated regulation (EU) 2017/2100 or				
Regulation (EU) 2018/605 at levels of 0.				
12.7 Other adverse effects				
No data available				
SECTION 13: Disposal consideration		A y Charles		
13.1 Waste treatment methods				
Product	a regarding the patient of aboviable and			
See www.retrologistik.com for processe containers, or contact us there if you ha				
SECTION 14: Transport information				
14.1 UN number ADR/RID: -	IMDG: -	IATA: -		
14.2 UN proper shipping name				
ADR/RID: Not dangerous goods				
IMDG: Not dangerous goo				
IATA: Not dangerous goo 14.3 Transport hazard class(es)	ds			
ADR/RID: -	IMDG: -	IATA: -		
14.4 Packaging group				
ADR/RID: -	IMDG: -	IATA: -		
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
14.6 Special precautions for user				
No data available				
Further information Not classified as dangerous in the mear	ing of transport regulations			
	ing of transport regulations.			
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
	with the requirements of Regulation (E0	C) No.		
1907/2006.				

Authorisations and/or restrictions on use

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : melamine Other regulations Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

#### Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.