

OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599

Email : info@ottokemi.com, Web : www.ottokemi.com

ISO 9001: 2015

MATERIAL SAFETY DATA SHEET

1. Identification

1.1 GHS Product identifier

Methyl isobutyl carbinol, 99%

Code M 2135

2. Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3

Specific target organ toxicity (STOT) single exposure, Category 3

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour

H335 May cause respiratory irritation

Precautionary

statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof

[electrical/ventilating/lighting/...] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

Response

Storage

P403+P235 Store in a well-ventilated place. Keep cool.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container to ...

2.3 Other hazards which do not result in classification

none

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
4-Methyl-2-pentanol	4-Methyl-2-pentanol	108-11-2	none	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

In case of skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth. Rest. Refer for medical attention.

4.2 Most important symptoms/effects, acute and delayed

Vapor irritates eyes and nose; may cause anesthesia. Prolonged contact with liquid causes irritation and cracking of skin; also irritates eyes. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

no data available

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

ALCOHOL FOAM.

5.2 Specific hazards arising from the chemical

Excerpt from ERG Guide 129 [Flammable Liquids (Water-Miscible / Noxious)]: HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. (ERG, 2016)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance.

Ventilation. Collect leaking liquid in sealable containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof if in building. Separated from strong oxidants. Cool.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 25 ppm (100 mg/cu m).

Recommended Exposure Limit: 15 Min Short-Term Exposure Limit: 40 ppm (165 mg/cu m), skin.

Biological limit values

no data available

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards
no data available

9. Physical and chemical properties

Physical state clear liquid
Colour COLORLESS LIQ
Odour Mild odor.
Melting point/ freezing point -90°C (lit.)
Boiling point or initial boiling point and boiling range 132°C
Flammability Class II Combustible Liquid: Fl.P. at or above 37.78°C and below 60°C . Flammable.
Lower and upper explosion limit / flammability limit no data available
Flash point 43°C (lit.)
Auto-ignition temperature no data available
Decomposition temperature no data available
pH no data available
Kinematic viscosity no data available
Solubility In water: 2 g/100 mL
Partition coefficient n-octanol/water (log value) $\log K_{ow} = 1.43$
Vapour pressure 3.7 mm Hg (20°C)
Density and/or relative density 0.8
Relative vapour density 3.5 (vs air)
Particle characteristics no data available

10. Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

STABLE LIQ

10.3 Possibility of hazardous reactions

MODERATE FIRE RISK. The vapour is heavier than air and may travel along the ground; distant ignition possible. METHYL ISOBUTYL CARBINOL is an alcohol. Flammable and/or toxic gases are generated by the combination of alcohols with alkali metals, nitrides, and strong reducing agents. They react with oxoacids and carboxylic acids to form esters plus water. Oxidizing agents convert them to aldehydes or ketones. Alcohols exhibit both weak acid and weak base behavior. They may initiate the polymerization of isocyanates and epoxides. This compound is incompatible with strong oxidizers (NIOSH, 2016).

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizers.

10.6 Hazardous decomposition products

no data available

11. Toxicological information

Acute toxicity

Oral: LD50 Rat oral 2.6 g/kg

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available


Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity



no data available
STOT-single exposure
no data available
STOT-repeated exposure
no data available
Aspiration hazard
no data available

12. Ecological information

12.1 Toxicity

Toxicity to fish: no data available
Toxicity to daphnia and other aquatic invertebrates: no data available
Toxicity to algae: no data available
Toxicity to microorganisms: no data available

12.2 Persistence and degradability

A percent theoretical BOD of 84% was observed after 5 days in screening tests using the standard dilution technique and effluent from a biological sanitary waste treatment plant as inoculum(1). A percent theoretical BOD of 43% was observed after 5 days in screening tests using the standard dilution technique and acclimated sewage as inoculum(2). Tests using acclimated mixed microbial cultures as inoculum gave a percent theoretical BOD of 56% after 5 days(3). In screening tests using filtered, settled domestic wastewater as inoculum, the observed percent theoretical BOD of 50%, 72%, 90% and 94% were observed after 5, 10, 15, 20 days, respectively(4). In screening tests using activated sludge in a medium containing 100 ppm urea and approximately 16,000 ppm ethyl alcohol, the observed rate constant of disappearance of 4-methyl-2-pentanol was 0.432/hr which corresponds to a half-life of 17 hr(5). The results of these laboratory screening tests indicate that 4-methyl-2-pentanol is readily biodegradable under the conditions used in the experiments(SRC). No information regarding biodegradation in natural media was found(SRC).

12.3 Bioaccumulative potential

Based upon an experimental log Kow of 1.43(1), a BCF of 7.2 has been estimated using a recommended regression equation(2). Based upon an experimental water solubility of 1.64X10+4 mg/kg(3), a BCF of 2.6 has been estimated using a recommended regression equation(2). Based upon these estimated BCF, 4-methyl-2-pentanol will not be expected to bioconcentrate in aquatic organisms(SRC).

12.4 Mobility in soil

Based upon an experimental log Kow of 1.43(1), a Koc of 143 has been estimated using a recommended regression equation(2). Based upon an experimental water solubility of 1.64X10+4 mg/kg(3), a Koc of 21 has been estimated using a recommended regression equation(2). Based upon these estimated Koc, 4-methyl-2-pentanol will be expected to exhibit high to very high mobility in soil(4). 4-Methyl-2-pentanol, therefore, may leach through soil to groundwater if it does not volatilize or biodegrade first(SRC).

12.5 Other adverse effects

no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: UN2053 IMDG: UN2053 IATA: UN2053

14.2 UN Proper Shipping Name

ADR/RID: METHYL ISOBUTYL CARBINOL

IMDG: METHYL ISOBUTYL CARBINOL

IATA: METHYL ISOBUTYL CARBINOL

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packing group, if applicable

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
4-Methyl-2-pentanol	4-Methyl-2-pentanol	108-11-2	none

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Listed.
New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

