An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1 Product identifiers

Product name : MES, hydrate, ≥99.5% Product Code: M 2376 CAS-No. : 1266615-59-1

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
2.2 Label elements
Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
2.3 Other hazards
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances Synonyms : 4-Morpholineethanesulfonic acid 2-(N-Morpholino)ethanesulfonic acid Formula : C6H13NO4S · xH2O Molecular weight : 195,24 g/mol CAS-No. : 1266615-59-1 No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. In case of eve contact After eye contact: rinse out with plenty of water. Remove contact lenses. If swallowed After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Sodium oxides Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters In the event of fire, wear self-contained breathing apparatus. 5.4 Further information

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated SECTION 8: Exposure controls/personal protection 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eve protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P1

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Appearance Form: powde

b) Odor c) Odor Threshold d) pH e) Melting point/freezing point melting. f) Initial boiling point and boiling range g) Flash point h) Evaporation rate i) Flammability (solid, gas) i) Upper/lower flammability or explosive limits k) Vapor pressure I) Vapor density m) Relative density n) Water solubility o) Partition coefficient: n-octanol/water p) Autoignition témperature q) Decomposition temperature r) Viscosity

s) Explosive properties t) Oxidizing properties 9.2 Other safety information Surface tension ca.67,1 mN/m at 1g/l at 20 °C - OECD Test Guideline 115

SECTION 10: Stability and reactivity

10.1 Reactivity
The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
10.2 Chemical stability
The product is chemically stable under standard ambient conditions (room temperature) .
10.3 Possibility of hazardous reactions
Violent reactions possible with:
Strong oxidizing agents
10.4 Conditions to avoid
no information available
10.5 Incompatible materials
Strong oxidizing agents
10.6 Hazardous decomposition products
In the event of fire: see section 5

DISCLAIMER

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

powder Color: white No data available No data available No data available Melting point: 260 °C at ca.1.013,25 hPa - Decomposes before

No data available

Not applicable No data available The product is not flammable. - Flammability (solids)

No data available

No data available No data available ca.1,5 at 19,9 °C - OECD Test Guideline 109 ca.335,3 g/l at 20 °C - OECD Test Guideline 105 log Pow: ca.-2,36 at 20 °C - Bioaccumulation is not expected.

 > 400 °C
 - Relative self-ignition temperature for solidsdoes not ignite No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available No data available No data available

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

SECTION 12: Ecological mormation		
12.1 Toxicity		
No data available		
Toxicity to daphnia		
and other aquatic		
invertebrates		
static test EC50 - Daphnia magna (Wat	ter flea) - > 108 mg/l - 48 h	
(OECD Test Guideline 202)		
Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - > 108 mg/l - 72		
Н		
(OECD Test Guideline 201)		
12.2 Persistence and degradability		
Biodegradability aerobic - Exposure time 29 d		
Result: 1 % - Not readily biodegradable		
(OECD Test Guideline 301B)		
12.3 Bioaccumulative potential		
No data available		
12.4 Mobility in soil		
No data available		
12.5 Results of PBT and vPvB assessment		
This substance/mixture contains no components considered to be either persistent,		
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at		
levels of 0.1% or higher.		
12.6 Other adverse effects		
No data available		
SECTION 13: Disposal considerations		
13.1 Waste treatment methods		
Product		
See www.retrologistik.com for processes regarding the return of chemicals and		
containers, or contact us there if you have further questions.		
SECTION 14: Transport information		
14.1 UN number		
ADR/RID: -	IMDG: -	IATA: -
14.2 UN proper shipping name		
ADR/RID: Not dangerous goo	ods	
IMDG: Not dangerous goods		
IATA: Not dangerous goo		
14.3 Transport hazard class(es)		
ADR/RID: -	IMDG: -	IATA: -
14.4 Packaging group		
ADR/RID: -	IMDG: -	IATA: -
14.5 Environmental hazards		17 VI / V
ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user	ime o marine politiant. no	
Further information		
Not classified as dangerous in the mea	ning of transport regulations	

Not classified as dangerous in the meaning of transport regulations.

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Not applicable National legislation Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable : Not applicable 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.