An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

1. Product identifiers

Product name: 1-Propanol, 99% Product Code: P 2595 CAS No : 71-23-8 1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor. Serious eye damage, (Category 1) H318: Causes serious eye damage. Specific target organ toxicity single exposure, (Category 3), Central nervous system H336: May cause drowsiness or dizziness. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H225 Highly flammable liquid and vapor. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness. Precautionary Statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina. Supplemental Hazard Statements none Reduced Labeling (<= 125 ml) Pictogram Signal Word Danger Hazard Statements H318 Causes serious eve damage. **Precautionary Statements** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina. Supplemental Hazard

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances Synonyms : Propyl alcohol Formula : C3H8O Molecular weight : 60,10 g/mol CAS-No. : 71-23-8

Component	Classification	Concentration
1-Propanol		
CAS-No. : 71-23-8	Flam. Liq. 2; Eye Dam. 1; STOT SE 3; H225, H318, H336 Concentration limits: 20 %; STOT SE 3, H336;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures 4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. Call in physician. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. In case of eye contact After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing media
Carbon dioxide (CO2) Foam Dry powder
Unsuitable extinguishing media
For this substance/mixture no limitations of extinguishing agents are given.
5.2 Special hazards arising from the substance or mixture
Carbon oxides
Combustible.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. 5.3 Advice for firefighters In the event of fire, wear self-contained breathing apparatus. 5.4 Further information Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. Risk of explosion. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Hygiene measures Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	inhalation	Systemic effects	1723 mg/m3
Worker DNEL, longterm	inhalation	Systemic effects	268 mg/m3
Worker DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, acute	inhalation	Systemic effects	1036 mg/m3
Consumer DNEL, longterm	inhalation	Systemic effects	80 mg/m3
Consumer DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, longterm	oral	Systemic effects	

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	10 mg/l
Sewage treatment plant	96 mg/l
Soil	2,2 mg/kg
Sea sediment	2,28 mg/kg
Fresh water sediment	22,8 mg/kg
Aquatic intermittent release	10 mg/l
Sea water	1 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 480 min

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Chloroprene Minimum layer thickness: 0,65 mm

Break through time: 120 min Material tested:KCL 720 Camapren®

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
a) Physical state	Clear, Liquid
b) Color colorless	
c) Odor	Alcohol-like
d) Melting	
point/freezing point	
Melting point/range:	-127 °C - lit.
e) Initial boiling point	

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

and boiling range f) Flammability (solid,gas) g) Upper/lower flammability or explosive limits Upper explosion limit: Lower explosion limit: h) Flash point i) Autoignition temperature 400 °C j) Decomposition temperature k) pH I) Viscosity Viscosity, kinematic: Viscosity, dynamic: m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Surface tension 23,45 mN/m at 20 °C Relative vapor density 2,07 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity Vapors may form explosive mixture with air. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Exothermic reaction with: Alkaline earth metals alcoholates Alkali metals Release of: Hvdroaen Violent reactions possible with: Strong oxidizing agents 10.4 Conditions to avoid Warming. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

97 °C - lit. No data available

13,7 %(V) 2,1 %(V) 22 °C - closed cup

at 1.013,25 hPa - DIN 51794

No data available 8,5 at 200 g/l at 20 °C No data available 2,21 mPa.s at 20 °C at 20 °C completely miscible

log Pow: 0,2 at 25 °C - Bioaccumulation is not expected. 19,3 hPa at 20 °C 0,804 g/cm3 at 25 °C - lit. No data available

No data available

No data available No data available None

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -4.555 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 3.644 mg/l - 48 h (DIN 38412) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -9.170 mg/l - 48 h Remarks: (ECHA) Toxicity to bacteria static test IC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209) 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 20 d Result: 75 % - Readily biodegradable. Remarks: (ECHA) Chemical Oxygen Demand (COD) 2.230 mg/g Remarks: (IUCLID) Theoretical oxygen demand 2.400 mg/g Remarks: (Lit.) Ratio BOD/ThBOD < 2 % 12.3 Bioaccumulative potential The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected. 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects **SECTION 13: Disposal considerations** 13.1 Waste treatment methods No data available

SECTION 14: Transport information 14.1 UN number ADR/RID: 1274 IMDG: 1274 14.2 UN proper shipping name ADR/RID: n-PROPANOL

IATA: 1274

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

IMDG: n-PROPANOL IATA: n-Propanol 14.3 Transport hazard class(e	c)			
ADR/RID: 3	IMDG: 3	IATA: 3		
14.4 Packaging group				
ADR/RID: II	IMDG: II	IATA: II		
14.5 Environmental hazards				
ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
14.6 Special precautions for user				
Tunnel restriction code : (D/E)	1			
Further information : No data available				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. Authorisations and/or restrictions on use National legislation Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS Other regulations Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment A Chemical Safety Assessment has been carried out for this substance.

16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product