OTTO CHEMIE PVT LTD

201, 51-53 Maroo Bhavan, Kalbadevi, Mumbai – 400002, India. Tel : + 91 22 2207 0099 / 6638 2599 Email : info@ottokemi.com, Web : <u>www.ottokemi.com</u>

-----ISO 9001: 2015-----

MATERIAL SAFETY DATA SHEET

SECTION 1 Product identifiers

Product name : Silver fluoride, GR 98%+ Product Code : S 1530 CAS-No. : 7775-41-9

SECTION 2: Hazards identification

SECTION 2. Hazarus luenti		
2.1 Classification of the subs		
Classification according to Regulation (EC) No 1272/2008		
Skin corrosion (Sub-category		
For the full text of the H-State	ements mentioned in this Section, see Section 16.	
2.2 Label elements	AT A A A A A A A A A A A A A A A A A A	
Labelling according Regulati	on (EC) No 1272/2008	
Pictogram		
Signal word	Danger	
Hazard statement(s)		
H314	Causes severe skin burns and eye damage.	
Precautionary statement(s)		
P260	Do not breathe dusts or mists.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face	
protection/ hearing protection.		
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated	
	clothing. Rinse skin with water.	
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable	
	for breathing. Immediately call a POISON CENTER/ doctor.	
P305 + P351 + P338 IF	IN EYES: Rinse cautiously with water for several minutes.	
<i>F</i>	Remove contact lenses, if present and easy to do. Continue	
	rinsing.	
Supplemental Hazard	none	
Statements		
2.3 Other hazards		
	ains no components considered to be either persistent,	
	PBT), or very persistent and very bioaccumulative (vPvB) at	
levels of 0.1% or higher.		
Strong hydrogen fluoride-rele	easer	
SECTION 3: Composition/information on ingredients		
3.1 Substances		

3.1 Substances Formula : AgF Molecular weight : 126,87 g/mol CAS-No. : 7775-41-9 EC-No. : 231-895-8 Component

Component	Classification	Concentration
silver fluoride		
CAS-No. 7775-41-9	Skin Corr. 1B; H314	<= 100 %
EC-No.231-895-8		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be

considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately. In case of eve contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride Silver/silver oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.
Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains.
6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions
(see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Tightly closed. Dry.
Light sensitive. Store under inert gas. hygroscopic Do not store in glass
Storage class
Storage class
Grage class (TRGS 510): 8A: Combustible, corrosive hazardous materials
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L **Body Protection** protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Appearance Form: b) Odor c) Odor Threshold d) pH e) Meltina point/freezing point f) Initial boiling point and boiling range g) Flash point h) Evaporation rate i) Flammability (solid, gas) j) Upper/lower flammability or explosive limits k) Vapor pressure I) Vapor density m) Density Relative density n) Water solubility o) Partition coefficient: n-octanol/water p) Autoignition temperature q) Decomposition temperature r) Viscosity

solid Color: brown. tan No data available No data available No data available 435 °C

1.150 °C

No data available No data available No data available

No data available

No data available No data available 5,852 g/cm3 at 25 °C No data available No data available No data available

No data available

No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available

s) Explosive properties t) Oxidizing properties none 9.2 Other safety information No data available

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity
No data available
10.2 Chemical stability
The product is chemically stable under standard ambient conditions (room temperature).
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
Reacts dangerously with glass.
no information available
10.5 Incompatible materials
glass
10.6 Hazardous decomposition products
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity Oral: No data available Inhalation: No data available Dermal: No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitization No data available Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available 11.2 Additional Information RTECS: VW4250000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, pneumonitis, pulmonary edema, Symptoms and signs of poisoning are:, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Acute symptoms of overexposure include:, Salivation, Abdominal pain, Fever, Breathing difficulties, Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Prolonged or repeated exposure may cause:, perforation of the nasal septum, excessive calcification of the bones, ligaments, and tendons., May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity No data available 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Other adverse effects No data available SECTION 13: Disposal considerations 13.1 Waste treatment methods Product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further guestions.

SECTION 14: Transport information

14.1 UN number ADR/RID: 3260 IMDG: 3260 IATA: 3260 14.2 UN proper shipping name ADR/RID: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (silver fluoride) IMDG: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (silver fluoride) IATA: Corrosive solid, acidic, inorganic, n.o.s. (silver fluoride) 14.3 Transport hazard class(es) ADR/RID: 8 IMDG: 8 IATA: 8 14.4 Packaging group ADR/RID: 11 IMDG: 11 IATA: 11 14.5 Environmental hazards ADR/RID: no IMDG Marine pollutant: no IATA: no 14.6 Special precautions for user No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. Other regulations Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.