

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1214 *	<u>ABSCISIC ACID</u> practical grade 10%	14375-45-2	100 mg	2403	1 gm	14904
A 1215 *	<u>ABSCISIC ACID</u> for biochemistry 99%	14375-45-2	25 mg	1305	100 mg	3708
					500 mg	17469
A 1217 ☐	<u>(7-AMINO CEPHALOSPORANIC ACID)</u> 98%	957-68-6	1 gm	2007	5 gm	4689
A 1225 ☐	<u>ACACIA</u>	9000-01-5	500 gm	612	5 kg	4392
A 1226 ☐	<u>ACACIA</u> spray dried powder	9000-01-5	500 gm	684	5 kg	6309
A 1227	<u>ACACIA</u> GR	9000-01-5	500 gm	828	5 kg	7407
A 0855	<u>ACARBOSE</u> , ≥95%	56180-94-0			1 gm	24903
A 1229 ☐	<u>ACENAPHTHENE</u> pract	83-32-9	100 gm	306	500 gm	1395
					5 kg	11907
A 1230	<u>ACENAPHTHENE</u> for synthesis 97%	83-32-9	100 gm	450	500 gm	1692
A 1231	<u>ACENAPHTHENE</u> GR for HLPC 98%+	83-32-9	100 gm	2007	500 gm	6939
A 1234 ☐	<u>ACES BUFFER</u> 99%	7365-82-4	5 gm	864	25 gm	1764
	[N-(2-Acetamido)-2-aminoethane sulfonic acid]				100 gm	5904
A 1233	<u>ACETALDEHYDE</u> 20-30% solution for synthesis	75-07-0			500 ml	612
A 1235	<u>ACETAMIDE</u> for synthesis 99%	60-35-5			500 gm	1341
A 1240	<u>ACETAMIDINE CHLORIDE</u> for synthesis	124-42-5	100 gm	3159	250 gm	7830
A 1242	<u>n-(2-ACETAMIDO) IMINODIACETIC ACID</u> 98%	26239-55-4	25 gm	783	100 gm	2790
	(ADA BUFFER)				250 gm	6903
A 1245 ☐	<u>ACETANILIDE</u> for synthesis 98.5%	103-84-4	500 gm	1287	5 kg	11403
A 1248	<u>ACETATE BUFFER SOLUTION</u> pH 4.6	- - - -	500 ml	180	5 lt	1449
A 1250	<u>ACETIC ACID</u> glacial 99%	64-19-7	500 ml	342	5 lt	2502
A 1251	<u>ACETIC ACID</u> glacial GR 99%+	64-19-7	500 ml	387	5 lt	3006
A 1252	<u>ACETIC ACID</u> glacial GR 99.7%	64-19-7	500 ml	432	5 lt	3213
A 1253	<u>ACETIC ACID</u> glacial Electronic 99.9%	64-19-7	500 ml	468	5 lt	3492
A 1254	<u>ACETIC ACID</u> for HPLC 99.8%	64-19-7	1 lt	963	5 lt	3879
A 4726	<u>ACETIC ACID</u> glacial, 99.9985%	64-19-7	100 ml	17604	500 ml	70308
A 1255	<u>ACETO ACETANILIDE</u> for synthesis 98%	102-01-2	500 gm	837	5 kg	7506
A 1265	<u>ACETO CARMINE</u> for microscopical staining	- - - -	100 ml	1143	250 ml	2493
A 1268	<u>ACETOHYDROXAMIC ACID</u> 90%	546-88-3	1 gm	603	5 gm	1503
			10 gm	2799	25 gm	6705
A 1267 ☐	<u>ACETOHYDROXAMIC ACID</u> 98%	546-88-3	1 gm	693	5 gm	2493
			10 gm	4779	100 gm	23049
A 1270	<u>ACETONE CYANOHYDRIN</u> for synthesis 98%	75-86-5	100 gm	11007	500 gm	39069
A 1275	<u>ACETONE</u> for synthesis 99%	67-64-1	500 ml	387	5 lt	2709
A 1277	<u>ACETONE</u> GR 99%+	67-64-1	500 ml	432	5 lt	3006
A 1278	<u>ACETONE</u> for HPLC & spectroscopy 99.8%	67-64-1	1 lt	837	5 lt	3402
A 1279	<u>ACETONE</u> electronic grade, 99.5%+	67-64-1	500 ml	549	5 lt	3708
A 5947	<u>ACETONITRILE</u> anhydrous, 99.8%	75-05-8	250 ml	6003	1 lt	13005
A 1285	<u>ACETONITRILE</u> for synthesis 98%	75-05-8	500 ml	675	5 lt	5679
A 1287	<u>ACETONITRILE</u> GR 99%+	75-05-8	500 ml	756	5 lt	6759
A 1289	<u>ACETONITRILE</u> for spectroscopy 99.5%	75-05-8			500 ml	810
A 1288	<u>ACETONITRILE</u> for HPLC 99.5%+	75-05-8			500 ml	909
A 1291	<u>ACETONITRILE</u> for HPLC 99.9%	75-05-8			1 lt	1701
A 1292	<u>ACETONITRILE</u> for DNA 99.5%	75-05-8			1 lt	2439
A 3134	<u>ACETONITRILE</u> -D3 99.8 atom % D (End user certificate required)	2206-26-0			5 gm	40509
A 1290	<u>ACETO ORCEIN</u> for microscopical staining	- - - -	100 ml	675	500 ml	3105
A 1295	<u>ACETOPHENONE</u> for synthesis 99%	98-86-2	500 ml	882	5 lt	7659
A 1297	<u>ACETOPHENONE</u> GR 99%	98-86-2	500 ml	990	5 lt	8019

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1305	<u>ACETYL ACETONE</u> for synthesis 99%	123-54-6	250 ml	846	500 ml	1593
			1 lt	3006	5 lt	13005
A 1307	<u>ACETYL ACETONE</u> GR 99%+	123-54-6	100 ml	612	250 ml	945
					500 ml	1791
A 1024	<u>(ACETYLACETONATO)DICARBONYLRHODIUM(I)</u> 98%	14874-82-9			1 gm	39069
A 1313	<u>ACETYL BROMIDE</u> for synthesis 98%	506-96-7	250 ml	4149	500 ml	8109
A 1314	<u>ACETYL BROMIDE</u> GR 99%+	506-96-7			500 ml	12069
A 1316	<u>a-ACETYLBUTYROLACTONE</u> for synthesis 98%	517-23-7	100 gm	2502	500 gm	8991
A 1311	<u>n-ACETYL CAPROLACTUM</u> 98%	1888-91-1	250 ml	27099	1 lt	POR
A 1315	<u>ACETYL CHLORIDE</u> for synthesis 98%	75-36-5			500 ml	1368
A 1317	<u>ACETYL CHLORIDE</u> puriss GR 99%	75-36-5			500 ml	2205
A 1318	<u>ACETYL CHLORIDE</u> puriss 99.9%	75-36-5			250 ml	18909
A 1324	<u>ACETYL CHOLINE BROMIDE</u> for biochemistry 99%+	66-23-9	5 gm	3006	25 gm	8991
A 1326	<u>ACETYLCHOLINE CHLORIDE</u> practical grade	60-31-1	25 gm	4005	100 gm	16029
A 1325	<u>ACETYL CHOLINE CHLORIDE</u> GR 99%+	60-31-1	5 gm	1962	25 gm	7002
			100 gm	18909	500 gm	POR
A 1335	<u>ACETYL CHOLINE IODIDE</u> GR 99%	2260-50-6	5 gm	1483	10 gm	2808
			25 gm	5607	100 gm	POR
A 4612	<u>S-ACETYL-COENZYME A</u> synthetase from baker's yeast (<i>S. cerevisiae</i>) lyophilized powder, ≥3 units/mg protein	9012-31-1			5 mg	23004
A 1336	<u>3-ACETYLCOUMARIN</u> 96%	3949-36-8			5 gm	3996
A 1340	<u>N-ACETYL L-CYSTEINE</u> for biochemistry 99%	616-91-1	10 gm	405	25 gm	945
					100 gm	3519
A 0236	<u>N-ACETYL L-CYSTEINE</u> for molecular biology, ≥99%	616-91-1	10 gm	7092	100 gm	39006
A 1341	<u>n-ACETYL L-CYSTEINE METHYL ESTER</u> for biochemistry ≥90%	7652-46-2	5 gm	11907	25 gm	POR
A 1345	<u>ACETYLENE TETRABROMIDE</u> for synthesis 99%	79-27-6	250 ml	9603	500 ml	16029
A 1346	<u>ACETYLENE TETRACHLORIDE</u> puriss 99%+	79-34-5			1 lt	12609
A 1348	<u>n-ACETYL D-GALACTOSAMINE</u> for biochemistry 99%	1811-31-0	100 mg	5202	500 mg	13509
A 1349	<u>n-ACETYL D-GLUCOSAMINE</u> for biochemistry 99%	7512-17-6	5 gm	405	25 gm	1206
			100 gm	4005	500 gm	19008
A 1356	<u>n-ACETYL L-GLUTAMIC ACID</u> for biochemistry 98%	1188-37-0	25 gm	1206	100 gm	4806
A 1351	<u>n-ACETYL GLYCINE</u> puriss 99%	543-24-8	100 gm	972	500 gm	4005
A 1353	<u>n-ACETYL DL-METHIONINE</u> for biochemistry 99%+	1115-47-5	10 gm	207	100 gm	999
A 1363	<u>1-ACETYL NAPHTHALENE</u> 97%	941-98-0	100 ml	1296	250 ml	3006
A 1347	<u>n-ACETYL NEURAMINIC ACID</u> (NANA) for biochemistry 98%+	131-48-6	25 mg	603	100 mg	774
			500 mg	1764	1 gm	3429
A 1358	<u>4-ACETYLPHENYL SULPHATE POTASSIUM SALT</u>	38533-41-4			250 mg	36009
A 1357	<u>1-ACETYL-4-PIPERIDONE</u> 94%	32161-06-1			5 ml	13905
A 1350	<u>2-ACETYL PYRIDINE</u> puriss 98%	1122-62-9			100 gm	7803
A 1352	<u>3-ACETYL PYRIDINE</u> puriss 98%	350-03-8			100 gm	9108
A 1354	<u>ACETYL SALICYLIC ACID</u> for synthesis 98%+	50-78-2	500 gm	2007	5 kg	15903
A 1377	<u>ACETYL SALICYLIC ACID</u> ≥99%	50-78-2	100 gm	2106	500 gm	3807
A 1359	<u>3-ACETYLTIAZOLIDINE-4-CARBOXYLIC ACID</u> 95%	5025-82-1	100 mg	8703	1 gm	33003
A 1355	<u>ACETYL THIOCHOLINE IODIDE</u> 99%	1866-15-5	1 gm	1440	5 gm	6075
A 1361	<u>2-ACETYLTHIOPHENE</u> 98%	88-15-3	100 ml	2304	500 ml	13005
A 1365	<u>n-ACETYL DL-TRYPTOPHAN</u> 99%	87-32-1	10 gm	1395	25 gm	2394
					100 gm	9306
A 1370	<u>n-ACETYL-L-TYROSINE ETHYL ESTER</u> for biochemistry 98%+	36546-50-6	5 gm	5409	10 gm	10116
A 1371	<u>ACID ORANGE II</u>	633-96-5	25 gm	342	100 gm	1305

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1372	<u>ACID RED 33</u>	3567-66-6	25 gm	693	100 gm	2403
A 1413	<u>ACITRETIN</u> 98% (HPLC)	55079-83-9	25 mg	5904	100 mg	19809
A 1375	<u>ACRIDINE ORANGE</u> for microscopy (C.I.46005)	65-61-2	10 gm	2259	25 gm	5665
A 1385	<u>ACRIFLAVIN</u> for biochemistry (C.I.46000)	8063-24-9	5 gm	468	25 gm	1783
			100 gm	6579	250 gm	10809
A 1403	<u>ACRIFLAVIN HYDROCHLORIDE</u> Fluorescence grade	8063-24-9			25 gm	2619
A 1397	<u>ACRYLAMIDE</u> (40% solution in water) for molecular biology	79-06-1	250 ml	2493	500 ml	3393
A 1395	<u>ACRYLAMIDE</u> for synthesis 99%	79-06-1	500 gm	819	5 kg	7209
A 1398	<u>ACRYLAMIDE</u> for electrophoresis 99%+	79-06-1	25 gm	207	100 gm	567
			250 gm	864	500 gm	1539
A 1399	<u>ACRYLAMIDE</u> for molecular biology 99%+	79-06-1	100 gm	684	500 gm	2979
A 1400	<u>2-ACRYLAMIDO 2-METHYL-PROPANE SULPHONIC ACID</u> (AMPS) for synthesis 98%	15214-89-8	50 gm	1206	250 gm	2403
					1 kg	5292
A 1405	<u>ACRYLIC ACID</u> for synthesis 99%	79-10-7	500 ml	837	5 lt	7308
A 1410	<u>ACRYLONITRILE</u> for synthesis 99%	107-13-1	500 ml	711	5 lt	6309
A 1411	<u>ACRYLONITRILE GR 99%+</u>	107-13-1			500 ml	918
A 1412	<u>ACRYLONITRILE BUTADIENE STYRENE</u>	9003-56-9	100 gm	4419	500 gm	16092
A 1416	<u>ACTIDIONE</u> for tissue culture, 98%+	66-81-9	100 mg	405	1 gm	2691
A 1415	<u>ACTIDIONE GR 98%</u>	66-81-9	100 mg	603	500 mg	1701
			1 gm	3105	5 gm	14009
A 3561	<u>1-ADAMANTANECARBONYL CHLORIDE</u> , 95%	2094-72-6			5 gm	3906
A 1425	<u>ADENINE</u> for biochemistry 99%	73-24-5	5 gm	405	25 gm	1242
			100 gm	4509	500 gm	21609
A 1435	<u>ADENINE SULPHATE GR 99%</u>	321-30-2	5 gm	315	10 gm	639
			25 gm	1449	100 gm	5679
A 1445	<u>ADENOSINE</u> for biochemistry 99%	58-61-7	5 gm	315	10 gm	693
			25 gm	1206	100 gm	4509
A 0825	<u>ADENOSINE 3',5'-CYCLIC MONOPHOSPHATE</u> ≥98.5% (HPLC), powder	60-92-4	100 mg	4302	1 gm	26505
			5 gm	78903	25 gm	261009
A 0654	<u>ADENOSINE 3',5'-CYCLIC MONOPHOSPHATE</u> <u>SODIUM SALT</u> monohydrate ≥98% (HPLC)	37839-81-9	25 mg	3339	100 mg	8307
			500 mg	24039	1 gm	36405
A 1455	<u>ADENOSINE-5-DIPHOSPHORIC ACID DISODIUM</u> <u>SALT (ADP)</u> for biochemistry 99%	16178-48-6	100 mg	396	500 mg	828
			1 gm	1431	5 gm	7101
A 1465	<u>ADENOSINE-5-MONO PHOSPHORIC ACID SODIUM</u> <u>SALT (AMP)</u> for biochemistry 99%	4578-31-8	1 gm	288	5 gm	792
					25 gm	3483
A 1475	<u>ADENOSINE-5-TRIPHOSPHORIC ACID DISODIUM</u> <u>SALT (ATP)</u> for biochemistry 99%	987-65-5	1 gm	198	5 gm	828
			25 gm	2844	100 gm	11304
A 1480	<u>S-ADENOSYL METHIONINE</u> 99%	29908-03-0	1 gm	12069	5 gm	24039
A 1485	<u>ADIPIC ACID</u> for synthesis 99%	124-04-9	500 gm	639	5 kg	5112
A 1488	<u>ADIPIC DIHYDRAZIDE</u> 97%	1071-93-8	25 gm	4779	100 gm	15093
A 1490	<u>ADIPONITRILE</u> for synthesis 98%	111-69-3			250 ml	2502
A 0164	<u>ADIPOYL CHLORIDE</u> 98%	111-50-2	5 gm	3006	25 gm	7605
					100 gm	28008
A 1495	<u>ADONITOL</u> for biochemistry 99%	488-81-3	5 gm	1044	10 gm	1602
					25 gm	3996
A 1505	<u>L-ADRENALINE GR 99%</u>	51-43-4	1 gm	2493	5 gm	11709
A 1515	<u>ADRENALINE BITARTRATE GR 99%</u>	51-42-3	1 gm	2349	5 gm	10449
A 1516	<u>ADRENALONE HYDROCHLORIDE</u> puriss 98%	62-13-5	5 gm	3105	10 gm	4806
A 1520	<u>AEROSIL 200</u>	7631-86-9	100 gm	495	250 gm	1107
					500 gm	1998

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1525	<u>AESCULIN</u> 98%+	66778-17-4	5 gm	3492	25 gm	16902
A 1535	<u>AGAR AGAR POWDER</u> No.1 for bacteriology	9002-18-0	250 gm	2187	500 gm	4104
A 1536	<u>AGAR AGAR POWDER</u> purified for microbiology	9002-18-0	500 gm	4302	5 kg	31095
A 1537	<u>AGAR AGAR POWDER</u> (NOBLE)	9002-18-0	100 gm	1575	500 gm	5949
A 1538	<u>AGAR AGAR SHREDED</u> for bacteriology	9002-18-0	500 gm	6939	5 kg	POR
A 1539	<u>AGAR AGAR</u> SPEZIAL	9002-18-0	500 gm	6993	5 kg	POR
A 0066	<u>AGAROSE</u> for analytical nucleic acid electrophoresis	9012-36-6	100 gm	19008	500 gm	50049
A 1546	☐ <u>AGAROSE</u> for electrophoresis <u>(L)</u> (Low EEO)	9012-36-6	10 gm	612	25 gm	1206
					100 gm	3807
A 1545	☐ <u>AGAROSE</u> for electrophoresis <u>(M)</u> (Med EEO)	9012-36-6	10 gm	1143	25 gm	2493
					100 gm	9369
A 1547	☐ <u>AGAROSE</u> for electrophoresis <u>(H)</u> (High EEO)	9012-36-6	10 gm	891	25 gm	1692
					100 gm	6003
A 1543	<u>AGAROSE</u> low melting	9012-36-6	5 gm	2790	10 gm	5409
					25 gm	11709
A 1542	<u>AGAROSE</u> high resolution	9012-36-6	10 gm	9603	25 gm	17001
					100 gm	27909
A 1548	<u>AGAROSE TYPE A GELLING POINT</u> 38-40 °C for molecular biology	9012-36-6	10 gm	1269	25 gm	2619
					100 gm	10305
A 1549	<u>AGAROSE TYPE B GELLING POINT</u> 36 °C for molecular biology	9012-36-6	10 gm	1242	25 gm	2619
					100 gm	10035
A 1550	☐ <u>AJMALINE</u> 98%	4360-12-7			1 gm	10602
A 1555	☐ <u>β-ALANINE</u> for biochemistry 99%+	107-95-9	25 gm	252	100 gm	792
			250 gm	1602	1 kg	5607
A 1560	☐ <u>D-ALANINE</u> for biochemistry 99%	338-69-2	1 gm	180	5 gm	990
					25 gm	3096
A 1565	☐ <u>DL-ALANINE</u> for biochemistry 99%+	302-72-7	25 gm	162	100 gm	540
			250 gm	1296	1 kg	4239
A 1575	☐ <u>L-ALANINE</u> for biochemistry 99%+	56-41-7	25 gm	225	100 gm	585
			500 gm	2304	1 kg	4005
	ALAR (B-9) please see S 2660					
A 1576	<u>ALBERT'S STAIN A</u> solution	-----	125 ml	135	500 ml	441
A 1578	<u>ALBERT'S STAIN B</u> solution	-----	125 ml	135	500 ml	441
A 1585	<u>L-ALANINE BENZYL ESTER HYDROCHLORIDE</u> 98%+	5557-83-5	5 gm	15003	25 gm	POR
A 1580	<u>L-ALANINE BENZYL ESTER p-TOLUENE SULPHONATE</u> 98%+	42854-62-6			25 gm	5706
A 1590	☐ <u>L-ALANINE METHYL ESTER HYDROCHLORIDE</u> 99%	2491-20-5	5 gm	1206	25 gm	4869
A 5214	<u>ALBUMIN</u> (agarose gel electrophoresis) from human serum lyophilized powder, Fatty acid free, Globulin free, ≥99%	70024-90-7	100 mg	8109	500 mg	32409
			1 gm	47007	10 gm	300609
A 1595	☐ <u>ALBUMINE BOVINE</u> FRACTION V	9048-46-8	5 gm	1080	10 gm	1773
			25 gm	3996	100 gm	14904
A 1605	<u>ALCIAN BLUE 8 GX</u> for microscopy (C.I.74240)	33864-99-2	5 gm	3069	10 gm	5904
					25 gm	12492
A 1606	<u>ALCIAN BLUE</u> solution	33864-99-2	100 ml	792	500 ml	3195
A 1615	<u>ALGINIC ACID</u> for synthesis	9005-32-7	500 gm	2079	5 kg	18900
A 1620	<u>ALIQAT 336</u> (PHASE TRANSFER CATALYST)	63393-96-4	250 ml	1692	1 lt	6291
					5 lt	31059
A 1625	<u>ALIZARINE</u> GR (C.I. 58000) pH indicator	72-48-0	25 gm	531	100 gm	1908
A 1635	<u>ALIZARINE COMPLEXONE</u> indicator	3952-78-1	1 gm	837	5 gm	3879
A 1636	<u>ALIZARINE CYANINE GREEN</u> (C.I.No. 61570)	4403-90-1	25 gm	792	100 gm	3006

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1645	<u>ALIZARINE RED S</u> (C.I.No 58005)	130-22-3	25 gm	675	100 gm	2340
A 1647	<u>ALIZARINE RED S</u> (C.I.No. 58005) GR	130-22-3	25 gm	747	100 gm	2475
A 1651	<u>ALIZARIN YELLOW G</u> for microscopy	2243-76-7	5 gm	1692	25 gm	3807
					100 gm	13023
A 1650	<u>ALIZARIN YELLOW GG</u> for microscopy	584-42-9	5 gm	945	25 gm	3006
					100 gm	10602
A 1648	<u>ALIZARIN YELLOW</u> for microscopy	- - - - -			25 gm	2889
A 1649	<u>ALIZARIN VIRIDIN</u> for microscopy	4430-16-4	5 gm	18604	10 gm	39690
A 1658	<u>ALKYL BENZENE SULPHONATE</u> for synthesis	- - - - -	100 gm	3069	500 gm	6093
A 1655	<u>ALKALI BLUE</u> indicator (C.I.No 42750) for microscopy	1324-76-1	5 gm	585	25 gm	2484
A 1657	<u>ALKALI BLUE 4B</u> for microscopy	62152-67-4	10 gm	4005	25 gm	6705
A 1660	<u>ALLANTION</u> fine powder 99%	97-59-6	100 gm	387	1 kg	3582
A 1664	<u>L-ALLIIN</u> ≥90% (HPLC)	17795-26-5			10 mg	18405
A 1663	<u>ALLOXAN</u> tetrahydrate, 98%	6010-91-9	10 gm	2403	50 gm	7992
A 1665	<u>ALLOXAN</u> hydrate, 98.5%	2244-11-3	25 gm	936	100 gm	3609
A 1670	<u>ALLYL ALCOHOL</u> for synthesis 98%	107-18-6	500 ml	684	5 lt	6012
A 1669	<u>ALLYL ALCOHOL</u> GR 98%+	107-18-6			500 ml	1593
A 1654	<u>ALLYLAMINE</u> 99%	107-11-9	250 ml	4869	1 lt	16902
A 1653	<u>n-ALLYL ANILINE</u> 95%	589-09-3			5 gm	6975
A 1671	<u>ALLYL BROMIDE</u> for synthesis 98%	106-95-6	250 ml	2979	500 ml	5679
A 1671a	<u>ALLYL BROMIDE</u> GR 99%+	106-95-6	100 ml	2592	500 ml	7659
A 1672	<u>ALLYL CHLORIDE</u> puriss 98%+	107-05-1			500 ml	1404
A 1674	<u>ALLYL IODIDE</u> puriss 95%+	556-56-9	25 gm	5652	100 gm	18109
A 1679	<u>ALLYLTRIMETHOXYSILANE</u> 97%	2551-83-9	5 ml	3402	25 ml	13005
					100 ml	45009
A 3866	<u>ALLAMAR BLUE</u> suitable for cell culture	62758-13-8	1 gm	3519	5 gm	8406
A 1682	<u>ALMOND OIL</u> pure	8007-69-0	100 ml	1447	500 ml	6291
A 1681	<u>ALMOND OIL</u> from prunus dulcis	8007-69-0	250 ml	3807	1 lt	9459
A 1683	<u>ALMOND OIL</u> bitter ≥97%	8013-76-1	100 gm	18604	500 gm	56709
A 1861	<u>ALOE-EMODIN</u> 90%	481-72-1	100 mg	4005	1 gm	16002
A 1863	<u>ALOE-EMODIN</u> puriss 95%+	481-72-1	100 mg	5607	500 mg	10602
			1 gm	19008	5 gm	60309
A 1673	<u>ALUM CARMINE</u> for microscopy	- - - - -	1 gm	3996	10 gm	12969
A 4825	<u>ALUMINOSILICATE</u> mesostructured {Hexagonal MCM-41}	7631-86-9	5 gm	21006	25 gm	84069
A 0474	<u>ALUMINUM</u> , beads, 5-15 mm, 99.9%	7429-90-5	250 gm	4905	1 kg	8775
A 0612	<u>ALUMINIUM</u> chunks, 99.9%	7429-90-5	100 gm	4104	500 gm	13905
A 1676	<u>ALUMINIUM</u> foil 99%	7429-90-5	100 gm	279	500 gm	1089
A 1677	<u>ALUMINIUM</u> foil GR 99.9%	7429-90-5	100 gm	1296	250 gm	1890
					500 gm	3483
A 3636	<u>ALUMINIUM</u> foil, 0.025 mm thick, 99.999%	7429-90-5	50 x 200 mm	14094	50 x 1000 mm	46008
A 1738	<u>ALUMINIUM</u> ingots 99.99%	7429-90-5	100 gm	2619	500 gm	15903
A 1675	<u>ALUMINIUM</u> powder 99.7%	7429-90-5	500 gm	945	5 kg	8109
A 0616	<u>ALUMINUM</u> powder, 45 +20 µm, 99%	7429-90-5	100 gm	3402	500 gm	6759
A 4869	<u>ALUMINUM</u> powder, -325 mesh, 99.5%	7429-90-5	25 gm	3609	250 gm	4959
					1 kg	12069
A 3006	<u>ALUMINUM</u> shot 99.999% approx. 4-8mm (0.2-0.3in)	7429-90-5	50 gm	10809	100 gm	21609
A 5620	<u>ALUMINUM</u> slug, 1.98mm (0.078in) dia x 8.0mm (0.315in) length, 99.99%	7429-90-5	10 gm	5229	50 gm	17109
A 0080	<u>ALUMINIUM (Al) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	4140	500 ml	6696

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 0081	<u>ALUMINIUM (AI) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	4140	500 ml	6696
A 0082	<u>ALUMINIUM (AI) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12492	500 ml	37789
A 0083	<u>ALUMINIUM (AI) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	12492	500 ml	37789
A 0084	<u>ALUMINIUM AAS STANDARD SOLUTION 1000 MG/L AL IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1845	500 ml	3186
A 0085	<u>ALUMINIUM AAS STANDARD SOLUTION 1000 MG/L AL IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	1845	500 ml	3186
A 1678	<u>ALUMINIUM ACETATE</u>	142-03-0	500 gm	675	5 kg	6003
A 1680	<u>ALUMINIUM ACETYL ACETONATE</u> for synthesis 98%	13963-57-0	100 gm	2205	500 gm	6903
A 1685	<u>ALUMINIUM AMMONIUM SULPHATE</u> extra pure 99%	7784-26-1	500 gm	288	5 kg	2592
A 1687	<u>ALUMINIUM AMMONIUM SULPHATE</u> GR 99.5%+	7784-26-1	500 gm	405	5 kg	3204
A 1688	<u>ALUMINIUM BORATE</u>	11121-16-7	100 gm	1179	500 gm	4059
A 1695	<u>ALUMINIUM BROMIDE</u> hydrated	7727-15-3			500 gm	4392
A 1705	<u>ALUMINIUM CARBONATE</u> basic	14455-29-9	100 gm	864	500 gm	3699
A 1718	<u>ALUMINIUM CHLORIDE</u> anhydrous, 95%	7446-70-0	500 gm	2196	1 kg	3996
A 1715	<u>ALUMINIUM CHLORIDE</u> hexahydrate, purified 99%	7784-13-6	500 gm	639	5 kg	6003
A 1717	<u>ALUMINIUM CHLORIDE</u> hexahydrate, GR 99%+	7784-13-6	500 gm	1089	5 kg	9603
A 1714	<u>ALUMINIUM CHLORIDE</u> hexahydrate, 99.9995%	7784-13-6	5 gm	1503	50 gm	8208
					250 gm	21006
A 1725	<u>ALUMINIUM FLUORIDE</u> extra pure 97%	15098-87-0	500 gm	585	5 kg	5202
A 9405	<u>ALUMINIUM FLUORIDE</u> anhydrous, powder ≥99.9%	7784-18-1	10 gm	7605	50 gm	22005
A 9459	<u>ALUMINIUM FLUORIDE</u> anhydrous, 99.99%	7784-18-1			10 gm	10089
			50 gm	35109	250 gm	126009
A 1735	<u>ALUMINIUM HYDROXIDE</u> GEL	21645-51-2	250 gm	288	500 gm	495
					5 kg	3969
A 1736	<u>ALUMINIUM HYDROXIDE</u> 76.5% min	21645-51-2	100 gm	3006	500 gm	5706
A 1740	<u>ALUMINIUM ISOPROPOXIDE</u> for synthesis 98%	555-31-7	500 gm	1269	5 kg	10602
A 1739	<u>ALUMINIUM ISOPROPOXIDE</u> 98%+	555-31-7	100 gm	1908	500 gm	2169
					1 kg	3402
A 1745	<u>ALUMINIUM NITRATE</u> 98%	7784-27-2	500 gm	324	5 kg	2916
A 1747	<u>ALUMINIUM NITRATE</u> GR 98.5%	7784-27-2	500 gm	1791	5 kg	15903
A 0635	<u>ALUMINIUM NITRATE</u> , nonahydrate, 99.997%	7784-27-2	10 gm	8505	100 gm	28008
A 4256	<u>ALUMINIUM NITRATE</u> , nonahydrate, low mercury, 99.999%	7784-27-2	25 gm	10062	100 gm	18909
					500 gm	70029
A 1748	<u>ALUMINIUM OXALATE</u>	814-87-9	100 gm	1206	500 gm	4869
A 1744	<u>ALUMINIUM OXIDE</u> pure	1344-28-1	500 gm	504	5 kg	4005
A 1743	<u>ALUMINIUM OXIDE</u> 98%	1344-28-1			100 gm	1908
A 2610	<u>ALUMINIUM OXIDE</u> 99%	1344-28-1	25 gm	1395	100 gm	2619
A 1741	<u>ALUMINIUM OXIDE</u> 99.99%	1344-28-1	25 gm	5679	100 gm	16902
A 1789	<u>ALUMINIUM OXIDE</u> a-phase, 99.99%	1344-28-1	25 gm	6012	100 gm	18909
A 1742	<u>ALUMINIUM OXIDE</u> 99.995%	1344-28-1	25 gm	8604	100 gm	28089
A 5381	<u>ALUMINIUM OXIDE</u> 99.999%	1344-28-1			10 gm	6804
			25 gm	11079	100 gm	31005
A 1755	<u>ALUMINIUM OXIDE G (neutral)</u> for TLC	1344-28-1	500 gm	639	5 kg	5769
A 1765	<u>ALUMINIUM OXIDE</u> ACTIVATED, BASIC (pH VALUE 8.5-9.5)	1344-28-1	500 gm	513	5 kg	4608
A 1766	<u>ALUMINIUM OXIDE</u> ACTIVATED, NEUTRAL (pH VALUE 6.5-7.5)	1344-28-1	500 gm	540	5 kg	4806
A 1768	<u>ALUMINIUM OXIDE</u> ACTIVATED, ACIDIC (pH VALUE 3.5-4.5)	1344-28-1	500 gm	540	5 kg	4806

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1767	<u>ALUMINUM PERCHLORATE</u> nonahydrate, 98% (End user certificate)	81029-06-3			25 gm	5994
A 1769	<u>ALUMINIUM PHOSPHATE</u>	7784-30-7	500 gm	693	5 kg	5544
A 1775	<u>ALUMINIUM POTASSIUM SULPHATE</u> extra pure 99%	7784-24-9	500 gm	270	5 kg	1899
A 1777	<u>ALUMINIUM POTASSIUM SULPHATE</u> GR 99.5%	7784-24-9	500 gm	333	5 kg	2529
A 1780	<u>ALUMINIUM STEARATE</u>	637-12-7	500 gm	396	5 kg	3501
A 1785	<u>ALUMINIUM SULPHATE</u> purified 98%	7784-31-8	500 gm	216	5 kg	1908
A 1787	<u>ALUMINIUM SULPHATE</u> GR 99%+	7784-31-8	500 gm	252	5 kg	2268
A 1790	<u>ALUMINIUM SULPHIDE</u> for synthesis	1302-81-4	100 gm	1188	500 gm	5103
A 1791	<u>ALUMINIUM SULPHITE</u> pure	- - - -	100 gm	1449	500 gm	5949
A 1792	<u>ALUMINIUM TARTRATE</u>	815-78-1	100 gm	1242	500 gm	5508
A 1797	<u>ALUMINONE</u> GR reagent for aluminium	569-58-4	10 gm	324	25 gm	693
					100 gm	2619
A 1805	<u>AMARANTH</u> (C.I.No.16185) indicator	915-67-3	25 gm	108	100 gm	423
					1 kg	3969
A 1807	<u>AMARANTH</u> solution	915-67-3	100 ml	117	500 ml	405
	AMBERLITE RESINS please see ION EXCHANGE RESIN					
A 2377	<u>AMBROXIDE</u> 99%	6790-58-5	1 gm	2439	5 gm	6219
A 1835	<u>AMIDO BLACK 10B</u> (C.I.20470) for microscopy	1064-48-8	25 gm	387	100 gm	1287
					1 kg	11043
A 1847	<u>AMIDO SULPHONIC ACID</u> GR 99%	- - - -	100 gm	369	250 gm	684
A 1855	<u>4-AMINO ACETANILIDE</u> for synthesis 99%	122-80-5	100 gm	486	250 gm	1305
					500 gm	2259
A 1865	<u>2-AMINO ACETOPHENONE</u> for synthesis 98%+	551-93-9	10 gm	1188	25 gm	2790
			100 gm	10790	250 gm	26019
A 1864 *	<u>2-AMINO ACETOPHENONE HYDROCHLORIDE</u> 98%	25384-14-9	10 gm	3699	100 gm	29907
A 1866	<u>3-AMINO ACETOPHENONE</u> GR 98%	99-03-6	25 gm	693	100 gm	1431
					500 gm	4959
A 1868	<u>4-AMINO ACETOPHENONE</u> for synthesis 98%	99-92-3	25 gm	1494	100 gm	4302
					500 gm	18604
A 1867	<u>4-AMINO ACETOPHENONE</u> puriss GR 99%+	99-92-3	25 gm	1791	100 gm	4446
					500 gm	18909
A 1875	<u>AMINO ACID</u> kit of 24 items	- - - -	1 kit	5949	(10x1) kit	53019
A 1876	<u>1-AMINO ADAMANTANE HYDROCHLORIDE</u> 98%	665-66-7	5 gm	2979	25 gm	10089
A 1878	<u>1-AMINO ANTHRAQUINONE</u> for synthesis 96%	82-45-1	100 gm	3456	500 gm	15003
A 1879	<u>2-AMINO ANTHRAQUINONE</u> for synthesis 90%	117-79-3	100 gm	1449	500 gm	7002
A 1880	<u>4-AMINO ANTIPYRINE</u> for synthesis 95%+	83-07-8	25 gm	990	100 gm	4905
					500 gm	21609
A 1885	<u>4-AMINO ANTIPYRINE</u> puriss 99%	83-07-8	10 gm	765	25 gm	1395
			100 gm	5292	500 gm	24660
A 1895	<u>p-AMINO AZOBENZENE</u> for synthesis 98%	60-09-3	25 gm	270	100 gm	387
					500 gm	1791
A 2477	<u>2-AMINO BENZOIC ACID</u> GR 99%	- - - -			100 gm	9936
A 1906	<u>m-AMINO BENZOIC ACID</u> for synthesis 98%	99-05-8	100 gm	1089	250 gm	2619
					500 gm	3969
A 1908	<u>4-AMINO BENZOIC ACID</u> for synthesis 99%	150-13-0	100 gm	630	250 gm	1206
					500 gm	2259
A 1012	<u>4-AMINO BENZOIC ACID SODIUM SALT</u> 99%	555-06-6			100 gm	11007
A 1910	<u>2-AMINO BENZOPHENONE</u> 98%	2835-77-0	10 gm	2502	25 gm	4203
					100 gm	12042

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1915	<u>2-AMINO BENZOTHAZOLE</u> for synthesis 97%	136-95-8	25 gm	1449	100 gm	5319
A 1916	<u>6-AMINO BENZOTHAZOLE</u> 97%	533-30-2	1 gm	3006	5 gm	16002
A 1918	<u>4-AMINO-1-BENZYLPIPERIDINE</u> 98%	50541-93-0	5 gm	2205	25 gm	8208
A 1920	<u>2-AMINO-3-BROMOPYRIDINE</u> 97%	13534-99-1	5 gm	4392	25 gm	16902
A 1921	<u>2-AMINO-5-BROMOPYRIDINE</u> 97%	1072-97-5	5 gm	1809	25 gm	4005
A 1923	<u>3-AMINO-5-BROMOPYRIDINE</u> 97%	13535-01-8	1 gm	3006	5 gm	12006
A 1924	<u>2-AMINO-6-BROMOPYRIDINE</u> 98%	19798-81-3	5 gm	6309	25 gm	16002
A 1926	<u>S(+)-2-AMINO-1-BUTANOL</u> 98%	5856-62-2	1 gm	2169	5 gm	6003
A 1925	<u>4-AMINO BUTYRIC ACID</u> extra pure 99%	56-12-2	10 gm	198	25 gm	360
			100 gm	1143	500 gm	3609
A 1930	<u>6-AMINO CAPROIC ACID</u> extra pure 99%	60-32-2	100 gm	3492	500 gm	16902
A 1935	<u>2-AMINO-5-CHLORO BENZOPHENONE</u> 99%	719-59-5	100 gm	3456	500 gm	17466
A 1662	<u>1-AMINOCYCLOPROPANECARBOXYLIC ACID</u> 98%	22059-21-8	100 mg	8892	250 mg	14049
					1 gm	51039
A 1420	<u>7-AMINODESACETOXYCEPHALOSPORANIC ACID</u> (7-ADCA) for biochemistry 98%	22252-43-3	100 mg	1899	250 mg	2799
			1 gm	6003	5 gm	8604
A 1937	<u>4-AMINO-3,5-DICHLORO BENZOIC ACID</u> 98%	56961-25-2	5 gm	4401	25 gm	21609
A 1940	<u>4-AMINO-N,N-DIETHYL ANILINE</u> for synthesis 98%	93-05-0	25 ml	6012	100 ml	18099
A 1945	<u>4-AMINO-N,N-DIETHYL ANILINE SULPHATE</u> GR 99%	6283-63-2	100 gm	5994	250 gm	12969
A 1951	<u>p-AMINO DIPHENYLAMINE</u> crystalline 98%	101-54-2	250 gm	3906	1 kg	6606
A 5676	<u>(AMINOETHYLAMINOMETHYL)PHENETHYL</u> <u>TRIMETHOXYISILANE</u> [mixture of m and p isomers]	74113-77-2	10 gm	29079	50 gm	108099
A 1952	<u>2-AMINO ETHYL ETHANOLAMINE</u> for synthesis 98%	111-41-1	500 ml	999	5 lt	8550
A 1954	<u>2-AMINO ETHYL SULPHURIC ACID</u> for synthesis	926-39-6	100 gm	10503	500 gm	27099
A 1953	<u>1-AMINO GUANIDINE BICARBONATE</u> for synthesis 98%	2582-30-1	100 gm	351	500 gm	1341
A 1956	<u>7-AMINO-4-HYDROXY-2-NAPHTHALENE</u> <u>SULPHONIC ACID</u> pure	87-02-5			100 gm	8001
A 1955	<u>2-AMINO-2-METHYL 1:3 PROPANEDIOL</u> GR 99%	115-69-5	25 gm	2592	100 gm	7479
A 1965	<u>2-AMINO-2-METHYL-1-PROPANOL</u> for synthesis 95%	124-68-5	250 ml	1503	500 ml	2691
			2.5 lt	12402	5 lt	POR
A 1967	<u>2-AMINO 2-METHYL 1-PROPANOL</u> GR 96%	124-68-5	100 ml	846	500 ml	3402
A 1971	<u>2-AMINO-3-METHYLPYRIDINE</u> 95%	1603-40-3	100 gm	3906	500 gm	17919
A 1972	<u>2-AMINO-4-METHYLPYRIDINE</u> 98%	695-34-1	100 gm	1692	500 gm	5679
A 1973	<u>2-AMINO-5-METHYLPYRIDINE</u> 99%	1603-41-4	25 gm	2007	100 gm	4995
A 1970	<u>2-AMINO-4-METHYL THIAZOLE</u> 98%	1603-91-4	5 gm	1809	25 gm	4203
A 1968	<u>4-AMINOMORPHOLINE</u> 97%	4319-49-7	10 gm	7209	25 gm	10692
A 1975	<u>8-AMINO-1-NAPHTHOL-3,6 DISULPHONIC ACID</u> (1-8-3-6-H acid) for synthesis	5460-09-3			25 gm	2493
			100 gm	3105	500 gm	9405
A 1985	<u>1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID</u> extra pure 98%	116-63-2	25 gm	468	100 gm	1483
			500 gm	6603	1 kg	11079
A 1987	<u>1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID</u> GR 98%+	116-63-2	25 gm	588	100 gm	1629
			500 gm	7101	1 kg	13806
A 1995	<u>2-AMINO PHENOL</u> for synthesis 98%	95-55-6	100 gm	720	250 gm	1269
A 1996	<u>3-AMINO PHENOL</u> for synthesis 98%	591-27-5			100 gm	1575
			250 gm	3591	500 gm	6759
A 1998	<u>4-AMINO PHENOL</u> for synthesis 98%	123-30-8	100 gm	414	250 gm	990
			500 gm	1692	5 kg	14904
A 1997	<u>2-AMINO-2-PHENYL BUTYRIC ACID</u> 96%+	5438-07-3			5 gm	7002
A 1999	<u>4-(4-AMINOPHENYL)MORPHOLINE</u> 98%	2524-67-6	1 gm	1089	5 gm	4779
A 1988	<u>5-AMINO-1-PENTANOL</u> 95%	2508-29-4			10 gm	4005

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 1989	<u>3-AMINO-1-PROPANOL</u> 99%	156-87-6	100 ml	1692	500 ml	7605
A 5431	<u>(3-AMINOPROPYL)TRIETHOXY SILANE</u> 99%	919-30-2	100 gm	6408	500 gm	21609
A 5481	<u>(3-AMINOPROPYL)TRIMETHOXSILANE</u> 97%	13822-56-5	5 ml	3708	100 ml	5607
					500 ml	16605
A 2005	<u>2-AMINO PYRIDINE</u> for synthesis 99%	504-29-0	100 gm	792	250 gm	1791
			500 gm	3402	1 kg	6039
A 2006	<u>3-AMINO PYRIDINE</u> for synthesis 98%	462-08-8	25 gm	1188	100 gm	3969
					500 gm	17109
A 2008	<u>4-AMINO PYRIDINE</u> for synthesis 98%	504-24-5	10 gm	549	25 gm	1107
			100 gm	4491	500 gm	19089
A 2015	<u>4-AMINO SALICYLIC ACID</u> for synthesis 99%	65-49-6	5 gm	1809	100 gm	2907
	(End user certificate required)				500 gm	11007
A 2016	<u>5-AMINO SALICYLIC ACID</u> for synthesis 98%	89-57-6	25 gm	765	100 gm	2142
A 2017	<u>5-AMINOTETRAZOLE</u> monohydrate 98%	15454-54-3	25 gm	990	100 gm	2979
A 2014	<u>2-AMINO THIAZOLE</u> for synthesis 97%	96-50-4	25 gm	891	100 gm	2691
A 2018	☐ <u>o-AMINO THIOPHENOL</u> for synthesis 98%	137-07-5	100 ml	2907	500 ml	13059
A 2020	☐ <u>4-AMINO 1,2,4-TRIAZOLE</u> for synthesis 98%	584-13-4	100 gm	1593	500 gm	6390
A 5330	<u>7-AMINO-4-TRIFLUOROMETHYL COUMARIN</u> 99%	53518-15-3			1 gm	8505
A 2022	<u>AMMONIA</u> buffer solution for water hardness determination	- - - - -			500 ml	252
A 2023	<u>AMMONIA</u> ca. 7N solution in methanol	7664-41-7	25 ml	3906	1 lt	24003
A 2021	<u>AMMONIA SOLUTION</u> extra pure 30%	1336-21-6	500 ml	243	5 lt	1206
A 2033	<u>AMMONIA SOLUTION</u> GR 30%	1336-21-6	500 ml	279	5 lt	1305
A 2024	<u>AMMONIA SOLUTION</u> extra pure 25% suitable for mirror industry	1336-21-6	500 ml	234	5 lt	837
A 2031	<u>AMMONIA SOLUTION</u> GR 25%	1336-21-6	500 ml	288	5 lt	891
A 2032	<u>AMMONIA SOLUTION</u> 0.04%	1336-21-6			500 ml	63
A 2025	☐ <u>AMMONIUM ACETATE</u> extra pure 96%	631-61-8	500 gm	414	5 kg	3303
A 2027	☐ <u>AMMONIUM ACETATE</u> GR 98%	631-61-8	500 gm	486	5 kg	3888
A 2028	<u>AMMONIUM ACETATE</u> for molecular biology 98%	631-61-8	100 gm	288	500 gm	792
A 2029	<u>AMMONIUM ACETATE</u> for HPLC 98%+	631-61-8			500 gm	621
A 2030	<u>AMMONIUM ADIPATE</u> purified 98%	3385-41-9	500 gm	675	5 kg	6003
A 2031a	<u>AMMONIUM ADIPATE</u> GR 98%+	3385-41-9			500 gm	963
A 2032a	<u>AMMONIUM BENZOATE</u> extra pure 98%	1863-63-4	500 gm	792	5 kg	7002
A 2035	<u>AMMONIUM BIFLUORIDE</u> for synthesis 98%	1341-49-7	500 gm	603	2.5 kg	2556
A 2037	<u>AMMONIUM BIFLUORIDE</u> GR 98%+	1341-49-7			500 gm	981
	<u>AMMONIUM BISMUTH CITRATE</u> please see B 1835/B 1837					
A 2038	<u>AMMONIUM BISULPHATE</u> 98%	7803-63-6	250 gm	3591	500 gm	6507
A 2040	☐ <u>AMMONIUM BORATE</u> for synthesis	154855-73-9			500 gm	1296
A 2045	☐ <u>AMMONIUM BROMIDE</u> extra pure 99%	12124-97-9	500 gm	1287	5 kg	11403
A 2047	☐ <u>AMMONIUM BROMIDE</u> GR 99.5%	12124-97-9	500 gm	1386	5 kg	11007
A 2055	☐ <u>AMMONIUM CARBONATE</u> extra pure 30%	506-87-6	500 gm	423	5 kg	3384
A 2057	☐ <u>AMMONIUM CARBONATE</u> GR 30-33%	506-87-6	500 gm	522	5 kg	4104
A 2058	<u>AMMONIUM CARBONATE</u> for HPLC 30-33%	506-87-6			500 gm	594
A 2065	<u>AMMONIUM CERIC NITRATE</u> 99%+	16774-21-3	100 gm	1287	500 gm	5706
A 2067	☐ <u>AMMONIUM CERIC NITRATE</u> GR 99%+	16774-21-3	100 gm	1595	500 gm	7002
A 2068	<u>AMMONIUM CERIC NITRATE</u> solution N/20	16774-21-3			500 ml	324
A 2075	<u>AMMONIUM CERIC SULPHATE</u> extra pure 99%	10378-47-9	100 gm	1449	500 gm	5949
A 2077	☐ <u>AMMONIUM CERIC SULPHATE</u> GR 99%+	10378-47-9	100 gm	1782	500 gm	6489
A 2085	☐ <u>AMMONIUM CHLORIDE</u> extra pure 99%	12125-02-9	500 gm	243	1 kg	432
					5 kg	1863

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2087	☐ <u>AMMONIUM CHLORIDE</u> GR 99%+	12125-02-9	500 gm	405	5 kg	3402
A 2088	☐ <u>AMMONIUM CHLORIDE</u> for molecular biology 99%+	12125-02-9	500 gm	693	5 kg	POR
A 2089	☐ <u>AMMONIUM CHLORIDE</u> , 99.998%	12125-02-9	5 gm	2205	25 gm 100 gm	2403 7605
A 2095	☐ <u>AMMONIUM CHLORO PLATINATE</u>	16919-58-7			1 gm	11664
A 2098	☐ <u>AMMONIUM CHROMATE</u> extra pure 99%	7788-98-9	100 gm	2619	500 gm	10197
A 2099	☐ <u>di-AMMONIUM CITRATE</u> extra pure 98%	3012-65-5	500 gm	1188	5 kg	11808
A 2105	☐ <u>tri-AMMONIUM CITRATE</u> extra pure 98%	3458-72-8	500 gm	1485	5 kg	11709
A 2107	☐ <u>tri-AMMONIUM CITRATE</u> GR 98%+	3458-72-8	500 gm	1647	5 kg	13905
A 2115	☐ <u>AMMONIUM DICHROMATE</u> 99%	7789-09-5	500 gm	1017	5 kg	8919
A 2117	☐ <u>AMMONIUM DICHROMATE</u> GR 99%+	7789-09-5	500 gm	1143	5 kg	9639
A 2125	☐ <u>AMMONIUM DIHYDROGEN PHOSPHATE</u> extra pure 99%	7722-76-1	500 gm	738	5 kg	6507
A 2127	☐ <u>AMMONIUM DIHYDROGEN PHOSPHATE</u> GR 99%+	7722-76-1	500 gm	846	5 kg	7605
A 2128	☐ <u>AMMONIUM DIHYDROGEN PHOSPHATE</u> for HPLC 99%	7722-76-1			500 gm	1296
A 2126	☐ <u>AMMONIUM DIHYDROGEN PHOSPHATE</u> ≥99.5%	7722-76-1	100 gm	3006	500 gm 1 kg	3699 6309
A 2124	☐ <u>AMMONIUM DIHYDROGENPHOSPHATE</u> , 99.999%	7722-76-1	25 gm	7407	100 gm 500 gm	20709 47007
A 2135	☐ <u>AMMONIUM FERRIC CITRATE</u> brown	1185-57-5	500 gm	423	5 kg	3807
A 2137	☐ <u>AMMONIUM FERRIC CITRATE</u> (brown) GR	1185-57-5	500 gm	477	5 kg	3996
A 2136	☐ <u>AMMONIUM FERRIC CITRATE</u> Green GR	1185-57-5	100 gm	4608	500 gm	8649
A 2145	☐ <u>AMMONIUM FERRIC SULPHATE</u> extra pure 99%	7783-83-7	500 gm	351	5 kg	2808
A 2147	☐ <u>AMMONIUM FERRIC SULPHATE</u> GR 99%	7783-83-7	500 gm	414	5 kg	3312
A 2148	☐ <u>AMMONIUM FERRIC SULPHATE</u> 0.1N solution	7783-83-7	500 ml	459	1 lt	792
A 2155	☐ <u>AMMONIUM FERROUS SULPHATE</u> 98%	7783-85-9	500 gm	288	1 kg 5 kg	486 2187
A 2157	☐ <u>AMMONIUM FERROUS SULPHATE</u> GR 99%	7783-85-9	500 gm	396	5 kg	2790
A 2165	☐ <u>AMMONIUM FLUORIDE</u> extra pure 98%	12125-01-8	500 gm	864	1 kg 5 kg	1593 6579
A 2167	☐ <u>AMMONIUM FLUORIDE</u> GR 98%+	12125-01-8	250 gm	1449	500 gm 1 kg	2529 4779
A 0966	☐ <u>AMMONIUM FLUORIDE</u> 99.999%	12125-01-8	25 gm	10602	100 gm	26091
A 2175	☐ <u>AMMONIUM FORMATE</u> pure 97%	540-69-2	250 gm	288	500 gm 5 kg	531 4248
A 2177	☐ <u>AMMONIUM FORMATE</u> GR 97%+	540-69-2	500 gm	585	5 kg	5319
A 2179	☐ <u>AMMONIUM HEXAFLUOROSILICATE</u> 98%	16919-19-0	100 gm	2880	500 gm	5607
A 2185	☐ <u>AMMONIUM HYDROGEN CARBONATE</u> extra pure 99%	1066-33-7	500 gm	180	1 kg 5 kg	333 1386
A 2187	☐ <u>AMMONIUM HYDROGEN CARBONATE</u> GR 99%+	1066-33-7	500 gm	306	5 kg	2403
A 2190	☐ <u>di-AMMONIUM HYDROGEN CITRATE</u> extra pure 98%	3012-65-5	500 gm	873	5 kg	7803
A 2195	☐ <u>di-AMMONIUM HYDROGEN ORTHOPHOSPHATE</u> purified 99%	7783-28-0	500 gm	720	5 kg	5949
A 2197	☐ <u>di-AMMONIUM HYDROGEN ORTHOPHOSPHATE</u> GR 99.5%	7783-28-0	500 gm	783	5 kg	7092
A 2198	☐ <u>di-AMMONIUM HYDROGEN ORTHOPHOSPHATE</u> for HPLC 99.5%	7783-28-0			500 gm	1602
A 2194	☐ <u>di-AMMONIUM HYDROGEN ORTHOPHOSPHATE</u> ≥99.99%	7783-28-0	25 gm	8703	100 gm	29007
A 2205	☐ <u>AMMONIUM IODIDE</u> 99%	12027-06-4	100 gm	3384	250 gm	8190
A 2207	☐ <u>AMMONIUM IODIDE</u> GR 99.5%	12027-06-4	50 gm	2484	250 gm	9909
A 2215	☐ <u>AMMONIUM METAVANADATE</u> 98%	7803-55-6	100 gm	1386	500 gm	6489
A 2217	☐ <u>AMMONIUM METAVANADATE</u> GR 99%	7803-55-6	100 gm	1593	500 gm	6939
A 2225	☐ <u>AMMONIUM MOLYBDATE</u> extra pure 99%	12054-85-2	100 gm	1584	250 gm	3591
			500 gm	6489	1 kg	12402

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2227	<u>AMMONIUM MOLYBDATE</u> GR 99%+	12054-85-2	100 gm	1890	500 gm	7191
					1 kg	13491
A 2228	<u>AMMONIUM MOLYBDATE</u> tetrahydrate, for biochemistry, ≥99% (T)	12054-85-2	100 gm	10062	25 gm	4203
					500 gm	38007
A 2229	<u>AMMONIUM MOLYBDATE</u> tetrahydrate, 99.98%	12054-85-2	50 gm	2772	250 gm	9459
A 2235	<u>AMMONIUM NICKEL SULPHATE</u> extra pure 99%	7785-20-8	500 gm	1692	5 kg	15003
A 2237	<u>AMMONIUM NICKEL SULPHATE</u> GR 99%+	7785-20-8	500 gm	2088	5 kg	17919
A 2255	<u>AMMONIUM OXALATE</u> pure 99%	6009-70-7	500 gm	477	5 kg	3969
A 2257	<u>AMMONIUM OXALATE</u> GR 99%	6009-70-7	500 gm	567	5 kg	4599
A 2265	<u>AMMONIUM para(VI)-TUNGSTATE</u> for synthesis 99%	11120-25-5	100 gm	2952	500 gm	12006
A 2270a	<u>AMMONIUM PENTABORATE</u> purified	12046-03-6	500 gm	576	5 kg	4536
A 2267	<u>AMMONIUM PENTABORATE</u> GR	12046-03-6	500 gm	603	5 kg	4806
A 2270	<u>AMMONIUM PERCHLORATE</u> GR 98%+ (End user certificate required)	7790-98-9	25 gm	2619	100 gm	6309
A 2275	<u>AMMONIUM PERSULPHATE</u> extra pure 98%	7727-54-0	500 gm	459	5 kg	3789
A 2277	<u>AMMONIUM PERSULPHATE</u> GR 99%	7727-54-0	500 gm	585	5 kg	4194
A 2280	<u>AMMONIUM PERSULPHATE</u> for molecular biology 99%	7727-54-0	25 gm	207	100 gm	333
					500 gm	1449
A 9880	<u>AMMONIUM PHOSPHOMOLYBDATE</u> pure	54723-94-3	100 gm	5967	500 gm	21708
A 2285	<u>AMMONIUM PURPURATE</u> indicator 99%	3051-09-0	5 gm	414	25 gm	1483
A 2287	<u>AMMONIUM PURPURATE</u> indicator GR 99%+ (C.I.56085)	3051-09-0	5 gm	468	10 gm	792
			25 gm	1683	100 gm	5494
A 2297	<u>AMMONIUM PYRROLIDINE DITHIOCARBAMATE</u> GR 99%	5108-96-3	10 gm	2304	25 gm	5679
A 2305	<u>AMMONIUM REINECKATE</u> 95%	13573-16-5	25 gm	2349	100 gm	8208
A 2307	<u>AMMONIUM REINECKATE</u> GR 96%	13573-16-5	10 gm	2169	25 gm	4149
A 2308	<u>AMMONIUM SODIUM PHOSPHATE</u> for synthesis 98%+	7783-13-3			100 gm	1908
			250 gm	2205	500 gm	3708
A 2310	<u>AMMONIUM SUCCINATE</u>	2226-88-2	100 gm	1692	500 gm	6939
A 2315	<u>AMMONIUM SULPHAMATE</u> 99%	7773-06-0	500 gm	576	5 kg	4185
A 2317	<u>AMMONIUM SULPHAMATE</u> GR 99%+	7773-06-0	100 gm	234	500 gm	891
A 2325	<u>AMMONIUM SULPHATE</u> extra pure 99%	7783-20-2	500 gm	234	5 kg	1386
A 2327	<u>AMMONIUM SULPHATE</u> GR 99%+	7783-20-2	500 gm	288	5 kg	1989
A 2328	<u>AMMONIUM SULPHATE</u> 0.5M (1N) solution	7783-20-2	500 ml	495	1 lt	855
A 2335	<u>AMMONIUM SULPHIDE</u> solution W/V H ₂ S 20% for synthesis	12135-78-1	500 ml	315	5 lt	2592
A 2345	<u>AMMONIUM TARTRATE</u> 98%	3164-29-2	500 gm	1791	5 kg	14094
A 2347	<u>AMMONIUM TARTRATE</u> GR 99%	3164-29-2	500 gm	1989	5 kg	15903
A 2355	<u>AMMONIUM THIOCYANATE</u> 99%	1762-95-4	500 gm	585	5 kg	5139
A 2357	<u>AMMONIUM THIOCYANATE</u> GR 99%+	1762-95-4	500 gm	738	5 kg	5904
A 2338	<u>AMMONIUM THIOCYANATE</u> 99.99% trace metals basis	1762-95-4			50 gm	1891
A 2356	<u>AMMONIUM THIOCYANATE</u> 1M (0.1N) solution	1762-95-4	500 ml	504	1 lt	855
A 2358	<u>AMMONIUM THIOGLYCOLLATE</u> abt 59%	5421-46-5	100 ml	1692	500 ml	4995
A 2365	<u>AMMONIUM THIOSULPHATE</u> extra pure 99%	7783-18-8			500 gm	990
A 2364	<u>AMPICILLIN</u> for biochemistry	69-53-4			1 gm	297
			5 gm	1305	10 gm	2403
A 2363	<u>AMPICILLIN SODIUM SALT</u> for biochemistry	69-52-3			1 gm	360
			5 gm	1647	25 gm	5904
A 2380	<u>AMYGDALIN</u> for HPLC 97%	29883-15-6	1 gm	1305	5 gm	2403
			10 gm	4104	25 gm	8505
A 2340	<u>n-AMYL ACETATE</u> for synthesis	628-63-7	500 ml	1404	5 lt	12609
	<u>n-AMYL ALCOHOL</u> -please see <u>PENTANOL</u>					
	<u>AMYL ACETATE</u> please see <u>n-Amyl Acetate</u>					

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2351	<u>tert-AMYL ALCOHOL</u> for synthesis 98%	75-85-4	500 ml	1395	5 lt	12906
A 2352	<u>tert-AMYL ALCOHOL</u> GR 99%+	75-85-4	500 ml	1593	5 lt	13905
A 2361	<u>AMYLAMINE</u> 98%+	110-58-7	100 ml	4302	500 ml	11079
A 2366	<u>a-AMYLASE</u> for bacteriology	9000-90-2	100 gm	540	500 gm	2277
A 2367	<u>a-AMYLASE</u> SPEZIAL HIGH STRENGTH	9000-90-2	100 gm	1899	1 kg	14409
A 2368	<u>AMYL BENZOATE</u> for synthesis	2049-96-9			500 gm	2619
A 2369	<u>AMYL BUTYRATE</u> for synthesis	540-18-1			500 gm	3393
A 2370	<u>AMYL CINNAMATE</u> for synthesis	3487-99-8			500 gm	4905
A 2371	<u>AMYL CINNAMICALDEHYDE</u> for synthesis	122-40-7			500 gm	3879
A 2372	<u>AMYL FORMATE</u> for synthesis	638-49-3			500 gm	3402
A 2373	<u>AMYL ISOBUTYRATE</u> for synthesis	2445-72-9			500 gm	3996
A 2374	<u>AMYL ISOVALERATE</u> for synthesis	25415-62-7			500 gm	3609
A 2375	<u>AMYLOPECTINE</u> from potato starch	9037-22-3			250 mg	3006
			1 gm	4392	5 gm	10602
A 2385	<u>AMYLOSE</u> from potato starch	9005-82-7			250 mg	5607
			1 gm	10701	5 gm	40509
A 2386	<u>AMYL PHENYL ACETATE</u> for synthesis	5137-52-0			500 gm	4905
A 2388	<u>AMYL PROPIONATE</u> for synthesis	624-54-4			500 gm	2619
A 2389	<u>AMYL SALICYLATE</u> for synthesis	2050-08-0			500 gm	2493
A 2392 *	<u>ANDROGRAPHOLIDE</u> 98%	5508-58-7	100 mg	5607	500 mg	18099
A 2389a	<u>ANETHOLE</u> for synthesis 99%	104-46-1	500 ml	3006	5 lt	27099
A 2393	<u>ANGELICA SEED OIL</u> , natural	8015-64-3	5 gm	POR	25 gm	POR
A 2390	<u>ANILINE</u> for synthesis 98%	62-53-3	500 ml	747	5 lt	6606
A 2391	<u>ANILINE</u> GR 99%+	62-53-3	500 ml	846	5 lt	7002
A 2395	<u>ANILINE BLUE</u> (water soluble) (C.I.42755)	28983-56-4	10 gm	315	25 gm	639
			100 gm	2088	500 gm	8991
A 2396	<u>ANILINE BLUE</u> (spirit soluble) (C.I. 42275) for microscopy	8004-91-9	25 gm	783	100 gm	2394
					500 gm	9603
A 2405	<u>ANILINE HYDROCHLORIDE</u> for synthesis 99%	142-04-1	250 gm	765	500 gm	1341
A 2415	<u>ANILINE SULPHATE</u> for synthesis 98%	542-16-5	250 gm	864	500 gm	1539
A 2418	<u>2-ANILINO ETHANOL</u> for synthesis 98%	122-98-5	100 ml	1809	500 ml	7209
A 6899	<u>8-ANILINO-1-NAPHTHALENESULPHONIC ACID</u> 98%	82-76-8			5 gm	2880
			25 gm	4491	100 gm	16002
A 0658	<u>8-ANILINO-1-NAPHTHALENESULPHONIC ACID</u> <u>AMMONIUM SALT</u> , for fluorescence, $\geq 97\%$ (HPLC)	28836-03-5	5 gm	5004	25 gm	34029
					100 gm	50031
A 2420	<u>ANIMAL CHARCOAL</u>	- - - -			500 gm	783
A 2423	<u>o-ANISALDEHYDE</u> for synthesis 98%	135-02-4			100 gm	4302
A 2425	<u>p-ANISALDEHYDE</u> (p-methoxybenzaldehyde) extra pure 99%	123-11-5	100 ml	639	250 ml	1179
			1 lt	4149	5 lt	19809
A 2428	<u>ANISE OIL</u>	8007-70-3			100 ml	4509
A 2429	<u>ANISE STAR OIL</u> , natural	68952-43-2	100 gm	4905	1 kg	10503
					10 kg	59094
A 2427	<u>o-ANISIC ACID</u> for synthesis 98%+	579-75-9	100 gm	1089	1 kg	9306
A 2426	<u>m-ANISIC ACID</u> 99%	586-38-9	25 gm	891	100 gm	3294
					500 gm	12069
A 2435	<u>p-ANISIC ACID</u> for synthesis 98%	100-09-4	25 gm	297	100 gm	540
					500 gm	2304
A 2440	<u>ANISIC ALCOHOL</u> for synthesis	105-13-5			100 ml	1629
A 2445	<u>m-ANISIDINE</u> for synthesis 97%	536-90-3	100 ml	2169	500 ml	7605
A 2446	<u>o-ANISIDINE</u> for synthesis 98%	90-04-0	500 ml	936	5 lt	7659

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2448	<u>p-ANISIDINE</u> for synthesis 98%	104-94-9	250 gm	522	500 gm	990
A 2450	<u>p-ANISIDINE</u> puriss 99%+	104-94-9			500 gm	4329
A 2455	<u>ANISOLE</u> for synthesis 98%	100-66-3	500 ml	945	5 lt	7569
A 2460	<u>4-ANISYLCHLORO DIPHENYL METHANE</u> 97%	14470-28-1	5 gm	1404	25 gm	11007
A 2465	<u>ANTHRACENE</u> for synthesis 96%	120-12-7	100 gm	1629	500 gm	6939
A 2467	<u>ANTHRACENE</u> for scintillation 99.5%	120-12-7	25 gm	666	100 gm	2403
A 2485	<u>ANTHRAQUINONE</u> for synthesis 98%	84-65-1	500 gm	1089	5 kg	9603
A 2487	<u>ANTHRAQUINONE</u> GR 99%+	84-65-1			500 gm	4392
A 2495	<u>ANTHRAQUINONE-2-SULFONIC ACID SODIUM SALT</u> purified (SILVER SALT) 97%	153277-35-1	25 gm	387	100 gm	1449
A 2497	<u>ANTHRAQUINONE-2-SULPHONIC ACID SODIUM SALT</u> GR (SILVER SALT) 98%	153277-35-1	10 gm	288	25 gm	486
					100 gm	1719
A 2505	<u>ANTHRONE</u> for synthesis 98%	90-44-8	25 gm	585	100 gm	2169
A 2507	<u>ANTHRONE</u> GR 99%	90-44-8	10 gm	324	25 gm	684
A 2515	<u>ANTIMONY</u> ingots 99.999%	7440-36-0	10 gm	4995	25 gm	13959
A 2516	<u>ANTIMONY</u> lumps 99%	7440-36-0	100 gm	648	500 gm	2349
A 4689	<u>ANTIMONY</u> pieces, ≤10 mm, 99.5%	7440-36-0	10 gm	4302	50 gm	17091
A 2518	<u>ANTIMONY</u> powder 99%	7440-36-0	500 gm	3789	5 kg	34002
A 4051	<u>ANTIMONY</u> shot, spherical, 1-5 mm, 99.999%	7440-36-0	5 gm	3006	10 gm	5409
					50 gm	19890
A 0090	<u>ANTIMONY (SB) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	4149	500 ml	6606
A 0091	<u>ANTIMONY (SB) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	11889	500 ml	36009
A 0092	<u>ANTIMONY AAS STANDARD SOLUTION 1000 MG/L SB</u> <u>IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	1818	500 ml	3096
A 5112	<u>ANTIMONY(III) IODIDE</u> 98%	7790-44-5	10 gm	6327	25 gm	15075
A 2519	<u>ANTIMONY NITRATE</u> pure	20328-96-5	100 gm	3969	500 gm	13995
A 2520	<u>ANTIMONY PENTOXIDE</u> 99%	1314-60-9	250 gm	2394	500 gm	4509
A 2521	<u>ANTIMONY PENTOXIDE</u> 99.9%	1314-60-9			100 gm	48069
A 2525	<u>ANTIMONY POTASSIUM TARTRATE</u> 99%	28300-74-5	250 gm	1287	500 gm	2385
					5 kg	21402
A 2527	<u>ANTIMONY POTASSIUM TARTRATE</u> GR 99%+	28300-74-5	100 gm	639	500 gm	2592
A 2535	<u>ANTIMONY (III)SULPHIDE</u> black powder 95%	1345-04-6	500 gm	2979	5 kg	26919
A 2545	<u>ANTIMONY SULPHIDE</u> golden (pentasulphide)	1315-04-4	500 gm	3591	5 kg	30105
A 2550	<u>ANTIMONY(III) TELLURIDE</u> 99.99%	1327-50-0			5 gm	16092
A 2555	<u>ANTIMONY TRICHLORIDE</u> extra pure 99%	10025-91-9	250 gm	1881	500 gm	3429
					5 kg	30069
A 2557	<u>ANTIMONY TRICHLORIDE</u> GR 99%+	10025-91-9	100 gm	990	250 gm	2088
					500 gm	3789
A 2556	<u>ANTIMONY TRICHLORIDE</u> ≥99.95%	10025-91-9	10 gm	4905	100 gm	38709
A 2560	<u>ANTIMONY TRIFLUORIDE</u> pure 98%	7783-56-4	250 gm	7605	1 kg	27099
A 2565	<u>ANTIMONY TRIOXIDE</u> 99%	1309-64-4	500 gm	2169	5 kg	19809
A 2567	<u>ANTIMONY TRIOXIDE</u> GR 99%+	1309-64-4	100 gm	684	500 gm	2439
A 5344	<u>ANTIMONY TRIOXIDE</u> <2 µm, 99.9%	1309-64-4	50 gm	6309	250 gm	24093
A 2569	<u>APIGENIN</u> 96%+	520-36-5	25 mg	1809	100 mg	6003
A 2568	<u>APIGENIN</u> for HPLC 98%	520-36-5	25 mg	2403	100 mg	8649
			500 mg	9603	1 gm	11079
			5 gm	20709	10 gm	36090

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2575	<u>D-ARABINOSE</u> GR 99%+	10323-20-3	5 gm	486	10 gm	891
					25 gm	1881
A 2576	<u>L-ARABINOSE</u> for biochemistry 99%	5328-37-0	10 gm	441	25 gm	837
A 2580	<u>L-ARABITOL</u> for biochemistry 98%	7643-75-6	5 gm	6939	25 gm	27099
A 2583	<u>ARALDITE HARDNER OTTO 964</u>	-----	250 ml	7389	1 lt	22905
A 2584	<u>ARALDITE M OTTO</u>	-----			250 ml	6579
A 2581	<u>ARBUTIN</u> for biochemistry 98%	497-76-7	1 gm	1395	5 gm	3996
			10 gm	6093	25 gm	12042
A 2582	<u>ARECAIDINE HYDROCHLORIDE</u>	6018-28-6	250 mg	3195	1 gm	8739
A 2587	<u>ARECOLINE HYDROBROMIDE</u> for HPLC $\geq 98\%$	300-08-3	1 gm	3249	5 gm	8703
A 4019	<u>ARG-GLY-ASP</u> $\geq 97\%$ (TLC)	99896-85-2	1 mg	2799	5 mg	8802
A 2585	<u>L-ARGININE</u> for biochemistry 99%+	74-79-3	25 gm	207	100 gm	765
			500 gm	3339	1 kg	6156
A 2586	<u>L-ARGININE</u> bioultra 99.5%	74-79-3	25 gm	3609	100 gm	8191
					500 gm	28089
A 2588	<u>L-ARGININE MONOHYDROCHLORIDE</u>	1119-34-2	5 gm	162	25 gm	243
	for biochemistry 99%+		100 gm	783	500 gm	3996
A 2595	<u>ARSENAZO I</u> GR indicator	520-10-5	1 gm	1143	5 gm	5490
A 2598	<u>ARSENAZO III</u> GR indicator	1668-00-4	1 gm	1692	5 gm	6939
A 2605	<u>p-ARSANILIC ACID</u> for synthesis 99%	98-50-0	100 gm	4491	500 gm	17496
A 2611	<u>ARSENIC</u> lump 99.5%	7440-38-2			100 gm	459
A 2614	<u>ARSENIC</u> pieces 99.999% Reference standard	7440-38-2			5 gm	5904
A 2615	<u>ARSENIC</u> pieces 99%+	7440-38-2			25 gm	4005
A 6556	<u>ARSENIC</u> powder, -70 mesh, 99.99%	7440-38-2	10 gm	16902	50 gm	67509
A 8793	<u>ARSENIC</u> powder, $\geq 99.997\%$	7440-38-2	10 gm	13005	100 gm	79002
A 6570	<u>ARSENIC (AS) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTE HNO₃</u> traceable to NIST					
A 6571	<u>ARSENIC (AS) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12492	500 ml	36909
	<u>IN DILUTE HNO₃</u> traceable to NIST					
A 6575	<u>ARSENIC AAS STANDARD SOLUTION 1000 MG/L AS</u>	-----	100 ml	1818	500 ml	3006
	<u>IN DILUTED HCL</u> traceable to NIST					
A 6579	<u>ARSENIC AAS STANDARD SOLUTION 1000 MG/L AS</u>	-----	100 ml	1818	500 ml	3006
	<u>IN DILUTED HNO₃</u> traceable to NIST					
A 2634	<u>ARSENIC PENTOXIDE</u> pract 90%	1303-28-2	100 gm	5607	500 gm	24309
A 2630	<u>ARSENIC PENTOXIDE</u> for synthesis 98%	1303-28-2	25 gm	16002	100 gm	49005
A 2631	<u>ARSENIC SULPHIDE</u> 99%+ (End user certificate required)	1303-33-9	5 gm	5319	25 gm	22599
A 5525	<u>ARSENIC TRICHLORIDE</u> 99.5%	7784-34-1	10 ml	243009	25 gm	370809
A 2625	<u>ARSENIC TRIOXIDE</u> (ARSENOUS OXIDE) 99%	1327-53-3	500 gm	522	5 kg	4608
A 2627	<u>ARSENIC TRIOXIDE</u> (ARSENOUS OXIDE) GR 99%+	1327-53-3	100 gm	189	500 gm	792
A 2633	<u>ARSENIC TRIOXIDE</u> 99.95-100.05%	1327-53-3	25 gm	8604	100 gm	30015
	primary standard ACS				125 gm	37008
A 2632	<u>ARSENIC TRIOXIDE</u> 99.999%	1327-53-3	5 gm	5607	10 gm	7992
			25 gm	14409	100 gm	46008
A 8093	<u>ARTEMISININ</u> 98%	63968-64-9	100 mg	9405	1 gm	36099
A 2635	<u>ASBESTOS</u> powder	1332-21-4	100 gm	891	500 gm	1864
A 2645	<u>ESCARITE</u> 1.6-3.0 mm (ACID WASHED)	95077-05-7			100 gm	POR
A 2655	<u>L-ASCORBIC ACID</u> extra pure 99%	50-81-7	5 gm	90	25 gm	225
			100 gm	585	500 gm	2790

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2657	<u>L-ASCORBIC ACID</u> GR 99.7% for biochemistry	50-81-7	5 gm 100 gm	117 693	10 gm 500 gm	234 3159
A 2656	<u>L-ASCORBIC ACID</u> , ACS reagent, ≥99% (anhydrous)	50-81-7	5 gm	4509	100 gm 500 gm	6210 15003
A 2659	<u>L-ASCORBIC ACID</u> SPEZIAL 'COAT GRADE' 99.7%	50-81-7	100 gm	1899	500 gm	4869
A 2658	<u>L-ASCORBATE-2-TRI-PHOSPHATE</u> CALCIUM SALT	- - - -	100 gm	2169	500 gm	7659
A 2665	<u>L-ASPARAGINE</u> for biochemistry 99%+	5794-13-8	25 gm 500 gm	342 4203	100 gm 1 kg	936 7803
A 2667	<u>L-ASPARAGINE</u> GR 99.5%	5794-13-8	25 gm	405	100 gm	1305
A 2670	<u>ASPARTAME</u> for synthesis 98%	22839-47-0	5 gm	1805	100 gm	4005
A 2674	<u>D-ASPARTIC ACID</u> puriss 99%	1783-96-6	25 gm	2403	100 gm	7929
A 2675	<u>DL-ASPARTIC ACID</u> puriss 99%	617-45-8	25 gm 500 gm	153 2403	100 gm 1 kg	486 4302
A 2676	<u>L-ASPARTIC ACID</u> for biochemistry 99%+	56-84-8	25 gm 500 gm	144 1638	100 gm 1 kg	378 3096
A 2679	<u>ASTRAGALOSIDE IV</u> >1%	84687-43-4			1 gm	9603
A 2680	<u>ASTRAGALOSIDE IV</u> >98%	84687-43-4			1 mg	20403
A 2684	<u>ATROPINE METHYL NITRATE</u> puriss 99%	52-88-0	5 mg	17910	25 mg	79299
A 2685	<u>ATROPINE SULPHATE</u> puriss 99%	5908-99-6	1 gm	594	5 gm 25 gm	1584 7479
A 2695	<u>AURAMINE</u> for microscopy (C.I. No.41000)	2465-27-2	25 gm 500 gm	207 1899	100 gm 1 kg	513 3591
A 2697	<u>AURAMINE O</u> 'SPEZIAL'	2465-27-2			100 gm	4869
A 3305	<u>AURANOFIN</u> , ≥98% (HPLC)	34031-32-8	50 mg	38907	10 mg	9702
A 2698	<u>AURANTINE</u> for synthesis	522-16-7			500 gm	4302
A 2719	<u>AZADIRACHTIN</u> 95%	11141-17-6			0.5 mg	11601
A 2714	<u>8-AZAGUANINE</u> 95%	134-58-7			1 gm	4995
A 2723	<u>7-AZAINDOLE</u> 98%	271-63-6	1 gm	918	5 gm 25 gm	2493 9792
A 2717	<u>AZELAIC ACID</u> ≥95%	123-99-9	100 gm	2565	500 gm	7497
A 2718	<u>AZETIDINE-3-CARBOXYLIC ACID</u> 98%	36476-78-5			250 mg	14004
A 2699	<u>AZOBENZENE</u> 99%+	103-33-3	5 gm	3069	25 gm	8604
A 2700	<u>AZODICARBONAMIDE</u> for synthesis 97%+	123-77-3			25 gm	2007
A 2705	<u>AZOCARMINE G</u> for synthesis	25641-18-3	250 gm 10 gm	4905 1602	1 kg 25 gm	16002 2592
A 2715	<u>AZOBISISOBUTYRONITRILE</u> (AIBN) for synthesis 98%	78-67-1	100 gm	891	500 gm 1 kg	4095 7605
A 3341	<u>1-AZIDOADAMANTANE</u> 97%	24886-73-5	1 gm	5229	5 gm	17073
A 2716	<u>AZO METHANE H</u> GR for biochemistry	5941-07-1	1 gm 10 gm	693 5949	5 gm 25 gm	3096 14004
A 2713	<u>AZOMETHINE-H MONOSODIUM SALT</u> 95%	206752-32-1	10 gm	5994	50 gm	24903
A 2720	<u>AZOPHLOXINE</u> (C.I. 18050) for microscopy	3734-67-6	25 gm	3303	100 gm	7704
A 2721	<u>AZORUBIN S</u> for microscopy	3567-69-9			5 gm	963
A 2725	<u>AZUR A</u> for microscopy (C.I.No.52005)	531-53-3	5 gm	225	10 gm 25 gm	351 720
A 2726	<u>AZUR B</u> for microscopy (C.I.No.52010)	531-55-5	1 gm	234	5 gm 25 gm	342 792
A 2730	<u>AZUR C</u> puriss	531-57-7	5 gm	495	25 gm 100 gm	2097 7479

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
A 2735	<u>AZUR I</u> for microscopy	531-53-3	5 gm	342	25 gm	792
A 2736	<u>AZUR II</u> for microscopy	37247-10-2	10 gm	315	25 gm	648
					100 gm	2565
A 2745	<u>AZUR II EOSINE</u> for microscopy	53092-85-6	25 gm	594	100 gm	2376
B 1210	<u>BACITRACIN</u> 50,000 units	1405-87-4			1 vial	3069
B 1212 *	<u>BAICALIN</u> pure 95%+	21967-41-9	1 gm	19602	5 gm	72099
B 1215	<u>BALSAM CANADA</u> (synthetic)	8007-47-4	100 gm	342	500 gm	1386
B 1216	<u>BALSAM CANADA</u> (natural)	8007-47-4			500 gm	3609
B 1217	<u>BALSAM CANADA</u> (colourless)	8007-47-4			500 gm	3069
B 1218	<u>BALSAM CANADA</u> (solid)	8007-47-4			100 gm	5094
B 1219	<u>BALSAM PERU</u>	8007-00-9			500 gm	7704
B 1221	<u>BALSAM PERU OIL</u>	8007-00-9			1 kg	28089
B 1220	<u>BALSAM TOLU</u>	9000-64-0			500 gm	6993
B 1225	<u>BARBITURIC ACID</u> for synthesis 99%	67-52-7	25 gm	288	100 gm	594
			500 gm	2592	1 kg	4869
B 1227	<u>BARBITURIC ACID</u> GR 99%+	67-52-7	25 gm	297	100 gm	846
B 1230	<u>BARFOED's</u> reagent	-----	125 ml	207	250 ml	387
			500 ml	909	5 lt	7209
B 0080	<u>BARIUM (Ba) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
B 0081	<u>BARIUM (Ba) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
B 0082	<u>BARIUM (Ba) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
B 0083	<u>BARIUM (Ba) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
B 0084	<u>BARIUM AAS STANDARD SOLUTION 1000 MG/L Ba</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
B 0085	<u>BARIUM AAS STANDARD SOLUTION 1000 MG/L Ba</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
B 1234	<u>BARIUM ACETATE</u> extra pure 98%	543-80-6	500 gm	846	5 kg	7209
B 1235	<u>BARIUM ACETATE</u> GR 98%+	543-80-6	500 gm	1692	5 kg	13059
B 1240	<u>BARIUM BORATE</u>	13701-59-2	100 gm	891	500 gm	3591
B 1245	<u>BARIUM BROMIDE</u> extra pure 98%	7791-28-8	500 gm	1565	5 kg	12906
B 1247	<u>BARIUM BROMIDE</u> GR 99%	7791-28-8	500 gm	1989	5 kg	16902
B 1254	<u>BARIUM CARBONATE</u> (pract)	513-77-9	500 gm	288	5 kg	2403
B 1255	<u>BARIUM CARBONATE</u> extra pure 99%	513-77-9	500 gm	387	5 kg	3636
B 1256	<u>BARIUM CARBONATE</u> GR 99%+	513-77-9	500 gm	936	5 kg	7992
B 5566	<u>BARIUM CARBONATE</u> 99.8%	513-77-9	50 gm	3015	250 gm	5049
			1 kg	16002	5x1 kg	34092
B 5529	<u>BARIUM CARBONATE</u> 99.95%	513-77-9	10 gm	3519	50 gm	8604
			250 gm	23049	1 kg	69075
B 0031	<u>BARIUM CARBONATE</u> 99.997% (metals basis)	513-77-9	25 gm	9603	100 gm	29709
					500 gm	126099
B 0036	<u>BARIUM CARBONATE</u> 99.999%	513-77-9	25 gm	10404	100 gm	31905
B 1267	<u>BARIUM CHLORANILATE</u> GR 99%+	32458-20-1	25 gm	3591	100 gm	13059
B 1268	<u>BARIUM CHLORATE</u> GR 99%+	10294-38-9	250 gm	13095	1 kg	26919
B 6474	<u>BARIUM CHLORIDE</u> anhydrous, 99.998%	10361-37-2	5 gm	3609	25 gm	12069
B 1275	<u>BARIUM CHLORIDE</u> extra pure 99%	10326-27-9	500 gm	288	5 kg	2403

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1276	<u>BARIUM CHLORIDE</u> GR 99%+	10326-27-9	500 gm	333	5 kg	2790
B 1284	<u>BARIUM CHROMATE</u> extra pure 98%	10294-40-3	500 gm	1395	5 kg	10602
B 1285	<u>BARIUM CHROMATE</u> GR 99%	10294-40-3	100 gm	486	500 gm	1683
					5 kg	14904
B 1295	<u>BARIUM DIPHENYLAMINE SULPHONATE</u> GR redox indicator	6211-24-1	1 gm 25 gm	288 1089	5 gm 100 gm	387 3807
B 1305	<u>BARIUM FLUORIDE</u> pure 98%	7787-32-8	500 gm	1305	5 kg	10809
B 1307	<u>BARIUM FLUORIDE</u> GR 99%	7787-32-8	500 gm	1989	5 kg	16029
B 1315	<u>BARIUM HYDROXIDE</u> octahydrate, extra pure 98%	12230-71-6	500 gm	369	5 kg	3249
B 1316	<u>BARIUM HYDROXIDE</u> octahydrate, GR 98%+	12230-71-6	500 gm	1593	5 kg	13509
B 1325	<u>BARIUM IODATE</u> for synthesis	7787-34-0	10 gm	2799	100 gm	10602
B 1326	<u>BARIUM IODIDE</u> pure 98%	13718-50-8	25 gm	8109	100 gm	25092
B 1330	<u>BARIUM MANGANATE</u> technical grade, 90%	7787-35-1			25 gm	13509
B 1335	<u>BARIUM NITRATE</u> extra pure 99%	10022-31-8	500 gm	432	5 kg	3807
B 1336	<u>BARIUM NITRATE</u> GR 99%+	10022-31-8	500 gm	486	5 kg	4302
B 1339	<u>BARIUM NITRATE</u> ≥99%	10022-31-8	100 gm	4914	500 gm	8307
B 1333	<u>BARIUM NITRATE</u> ACS reagent, ≥99%	10022-31-8	100 gm	5103	500 gm	6039
B 1338	<u>BARIUM NITRATE</u> 99.999%	10022-31-8	5 gm 100 gm	3006 26091	25 gm 500 gm	7209 86409
B 1340	<u>BARIUM OXALATE</u>	516-02-9	100 gm	765	500 gm	3609
					5 kg	24039
B 1343	<u>BARIUM OXIDE</u> 90%	1304-28-5	25 gm	2007	250 gm	4995
					1 kg	16902
B 1341	<u>BARIUM OXIDE</u> 98%	1304-28-5	25 gm	7659	100 gm	27099
B 1344	<u>BARIUM OXIDE</u> 99.5%	1304-28-5	25 gm	13509	100 gm	47079
B 1342	<u>BARIUM OXIDE</u> 99.99%	1304-28-5	5 gm	5805	25 gm	18099
B 1345	<u>BARIUM PERCHLORATE</u> GR 98% (End user certificate required)	13465-95-7			250 gm	5085
B 1355	<u>BARIUM PEROXIDE</u> for synthesis	1304-29-6	500 gm	792	5 kg	6393
B 1360	<u>BARIUM PHOSPHATE</u> pure	13762-83-9	500 gm	1179	5 kg	9405
B 1361	<u>BARIUM m-SILICATE</u>	13255-26-0	100 gm	3969	500 gm	21609
B 1362	<u>BARIUM STEARATE</u> pure	6865-35-6	500 gm	567	1 kg	765
B 1365	<u>BARIUM SULPHATE</u> extra pure 97%	7727-43-7	500 gm	288	5 kg	2493
B 1367	<u>BARIUM SULPHATE</u> GR 98%+	7727-43-7	500 gm	639	5 kg	6003
B 0362	<u>BARIUM SULPHATE</u> 99%	7727-43-7	500 gm	2007	1 kg	3609
B 1366	<u>BARIUM SULPHIDE</u>	21109-95-5	100 gm	1359	500 gm	3996
B 1364	<u>BARIUM SULPHIDE</u> 99.9%	21109-95-5			10 gm	8307
B 1368	<u>BARIUM SULPHITE</u> pure	7787-39-5	100 gm	1179	500 gm	4995
B 1371	<u>BARIUM STRONTIUM TITANATE</u> pure	12430-73-8	5 gm	12069	25 gm	43092
B 1369	<u>BARIUM TARTRATE</u> pure	5908-81-6	100 gm	1692	500 gm	7659
B 1370	<u>BARIUM TITANATE</u> for synthesis	12047-27-7	100 gm	3069	500 gm	5904
B 1376	<u>BARIUM TITANATE</u> 99.7%	12047-27-7	100 gm	7002	500 gm	27099
B 1378	<u>BARIUM TITANATE</u> 99.99%	12047-27-7	5 gm	5706	25 gm	21609
B 1380	<u>BARIUM TITANATE</u> , 99.95%	12047-27-7	5 gm	5004	25 gm	20079
B 1382	<u>BARIUM TITANATE</u> , 99.995%	12047-27-7			10 gm	10503
B 1372	<u>BASIL OIL</u> , comoric type natural	8015-73-4			250 gm	5994
B 1375	<u>BATHOCUPROINE</u> GR 99%+ reagent for colorimetric determination of copper	4733-39-5	100 mg	1350	1 gm	12609
B 1377	<u>BATHOCUPROINE DISULPHONIC ACID DISODIUM SALT</u> GR reagent for colorimetric determination of copper 98%	52698-84-7	100 mg	1890	1 gm	16092

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1385	<u>BATHOPHENANTHROLINE</u> GR 99%+ reagent for colorimetric determination of iron	1662-01-7	100 mg	1305	250 mg 1 gm	2259 8604
B 1387	<u>BATHOPHENANTHROLINE DISULPHONIC ACID DISODIUM SALT</u> GR 99%+	53744-42-6	250 mg	4455	1 gm	15597
B 1395	<u>B.B.O.T.</u> scintillation GRADE 99%+	7128-64-5	5 gm	1899	25 gm	8505
B 1405	<u>BEEF EXTRACT</u> POWDER bacteriological GRADE	-----	500 gm	1089	5 kg	9099
B 1406	<u>BEEF EXTRACT</u> POWDER SPEZIAL	-----	500 gm	1296	5 kg	10809
B 1407	<u>BEEF EXTRACT</u> PASTE for bacteriology	-----	500 gm	837	5 kg	7569
B 1409	<u>BEES WAX</u> pure for histolog	8012-89-3	500 gm	963	5 kg	8604
B 1410	<u>BENEDICT'S REAGENT</u> (QUALITATIVE)	63126-89-6	500 ml	225	5 lt	1152
B 1411	<u>BENEDICT'S REAGENT</u> (QUANTITATIVE)	63126-89-6	500 ml	333	5 lt	2799
B 1415	<u>BENTONITE</u> powder	1302-78-9	500 gm	189	5 kg	1692
B 1425	<u>BENZALACETONE</u> for synthesis 98%	122-57-6	100 gm	1179	500 gm	3969
B 1435	<u>BENZALACETOPHENONE</u> (CHALCONE) for synthesis 98%	614-47-1	100 gm	4329	500 gm	19809
B 1445	<u>BENZALDEHYDE</u> for synthesis 99%	100-52-7	500 ml	684	5 lt	5508
B 1446	<u>BENZALDEHYDE</u> GR 99%+	100-52-7	500 ml	792	5 lt	7002
B 1450	<u>BENZALDEHYDE-ORTHO SULPHONIC ACID SODIUM SALT</u> 95%+	1008-72-6	100 gm	5004	500 gm	14004
B 1451	<u>BENZALDEHYDE 2,4 DISULPHONIC ACID DISODIUM SALT</u> 97%	33513-44-9	10 gm	7803	50 gm	26001
B 1455	<u>BENZALKONIUM CHLORIDE</u> pure 50% aqueous solution	63449-41-2	500 ml	468	1 lt 5 lt	891 4059
B 1456	<u>BENZALKONIUM CHLORIDE</u> for synthesis 98%	63449-41-2	5 gm 500 gm	2169 9603	100 gm 1 kg	2907 17604
B 1465	<u>BENZAMIDE</u> for synthesis 98%	55-21-0	500 gm	1485	5 kg	12069
B 1475	<u>BENZANILIDE</u> for synthesis 99%	93-98-1	100 gm 500 gm	855 3159	250 gm 5 kg	1791 28008
B 1483	<u>BENZENE</u> for synthesis 99%	71-43-2	500 ml	423	5 lt	3006
B 1487	<u>BENZENE</u> GR 99%+	71-43-2	500 ml	504	5 lt	3303
B 1485	<u>BENZENE</u> for HPLC 99%+	71-43-2			500 ml	648
B 1486	<u>BENZENE</u> for spectroscopy 99%+	71-43-2			500 ml	648
B 1491	<u>BENZENE SULPHONIC ACID</u> 90%+	98-11-3	100 gm 500 gm	540 1692	250 gm 5 kg	990 15003
B 1496	<u>BENZENE SULPHONIC ACID</u> for synthesis 98%	98-11-3	250 gm	1602	500 gm 5 kg	2196 18099
B 1495	<u>BENZENE SULFONYL CHLORIDE</u> for synthesis 98%	98-09-9			500 ml	1791
B 1497	<u>1,2,4-BENZENE TRICARBOXYLIC ANHYDRIDE</u> 97%	552-30-7	250 gm	3006	1 kg	4608
B 1493	<u>1,3,5-BENZENETRICARBONYL TRICHLORIDE</u> (Trimesoyl chloride) puriss 98%+	4422-95-1	10 gm 100 gm	1809 9801	25 gm 500 gm	3204 41004
B 1498	<u>BENZETHONIUM CHLORIDE</u> for synthesis 99%	121-54-0	25 gm	1494	100 gm 250 gm	4689 9738
B 1494	<u>BENZETHONIUM CHLORIDE 1622</u> solution (0.004M)	-----			1 lt	1296
B 2111	<u>BENZHYDRAZIDE</u> 98%	613-94-5	25 gm	2205	100 gm	4959
B 1499	<u>BENZHYDROL</u> for synthesis 98%+	91-01-0	100 gm	459	500 gm	1764
B 1500	<u>1-BENZHYDRYL-3-AZETIDINONE</u> 95%	40320-60-3	1 gm	6003	5 gm	14004
B 1501	<u>1-BENZHYDRYL-3-AZETIDINOL</u> 95%	18621-17-5	1 gm	1404	5 gm	7407
B 1507	<u>BENZIDINE</u> GR (End user certificate required)	92-87-5	25 gm	1404	10 gm 100 gm	810 4005

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1508	BENZIDINE 99% forensic grade (End user certificate required)	92-87-5	1 gm 10 gm	7605 27099	5 gm 25 gm	24039 86049
B 1517	BENZIDINE HYDROCHLORIDE GR (End user certificate required)	531-85-1	25 gm	1404	10 gm 100 gm	810 4005
B 1518	BENZIDINE HYDROCHLORIDE 99% forensic grade (End user certificate required)	531-85-1	1 gm	4905	5 gm	12069
B 1520	BENZIDINE SULPHATE GR	531-86-2	10 gm	7308	25 gm	13059
B 1525	BENZIL for synthesis 99%	134-81-6			250 gm	918
			500 gm	1692	1 kg	3069
B 1535	BENZILIC ACID for synthesis 98% (End user certificate required)	76-93-7	100 gm	792	250 gm 1 kg	1791 6759
B 1545	BENZIMIDAZOLE for synthesis 99%	51-17-2	25 gm	288	100 gm 500 gm	792 3591
B 1555	BENZOIC ACID extra pure 99%	65-85-0	500 gm	432	5 kg	3456
B 1557	BENZOIC ACID GR 99%+	65-85-0	500 gm	684	5 kg	5139
B 1560	BENZOIC ANHYDRIDE 97%+	93-97-0	100 gm	1692	500 gm	5994
B 1565	BENZOIN for synthesis 99%	119-53-9	100 gm	423	250 gm 5 kg	738 12609
B 1575	a-BENZOIN OXIME GR 99%+	441-38-3	25 gm	513	100 gm	1783
B 1576	BENZOIN RESIN ABSOLUTE siam natural	9000-72-0	1 kg	25092	5 kg	120699
B 1585	BENZONITRILE for synthesis 98%	100-47-0	500 ml	2691	5 lt	18099
B 3130	BENZONITRILE 99.9% for HPLC	100-47-0	100 ml	8802	1 lt	23049
B 1595	BENZOPHENONE for synthesis 99%	119-61-9	500 gm	882	5 kg	7056
B 1597	BENZOPHENONE HYDRAZONE 96%	5350-57-2	100 gm	2880	500 gm	11403
B 1600	3,3,4,4-BENZOPHENONE TETRA CARBOXYLIC DIANHYDRIDE for synthesis 98%	2421-28-5	25 gm	1035	100 gm 500 gm	3402 15093
B 1605	p-BENZOQUINONE for synthesis 99%	106-51-4	100 gm 500 gm	1287 4806	250 gm 5 kg	2592 POR
B 5824	2H-1,4-BENZOTHAZIN-3(4H)-ONE 97%	5325-20-2	25 gm	5193	100 gm	19449
B 1615	1,2,3-BENZOTRIAZOLE for synthesis 99%	95-14-7	100 gm	594	250 gm 1 kg	1242 4959
B 1616	BENZOTRICHLORIDE puriss 99%	98-07-7			500 ml	3303
B 1617	2-BENZOXAZOLINONE 98%	59-49-4	25 gm	4509	100 gm	12069
B 1625	BENZOYL ACETONE for synthesis 98%	93-91-4	10 gm	2709	50 gm	10602
B 1635	a-N-BENZOYL-L-ARGININE ETHYL ESTER HYDROCHLORIDE (BAEE) for biochemistry 99%	2645-08-1	1 gm	1179	5 gm 25 gm	3996 11808
B 1640	BENZOYL CHLORIDE for synthesis 98%	98-88-4			500 ml	2304
B 1641	BENZOYL CHLORIDE GR 99%+	98-88-4			500 ml	2997
B 1644	BENZOYL CYANIDE puriss 98%	613-90-1	25 gm	9603	100 gm	29079
B 4713	BENZOYL ISOTHIOCYANATE 98%	532-55-8	5 gm	4419	25 gm	18099
B 1645	BENZOYL PEROXIDE (moistened with 25% water) for synthesis 98%	94-36-0	500 gm	981	5 kg	8811
B 1655	n-BENZOYL-n-PHENYL HYDROXYLAMINE GR 98%+	304-88-1			5 gm	5868
B 1657	3-BENZOYLPROPIONIC ACID (4-Oxo-4 -Phenylbutyric Acid) puriss GR for biochemistry 99%	2051-95-8	50 gm	6507	250 gm	24003
B 1658	N-BENZOYL-L-TYROSINE ETHYL ESTER (BTEE) pure	3483-82-7			5 gm	4959
B 1660	BENZYL ACETATE for synthesis 98%	140-11-4	500 ml	756	5 lt	6093
B 1663	6-BENZYL ADENINE 98%	1214-39-7	25 gm	1692	100 gm	3906

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1664	<u>6-BENZYL ADENINE</u> for biochemistry 99% (Light fluffy material)	1214-39-7	1 gm 25 gm	144 2169	5 gm 100 gm	639 7839
B 1665	<u>6-BENZYL ADENINE</u> puriss for biochemistry 99%+	1214-39-7	250 mg 5 gm	81 738	1 gm 25 gm 500 gm	153 2304 22005
B 1674	<u>BENZYL ALCOHOL</u> extra pure 98%	100-51-6	500 ml	738	5 lt	5508
B 1677	<u>BENZYL ALCOHOL</u> GR 99%+	100-51-6	500 ml	1143	5 lt	9405
B 1675	<u>BENZYL AMINE</u> for synthesis 98%	100-46-9	500 ml	1359	5 lt	10602
B 1676	<u>BENZYLAMINE</u> GR 98%+ <u>6-BENZYLAMINE PURINE</u> see-6-Benzyl adenine	100-46-9			500 ml	1809
B 1678	<u>BENZYL BENZOATE</u> for synthesis 99%	120-51-4	500 ml	711	5 lt	5805
B 1672	<u>BENZYL BROMIDE</u> for synthesis 99%	100-39-0	250 ml	3906	500 ml	7605
B 1673	<u>BENZYL BUTYL PHTHALATE</u> for synthesis 98%	85-68-7	500 ml	936	5 lt	8406
B 1674a	<u>BENZYL BUTYRATE</u> for synthesis	-----			500 gm	2403
B 1676a	<u>BENZYL CHLORIDE</u> for synthesis 98%	100-44-7			500 ml	1269
B 1680	<u>BENZYL CYANIDE</u> for synthesis 99% <u>BENZYL DIMETHYL HEXADECYL</u> <u>AMMONIUM CHLORIDE</u> please see <u>C 1830</u> <u>BENZYL DIMETHYLAMINE</u> please see <u>DIMETHYL BENZYLAMINE</u>	140-29-4	500 ml	1107	5 lt	9819
B 1678a	<u>BENZYL ETHANOLAMINE</u> for synthesis 95%	104-63-2			100 gm	4329
B 1679	<u>BENZYL ETHER</u> puriss 99%+	103-50-4	500 ml	2619	1 lt	5004
B 1683	<u>BENZYL FORMATE</u> for synthesis	104-57-4			500 gm	3303
B 0869	<u>BENZYL GLYCOLATE</u> , 97%	30379-58-9	5 ml	5607	25 ml	22005
B 1681	<u>BENZYL HYDRAZINE DIHYDROCHLORIDE</u> 97%	20570-96-1	5 gm	6903	25 gm	18009
B 1682b	<u>BENZYLIDEINE ACETONE</u> for synthesis	122-57-6	250 gm	2304	500 gm	4005
B 1684	<u>BENZYL ISOBUTYRATE</u> for synthesis	103-28-6			500 gm	2889
B 1686	<u>BENZYL ISOVALERATE</u> for synthesis	103-38-8			500 gm	3969
B 1688a	<u>n-BENZYL METHYLAMINE</u> for synthesis 98%	103-67-3			500 ml	3609
B 1694	<u>BENZYL METHYL ETHER</u> 98%	538-86-3			25 ml	10908
B 1620	<u>4-BENZYLOXYBENZALDEHYDE</u> 97%	4397-53-9	100 gm	5679	500 gm	18099
B 1619	<u>4-BENZYLOXY ANILINE HYDROCHLORIDE</u> 98%	51388-20-6	25 gm	3708	100 gm	11079
B 1689	<u>BENZYL PHENYL ACETATE</u> for synthesis	102-16-9			500 gm	2304
B 1690	<u>BENZYL PROPIONATE</u> for synthesis	122-63-4			500 gm	2439
B 1691	<u>BENZYL SALICYLATE</u> for synthesis	118-58-1			500 gm	2502
B 1682	<u>s-BENZYL iso-THIOURONIUM CHLORIDE</u> for synthesis 98%	538-28-3	25 gm	135	100 gm 500 gm	495 2088
B 1692	<u>BENZYL TRIBUTYL AMMONIUM BROMIDE</u> puriss 98%	25316-59-0	25 gm	2007	100 gm	6309
B 1693	<u>BENZYL TRIBUTYL AMMONIUM CHLORIDE</u> for synthesis 98%	23616-79-7	100 gm	756	500 gm	2709
B 1684a	<u>BENZYL TRIETHYL AMMONIUM CHLORIDE</u> 50% solution GR	-----			500 ml	1305
B 1685	<u>BENZYL TRIETHYL AMMONIUM CHLORIDE</u> for synthesis 98%	56-37-1	100 gm	306	500 gm 10 kg	837 11079
B 1687	<u>BENZYL TRI ETHYL AMMONIUM CHLORIDE</u> GR 99%+	56-37-1	100 gm	459	500 gm	1522
B 1688	<u>BENZYL TRI METHYL AMMONIUM CHLORIDE</u> 98%	56-93-9	500 gm	1602	5 kg	14409
B 1695	<u>BENZYL TRI METHYL AMMONIUM HYDROXIDE</u> 40% solution for synthesis	100-85-6	100 ml	1305	500 ml	4302
B 1698	<u>BERBERINE CHLORIDE</u> 97%	633-65-8	1 gm	1305	5 gm	3807
B 1699 *	<u>BERBERINE CHLORIDE</u> hydrate technical, $\geq 90\%$	141433-60-5	5 gm	1449	25 gm	3105
B 1700 *	<u>BERBERINE CHLORIDE</u> hydrate, 97%	141433-60-5	5 gm 100 gm	1719 13509	25 gm 500 gm	3906 POR

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1697	<u>BERGAMOT OIL</u> , Italy origin	8007-75-8	100 ml	15003	500 gm	24039
					1 kg	39006
B 1701	<u>BERLIN BLUE</u> pract	12240-15-2	10 gm	1305	100 gm	9603
B 1701a	<u>BERLIN BLUE</u> (C.I.No. 77520) for microscopy	12240-15-2	10 gm	6705	25 gm	13959
B 1701b	<u>BERLIN BLUE</u> (C.I.No. 77520) spezial	12240-15-2	10 gm	8604	25 gm	16902
B 1702	<u>BERYLLIUM</u> (metal) GR 99%+ (End user certificate required)	7440-41-7	1 gm	4005	5 gm	13005
B 1707	<u>BERYLLIUM</u> pieces, 99.5% (End user certificate required)	7440-41-7	10 gm	9819	50 gm	36018
B 0086	<u>BERYLLIUM (Be) ICP STANDARD SOLUTION 1 G/L</u> <u>IN 2% HNO₃, 0.5% HF</u> traceable to NIST	- - - -	50 ml	4149	100 ml	6606
B 1703 ✱	<u>BERYLLIUM CARBONATE</u> GR 99%+ (End user certificate required)	66104-24-3	1 gm	6507	5 gm	29007
B 1704	<u>BERYLLIUM OXIDE</u> GR 99%+ (End user certificate required)	1304-56-9	1 gm	5004	5 gm	17099
B 1706	<u>BERYLLIUM OXIDE</u> , 99.95% (End user certificate required)	1304-56-9	1 gm	5706	5 gm	20079
B 1705 ✱ ☐	<u>BERYLLIUM NITRATE</u> (solution 35wt% in H ₂ O) (End user certificate required)	13597-99-4	10 gm	POR	25 gm	POR
B 1715 ☐	<u>BERYLLIUM SULPHATE</u> tetrahydrate GR 99%+ (End user certificate required)	7787-56-6	10 gm	2779	25 gm	6579
					100 gm	21609
B 1716	<u>BERYLLIUM SULPHATE</u> tetrahydrate 99.99% (End user certificate required)	7787-56-6	10 gm	5904	50 gm	27099
B 1720 ☐	<u>BES BUFFER</u> for biochemistry 98% (N.N.-bis (2-hydroxyethyl) 2-aminoethane sulfonic acid)	10191-18-1	25 gm	1161	100 gm	4266
					500 gm	20709
B 1723 ✱	<u>BETULIN</u> 70%	473-98-3	1 gm	4509	5 gm	24039
B 1724 ✱	<u>BETULIN</u> 90%	473-98-3	1 gm	7299	5 gm	36009
B 1213 ☐	<u>BIAL'S ORCINOL REAGENT</u>	- - - -	125 ml	864	500 ml	2106
B 1211	<u>BIAL'S REAGENT</u> (sumner)	- - - -			250 ml	297
B 1725 ☐	<u>BICINE</u> biological buffer 99%	150-25-4	25 gm	1188	100 gm	4491
B 1735 ☐	<u>BIEBRICH SCARLET</u> for microscopy (C.I.26905)	4196-99-0	25 gm	774	100 gm	2880
B 1745 ☐	<u>BILE SALT</u> for bacteriology	11006-55-6	100 gm	1449	500 gm	6669
B 1746	<u>BILE SALTS CERTIFIED</u>	11006-55-6	100 gm	1791	500 gm	8604
B 1755 ✱ ☐	<u>BILIRUBIN</u> GR 99%+	635-65-4	100 mg	819	250 mg	3006
			1 gm	6669	(5X1) gm	25902
B 1757	<u>BINDSCHEDLER'S GREEN</u> pure	637-31-0	1 gm	13005	5 gm	45009
B 1756	<u>S-BINOL</u> 99%	18531-99-2	5 gm	1305	25 gm	4959
B 1760	<u>BIOCIDE</u>	25314-61-8	5 lt	3006	30 lt	POR
B 1765 ☐	<u>D-BIOTIN</u> for biochemistry 98%+	58-85-5	100 mg	90	1 gm	702
					10 gm	5103
B 1775 ☐	<u>BIPHENYL</u> for synthesis 99%	92-52-4	100 gm	432	1 kg	2385
					5 kg	9603
B 1778	<u>BIPHENYL</u> puriss 99%+ <u>BIPHENYL ACETIC ACID</u> please see <u>DIPHENYL ACETIC ACID</u>	92-52-4			1 kg	5607
B 1780	<u>BIPHENYL 4:4 DIOL</u> for synthesis 98%	92-88-6			100 gm	11007
B 1781	<u>BIPHENYL 4-OL</u> for synthesis 99%	- - - -	100 gm	1305	500 gm	4995
B 1786 ☐	<u>2:2-BIPYRIDYL</u> extra pure 98%	366-18-7	5 gm	549	25 gm	2205
B 1787 ☐	<u>2,2-BIPYRIDYL</u> GR 99%+ (reagent for colorimetric determination of iron base for oxidation reduction indicator)	366-18-7	5 gm	621	25 gm	2529
			100 gm	7407	500 gm	35919
B 1790	<u>4,4-BIPYRIDYL</u> GR 98%	553-26-4	5 gm	1305	25 gm	5391
					100 gm	17991
B 1795 ☐	<u>2,2-BIQUINOLINE</u> GR 99%+	119-91-5	1 gm	891	5 gm	4392
B 1791	<u>BIRCH OIL</u> sweet, natural	68917-50-0	500 gm	18999	1 kg	30906
B 0077	<u>BIS(BENZONITRILE) DICHLORO PALLADIUM (II)</u> puriss	14220-64-5	1 gm	8208	10 gm	67059
B 1799	<u>bis-BENZIMIDE H 33258</u> ≥98% (HPLC and TLC)	23491-45-4			25 mg	4905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1800	<u>bis-2-CHLORO ETHYLAMINE HYDROCHLORIDE 98%</u>	821-48-7	100 gm	891	500 gm	3294
B 1801	<u>BIS-(2-CHLORO ETHYL) ETHER</u> for synthesis 99%+	111-44-4			250 gm	9603
B 1802	<u>BIS 1:2 (CHLORO METHYL BENZENE)</u> for synthesis 98%	612-12-4			25 gm	5499
B 1805	<u>BIS-CYCLOHEXANONE OXALYL DIHYDRAZIDE GR 99%</u>	370-81-0	5 gm	936	25 gm	3996
B 2596	<u>BIS(DIBENZYLIDENEACETONE)PALLADIUM(0)</u> puriss	32005-36-0	1 gm	4995	5 gm	22995
B 3907	<u>[1,3-BIS(2,6-DIISOPROPYLPHENYL)IMIDAZOL-2-YLIDENE]</u> <u>(3-CHLOROPYRIDYL)PALLADIUM(II) DICHLORIDE</u> puriss	905459-27-0	100 mg	3699	500 mg	11079
B 1803	<u>(R)-(+)-2,2'BIS(DIPHENYLPHOSPHINO)-1,1-BINAPHTHYL 98%</u> (R)-(+)-BINAP	76189-55-4	250 mg	1494	1 gm	4995
			5 gm	15903	25 gm	49005
B 1806	<u>(S)-(-)-2,2'BIS(DIPHENYLPHOSPHINO)-1,1-BINAPHTHYL 97%</u> (S)-(-)-BINAP	76189-56-5	250 mg	1494	1 gm	4959
			5 gm	15903	25 gm	49509
B 2697	<u>[1,1'-BIS(DIPHENYLPHOSPHINO)FERROCENE]DICHLORO</u> <u>PALLADIUM(II), COMPLEX WITH DICHLOROMETHANE</u> PURISS	95464-05-4	1 gm	2691	5 gm	12420
B 1807	<u>1,3-BIS(DIPHENYLPHOSPHINO)PROPANE</u> for HPLC 97%	6737-42-4	100 mg	423	1 gm	1818
			5 gm	4608	25 gm	12402
B 1810	<u>BIS-(2-ETHYL HEXYL) ADIPATE</u> for synthesis 98%	103-23-1	500 ml	1053	5 lt	9603
B 1811	<u>BIS-(2-ETHYL HEXYL) ADIPATE</u> puriss 99%	103-23-1			1 lt	6606
B 1809	<u>BIS(2-ETHYLHEXYL) PHOSPHATE</u> 97%	298-07-7	25 gm	1809	100 gm	2691
			250 gm	3789	500 gm	7659
B 1814b	<u>BIS-(2-ETHYL HEXYL) PHTHALATE</u> for synthesis 98%	117-81-7	500 ml	513	5 lt	4239
B 1812	<u>BIS-(2-ETHYL HEXYL) PHTHALATE</u> puriss 99%	117-81-7			1 lt	3969
B 1813	<u>BIS-2-ETHYL HEXYL SEBACATE</u> for synthesis 97%	122-62-3	500 ml	1089	5 lt	9603
B 1817	<u>BIS-2-ETHYL HEXYL SEBACATE</u> puriss 97%+	122-62-3			1 kg	7605
B 1814	<u>BISMARK BROWN Y (VESUVIN) (C.I.No. 21000)</u> for microscopy	10114-58-6	25 gm	189	100 gm	531
					1 kg	3969
B 1815	<u>BISMARK BROWN R</u> for microscopy (C.I. 21010)	5421-66-9	25 gm	216	100 gm	567
					1 kg	4491
B 1825	<u>BISMUTH</u> granular 99.5%	7440-69-9	100 gm	945	500 gm	4086
B 1828	<u>BISMUTH</u> ingots 99.999% GR	7440-69-9	10 gm	4995	100 gm	39690
B 0667	<u>BISMUTH</u> lumps, 99.999%	7440-69-9			50 gm	34092
B 0551	<u>BISMUTH</u> pieces, 1-12 mm, 99.999%	7440-69-9	10 gm	4329	100 gm	9603
					250 gm	15903
B 1827	<u>BISMUTH</u> powder 99.5%	7440-69-9	100 gm	1395	1 kg	11979
B 0185	<u>BISMUTH</u> powder, -100 mesh, 99.99%	7440-69-9	10 gm	6003	100 gm	32049
B 0341	<u>BISMUTH</u> powder, -200 mesh, 99.999% (metals basis)	7440-69-9	5 gm	6129	25 gm	14499
					100 gm	51093
B 0088	<u>BISMUTH (Bi) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
B 0089	<u>BISMUTH (Bi) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
B 0090	<u>BISMUTH AAS STANDARD SOLUTION 1000 MG/L Bi</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
B 1829	<u>BISMUTH ACETATE</u>	22306-37-2	100 gm	3969	500 gm	16902
B 1835	<u>BISMUTH AMMONIUM CITRATE</u> (culture media additive)	31886-41-6	100 gm	1593	500 gm	7002
					1 kg	13005
B 1837	<u>BISMUTH AMMONIUM CITRATE GR</u>	31886-41-6	100 gm	2601	1 kg	POR
B 1841	<u>BISMUTH ANTIMONY TELLURIDE</u> 99.99%	31501-07-2	1 gm	12006	5 gm	30609
B 1839	<u>BISMUTH ARSENATE</u>	13702-38-0	25 gm	3249	100 gm	8604

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1840	<u>BISMUTH BORATE</u>	37233-77-5	25 gm	1899	100 gm	3699
					500 gm	16902
B 1842	<u>BISMUTH BROMIDE</u> extra pure 98%	7787-58-8			25 gm	3969
			100 gm	7659	500 gm	26919
B 1845	<u>BISMUTH CARBONATE</u>	5892-10-4	100 gm	963	500 gm	4491
B 1846	<u>BISMUTH CHROMATE</u>	61204-26-0	100 gm	3303	500 gm	13959
B 1848	<u>BISMUTH CITRATE</u>	813-93-4	100 gm	1602	500 gm	3249
B 1849	<u>BISMUTH FLUORIDE</u>	7787-61-3	100 gm	4302	500 gm	17919
B 1850	<u>BISMUTH IODIDE</u>	7787-64-6	25 gm	8991	100 gm	20061
B 1855	<u>BISMUTH NITRATE</u> 98%	10035-06-0	100 gm	855	500 gm	3591
B 1857	<u>BISMUTH NITRATE</u> GR 98%+	10035-06-0	100 gm	945	500 gm	4059
B 0626	<u>BISMUTH(III) NITRATE OXIDE</u> 99.999%	10361-46-3	10 gm	6003	50 gm	30609
					250 gm	43092
B 1860	<u>BISMUTH OXALATE</u>	6591-55-5	100 gm	2979	500 gm	11709
B 1865	<u>BISMUTH OXIDE</u> 99%	1304-76-3	100 gm	945	500 gm	4491
B 1871	<u>BISMUTH OXIDE</u> powder, 10 µm, 99.9%	1304-76-3	100 gm	8109	500 gm	27099
B 6992	<u>BISMUTH OXIDE</u> 99.97%	1304-76-3	50 gm	6606	250 gm	16092
					1 kg	39069
B 1868	<u>BISMUTH OXIDE</u> 99.99%	1304-76-3	50 gm	7308	250 gm	19081
B 1867	<u>BISMUTH OXIDE</u> < 5 µm, 99.99%	1304-76-3	50 gm	9603	250 gm	24039
B 1869	<u>BISMUTH OXIDE</u> 99.999%	1304-76-3	10 gm	6003	100 gm	20709
B 1096	<u>BISMUTH OXIDE</u> 99.9995%	1304-76-3	50 gm	13005	250 gm	50409
B 1875	<u>BISMUTH OXYCHLORIDE</u>	7787-59-9	100 gm	1089	500 gm	4689
B 1880	<u>BISMUTH PHOSPHATE</u>	10049-01-1	100 gm	2997	500 gm	14094
B 1883	<u>BISMUTH SALICYLATE</u>	14882-18-9	100 gm	4869	500 gm	20403
B 0669	<u>BISMUTH(III) SELENIDE</u> - 350 mesh, 99.99%	12068-69-8	5 gm	14049	25 gm	39969
B 1884	<u>BISMUTH SUBGALLATE</u>	99-26-3	25 gm	891	100 gm	1296
					500 gm	5949
B 1885	<u>BISMUTH SUBNITRATE</u>	1304-85-4	100 gm	891	500 gm	4059
B 1887	<u>BISMUTH SUBNITRATE</u> GR	1304-85-4	100 gm	1143	500 gm	4779
B 1895	<u>BISMUTH SULPHATE</u>	7787-68-0	250 gm	2088	500 gm	3969
B 1897	<u>BISMUTH SULPHATE</u> GR	7787-68-0	100 gm	2304	500 gm	10602
B 1898	<u>BISMUTH SULPHITE</u>	71896-27-0	100 gm	5679	250 gm	14004
B 1896	<u>BISMUTH SULPHIDE</u> pure	1345-07-9	50 gm	9279	100 gm	16092
B 1899	<u>BISMUTH TARTRATE</u>	6591-56-6	100 gm	3996	500 gm	15903
B 1900	<u>BISMUTH(III) TELLURIDE</u> 99.99%	1304-82-1			5 gm	6408
B 0699	<u>BISMUTH(III) TELLURIDE</u> - 350 mesh, 99.99%	1304-82-1	5 gm	7704	25 gm	40905
B 1905	<u>BISMUTH TRICHLORIDE</u> 97%	7787-60-2	100 gm	1791	500 gm	6939
B 1915	<u>BISMUTHIOL-I</u> GR 99% (reagent for the determination of Bi, Cu, Pb, Sb)	1072-71-5			10 gm	3006
B 1917	<u>BISMUTHIOL-II</u> GR 99% (reagent for spectro determination of tellurium)	6336-51-2			10 gm	10008
B 1920	☐ <u>BISPHENOL A</u> for synthesis 98%	80-05-7	500 gm	639	5 kg	5112
B 1923	<u>BISPYRAZOLONE</u> GR for determination of cyanide 99%	7477-67-0	5 gm	6111	25 gm	27099
B 1921	☐ <u>BIS-TRIBUTYL TIN OXIDE</u> for synthesis	56-35-9			250 ml	4995
BI-0097	<u>BIS(TRIFLUOROMETHANE)SULPHONIMIDE LITHIUM SALT</u>	90076-65-6	5 gm	3906	25 gm	15039
	99.95%				100 gm	43092
B 1933	☐ <u>N,O-BIS-(TRIMETHYLSILYL) ACETAMIDE</u> (BSA) puriss 95%	10416-59-8	25 gm	486	100 gm	1791
					500 gm	4491
B 1934	<u>N,O-BIS-(TRIMETHYLSILYL) TRIFLUORO ACETAMIDE</u>	25561-30-2	5 ml	468	25 ml	1764
	(BSTFA) puriss GR 98%				100 ml	5949

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 2603	<u>BIS(TRIPHENYLPHOSPHINE)PALLADIUM(II) DICHLORIDE</u> puriss	13965-03-2	1 gm	4779	5 gm	21906
B 1924	<u>BIS-TRIS</u> for molecular biology ≥98%	6976-37-0	25 gm	1089	100 gm	4194
B 1927	<u>BIS-TRIS PROPANE</u> 99%	64431-96-5	25 gm	4167	100 gm	14409
B 1925	<u>BIURET</u> GR 96%	108-19-0	25 gm	1188	100 gm	4194
B 1926	<u>BIURET</u> reagent	108-19-0			125 ml	189
B 1928	<u>BLACK PEPPER OIL</u> , natural	8006-82-4	100 gm	5805	1 kg	49005
B 1930	<u>BLEACHING POWDER</u> APP 33 % AVAILABLE CHLORINE	7778-54-3	500 gm	189	5 kg	1629
B 1935	<u>BLUE TETRAZOLIUM</u> for microscopy GR	1871-22-3	1 gm	1791	5 gm	8469
B 3080	<u>BOC ANHYDRIDE</u> puriss 99%	24424-99-5	100 gm	2403	1 kg	9909
B 3037	<u>BOC-L-ACETAMIDOMETHYL-L-CYSTEINE</u> for biochemistry 98%+	19746-37-3	1 gm	3006	5 gm	9603
			10 gm	15606	25 gm	27099
B 3000	<u>BOC-B-ALANINE</u> for biochemistry 99%	3303-84-2	5 gm	1890	25 gm	6003
B 3001	<u>BOC-D-ALANINE</u> for biochemistry 99%	7764-95-6	10 gm	3240	25 gm	7290
B 3002	<u>BOC-L-ALANINE</u> for biochemistry 99%	15761-38-3	5 gm	504	25 gm	1602
B 3003	<u>BOC-ARGININE.HCL.H2O</u> for biochemistry 99%	114622-81-0	1 gm	3159	5 gm	7902
B 3035a	<u>BOC-L-ALANINE METHYL ESTER</u> for biochemistry 98%+	28875-17-4	10 gm	6903	25 gm	13005
B 3004	<u>BOC-D-ARGININE.HCL.H2O</u> for biochemistry 99%	113712-06-4	1 gm	5607	5 gm	19008
B 3005	<u>BOC-L-ASPARGINE</u> for biochemistry 99%	7536-55-2	10 gm	963	25 gm	2106
					100 gm	8190
B 3006	<u>BOC-D-ASPARTIC-Obz</u> for biochemistry 99%	51186-58-4	1 gm	2709	5 gm	8901
B 3036	<u>BOC-L-ASPARTIC ACID-4-BENZYLESTER</u> extrapure	7536-58-5	10 gm	2169	25 gm	8091
B 3008	<u>BOC-L-GLUTAMINE</u> for biochemistry 99%	13726-85-7	10 gm	945	25 gm	2160
					100 gm	7929
B 3038	<u>BOC-L-BENZYL-L-CYSTEINE</u> for biochemistry 98%+	5068-28-0	10 gm	3006	25 gm	6939
B 3009	<u>BOC-L-GLUTAMIC ACID</u> for biochemistry 99%	2419-94-5	10 gm	954	25 gm	2160
B 3039	<u>BOC-L-GLUTAMIC ACID-5- BENZYL ESTER</u>	13574-13-5	5 gm	2691	10 gm	5031
	for biochemistry 98%+				25 gm	8469
B 3010	<u>BOC-GLYCINE</u> for biochemistry 99%	4530-20-5	5 gm	495	10 gm	756
			25 gm	1881	100 gm	5607
B 3040	<u>BOC-GLYCINE METHYL ESTER</u> for biochemistry 98%+	31954-27-5	10 ml	7209	25 ml	12069
B 3011	<u>BOC-HISTIDINE</u> for biochemistry 99%	25024-53-7	5 gm	6219	25 gm	POR
B 3035	<u>n-BOC B-HOMOPROLINE</u> for biochemistry 99%	101541-15-5	250 mg	POR	1 gm	POR
B 3070	<u>1-BOC-4-(2-HYDROXYETHYL) PIPERAZINE</u> 97%	77279-24-4			5 gm	POR
B 3012	<u>BOC-L-ISOLEUCINE</u> for biochemistry 99%	13139-16-7	10 gm	1062	25 gm	2403
					100 gm	8163
B 3013	<u>BOC-D-ISOLEUCINE</u> for biochemistry 99%	55721-65-8	1 gm	POR	25 gm	POR
B 3014	<u>BOC-L-LEUCINE H2O</u> for biochemistry 99%	13139-15-6	5 gm	891	25 gm	2925
B 3015	<u>BOC-D-LEUCINE H2O</u> for biochemistry 99%	16937-99-8	5 gm	3006	25 gm	10809
B 3016	<u>BOC-L-LYSINE</u> for biochemistry 99%	13734-28-6	5 gm	6003	25 gm	15903
B 3041	<u>N-a-e-T-BOC-L-LYSINE DICYCLOHEXYLAMMONIUM SALT</u> for biochemistry 98%+	15098-69-8	10 gm	5202	25 gm	9207
B 3017	<u>BOC-L-LYSINE(FMOC)</u> for biochemistry 99%	718985-26-9	5 gm	3996	25 gm	6993
B 3018	<u>BOC-D-LYSINE(FMOC)</u> for biochemistry 99%	- - - - -			5 gm	60309
B 3019	<u>BOC-L-METHIONINE</u> for biochemistry 99%	2488-15-5	25 gm	3564	100 gm	11007
B 3020	<u>BOC-ORNITHINE</u> for biochemistry 99%	21887-64-9	1 gm	7101	5 gm	POR
B 3042	<u>BOC-4-NITRO-L-PHENYLALANINE ETHYL ESTER</u> for biochemistry 98%+	7535-56-0	10 gm	10503	25 gm	18504
B 3043	<u>BOC-4-NITRO-L-PHENYLALANINE</u> for biochemistry 98%+	33305-77-0	10 gm	5949	25 gm	10404
B 3021	<u>BOC-L-PHENYL ALANINE</u> for biochemistry 99%	13734-34-4	5 gm	468	10 gm	990
			25 gm	2403	100 gm	8379

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 3045	<u>BOC-L-PHENYLALANINE METHYL ESTER</u> for biochemistry 98%+	51987-73-6	10 gm	9279	25 gm	16029
B 3022	<u>BOC-D-PHENYL ALANINE</u> for biochemistry 99%	18942-49-9	10 gm	4707	25 gm	10701
B 3044	<u>BOC-D-PHENYLALANINE METHYL ESTER</u> for biochemistry 98%+	77119-84-7	1 gm	8604	5 gm	40905
B 3046	<u>BOC-D-PHENYLGLYCINE</u> for biochemistry 98%+	33125-05-2	1 gm	1359	5 gm	6705
B 3047	<u>BOC-L-PHENYLGLYCINE</u> for biochemistry 98%+	2900-27-8	10 gm	4905	25 gm	8046
B 3071	<u>4-BOC-PIPERAZINONE</u> 98%	76003-29-7	1 gm	4401	5 gm	17091
B 3023	<u>BOC-L-PROLINE</u> for biochemistry 99%	15761-39-4	5 gm	594	25 gm	2592
			5 gm	2403	100 gm	8379
B 3049	<u>BOC-L-PROLINE METHYL ESTER</u> for biochemistry 98%+	59936-29-7	5 gm	2403	25 gm	5499
B 3024	<u>BOC-DL-PROLINE</u> for biochemistry 99%	59433-50-0	1 gm	11079	5 gm	23049
B 3025	<u>BOC-D-PROLINE</u> for biochemistry 99%	37784-17-1	5 gm	2403	25 gm	7299
B 3048	<u>BOC-D-PROLINE METHYL ESTER</u> for biochemistry 98%+	733323-65-6	10 gm	15201	25 gm	26199
B 3050	<u>N-BOC-O-BENZYL-L-SERINE</u> for biochemistry 98%+	23680-31-1	10 gm	4095	25 gm	20079
B 3026	<u>BOC-L-SERINE</u> for biochemistry 99%	3262-72-4	5 gm	1908	25 gm	4608
B 3027	<u>BOC-D-SERINE</u> for biochemistry 99%	6368-20-3	5 gm	6003	25 gm	27099
B 3028	<u>BOC-L-THREONINE</u> for biochemistry 99%	2592-18-9	10 gm	1071	25 gm	2403
B 3029	<u>BOC-L-TRYPTOPHAN</u> for biochemistry 99%	13139-14-5	5 gm	1269	25 gm	3294
B 3030	<u>BOC-D-TRYPTOPHAN</u> for biochemistry 99%	5241-64-5	5 gm	3699	25 gm	12501
B 3031	<u>BOC-L-TYROSINE</u> for biochemistry 99%	3978-80-1	10 gm	2295	25 gm	4806
B 3051	<u>BOC-L-TYROSINE METHYL ESTER</u> for biochemistry 98%+	4326-36-7	10 gm	9207	25 gm	16092
B 3032	<u>BOC-D-TYROSINE</u> for biochemistry 99%	70642-86-3	5 gm	10602	25 gm	50409
B 3033	<u>BOC-L-VALINE</u> for biochemistry 99%	13734-41-3	5 gm	549	25 gm	2169
B 3052	<u>BOC-L-VALINE METHYL ESTER</u> for biochemistry 98%+	58561-04-9	10 gm	6606	25 gm	11601
B 3034	<u>BOC-D-VALINE</u> for biochemistry 99%	22838-58-0	10 gm	4905	25 gm	11079
B 3053	<u>BOC-ISONIPECOTIC ACID</u> for biochemistry 98%+	174316-71-3	10 gm	POR	25 gm	POR
B 3054	<u>BOC-ISONIPECOTIC ACID METHYL ESTER</u> for biochemistry 98%+	-----	10 gm	9207	25 gm	16209
B 3055	<u>BOC-NIPECOTIC ACID METHYL ESTER</u> for biochemistry 98%+	163438-09-3	10 gm	POR	25 gm	POR
B 3056	<u>BOC-PIPECOLIC ACID</u> for biochemistry 98%+	26250-84-0	10 gm	5139	25 gm	9207
B 3057	<u>BOC-PIPECOLIC ACID METHYL ESTER</u> for biochemistry 98%+	132910-79-3	10 gm	11907	25 gm	20808
B 1944	<u>BOIS DE ROSE</u>	8015-77-8	100 gm	5607	1 kg	49959
	<u>BORAX</u> please see S 2465					
B 1945	<u>BORAX CARMINE</u> (grenacher)	-----			25 gm	891
B 1948	<u>BORAX CARMINE</u> (grenacher) (ALCOHOLIC STAINING SOLUTION)	-----			125 ml	243
B 1949	<u>BORAX CARMINE</u> (grenacher) (AQUEOUS STAINING SOLUTION)	-----			125 ml	216
B 1950	<u>BORDEAUX R</u> for microscopy (C.I.No.16180)	5858-33-3	5 gm	1899	25 gm	6939
B 1955	<u>BORIC ACID</u> extra pure 99%	10043-35-3	500 gm	432	5 kg	3159
B 1957	<u>BORIC ACID</u> GR 99%+	10043-35-3	500 gm	531	5 kg	3879
B 1956	<u>BORIC ACID</u> crystals 99%+	10043-35-3	500 gm	396	5 kg	2808
B 1962	<u>BORIC ACID</u> for molecular biology 99.5%	10043-35-3	250 gm	774	500 gm	990
B 1008	<u>BORIC ACID</u> 99.97%	10043-35-3	100 gm	999	1 kg	5904
B 1959	<u>BORIC ACID</u> spezial GR 99.9%	10043-35-3			1 kg	32094
B 1968	<u>BORIC ACID</u> 99.999%	10043-35-3	100 gm	24039	500 gm	39069
B 1963	<u>BORIC ACID</u> ultra pure 99.9995%	10043-35-3	100 gm	25299	500 gm	40905
B 1966	<u>meta-BORIC ACID</u> 98.5%	13460-50-9			50 gm	963
B 1951	<u>BORIC ANHYDRIDE</u> granulated, ≥98%+	1303-86-2	250 gm	2529	1 kg	7308
B 1958	<u>BORNEOL</u> for synthesis	507-70-0	25 gm	3006	500 gm	7605
B 1961	<u>BORON</u> amorphous, 98%	7440-42-8	1 gm	2169	10 gm	14049
B 1967	<u>BORON</u> pieces <20 mm, 99.5%	7440-42-8			5 gm	24039
B 1960	<u>BORON</u> powder, amorphous, 95%	7440-42-8	5 gm	4779	50 gm	9207

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1969	BORON powder, amorphous, 99.5%	7440-42-8	5 gm	40509	25 gm	86409
B 0092	BORON (B) ICP STANDARD SOLUTION 10 GM/L IN WATER traceable to NIST	-----	100 ml	12609	500 ml	37809
B 0093	BORON (B) ICP STANDARD SOLUTION 1 GM/L IN WATER traceable to NIST	-----	100 ml	4149	500 ml	6606
B 0094	BORON AAS STANDARD SOLUTION 1000 MG/L B IN H₂O traceable to NIST	-----	100 ml	1818	500 ml	3006
B 1964	BORON CARBIDE powder 100 mesh	12069-32-8	25 gm		25 gm	1089
			100 gm	3105	500 gm	13059
B 1965	BORON CARBIDE powder 150 mesh	12069-32-8	25 gm		25 gm	1089
			100 gm	3105	500 gm	13059
B 1963a	BORON CARBIDE 40-300 μ m, powder 98%	12069-32-8	100 gm	3996	500 gm	18604
B 7074	BORON CARBIDE pellets, 18 mm dia, 6 mm thick, 99.5%	12069-32-8			1 pc	76509
B 1975	BORON NITRIDE for synthesis 99%	10043-11-5	25 gm	2169	50 gm	4491
			100 gm	7992	500 gm	36909
B 0142	BORON NITRIDE 99.5%	10043-11-5	25 gm	4032	50 gm	10701
					250 gm	56077
BN0944	BORON NITRIDE cubic, 1-10 μ m, 99%+	10043-11-5	1 gm	4689	10 gm	36009
BNT 063	BORON NITRIDE rod, diam. $\times$ length 6.5 mm $\times$ 12 inch	10043-11-5			1 pc	49059
BNT 081	BORON NITRIDE rod, diam. $\times$ length 10 mm $\times$ 12 inch	10043-11-5			1 pc	56709
BNT 090	BORON NITRIDE rod, diam. $\times$ length 13 mm $\times$ 12 inch	10043-11-5			1 pc	65709
B 0521	BORON SILICIDE 200 mesh, 98%	12008-29-6	10 gm	8019	50 gm	32049
B 1979	BORON TRIBROMIDE 99%	10294-33-4	100 gm	9639	500 gm	43092
B 1980	BORON TRIFLUORIDE ETHERATE {48-50%BF₃} for synthesis 99%	109-63-7	500 ml	3492	5 lt	30069
B 1984	di-BORON TRIOXIDE (anhydrous) 99%	1303-86-2	250 gm	3069	500 gm	5904
B 1985	di-BORON TRIOXIDE (anhydrous) GR 99%+	1303-86-2	250 gm	3429	1 kg	13401
B 1982	di-BORON TRIOXIDE 99.98% TRACE METALS BASIS	1303-86-2	100 gm	5094	500 gm	18099
B 1983	di-BORON TRIOXIDE 99.999%	1303-86-2	2 gm	2709	10 gm	7605
					50 gm	21609
B 4492	BOSWELLIA SERRATA EXTRACT	-----			1 gm	33003
B 1986	BOUIN'S FLUID (HISTOPATHOLOGY FIXATIVE)	-----	100 ml	126	500 ml	441
	BOVINE ALBUMIN please see A 1595 ALBUMIN BOVINE					
B 1993	BOVINE SERUM crystalline	-----	10 gm	2799	25 gm	5679
B 1991 *	BOVINE SERUM ALBUMIN powder $\geq$ 96% (agarose gel electrophoresis)	9048-46-8	5 gm	4608	10 gm	8919
					50 gm	28907
B 1997 *	BOVINE SERUM ALBUMIN lyophilized powder, essentially globulin free, $\geq$ 99%	9048-46-8	1 gm	8001	10 gm	33003
B 1998 *	BOVINE SERUM ALBUMIN suitable for RIA, pH 5.2, $\geq$ 96%	9048-46-8	10 gm	16002	50 gm	51606
B 1999 *	BOVINE SERUM ALBUMIN heat shock fraction, protease free, fatty acid free, essentially globulin free, pH 7, $\geq$ 98%	9048-46-8	10 gm	12609	50 gm	41301
			100 gm	61002	500 gm	236799
					1 kg	360099
BD0414	BPAMD [Bis(phosphonate) Monoamide analogues of DOTA]	872469-60-8	1 mg	92709	10 mg	206919
B 1989	BRADY'S REAGENT	-----			125 ml	207
B 1987	BRAIN HEART INFUSION for microbiology	-----			500 gm	2979
B 1990	BRAZILIN for microscopy	474-07-7	5 mg	9729	25 mg	39069
	BREDEREK'S REAGENT Please see B 2273				100 mg	10809
B 1992	BBRIJ 30 (Polyethylene glycol dodecyl ether)	9002-92-0			500 ml	1287
B 1994	BBRIJ 35	9002-92-0	500 gm	1287	5 kg	10899

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 1995	BBRIJ 35 (30% solution) non-ionic surfactant	9002-92-0	500 gm	918	5 kg	8649
B 2004	BRILLIANT BLUE FCF for microscopy	3844-45-9	10 gm	594	25 gm	1296
B 2003	BRILLIANT BLUE G ≥90% (TLC)	6104-58-1			100 mg	8604
B 2005	BRILLIANT BLUE G for microscopy	6104-58-1	5 gm	675	25 gm	2403
B 2006	BRILLIANT BLUE R for microscopy	6104-59-2	5 gm	522	25 gm	1989
B 2015	BRILLIANT CRESYL BLUE for microscopy	81029-05-2	5 gm	693	25 gm	2691
					100 gm	7992
B 2016	BRILLIANT CRESYL BLUE solution (alcoholic)	- - - - -			100 ml	324
B 2025	BRILLIANT GREEN indicator (C.I. No. 51010)	633-03-4	25 gm	252	100 gm	693
			500 gm	2979	1 kg	6489
B 2027	BRILLIANT YELLOW (C.I. No. 24890) for microscopy	3051-11-4	25 gm	387	100 gm	1305
B 2028a	BRILLIANT YELLOW indicator papers	- - - - -			1 box	495
B 2028b	BROMINE puriss 99%	7726-95-6			500 ml	13005
B 2029	BROMINE ampoules 99% [20 ml ampoules]	7726-95-6	100 ml	POR	250 ml	POR
B 2027a	BROMINE GR 99%+ [20 ml ampoules]	7726-95-6	100 ml	POR	250 ml	POR
B 2028	BROMINE water for synthesis	7726-95-6			500 ml	1791
B 2033	BROMOACETALDEHYDE DIMETHYLACETAL (2-Bromo-1,1-dimethoxyethane) 96%	7252-83-7	100 gm	3996	500 gm	15309
B 2030	4-BROMO ACETANILIDE for synthesis 98%	103-88-8	25 gm	495	100 gm	1224
					500 gm	5400
B 2031	BROMO ACETIC ACID puriss 98%	79-08-3	100 gm	1593	500 gm	7002
B 2035	4-BROMO ACETOPHENONE for synthesis 98%	99-90-1	25 gm	792	100 gm	1494
			250 gm	2790	1 kg	POR
B 2038	BROMO ACETYL BROMIDE for synthesis 98%	598-21-0			100 gm	3969
B 2040	1-BROMO ADAMANTANE 97%+	768-90-1	25 gm	3303	100 gm	8919
B 2041	2-BROMO ANILINE for synthesis 98%	615-36-1	25 gm	2088	100 gm	7191
B 2042	3-BROMO ANILINE for synthesis 98%	591-19-5	25 gm	1890	100 gm	5994
B 2045	4-BROMO ANILINE for synthesis 98%	106-40-1	25 gm	513	100 gm	1395
					500 gm	4779
B 2054	3-BROMO ANISOLE for synthesis 98%	2398-37-0	100 gm	1449	500 gm	5949
B 2055	4-BROMO ANISOLE for synthesis 98%	104-92-7	100 gm	1701	500 gm	6903
B 2064	2-BROMO BENZALDEHYDE 98%	6630-33-7	25 gm	2349	100 gm	6597
B 2065	3-BROMO BENZALDEHYDE for synthesis 98%	3132-99-8	25 ml	549	100 ml	1791
					500 ml	7992
B 2066	4-BROMO BENZALDEHYDE for synthesis 98%	1122-91-4	25 gm	1342	100 gm	4995
					500 gm	19449
B 2075	BROMO BENZENE extra pure 99%	108-86-1	250 ml	1089	500 ml	1989
					5 lt	18018
B 2077	BROMO BENZENE extra pure GR 99%+	108-86-1			250 ml	1242
B 2085	2-BROMO BENZOIC ACID for synthesis 98%	88-65-3	25 gm	603	100 gm	1143
					500 gm	4491
B 2086	3-BROMO BENZOIC ACID for synthesis 99%	585-76-2	5 gm	324	25 gm	1395
					100 gm	4689
B 2088	4-BROMO BENZOIC ACID for synthesis 98%	586-76-5	10 gm	270	25 gm	540
					250 gm	3690
B 2089	3-BROMOBENZONITRILE 98%	6952-59-6			25 gm	4005
B 2092	4-BROMOBENZONITRILE 97%+	623-00-7	25 gm	2619	100 gm	8919
B 2095	p-BROMO BENZOPHENONE puriss 99%	90-90-4	25 gm	1791	100 gm	5499
B 2083	2-BROMOBENZYLAMINE 97%	3959-05-5	5 gm	6003	25 gm	14004

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 2084	<u>3-BROMOBENZYLAMINE</u> 97%	10269-01-9	1 gm	2169	5 gm	5904
					25 gm	16902
B 2096	<u>4-BROMO BENZYL AMINE</u> 96%	3959-07-7	1 gm	5607	5 gm	14049
B 0125	<u>3-BROMOBIPHENYL</u> 97%	2113-57-7	1 gm	3402	5 gm	12906
B 2099	<u>2-BROMO-4'-CHLORO ACETOPHENONE</u> 98%	536-38-9	25 gm	3006	100 gm	9504
B 2097	<u>4-BROMOCHLORO BENZENE</u> puriss 98%	106-39-8	100 gm	1305	500 gm	3969
B 2098	<u>5-BROMO-4-CHLORO-3-INDOLYL-β-D-</u> <u>GALACTOPYRANOSIDE</u> (x-Gal) for molecular biology ≥98%	7240-90-6	50 mg	594	100 mg	936
			1 gm	7101	5 gm	32409
B 2102	<u>5-BROMO 4-CHLORO-3-INDOLYL PHOSPHATE</u> <u>DISODIUM SALT</u> 98% [BCIP, X-phosphate disodium salt]	102185-33-1	100 mg	2610	500 mg	10809
			1 gm	16209	5 gm	POR
B 2101	<u>BROMO CHLOROPHENOL BLUE</u> puriss	2553-71-1	1 gm	4779	5 gm	15039
B 2103	<u>BROMO CHLOROPHENOL BLUE SODIUM SALT</u> puriss	102185-52-4	1 gm	9729	5 gm	29079
B 2100	<u>1-BROMO 3-CHLORO PROPANE</u> puriss 99%	109-70-6			500 ml	2880
B 2107	<u>BROMO CRESOL GREEN INDICATOR</u> GR	76-60-8	5 gm	756	25 gm	3249
B 2109	<u>BROMO CRESOL GREEN</u> spezial GR (pH 3.8-5.4)	76-60-8			5 gm	2772
B 2110	<u>BROMO CRESOL GREEN</u> solution	76-60-8	125 ml	117	(10x125ml)	936
B 2105	<u>BROMO CRESOL GREEN SODIUM SALT</u> (WATER SOLUBLE)	62625-32-5	5 gm	792	25 gm	3492
B 2115	<u>BROMO CRESOL PURPLE</u> indicator GR	115-40-2	5 gm	288	25 gm	945
			100 gm	4608	1 kg	POR
B 2116	<u>BROMO CRESOL PURPLE</u> solution	- - - - -	125 ml	117	(10x125ml)	945
B 2117	<u>BROMOCYCLOPENTANE</u> 98%	137-43-9			100 gm	4392
B 3970	<u>1-BROMODODECANE</u> 97%	143-15-7	250 ml	2529	500 ml	4941
B 2123	<u>BROMO ETHANE</u> for synthesis 99%	74-96-4			500 ml	1593
B 2125	<u>2-BROMO ETHANE SULPHONIC ACID SODIUM SALT</u> for synthesis 98%	4263-52-9	10 gm	909	50 gm	4005
B 2135	<u>2-BROMO ETHYLAMINE HYDROBROMIDE</u> for synthesis 98%	2576-47-8	100 gm	1287	500 gm	4797
B 2140	<u>4-BROMO-2-FLUOROPYRIDINE</u> 97%	128071-98-7	1 gm	4608	5 gm	14004
B 2145	<u>BROMOFORM</u> extra pure 98%	75-25-2			250 ml	5184
B 2147	<u>BROMOFORM</u> spezial 'mineral separation'	75-25-2			250 ml	5391
B 2148	<u>5-BROMO-2-FUROIC ACID</u> 99%	585-70-6	25 gm	10602	100 gm	43092
B 2151	<u>1-BROMOHEPTANE</u> 99%	629-04-9			100 ml	999
B 2152	<u>1-BROMOHEXANE</u> 98%	111-25-1	100 ml	855	500 ml	2790
B 2149	<u>2-BROMO-5-IODOBENZOIC ACID</u> 97%	25252-00-0	1 gm	3969	10 gm	17405
B 2150	<u>5-BROMO INDOLE</u> for synthesis 98%	10075-50-0	5 gm	693	25 gm	3393
B 2155	<u>5-BROMO INDOXYL ACETATE</u> GR 99%+ for biochemistry	17357-14-1	100 mg	2106	1 gm	20709
B 2160	<u>2-BROMO-4'-METHOXY ACETOPHENONE</u> 97%	2632-13-5	5 gm	3807	25 gm	7605
B 2161	<u>2-BROMO-4'-METHYL ACETOPHENONE</u> 90%+	619-41-0	25 gm	3699	100 gm	9603
B 2165	<u>1-BROMO NAPHTHALENE</u> for synthesis 98%	90-11-9	100 ml	2205	500 ml	9603
B 2166a	<u>6-BROMO 1-NAPHTHOL</u> for synthesis	91270-68-7			1 gm	135909
B 2166	<u>6-BROMO 2-NAPHTHYL β-D-GALACTOPYRANOSIDE</u> for biochemistry 99%	15572-30-2	250 mg	2403	1 gm	5706
B 2168	<u>2-BROMO 2-NITRO PROPANE 1:3 DIOL</u> for synthesis	52-51-7	100 gm	585	500 gm	2259
B 2169	<u>2-BROMO-4-NITROTOLUENE</u> 98%	7745-93-9	25 gm	2997	100 gm	8694
B 2171	<u>1-BROMO OCTANE</u> 98%	111-83-1	100 ml	936	500 ml	4509
B 2174	<u>1-BROMOPENTANE</u> 98%	110-53-2	100 ml	864	500 ml	3402
B 2170	<u>4-BROMO PHENACYL BROMIDE</u> puriss 99%	99-73-0			25 gm	2403
B 2172	<u>4-BROMO PHENETOLE</u> 98%	588-96-5			100 gm	6705
B 2173	<u>2-BROMO PHENOL</u> for synthesis 98%	95-56-7	25 gm	2979	100 gm	8991
B 2176	<u>3-BROMOPHENOL</u> , 98%	591-20-8	25 gm	3051	100 gm	8991

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 2175	<u>4-BROMO PHENOL</u> for synthesis 98%	106-41-2	25 gm	396	100 gm	1368
					500 gm	5904
B 2185	<u>BROMO PHENOL BLUE</u> GR indicator	115-39-9	5 gm	288	25 gm	1143
			100 gm	4005	1 kg	32004
B 2186	<u>BROMO PHENOL BLUE</u> solution	115-39-9	125 ml	171	(10x125 ml)	1359
B 2187	<u>BROMO PHENOL RED</u> puriss	2800-80-8	1 gm	2709	5 gm	5607
B 2188	<u>4-BROMO PHENYL ACETIC ACID</u> for synthesis 98%	1878-68-8	25 gm	3429	100 gm	12069
B 2189	<u>3-BROMOPHENYL ACETONITRILE</u> 98%	31938-07-5	5 gm	3105	25 gm	8802
B 2191	<u>1-BROMO PROPANE</u> for synthesis 98%	106-94-5	500 ml	1971	5 lt	16902
B 2190	<u>2-BROMO PROPANE</u> for synthesis 99%	75-26-3	500 ml	1890	5 lt	16506
B 2192	<u>2-BROMO PROPIONIC ACID</u> for synthesis 98%	598-72-1	100 gm	2016	500 gm	5805
B 2193	<u>2-BROMO PROPIONYL BROMIDE</u> for synthesis 99%	563-76-8			100 gm	2196
B 0162	<u>N-(3-BROMOPROPYL)PHTHALIMIDE</u> 98%	5460-29-7	25 gm	4302	100 gm	16902
B 2194	<u>2-(5-BROMO-2-PYRIDYLAZO)-5-(DIETHYLAMINO) PHENOL</u> {Br-PADAP Bromo-PADAP} 97%	14337-53-2	1 gm	15390	100 mg	3249
					5 gm	70029
B 2195	<u>BROMO PYROGALLOL RED</u> GR indicator	16574-43-9	1 gm	486	5 gm	2169
B 2200	<u>5-BROMOSALICYLALDEHYDE</u> , 98%	1761-61-1			25 gm	3690
B 2205	<u>n-BROMO SUCCINIMIDE</u> for synthesis 98%	128-08-5	100 gm	522	500 gm	2169
B 2207	<u>n-BROMO SUCCINIMIDE</u> GR 99%	128-08-5	100 gm	936	250 gm	1899
B 2215	<u>BROMSULPHALEIN</u> puriss for microscopy	71-67-0	1 gm	2088	5 gm	8019
B 2225	<u>BROMO THYMOL BLUE</u> indicator GR	76-59-5	5 gm	396	25 gm	1485
			100 gm	5607	500 gm	24003
B 2224	<u>BROMO THYMOL BLUE</u> solution	76-59-5	125 ml	171	(10x125ml)	936
B 2225a	<u>BROMO THYMOL BLUE</u> indicator papers(100 lvs)	-----			10 bks	333
B 2226	<u>BROMO THYMOL BLUE SODIUM SALT</u>	34722-90-2			10 gm	396
B 2227	<u>3-BROMO TOLUENE</u> for synthesis 98%	591-17-3	25 gm	1890	100 gm	6903
B 2230	<u>4-BROMO TOLUENE</u> for synthesis 99%	106-38-7	100 gm	918	500 gm	3681
B 3771	<u>3-BROMO-2,4,6-TRIMETHYLANILINE</u> 98%	82842-52-2	10 gm	7659	25 gm	17091
B 2235	<u>5-BROMO URACIL</u> GR 98%+	51-20-7	1 gm	189	5 gm	792
B 2236	<u>BROMO XYLENOL BLUE</u> puriss	40070-59-5	1 gm	2403	10 gm	13509
B 2240	<u>BRONOPOL</u> for synthesis 98%	52-51-7	100 gm	585	250 gm	1269
B 2245	<u>BRUCINE</u> GR 99%+	357-57-3	10 gm	855	25 gm	1890
					100 gm	7506
B 2255	<u>BRUCINE SULPHATE</u> puriss 98%	4845-99-2	25 gm	1692	250 gm	14949
B 2260	<u>BTS</u> catalyst for gas purification	-----	25 gm	3969	100 gm	13905
B 2261	<u>BUCHU LEAF OIL</u> , Betulina, natural	68650-46-4			25 gm	13905
B 2259	<u>BUCHU LEAF OIL</u> , Crenulata, natural	68650-46-4	25 gm	6939	100 gm	18909
B 2264	<u>BUFFER CAPSULES</u> pH 4.0	-----	10 cap	288	50 cap	810
B 2265	<u>BUFFER TABLETS</u> pH 4.0	-----	10 tab	288	50 tab	810
B 2262	<u>BUFFER CAPSULES</u> pH 6.0	-----	10 cap	288	50 cap	810
B 2263	<u>BUFFER TABLETS</u> pH 6.0	-----	10 tab	288	50 tab	810
B 2266	<u>BUFFER CAPSULES</u> pH 7.0	-----	10 cap	288	50 cap	810
B 2267	<u>BUFFER TABLETS</u> pH 7.0	-----	10 tab	288	50 tab	810
B 2268	<u>BUFFER CAPSULES</u> pH 9.2	-----	10 cap	288	50 cap	810
B 2269	<u>BUFFER TABLETS</u> pH 9.2	-----	10 tab	288	50 tab	810
B 2500	<u>BUFFER SOLUTION</u> pH 1.0	-----	500 ml	270	5 lt	2403
B 2501	<u>BUFFER SOLUTION</u> pH 2.0	-----	500 ml	693	5 lt	4329
B 2503	<u>BUFFER SOLUTION</u> pH 3.0	-----	500 ml	270	5 lt	2403
B 2270	<u>BUFFER SOLUTION</u> pH 4.0 (PHTHALATE)	-----	500 ml	270	5 lt	2403

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 2504	<u>BUFFER SOLUTION</u> pH 5.0	-----	500 ml	270	5 lt	2403
B 2505	<u>BUFFER SOLUTION</u> pH 6.8	-----	500 ml	270	5 lt	2403
B 2271	<u>BUFFER SOLUTION</u> pH 7.0 (PHOSPHATE)	-----	500 ml	270	5 lt	2403
B 2272	<u>BUFFER SOLUTION</u> pH 9.0 (BORATE)	-----	500 ml	270	5 lt	2403
B 2506	<u>BUFFER SOLUTION</u> pH 9.2	-----	500 ml	270	5 lt	2403
B 2507	<u>BUFFER SOLUTION</u> pH 10.0	-----	500 ml	693	5 lt	4392
B 2274	☐ <u>1,3-BUTANE DIOL</u> puriss 99%	107-88-0			500 ml	1899
B 2275	☐ <u>1,4-BUTANE DIOL</u> for synthesis 99%	110-63-4	500 ml	891	5 lt	8199
B 2276	☐ <u>1,4-BUTANE DIOL</u> puriss ≥99.5%	110-63-4			1 lt	5004
B 2292	☐ <u>1-BUTANE SULPHONIC ACID SODIUM SALT</u> (anhydrous) for HPLC 98%	2386-54-1	5 gm 100 gm	306 3969	25 gm 10x25 gm	1089 9801
B 2279	☐ <u>1-BUTANE SULPHONIC ACID SODIUM SALT</u> monohydrate, for HPLC 99%+	2386-54-1	5 gm 100 gm	306 3969	25 gm 10x25 gm	1089 9801
B 2284a	<u>1-BUTANE SULPHONYL CHLORIDE</u> puriss 98%	2386-60-9			25 gm	6309
B 2278	☐ <u>2-BUTOXY ETHANOL</u> for synthesis 98%	111-76-2	500 ml	594	5 lt	4905
B 2277	<u>2-BUTOXY ETHANOL</u> puriss GR 99%+	111-76-2	500 ml	684	5 lt	5607
B 2280	<u>2-BUTOXY ETHOXY ETHANOL</u> for synthesis 99%+	112-34-5			1 lt	2502
B 2281	<u>2-BUTOXY ETHYL ACETATE</u> for synthesis 99%	112-07-2			1 lt	6705
B 2282	<u>2-(2-BUTOXY ETHOXY) ETHYL ACETATE</u> for synthesis 99%	124-17-4			1 lt	5202
B 2273	☐ <u>tert-BUTOXY BIS(DIMETHYLAMINO)METHANE</u> (Bredereck's Reagent) puriss	5815-08-7	1 gm	1944	5 gm 25 gm	5949 17991
B 2283	☐ <u>n-BUTYL ACETATE</u> for synthesis 99%	123-86-4	500 ml	567	5 lt	4005
B 2290a	☐ <u>n-BUTYL ACETATE</u> GR 99%+	123-86-4	500 ml	684	5 lt	4959
B 2286	<u>tert-BUTYL ACETATE</u> for synthesis 99%	540-88-5	500 ml	1359	5 lt	12609
B 2291a	<u>BUTYL ACRYLATE</u> for synthesis 99%	141-32-2	500 ml	963	5 lt	6291
B 2284	<u>BUTYL ACRYLATE</u> puriss 99%+	141-32-2			500 ml	3006
B 2285	<u>n-BUTYL ALCOHOL</u> for synthesis 99%	71-36-3	500 ml	495	5 lt	3519
B 2287	<u>n-BUTYL ALCOHOL</u> GR 99%+	71-36-3	500 ml	585	5 lt	4005
B 2288	<u>n-BUTYL ALCOHOL</u> for spectroscopy 99%+	71-36-3			500 ml	891
B 2289	<u>n-BUTYL ALCOHOL</u> for HPLC 99%+	71-36-3			500 ml	891
B 2290	<u>iso-BUTYL ALCOHOL</u> for synthesis 98%	78-83-1	500 ml	423	5 lt	3303
B 2291	<u>iso-BUTYL ALCOHOL</u> GR 99%+	78-83-1	500 ml	477	5 lt	3807
B 2305	<u>sec-BUTYL ALCOHOL</u> for synthesis 98%	78-92-2	500 ml	504	5 lt	3807
B 2307	<u>sec-BUTYL ALCOHOL</u> GR 98%+	78-92-2	500 ml	585	5 lt	4302
B 2315	<u>tert-BUTYL ALCOHOL</u> for synthesis 98%	75-65-0	500 ml	585	5 lt	4806
B 2317	<u>tert-BUTYL ALCOHOL</u> GR 99%+	75-65-0	500 ml	666	5 lt	5409
B 2318	<u>tert-BUTANOL</u> for HPLC 99%+	75-65-0			1 lt	2169
B 2335	☐ <u>BUTYLATED HYDROXY ANISOLE</u> (B.H.A.) for synthesis 98%	25013-16-5	100 gm	882	500 gm 5 kg	3303 28089
B 2340	☐ <u>BUTYL p-HYDROXY BENZOATE</u> for synthesis 98%	94-26-8			250 gm	1179
			500 gm	1035	5 kg	8739
B 2345	☐ <u>BUTYLATED HYDROXY TOLUENE</u> (B.H.T.) for synthesis 99%	128-37-0	500 gm	648	5 kg	5679
B 2350	<u>n-BUTYLAMINE</u> for synthesis 98%	109-73-9	500 ml	720	5 lt	6156
B 2351	<u>n-BUTYLAMINE</u> GR 99%+	109-73-9	500 ml	675	5 lt	5139
B 2355	<u>tert-BUTYLAMINE</u> for synthesis 99%	75-64-9	500 ml	891	5 lt	7902
B 2357	<u>tert-BUTYLAMINE</u> puriss 99%+	75-64-9			500 ml	5409
B 2359	<u>tert BUTYL BENZENE</u> 99% for synthesis	98-06-6	500 ml	1242	2.5 lt	5769
B 2361	☐ <u>p-tert-BUTYL BENZOIC ACID</u> for synthesis 99%	98-73-7	500 gm	1080	5 kg	9603
B 2365	<u>n-BUTYL BROMIDE</u> for synthesis 98%	109-65-9	500 ml	1692	5 lt	POR

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 2366	<u>BUTYL BROMIDE</u> 99%	109-65-9			500 gm	2169
B 4793	<u>4-tert-BUTYL CALIX[4]ARENE</u> 99%	60705-62-6	5 gm	5220	25 gm	16506
B 2375	<u>tert-BUTYL CARBAZATE</u> for synthesis 98%	870-46-2	25 gm	3402	100 gm	9792
B 2380	<u>BUTYL CARBITOL</u> for synthesis 99%	112-34-5	500 ml	891	5 lt	8001
B 2382	<u>BUTYL CARBITOL</u> puriss GR 99%+	112-34-5			1 lt	5769
B 2395	<u>4-tert-BUTYL CATECHOL</u> for synthesis 98%	98-29-3	100 gm	639	250 gm	1071
					500 gm	1494
	<u>BUTYL CELLOSOLVE</u> please see <u>B 2277-B 2278</u>					
B 2396	<u>n-BUTYL CHLORIDE</u> for synthesis 98%	109-69-3	500 ml	945	5 lt	8181
B 2397	<u>n-BUTYL CHLORIDE</u> puriss 99%	109-69-3	100 ml	369	500 ml	1503
B 2400	<u>n-BUTYL CHLORIDE</u> for HPLC 99%+	109-69-3			1 lt	5490
B 2398	<u>tert-BUTYL CHLORIDE</u> for synthesis 98%	507-20-0	500 ml	1179	5 lt	9603
B 2399	<u>tert-BUTYLCHLORO DIPHENYL SILANE</u> puriss 98%	58479-61-1	10 gm	3006	50 gm	13095
	(tert-Butyldiphenyl silyl chloride)		250 gm	50139	1 kg	PQR
B 2381	<u>n-BUTYL ETHER</u> puriss 99%+	142-96-1			1 lt	7407
B 2407	<u>n-BUTYL DIETHANOLAMINE</u> 97%	102-79-4	500 ml	1278	5 lt	9603
B 2401	<u>n-BUTYL DIETHANOLAMINE</u> for synthesis 98%	102-79-4	250 ml	1008	500 ml	2403
			1 lt	3006	5 lt	14049
B 2402	<u>tert-BUTYL DIMETHYL CHLOROSILANE</u> for synthesis 99%	18162-48-6			25 gm	675
			100 gm	2295	500 gm	693
B 2403	<u>tert-BUTYL HYDROPEROXIDE</u> 70% solution for synthesis	75-91-2			500 ml	9909
B 2405	<u>tert-BUTYL HYDROQUINONE</u> (TBHQ) for synthesis 98%	1948-33-0	250 gm	1089	1 kg	3609
			2.5 kg	9459	10 kg	34902
B 2385	<u>n-BUTYL IODIDE</u> (1-iodobutane) for synthesis 99%	542-69-8	100 gm	2205	250 gm	5049
B 2388	<u>BUTYL LACTATE</u> for synthesis	138-22-7	250 ml	5499	500 ml	9702
B 2390	<u>n-BUTYL LITHIUM</u> ~1.6M IN HEXANE	109-72-8	100 ml	5004	1 lt	39699
B 2474	<u>tert-BUTYLMAGNESIUM CHLORIDE</u> solution 2.0 M in THF	677-22-5	100 ml	5049	500 ml	17919
B 2410	<u>BUTYL METHACRYLATE</u> (Stabilized) for synthesis 99%	97-88-1	500 ml	594	5 lt	4959
B 2412	<u>BUTYL METHACRYLATE</u> puriss 99%+	97-88-1			500 ml	3969
	<u>tert-BUTYL METHYL ETHER</u> please see <u>M 2005</u>					
B 2371	<u>1-BUTYL-3-METHYL IMIDAZOLIUM CHLORIDE</u> puriss 98%	79917-90-1	5 gm	1989	25 gm	5949
					100 gm	16496
B 2372	<u>1-BUTYL-3-METHYL IMIDAZOLIUM HEXAFLUORO</u>	174501-64-5	5 gm	2097	25 gm	11997
	<u>PHOSPHATE</u> puriss 98%					
B 2373	<u>1-BUTYL-3-METHYL IMIDAZOLIUM TETRA</u>	174501-65-6	5 gm	2097	25 gm	11997
	<u>FLUORO BORATE</u> puriss 98%					
B 2461	<u>tert-BUTYL METHYL ETHER</u> for synthesis 99%	1634-04-4	500 ml	432	5 lt	3519
B 2462	<u>tert-BUTYL METHYL ETHER</u> GR 99.5%	1634-04-4	500 ml	594	5 lt	5103
B 2463	<u>tert-BUTYL METHYL ETHER</u> for HPLC 99.5%	1634-04-4	1 lt	1593	5 lt	6579
B 2413	<u>BUTYL OLEATE</u> for synthesis 75%+	142-77-8	500 ml	3006	5 lt	31005
B 2415	<u>BUTYL-PBD</u> for scintillation 99%+	15082-28-7			5 gm	7605
B 2416	<u>tert-BUTYL PERBENZOATE</u> for synthesis 98%	614-45-9	250 ml	2403	500 ml	3402
B 2417	<u>4-tert-BUTYL PHENOL</u> for synthesis 98%	98-54-4	250 gm	396	500 gm	540
B 2418	<u>4-tert-BUTYL PHENOL</u> puriss 99%+	98-54-4			1 kg	2601
B 3494	<u>N-tert-BUTYL-a-PHENYLNITRONE</u> 95%+	3376-24-7	1 gm	7605	5 gm	39069
B 2420	<u>n-BUTYL STEARATE</u> for synthesis	123-95-5	500 ml	297	5 lt	2592
B 2421	<u>BUTYL TITANATE</u> for synthesis	5593-70-4			500 ml	3969
B 2423	<u>BUTYL TRIETHYL AMMONIUM BROMIDE</u> for synthesis 98%	13028-69-8			500 gm	3006
B 2424	<u>5-tert-BUTYL-m-XYLENE</u> 95%	98-19-1	100 gm	5607	500 gm	15903

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
B 2422	<u>n-BUTYRYLALDEHYDE</u> puriss 99%	123-72-8	500 ml	792	1 lt	1449
B 2425	<u>n-BUTYRIC ACID</u> for synthesis 99%	107-92-6	500 ml	711	5 lt	6309
B 2427	<u>n-BUTYRIC ACID</u> GR 99%+	107-92-6			500 ml	864
B 2435	<u>n-BUTYRIC ANHYDRIDE</u> for synthesis 99%	106-31-0			500 ml	3159
B 2437	<u>n-BUTYRIC ANHYDRIDE</u> GR 99%+	106-31-0			100 ml	1305
B 2445	<u>γ-BUTYRO LACTONE</u> puriss 99%+	96-48-0	500 ml	1395	5 lt	12501
B 2455	<u>BUTYROPHENONE</u> puriss 99%+	495-40-9	25 gm	3609	100 gm	10602
B 2460	<u>BUTYRYL CHLORIDE</u> for synthesis 98%	141-75-3	100 ml	1188	500 ml	4779
C 1210	<u>CACODYLIC ACID</u> for synthesis	75-60-5	5 gm	5409	25 gm	17307
					100 gm	34209
C 1215	<u>CACOTHELINE</u> GR (redox indicator)	561-20-6	1 gm	3690	5 gm	12069
C 1216	<u>CADE OIL</u>	8013-10-3	25 gm	3969	1 kg	9909
					5 kg	81099
C 1225	<u>CADION</u> GR	5392-67-6	1 gm	18099	5 gm	90009
C 1235	<u>CADMIUM</u> granular GR 99.9%	7440-43-9	100 gm	405	500 gm	1683
C 1236	<u>CADMIUM</u> metal coarse powder GR 99.9%	7440-43-9	100 gm	3969	500 gm	17064
C 9265	<u>CADMIUM</u> micropowder, APS 2-12 μm, 99.5%	7440-43-9	10 gm	4302	100 gm	38007
C 1237	<u>CADMIUM</u> (shot) 99.999%	7440-43-9	10 gm	3609	50 gm	12060
C 1055	<u>CADMIUM</u> (shot) tear drop, 3mm, 99.999%	7440-43-9			50 gm	10602
			250 gm	43029	1 kg	130059
C 0080	<u>CADMIUM (Cd) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTED HNO3</u> traceable to NIST					
C 0081	<u>CADMIUM (Cd) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12592	500 ml	37809
	<u>IN DILUTED HNO3</u> traceable to NIST					
C 0082	<u>CADMIUM AAS STANDARD SOLUTION 1000 MG/L Cd</u>	-----	100 ml	1818	500 ml	3006
	<u>IN DILUTED HCL</u> traceable to NIST					
C 0083	<u>CADMIUM AAS STANDARD SOLUTION 1000 MG/L Cd</u>	-----	100 ml	1818	500 ml	3006
	<u>IN DILUTED HNO3</u> traceable to NIST					
C 1245	<u>CADMIUM ACETATE</u> extra pure 98%	5743-04-4			100 gm	522
			250 gm	945	500 gm	1565
C 1247	<u>CADMIUM ACETATE</u> GR 99%+	5743-04-4			100 gm	612
			250 gm	1089	500 gm	1791
C 1250	<u>CADMIUM BORATE</u> extra pure 98%	51222-60-7	100 gm	1503	500 gm	6093
C 1252	<u>CADMIUM BROMIDE</u> extra pure 98%	7789-42-6	100 gm	2619	500 gm	13005
C 1255	<u>CADMIUM CARBONATE</u>	513-78-0	100 gm	360	500 gm	1486
					5 kg	13509
C 1265	<u>CADMIUM CHLORIDE</u> monohydrate, 98%	35658-65-2	100 gm	369	500 gm	1483
					5 kg	13302
C 1267	<u>CADMIUM CHLORIDE</u> monohydrate, GR 99%+	35658-65-2	100 gm	432	500 gm	1791
					5 kg	16002
C 0615	<u>CADMIUM FLUOROBORATE</u> pract	14486-19-2	100 gm	9603	500 gm	43092
C 1270	<u>CADMIUM FLUORIDE</u>	7790-79-6	100 gm	2403	500 gm	11079
C 1275	<u>CADMIUM IODIDE</u> 99%	7790-80-9	25 gm	891	100 gm	2790
					500 gm	12969
C 1285	<u>CADMIUM NITRATE</u> 99%	10022-68-1	100 gm	387	250 gm	936
					500 gm	1692
C 1287	<u>CADMIUM NITRATE</u> GR 99%+	10022-68-1	100 gm	441	500 gm	1890
					5 kg	17001
C 1288	<u>CADMIUM NITRATE</u> ≥99% (T)	10022-68-1	100 gm	3691	500 gm	13005

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1290	<u>CADMIUM OXALATE</u>	814-88-0	100 gm	1791	500 gm	8604
C 1295	<u>CADMIUM OXIDE</u> 98%	1306-19-0	100 gm	468	500 gm	1980
					5 kg	18909
C 1297	<u>CADMIUM OXIDE</u> GR 99%+	1306-19-0	250 gm	1287	1 kg	5004
C 1002	<u>CADMIUM OXIDE</u> puriss, 99.5%+	1306-19-0	100 gm	4905	500 gm	7209
C 1300	<u>CADMIUM PHOSPHATE</u>	13477-17-3	100 gm	1818	500 gm	7902
C 1302	<u>CADMIUM SELENIDE</u> 99.99%	1306-24-7	10 gm	5805	50 gm	21060
C 1301	<u>CADMIUM SELENIDE</u> 99.999%	1306-24-7	5 gm	5607	10 gm	9729
					50 gm	38709
C 1305	<u>CADMIUM SULPHATE</u> 99%	7790-84-3			100 gm	531
			500 gm	1791	5 kg	16002
C 1307	<u>CADMIUM SULPHATE</u> GR 99%+	7790-84-3	100 gm	603	500 gm	2088
					5 kg	18720
C 1309	<u>CADMIUM SULPHIDE</u> (orange) 99%	1306-23-6	500 gm	2466	5 kg	19701
C 1311	<u>CADMIUM SULPHIDE</u> 99.999%	1306-23-6	5 gm	4005	25 gm	9603
					50 gm	17703
C 1312	<u>CADMIUM TELLURIDE</u> 99.99%	1306-25-8	10 gm	8991	50 gm	24003
C 1310	<u>CADMIUM TELLURIDE</u> 99.999%	1306-25-8	1 gm	1908	5 gm	5004
			25 gm	17919	50 gm	33093
C 1308	<u>CADMIUM ZINC TELLURIDE</u> 99.999%	-----			5 gm	12006
C 1315	<u>CAFFEIC ACID</u> for synthesis 99%	331-39-5	1 gm	1701	5 gm	2889
			10 gm	3969	50 gm	10305
C 1325	<u>CAFFEINE</u> GR 99%+	58-08-2	100 gm	720	250 gm	1656
C 1330	<u>CALAMINE</u> for synthesis 98%	8011-96-9			500 gm	783
			1 kg	1485	5 kg	7074
C 1335	<u>CALCEIN</u> INDICATOR GR (fluorescein complexone)	1461-15-0	1 gm	216	5 gm	792
					25 gm	3249
C 1340	<u>CALCIUM</u> metal granular 99%	7440-70-2	100 gm	900	500 gm	4302
C 0084	<u>CALCIUM (CA) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
C 6404	<u>CALCIUM (CA) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
C 0086	<u>CALCIUM (CA) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
C 0087	<u>CALCIUM (CA) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
C 0088	<u>CALCIUM AAS STANDARD SOLUTION 1000 MG/L CA</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
C 0089	<u>CALCIUM AAS STANDARD SOLUTION 1000 MG/L CA</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
C 1347	<u>CALCIUM ACETATE</u> DRIED FOR SOIL TEST	114460-21-8	500 gm	783	5 kg	7002
C 1355	<u>CALCIUM ACETATE</u> extra pure 97%	114460-21-8	500 gm	621	5 kg	5508
C 1346	<u>CALCIUM ACETATE</u> GR	114460-21-8			500 gm	945
C 1356	<u>CALCIUM ALGINATE</u> pure	9005-35-0	25 gm	2079	100 gm	4005
					500 gm	7659
C 1357	<u>CALCIUM bis-DIHYDROGEN PHOSPHATE</u> GR	10031-30-8	100 gm	4104	500 gm	5202
					1 kg	13302
C 1358	<u>CALCIUM BORATE</u> extra pure 98%	12007-56-6	100 gm	693	500 gm	2079
C 1360	<u>CALCIUM BROMIDE</u> extra pure 98%	71626-99-8	500 gm	1593	5 kg	14004

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1365	<u>CALCIUM CARBONATE</u> extra pure 99%	471-34-1	1 kg	432	500 gm	261
C 1367	<u>CALCIUM CARBONATE</u> precipitated GR 99%+	471-34-1	500 gm	333	5 kg	1584
C 1362	<u>CALCIUM CARBONATE</u> , ACS grade, 99%	471-34-1	100 gm	1359	500 gm	2619
C 1033	<u>CALCIUM CARBONATE</u> anhydrous, free-flowing, ACS reagent $\geq 99\%$	471-34-1	500 gm	2799	1 kg	5049
C 0318	<u>CALCIUM CARBONATE</u> 99.95%	471-34-1	25 gm	6309	2.5 kg	11034
C 1364	<u>CALCIUM CARBONATE</u> , 99.99%	471-34-1	5 gm	4509	100 gm	13005
			100 gm	34092	25 gm	16002
C 0173	<u>CALCIUM CARBONATE</u> , 99.997% (metals basis)	471-34-1	5 gm	4608	500 gm	96039
			100 gm	40059	25 gm	16902
C 1370	<u>CALCIUM CASEINATE</u> for synthesis	9005-43-0	100 gm	792	500 gm	102699
C 0145	<u>CALCIUM CHLORIDE</u> hydrate, puriss, 99.9965%	7774-34-7	10 gm	8109	500 gm	2709
C 1375	<u>CALCIUM CHLORIDE</u> FUSED	10043-52-4			50 gm	27099
			2.5 kg	1044	500 gm	261
C 6913	<u>CALCIUM CHLORIDE</u> , puriss, 99.99%	10043-52-4	1 gm	3249	5 kg	2061
			50 gm	50049	10 gm	11709
C 1385	<u>CALCIUM CHLORIDE</u> dihydrate, extra pure 99%	10035-04-8	500 gm	342	250 gm	180099
C 1387	<u>CALCIUM CHLORIDE</u> dihydrate, GR 99%+	10035-04-8	500 gm	612	5 kg	2088
C 1388	<u>CALCIUM CHLORIDE</u> dihydrate, spezial GR 99%+	10035-04-8	500 gm	675	5 kg	5049
C 1389	<u>CALCIUM CHLORIDE</u> dihydrate, for molecular biology 99.5%	10035-04-8	100 gm	396	500 gm	5409
C 1390	<u>CALCIUM CHROMATE</u>	13765-19-0	500 gm	1593		1449
C 1395	<u>CALCIUM CITRATE</u> (tetrahydrate) extra pure 97%	5785-44-4	500 gm	684	5 kg	12069
C 1391	<u>CALCIUM DIHYDROGEN PHOSPHATE</u> monohydrate 95%	7758-23-8	500 gm	450	5 kg	5607
C 1392	<u>CALCIUM DIHYDROGEN PHOSPHATE</u> GR	7758-23-8	500 gm	792	5 kg	4050
C 1425	<u>CALCIUM FLUORIDE</u> pure 97%	7789-75-5			500 gm	6399
			2.5 kg	4149		990
C 1427	<u>CALCIUM FLUORIDE</u> puriss 97%+	7789-75-5	500 gm	1206	5 kg	7506
C 1431	<u>CALCIUM FLUORIDE</u> powder "spazial" 98%+	7789-75-5			500 gm	9603
C 1429	<u>CALCIUM FLUORIDE</u> 99.8% special tablets	7789-75-5			10 gm	1791
C 2929	<u>CALCIUM FLUORIDE</u> , 99.99%	7789-75-5	1 gm	1980	500 gm	9909
			25 gm	20709	10 gm	5103
C 0651	<u>CALCIUM FLUOROSILICATE</u>	16925-39-6	100 gm	4995	500 gm	50904
C 1430	<u>CALCIUM FORMATE</u> for synthesis 98%	544-17-2	500 gm	864	500 gm	27099
C 1398	<u>CALCIUM GLUCONATE</u> for synthesis 98%	18016-24-5	500 gm	603	5 kg	7659
C 1405	<u>CALCIUM</u> hardness indicator tablets	- - - -	100 tab	342	5 kg	4608
C 1428	<u>CALCIUM HYDRIDE</u> for synthesis 96%	7789-78-8	100 gm	2691	1000 tab	3132
C 1415	<u>CALCIUM HYDROGEN PHOSPHATE</u> (ANHYDROUS) 98%	7757-93-9	500 gm	612	500 gm	13492
C 1417	<u>CALCIUM HYDROGEN PHOSPHATE</u> (DIHYDRATE) 98%+	7789-77-7	500 gm	423	5 kg	5508
C 1421	<u>CALCIUM HYPOCHLORITE</u> for synthesis	7778-54-3			5 kg	3402
C 1422	<u>CALCIUM HYPOCHLORITE</u> pract for synthesis	7778-54-3	500 gm	189	1 kg	729
C 1435	<u>CALCIUM HYDROXIDE</u> pure 96%	1305-62-0	500 gm	252	1 kg	351
C 1437	<u>CALCIUM HYDROXIDE</u> GR 96%+	1305-62-0	500 gm	693	5 kg	2205
C 6478	<u>CALCIUM HYDROXIDE</u> , ACS grade, 96%+	1305-62-0			500 gm	2003
			500 gm	2709	100 gm	1503
C 1438	<u>CALCIUM HYPOPHOSPHITE</u> 99%	7789-79-9	500 gm	1602	1 kg	3204
C 1439	<u>CALCIUM IODATE</u> for synthesis 99%+	7789-80-2	100 gm	1602	5 kg	12006
					250 gm	3339
					1 kg	11691

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1440	<u>CALCIUM IODIDE</u> extra pure	10031-31-9	25 gm	2619	100 gm	5094
C 1447	<u>CALCIUM LACTATE</u> extra pure 98% FOR SOIL TESTS	5743-47-5	250 gm	315	1 kg	1089
					5 kg	4563
C 1455	<u>CALCIUM NITRATE</u> extra pure 98%	13477-34-4	500 gm	225	5 kg	2007
C 1457	<u>CALCIUM NITRATE</u> GR 99%+	13477-34-4	500 gm	324	5 kg	2619
C 1459	<u>CALCIUM NITRATE</u> tetrahydrate, $\geq 99.0\%$	13477-34-4	100 gm	990	500 gm	3105
C 1456	<u>CALCIUM NITRATE</u> , hydrate, 99.997%	35054-52-5	10 gm	6705	50 gm	17604
C 1460	<u>CALCIUM OXALATE</u>	563-72-4	500 gm	729	5 kg	6102
C 1465	<u>CALCIUM OXIDE</u> (powder) extra pure 90%	1305-78-8	500 gm	189	5 kg	1629
C 1467	<u>CALCIUM OXIDE</u> GR 90%+	1305-78-8	500 gm	243	5 kg	2205
C 1466	<u>CALCIUM OXIDE</u> reagent grade	1305-78-8	500 gm	1404	2.5 kg	4509
C 1475	<u>CALCIUM-D-PANTOTHENATE</u> for biochemistry 99%	137-08-6	10 gm	342	25 gm	792
			100 gm	2799	250 gm	6489
C 1476	<u>CALCIUM PEROXIDE</u>	78403-22-2			1 kg	2493
C 1480	<u>tri-CALCIUM PHOSPHATE</u> extra pure	7758-87-4	500 gm	432	5 kg	3492
C 0693	<u>tri-CALCIUM PHOSPHATE</u> , powder, 4 μm , ≥ 80 m2g	7758-87-4			50 gm	18081
C 1482	<u>CALCIUM PHOSPHINATE</u> pure 99%	7789-79-9	500 gm	1602	5 kg	12006
C 1485	<u>CALCIUM PROPIONATE</u> extra pure 98%	4075-81-4	500 gm	594	1 kg	1081
					10 kg	8775
C 1487	<u>CALCIUM PROPIONATE</u> puriss GR	4075-81-4			500 gm	1206
C 1488	<u>CALCIUM PYROPHOSPHATE</u> puriss	7790-76-3			500 gm	5949
C 1490	<u>CALCIUM PYRUVATE</u> for synthesis	52009-14-0	25 gm	2997	100 gm	10908
C 1495	<u>CALCIUM-D-SACCHARATE</u> extra pure	5793-89-5	100 gm	1998	500 g	4995
C 1500	<u>CALCIUM SILICATE</u> pure	13983-17-0	500 gm	432	5 kg	3807
C 1503	<u>CALCIUM SILICIDE</u> for synthesis	12013-56-8	250 gm	3303	500 gm	5103
					1 kg	8901
C 1505	<u>CALCIUM STEARATE</u> pure	1592-23-0	500 gm	585	5 kg	4608
C 1515	<u>CALCIUM SULPHATE</u> (dihydrate) 99% (precipitated powder)	10101-41-4	500 gm	270	5 kg	2403
C 1517	<u>CALCIUM SULPHATE</u> (dihydrate) GR 99%+ (precipitated powder)	10101-41-4	500 gm	351	5 kg	3105
C 1518	<u>CALCIUM SULPHATE</u> anhydrous	7778-18-9	500 gm	333	5 kg	2619
C 1519	<u>CALCIUM SULPHIDE</u> pure	20548-54-3	100 gm	2106	500 gm	8604
C 1520	<u>CALCIUM SULPHITE</u> pure	10257-55-3	100 gm	1809	500 gm	8037
C 1521	<u>CALCIUM TARTRATE</u> pure	3164-34-9	100 gm	1503	500 gm	6939
C 1525	<u>CALCIUM TUNGSTATE</u>	7790-75-2	50 gm	6003	100 gm	8604
					500 gm	33093
C 1535	<u>CALCON CARBOXYLIC ACID</u> GR indicator	3737-95-9	5 gm	279	25 gm	963
			100 gm	3249	250 gm	8001
C 1545	<u>CALMAGITE</u> GR indicator	3147-14-6	1 gm	225	5 gm	882
			25 gm	4104	250 gm	17964
C 1556	<u>DL-CAMPBOR</u> for synthesis	464-49-3	100 gm	648	500 gm	2979
C 1557	<u>CAMPBOR</u> (micro analytical reagent) 99%	464-49-3	100 gm	729	500 gm	3456
C 1559	<u>CAMPBOR WHITE OIL</u> , natural	8008-51-3	1 kg	9306	5 kg	16902
C 6791	<u>($\pm$)-CAMPBORQUINONE</u> 99%+	10373-78-1	5 gm	3564	10 gm	6309
					50 gm	22509
C 1558	<u>DL-CAMPBORQUINONE</u> for synthesis 99%	10373-78-1	25 gm	1791	100 gm	6561
C 1561	<u>D-10-CAMPBOR SULPHONIC ACID</u> for synthesis 99%	3144-16-9	25 gm	1269	100 gm	1791
					500 gm	7479
C 1562	<u>L-10-CAMPBOR SULPHONIC ACID</u> for synthesis 99%	35963-20-3	25 gm	1296	100 gm	3996
C 1561a	<u>D-10-CAMPBOR SULPHONIC ACID SODIUM SALT</u> for synthesis 99%	34850-66-3	5 gm	3969	25 gm	13905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1564	<u>CANANGA OIL</u> , natural	68606-83-7	1 kg	46089	5 kg	130905
C 7665	<u>CANOLA OIL</u> , cold pressed	120962-03-0	100 gm	4995	1 kg	33093
					5 lt	106029
C 1563	☐ <u>CAPRIC ACID (decanoic acid)</u> for synthesis 98%	334-48-5	500 ml	1269	5 lt	11601
C 1565	☐ <u>CAPROIC ACID</u> for synthesis 99%	142-62-1			500 ml	1593
C 1575	<u>CAPROLACTAM</u> for synthesis 99%	105-60-2	500 gm	1269	5 kg	10602
C 1584	<u>n-CAPRYLIC ACID</u> for synthesis 98%	124-07-2			250 ml	720
			500 ml	1305	5 lt	11079
C 1585	<u>n-CAPRYLIC ACID</u> puriss 99%	124-07-2			1 lt	9045
C 1595	<u>CAPRYLIC ACID SODIUM SALT</u> for synthesis 99%	1984-06-1	250 gm	1989	1 kg	6903
C 1600	<u>CAPRYLIC ALCOHOL</u> for synthesis 98%	111-87-5	500 ml	990	5 lt	9081
C 1598	☐ <u>CAPS BUFFER</u> for biochemistry 99%	1135-40-6	25 gm	1188	100 gm	4590
C 1599	☐ <u>CAPSO BUFFER</u> for biochemistry 99%	73463-39-5	25 gm	1395	100 gm	4995
C 1601	<u>CAPSAICIN</u> pract for synthesis	404-86-4	1 gm	5013	10 gm	POR
C 1604	<u>N-CARBAMYL-DL-VALINE</u> pure	26081-00-5			100 mg	10602
C 1602	☐ <u>CARBAZOLE</u> for synthesis 98%	86-74-8			25 gm	1692
			100 gm	4491	500 gm	13959
C 4789	✱ <u>CARBENICILLIN DISODIUM SALT</u> plant cell culture tested	4800-94-6	250 mg	4806	1 gm	12069
			5 gm	51903	10 gm	69039
C 1597	<u>N-CARBETHOXY-4-PIPERIDONE</u> puriss 98%	29976-53-2	5 gm	963	25 gm	4806
					100 gm	15003
C 1603	<u>CARBOHYDRAZIDE</u> for synthesis 98%	497-18-7	25 gm	2808	100 gm	7506
C 1605	☐ <u>CARBOL FUCHSIN</u> POWDER	4197-24-4	25 gm	333	100 gm	945
			500 gm	4608	1 kg	8991
C 1606	<u>CARBOL FUCHSIN (Zeihl-neelsen stain)</u> dilute solution	-----	125 ml	162	500 ml	495
C 1608	<u>CARBOL FUCHSIN (Zeihl-neelsen stain)</u> strong solution	-----	125 ml	171	500 ml	540
C 1607	<u>CARBOL XYLENE</u> for microscopy	-----			500 ml	243
C 1615	<u>CARBON BLACK</u> , acetylene, 100% compressed, 99.9+%	1333-86-4	250 gm	7605	500 gm	18009
C 0603	<u>CARBON BLACK, SUPRP</u> Conductive, 99+%	1333-86-4	25 gm	15003	100 gm	40032
C 1616	<u>CARBON DISULPHIDE</u> for synthesis 99%	75-15-0			500 ml	693
C 1617	<u>CARBON DISULPHIDE</u> GR 99%+	75-15-0			500 ml	756
C 1618	<u>CARBON DISULPHIDE</u> 99.9%	75-15-0	500 ml	891	1 lt	1593
	for Pesticide Residue Trace Analysis					
C 1620	<u>CARBON TETRABROMIDE</u> puriss 97%	558-13-4	100 gm	4608	500 gm	21609
C 1626	<u>CARBON TETRACHLORIDE</u> for synthesis 99%	56-23-5	500 ml	2088	5 lt	17091
C 1627	<u>CARBON TETRACHLORIDE</u> GR 99%+	56-23-5	500 ml	2259	5 lt	19089
C 1625	<u>CARBON TETRACHLORIDE</u> for HPLC	56-23-5			500 ml	2403
C 1624	<u>CARBON TETRACHLORIDE</u> for spectroscopy	56-23-5			500 ml	2403
C 1626a	☐ <u>1,1'-CARBONYL DIIMIDAZOLE (CDI)</u>	530-62-1	25 gm	630	100 gm	2241
	for biochemistry 98%		500 gm	7992	5 kg	POR
C 1628	<u>CARBOPOL 934</u>	9063-87-0	500 gm	3159	1 kg	5949
C 1629	<u>CARBOPOL 940</u>	9063-87-0	500 gm	2979	1 kg	5751
C 1630	☐ <u>CARBORANDUM</u> POWDER 16/240 GRIT	409-21-2	500 gm	837	5 kg	7290
C 1631	☐ <u>CARBORANDUM</u> POWDER 240/1200 GRIT	409-21-2	500 gm	1008	5 kg	9063
C 5748	✱ <u>6-CARBOXYFLUORESCIN DIACETATE</u> ~ 95%	3348-03-6	25 mg	9045	100 mg	27099
C 1636	☐ <u>CARBOXY METHYL CELLULOSE SODIUM SALT</u> (low viscosity)	9004-32-4	500 gm	1044	5 kg	8460
C 1634	☐ <u>CARBOXY METHYL CELLULOSE SODIUM SALT</u> (med viscosity)	9004-32-4	500 gm	1089	5 kg	8712
C 1635	☐ <u>CARBOXY METHYL CELLULOSE SODIUM SALT</u> (high viscosity)	9004-32-4	500 gm	1179	5 kg	9405
C 0062	<u>CARBOXY METHYL CELLULOSE SODIUM SALT</u> (viscosity 400-800 cP)	9004-32-4	500 gm	4608	1 kg	10008

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1637	<u>CARDAMOM OIL</u>	8000-66-6	100 gm	19008	1 kg	130509
C 1640	<u>CARMALUM</u> for microscopy	-----			10 gm	12006
C 1645	☐ <u>CARMINE</u> for microscopy (C.I. 75470)	1390-65-4	5 gm	702	10 gm	1305
			25 gm	2979	100 gm	10404
C 1655	<u>CARMINE ACETO</u> for microscopical staining	-----	100 ml	1143	250 ml	2493
C 1656	<u>CARMINE BEST'S</u> solution	-----	100 ml	783	500 ml	3105
C 1667	<u>CARMINIC ACID GR</u> for microscopy	1260-17-9	1 gm	2484	5 gm	7929
C 1668	<u>CARMOISINE A</u> for microscopy	3567-69-9	25 gm	189	1 kg	6399
C 1670	☐ <u>L-CARNITINE</u> for biochemistry 99%	541-15-1	5 gm	2403	25 gm	9306
			100 gm	24903	1 kg	POR
C 1673	<u>L-CARNOSINE</u> 99%	305-84-0	100 mg	1602	1 gm	3303
					5 gm	9909
C 1669	☐ <u>CARNUBA WAX</u> for histology	8015-86-9	250 gm	3402	500 gm	5607
					1 kg	9405
C 1671	* ☐ <u>β-CAROTENE</u> 98%+	7235-40-7	1 gm	2799	5 gm	9603
			10 gm	16902	25 gm	33039
C 1675	☐ <u>CARRAGEENAN</u> (IRISH MOSS)	9000-07-1			100 gm	2403
			250 gm	5607	500 gm	9792
C 1676	<u>CARROT SEED OIL</u>	8015-88-1	100 gm	13005	500 gm	56709
C 1680	☐ <u>CASAMINO ACIDS</u> (Vitamin free)	91079-40-2	100 gm	2619	500 gm	9909
C 1683	☐ <u>CASEIN</u> acc. to hammerstein	9000-71-9	100 gm	2376	500 gm	10404
C 1684	☐ <u>CASEIN</u> acc. to hammerstein "SPAZIAL"	9000-71-9	100 gm	6003	500 gm	26019
C 1685	☐ <u>CASEIN</u> (soluble in alkali)	9000-71-9	500 gm	2088	5 kg	16029
C 1686	☐ <u>CASEIN</u> (fat free) purified	9000-71-9	500 gm	1908	5 kg	15065
C 1688	☐ <u>CASEIN</u> vitamin free (also fat free)	9000-71-9	500 gm	1944	5 kg	15093
C 1695	☐ <u>CASEIN HYDROLYSATE</u> (technical) (acid hydrolysed)	65072-00-6	100 gm	945	500 gm	3969
					5 kg	35091
C 1696	☐ <u>CASEIN HYDROLYSATE</u> (certified)	65072-00-6	500 gm	4383	5 kg	40509
C 1705	☐ <u>CASITONE</u> bacteriological	-----	500 gm	2196	5 kg	19809
C 1716	<u>CASSIA OIL</u>	8007-80-5			1 kg	15705
C 1717	<u>CASSIS BOURGENS ABSOLUTE</u> , natural	68606-81-5	25 gm	27099	100 gm	84069
C 1709	☐ <u>CASTOR OIL</u> pure	8001-79-4	500 ml	585	5 lt	4509
C 1708	<u>CASTOR OIL</u> , equivalent to USP	8001-79-4	500 ml	20106	1 lt	24003
C 1707	<u>CASTOR OIL</u> , equivalent to of DAB, refined	8001-79-4			1 kg	9603
C 1706	<u>CASTOR OIL</u> , puriss	8001-79-4			1 lt	18009
C 1714	* <u>CATALASE</u> (pract)	9001-05-2			1 gm	1809
			5 gm	4005	25 gm	16002
C 1712	* <u>CATALASE</u> for biochemistry	9001-05-2	1 gm	2889	5 gm	7002
			10 gm	10089	50 gm	40059
C 0163	* <u>CATALASE</u> from bovine liver, lyophilized powder, 2,000-5,000 units/mg protein	9001-05-2	1 gm	3501	5 gm	8109
			10 gm	13509	50 gm	60507
C 1710	<u>(+)-CATECHIN</u> , hydrate, ≥96%	225937-10-0	1 gm	2880	10 gm	11304
					50 gm	34092
C 1711	* ☐ <u>CATECHIN</u> hydrate, for biochemistry 98%	225937-10-0	1 gm	3006	5 gm	7407
			10 gm	13005	25 gm	30609
	CDTA please see D 1365/D 1367					
C 1213	<u>CEDAR LEAF OIL</u>	8007-20-3	100 gm	5607	1 kg	28809
C 1713	<u>CEDARWOOD OIL</u> for microscopy	8000-27-9	25 gm	594	100 gm	1989
C 1719	<u>CEDARWOOD OIL</u> , Texas	68990-83-0	1 kg	7704	10 kg	50904

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1718	<u>CELERY SEED OIL</u> natural, FCC,	8015-90-5	250 gm	13509	1 kg	29799
C 1715	<u>CELESTINE BLUE</u> for microscopy (C.I. 51050)	1562-90-9	5 gm	2880	25 gm	13402
C 1725	<u>CELITE 545</u> filter aid	61790-53-2	250 gm	495	1 kg	891
					5 kg	3789
C 1735 ✱ ☐	<u>CELLOBIOSE</u> for biochemistry 99%	528-50-7	5 gm	1395	25 gm	6579
C 1745	<u>CELLOIDINE</u> for microscopy	-----			500 gm	11799
C 1755 ✱	<u>CELLULASE</u> (from aspergillus niger) for biochemistry	9012-54-8			5 gm	3609
			25 gm	8109	100 gm	26505
C 1768a ☐	<u>CELLULOSE</u> microcrystalline FOR CC	9004-34-6	500 gm	549	5 kg	4689
C 1769 ☐	<u>CELLULOSE</u> microcrystalline for T L C	9004-34-6	500 gm	630	5 kg	5607
C 1768b ☐	<u>CELLULOSE</u> powder for column chromatography	9004-34-6	500 gm	540	5 kg	4608
C 1765 ☐	<u>CELLULOSE ACETATE</u> for synthesis	9004-35-7	500 gm	1791	5 kg	14049
C 0368	<u>CELLULOSE ACETATE</u> average Mn ~30,000	9004-35-7	25 gm	5580	500 gm	10809
C 0367	<u>CELLULOSE ACETATE</u> average Mn ~50,000	9004-35-7	25 gm	4905	500 gm	9702
C 1764 ☐	<u>CELLULOSE ACETATE BUTYRATE</u> extra pure	9004-36-8	250 gm	2016	1 kg	8109
C 1766 ☐	<u>CELLULOSE ACETATE PHTHALATE</u> extra pure	9004-38-0	100 gm	675	250 gm	1593
			500 gm	2808	5 kg	24039
C 4126	<u>CELLULOSE AZURE</u> , cellulase substrate	76296-24-7	25 mg	21006	100 mg	32004
			1 gm	47007	5 gm	160092
C 4125	<u>CELLULOSE CARBONATE</u>	39340-09-5	25 mg	15003	100 mg	46008
					1 gm	79092
C 9915	<u>CELLULOSE TRIACETATE</u>	9012-09-3	50 gm	22077	100 gm	40059
C 1769a	<u>CERESIN WAX</u> (white)	8002-74-2	500 gm	603	5 kg	4806
C 0090	<u>CERIUM (CE) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTE HNO₃</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
C 0092	<u>CERIUM (CE) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTE HNO₃</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
C 0093	<u>CERIUM AAS STANDARD SOLUTION 1000 MG/L CE</u> <u>IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
C 1012	<u>CERIUM</u> chips, 99.9%	7440-45-1	10 gm	24003	50 gm	56079
C 1800	<u>CERIUM</u> ingot 99.9%	7440-45-1	50 gm	16002	100 gm	24003
C 1802	<u>CERIUM</u> powder, 99.9%	7440-45-1	5 gm	13059	25 gm	49905
C 1008	<u>CERIUM</u> powder, -200 mesh, 99.9%	7440-45-1	5 gm	39906	25 gm	108099
C 1778	<u>CERIUM(III) ACETATE GR 99.9%</u>	206996-60-3	50 gm	4302	250 gm	13005
C 1779	<u>CERIUM(III) CARBONATE GR 99.9%</u>	537-01-9	100 gm	5139	500 gm	17199
C 7546	<u>CERIUM(III) CHLORIDE</u> anhydrous, 99.5%	7790-86-5	10 gm	6507	50 gm	20709
C 1770	<u>CERIUM(III) CHLORIDE 99%</u>	18618-55-8	25 gm	2997	100 gm	7605
C 1780	<u>CERIUM(III) CHLORIDE GR 99.9%</u>	18618-55-8	25 gm	774	100 gm	2394
					500 gm	9603
C 1782	<u>CERIUM(III) FLUORIDE GR 99.9%</u>	7758-88-5	25 gm	6039	100 gm	16092
C 1775	<u>CERIUM HYDROXIDE GR</u>	12014-56-1	50 gm	4509	100 gm	6003
C 1781 ☐	<u>CERIUM(III) NITRATE</u> (hexahydrate) GR 99.9%	10294-41-4	100 gm	1089	500 gm	4203
C 1784	<u>CERIUM(III) NITRATE</u> hexahydrate, 99.99%	10294-41-4	10 gm	4302	50 gm	16002
C 1086	<u>CERIUM(III) NITRATE</u> hexahydrate, 99.999%	10294-41-4	25 gm	32004	125 gm	73008
C 1783	<u>CERIUM(III) OXALATE GR 99%</u>	15750-47-7	25 gm	3006	100 gm	5607
C 1776 ☐	<u>CERIUM(IV) OXIDE GR 99.9%</u>	1306-38-3	100 gm	1386	500 gm	5949
C 3693	<u>CERIUM(IV) OXIDE</u> powder, 1-3 µm, 99.9%	1306-38-3	100 gm	7101	500 gm	19602
C 3699	<u>CERIUM(IV) OXIDE</u> , powder, 0.5 µm, 99.9%	1306-38-3	100 gm	7299	500 gm	31005
C 4779	<u>CERIUM(IV) OXIDE</u> 99.99%	1306-38-3	25 gm	6606	100 gm	16092
C 4776	<u>CERIUM(IV) OXIDE</u> 99.999%	1306-38-3	25 gm	5679	100 gm	16902

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1785	<u>CERIUM(III) SULPHATE</u> (octahydrate) 99%	10450-59-6			25 gm	5679
			100 gm	15903	500 gm	49059
C 1786	<u>CERIUM(III) SULPHATE</u> octahydrate, 99.999%	10450-59-6			50 gm	25902
C 1773	<u>CERIUM(IV) SULPHATE</u> tetrahydrate GR 99.9%	10294-42-5	25 gm	7605	100 gm	23049
C 1777	<u>CERIUM(IV) SULPHATE</u> GR 99.9%	13590-82-4	100 gm	2619	1 kg	22509
C 1774	<u>CERIUM(IV) SULPHATE</u> (N/10) solution	13590-82-4			500 ml	612
C 0094	<u>CESIUM (Cs) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN WATER</u> traceable to NIST	- - - - -	100 ml	4347	500 ml	6939
C 0095	<u>CESIUM (Cs) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTE HNO3</u> traceable to NIST	- - - - -	100 ml	13104	500 ml	39429
C 0096	<u>CESIUM (Cs) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN WATER</u> traceable to NIST	- - - - -	100 ml	13104	500 ml	39429
C 0097	<u>CESIUM (Cs) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTE HNO3</u> traceable to NIST	- - - - -	100 ml	4347	500 ml	6939
C 0098	<u>CESIUM AAS STANDARD SOLUTION 1000 MG/L Cs</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	1818	500 ml	3123
C 1794	<u>CESIUM ACETATE</u> 99.9%	3396-11-0	25 gm	6993	100 gm	20979
C 1795	<u>CESIUM BROMIDE</u> GR 99%+	7787-69-1	10 gm	1251	50 gm	5391
C 1797	<u>CESIUM CARBONATE</u> puriss 99%	534-17-8	10 gm	864	25 gm	1593
			100 gm	5229	500 gm	16002
C 1796	<u>CESIUM CARBONATE</u> , 99%	534-17-8	25 gm	1179	100 gm	4194
C 1798	<u>CESIUM CARBONATE</u> , 99.9%	534-17-8	5 gm	2502	25 gm	5049
			100 gm	12069	1 kg	69939
C 1799	<u>CESIUM CARBONATE</u> , 99.99%	534-17-8	10 gm	4869	50 gm	13005
C 1807	<u>CESIUM CHLORIDE</u> GR 99.5%+	7647-17-8	25 gm	1062	100 gm	3906
					500 gm	15903
C 1809	<u>CESIUM CHLORIDE</u> optical & scintillation grade 99.9%	7647-17-8	5 gm	1008	25 gm	4995
C 1810	<u>CESIUM CHLORIDE</u> 'molecular biology' grade 99.9%+	7647-17-8	25 gm	1602	100 gm	5904
					500 gm	18909
C 8603	<u>CESIUM CHLORIDE</u> , 99.99%	7647-17-8	10 gm	3969	50 gm	10602
C 9168	<u>CESIUM CHLORIDE</u> 99.999%	7647-17-8	25 gm	6201	100 gm	16209
C 1812	<u>CESIUM FLUORIDE</u> puriss 99%	13400-13-0	25 gm	2241	100 gm	8019
C 1814	<u>CESIUM HYDROXIDE</u> puriss 99%	35103-79-8	10 gm	3492	50 gm	14904
C 1817	<u>CESIUM IODIDE</u> GR 99.5%+	7789-17-5	5 gm	603	10 gm	1089
					50 gm	2619
C 1818	<u>CESIUM IODIDE</u> 99.995% Ultrapure suitable for scintillation counting	7789-17-5	5 gm	1431	10 gm	2403
					25 gm	4995
C 1816	<u>CESIUM IODIDE</u> 99.998%	7789-17-5	1 gm	1809	10 gm	6759
C 1819	<u>CESIUM NITRATE</u> GR 99.5%	7789-18-6	10 gm	2979	50 gm	8919
C 1827	<u>CESIUM SULPHATE</u> puriss GR 99.5%	10294-54-9	10 gm	990	50 gm	3699
C 1829	<u>CESIUM SULPHATE</u> GR 99.9%+ for molecular biology	10294-54-9			10 gm	1071
			25 gm	2304	100 gm	8505
C 1830	<u>CETALKONIUM CHLORIDE</u> for synthesis	122-18-9	25 gm	1206	100 gm	3996
			500 gm	14004	1 kg	22059
C 1835	<u>CETOSTEARYL ALCOHOL</u> for synthesis	67762-30-5	500 gm	468	5 kg	4203
C 1845	<u>CETYL ALCOHOL</u> for synthesis 99%	36653-82-4	500 gm	495	5 kg	4329
C 1856	<u>CETYL DIMETHYL BENZYL AMMONIUM CHLORIDE</u> 28% solution for synthesis	122-18-9			500 gm	2007

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1865	<u>CETYL PYRIDINIUM BROMIDE</u> for synthesis 98%	140-72-7	100 gm	1134	250 gm	1944
C 1875	<u>CETYL PYRIDINIUM CHLORIDE</u> for synthesis 99%	6004-24-6	100 gm	594	500 gm	2592
					1 kg	4302
C 1885	<u>n-CETYL N,N,N,TRI METHYL AMMONIUM BROMIDE</u> for synthesis 99%	57-09-0	100 gm	486	500 gm	2088
					5 kg	16902
C 1887	<u>n-CETYL N,N,N,TRI METHYL AMMONIUM BROMIDE GR 99%+</u>	57-09-0	100 gm	567	500 gm	2349
C 1886	<u>CHAMOMILE OIL</u> , Moroccan	68916-68-7	100 gm	28809	1 kg	180099
C 1888	<u>CHAMOMILE ABSOLUTE</u> , natural	8002-66-2			100 gm	67005
C 1890 ✱	<u>CHAPS</u> 99% for biochemistry	75621-03-3	1 gm	639	5 gm	2592
C 1891 ✱	<u>CHAPSO</u> 99% for biochemistry	82473-24-3	1 gm	4194	5 gm	18909
C 1895	<u>CHARCOAL ACTIVATED</u> POWDER	7440-44-0	500 gm	297	5 kg	2492
C 1897	<u>CHARCOAL ACTIVATED GR</u>	7440-44-0	100 gm	423	500 gm	1125
C 1898	<u>CHARCOAL ACTIVATED spezial</u> PHOSPHOROUS FREE FOR SOIL TESTS	7440-44-0	100 gm	396	500 gm	1269
C 1899	<u>CHARCOAL ACTIVATED</u> GRANULAR extra pure	7440-44-0	500 gm	414	5 kg	3402
C 1900	<u>CHARCOAL ACTIVATED</u> Special grade (acid washed) MB Value 240	7440-44-0	500 gm	495	5 kg	4059
C 1903 ✱	<u>CHENDODEOXYCHOLIC ACID</u> 98%	474-25-9	100 mg	2205	500 mg	4095
			1 gm	6705	5 gm	16902
C 1901	<u>CHES</u> 99% for biochemistry	103-47-9	25 gm	2241	100 gm	8109
C 1905	<u>CHITIN</u> pract grade	1398-61-4	100 gm	288	500 gm	909
C 1904	<u>CHITIN</u> purified	1398-61-4	100 gm	315	500 gm	1269
C 1906	<u>CHITOSAN</u>	9012-76-4	10 gm	288	25 gm	396
			100 gm	1494	500 gm	3492
C 0682	<u>CHITOSAN</u> , low molecular weight	9012-76-4	50 gm	7101	250 gm	23049
C 0642	<u>CHITOSAN</u> , medium molecular weight	9012-76-4	50 gm	7002	250 gm	25002
C 1915	<u>α-CHLORALOSE</u> pure 98%	15879-93-3			25 gm	4401
C 1926	<u>CHLORAMINE T</u> for synthesis 98%	7080-50-4	250 gm	1269	500 gm	2088
			1 kg	3456	5 kg	16002
C 1927	<u>CHLORAMINE T GR 99%+</u>	7080-50-4	250 gm	1485	1 kg	4905
C 1928	<u>CHLORAMINE T</u> solution 5%	7080-50-4			500 ml	954
C 1929	<u>CHLORAMINE T</u> solution 10%	7080-50-4			500 ml	1305
C 2068	<u>CHLORAMPHENICOL</u> biochemistry 98%	56-75-7	5 gm	990	25 gm	2277
C 1935	<u>p-CHLORANIL</u> for synthesis 97%	118-75-2	100 gm	792	250 gm	1089
					500 gm	1908
C 1947	<u>CHLORANILIC ACID GR 99%+</u>	87-88-7	10 gm	1503	25 gm	2475
					100 gm	7659
C 1950	<u>CHLORANILIC ACID MERCURY SALT GR 98%</u>	33770-60-4	5 gm	7902	10 gm	POR
C 1949	<u>CHLORINATED PARAFFIN WAX</u>	68938-42-1	500 ml	774	5 lt	6192
C 1948	<u>CHLORINE</u> tablets	-----			1000 tab	2304
C 1951	<u>CHLORINE</u> test paper	-----			10 lvs	306
C 1953	<u>CHLORINE</u> Water	-----			500 ml	171
C 1952	<u>2-CHLORO ACETAMIDE</u> for synthesis 98%	79-07-2	100 gm	495	500 gm	1809
C 1956	<u>p-CHLORO ACETANILIDE</u> for synthesis 98%	539-03-7	25 gm	567	100 gm	1701
C 1957	<u>p-CHLORO ACETANILIDE GR 99%+</u>	539-03-7	25 gm	594	100 gm	1819
C 1965	<u>mono-CHLORO ACETIC ACID</u> for synthesis 99%	79-11-8	500 gm	387	5 kg	3402
C 1967	<u>mono-CHLORO ACETIC ACID GR 99%+</u>	79-11-8	500 gm	585	5 kg	5301
C 1971	<u>CHLORO ACETONE</u> for synthesis 96%	78-95-5	100 gm	13005	250 ml	42003
C 1972	<u>CHLORO ACETONITRILE</u> for synthesis 98%	107-14-2	100 gm	19098	500 gm	POR
C 1970	<u>2-CHLORO ACETOPHENONE</u> for synthesis 98%	532-27-4	25 gm	3006	100 gm	6939
C 1973	<u>4-CHLORO ACETOPHENONE</u> puriss 98%+	99-91-2			250 ml	3699

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 1974	☐ <u>4-CHLORO ACETOPHENONE</u> for synthesis 98%	99-91-2	250 ml	2349	1 lt	8496
C 1975	<u>CHLORO ACETYL CHLORIDE</u> for synthesis 98%	79-04-9	250 ml	1629	500 ml	3105
C 1980	☐ <u>1-CHLORO ADAMANTANE</u> 98%	935-56-8	5 gm	3402	25 gm	9207
C 1985	<u>m-CHLORO ANILINE</u> for synthesis 98%	108-42-9	500 ml	1565	5 lt	13905
C 1986	☐ <u>o-CHLORO ANILINE</u> for synthesis 98%	95-51-2	500 ml	891	5 lt	8307
C 1988	<u>p-CHLORO ANILINE</u> for synthesis 98%	106-47-8	500 gm	1035	5 kg	9207
C 1987	<u>p-CHLORO ANILINE GR crystalline</u> 99%+	106-47-8	100 gm	1503	500 gm	5094
C 1989	☐ <u>4-CHLORO ANISOLE</u> 98%+	623-12-1	25 gm	3969	100 gm	7605
C 1990	<u>1-CHLORO ANTHRAQUINONE</u> 98%	82-44-0			100 gm	2106
C 1993	<u>CHLORO AURIC ACID</u> (min. 12.5% Au)	27988-77-8	500 mg	3969	1 gm	6003
					5 gm	24003
C 1994	<u>CHLORO AURIC ACID</u> (min. 25% Au)	27988-77-8	500 mg	4806	1 gm	8694
					5 gm	34002
C 1995	<u>CHLORO AURIC ACID</u> (min. 49% Au)	27988-77-8	500 mg	7038	1 gm	11205
					5 gm	96039
C 1991	<u>CHLORO AURIC ACID</u> , 99.995% trace metals basis	27988-77-8	500 mg	9504	5 gm	78003
C 2005	☐ <u>o-CHLORO BENZALDEHYDE</u> for synthesis 98%	89-98-5	100 ml	693	500 ml	1692
C 2006	☐ <u>m-CHLORO BENZALDEHYDE</u> for synthesis 98%+	587-04-2	100 ml	1188	500 ml	4491
C 2008	☐ <u>4-CHLORO BENZALDEHYDE</u> for synthesis 98%	104-88-1	100 gm	540	250 gm	1197
					500 gm	2295
C 2015	<u>mono-CHLORO BENZENE</u> for synthesis 99%	108-90-7	500 ml	450	5 lt	3303
C 2017	<u>mono-CHLORO BENZENE GR</u> 99%+	108-90-7	500 ml	531	5 lt	3879
C 2020	<u>p-CHLORO BENZENE SULPHONIC ACID</u> for synthesis 90%	98-66-8	25 gm	819	500 gm	3492
C 2025	☐ <u>o-CHLORO BENZOIC ACID</u> for synthesis 99%	118-91-2	100 gm	396	500 gm	1485
					5 kg	12906
C 2026	☐ <u>m-CHLORO BENZOIC ACID</u> for synthesis 99%	535-80-8	100 gm	2484	500 gm	10908
C 2028	☐ <u>p-CHLORO BENZOIC ACID</u> for synthesis 99%	74-11-3	100 gm	423	500 gm	1584
					5 kg	13905
C 2030	☐ <u>4-CHLORO BENZOPHENONE</u> for synthesis 99%	134-85-0	100 gm	675	250 gm	1656
			500 gm	3105	5 kg	27009
C 2029	<u>4-CHLOROBENZOYL CHLORIDE</u> 99%	122-01-0			500 ml	9639
C 2022	☐ <u>2-CHLORO BENZYL ALCOHOL</u> 99%	17849-38-6	10 gm	1809	25 gm	3969
					100 gm	13905
C 2023	☐ <u>3-CHLORO BENZYL ALCOHOL</u> 98%	873-63-2	5 gm	1791	25 gm	8091
C 2021	☐ <u>4-CHLORO BENZYL ALCOHOL</u> 98%+	873-76-7	25 gm	4509	100 gm	12069
C 2032	<u>2-CHLORO BENZYLAMINE</u> for synthesis 98%	89-97-4			25 gm	2979
C 2031a	<u>4-CHLORO BENZYLAMINE</u> for synthesis 98%	104-86-9	5 gm	1809	25 gm	5301
C 2033	<u>CHLORO BUTOL</u> for synthesis 98%	6001-64-5	100 gm	1602	500 gm	6759
C 2031	<u>4-CHLORO BUTYRYL CHLORIDE</u> for synthesis 98%	4635-59-0			250 gm	4995
C 2035	☒ <u>CHLORO CHOLINE CHLORIDE</u> for synthesis 98%	999-81-5	25 gm	603	100 gm	2205
C 2036	<u>CHLORO CHOLINE CHLORIDE</u> 50% solution	999-81-5	100 gm	504	500 gm	2169
C 2045	☐ <u>p-CHLORO-m-CRESOL</u> for synthesis 98%	59-50-7	250 gm	1305	500 gm	2169
					5 kg	20709
C 2055	☐ <u>1-CHLORO 2,4-DINITROBENZENE</u> for synthesis 98%	97-00-7	500 gm	684	1 kg	1179
C 2057	<u>1-CHLORO 2,4-DINITRO BENZENE GR</u> 99%+	97-00-7	25 gm	180	100 gm	585
C 2067	<u>2-CHLORO 3,5-DINITRO PYRIDINE GR</u> 99%	2578-45-2	1 gm	5994	5 gm	26901
C 2071	<u>2-CHLORO ETHANOL</u> for synthesis 99%	107-07-3	500 ml	1395	5 lt	POR
C 2072a	<u>2-CHLORO ETHANOL GR</u> 99%+	107-07-3	500 ml	1602	5 lt	POR
C 2073	<u>2-CHLORO ETHOXY ETHANOL</u> puriss 98%	628-89-7	100 gm	2979	250 gm	7407

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2072	<u>2-CHLORO ETHYL AMMONIUM HYDROCHLORIDE</u> for synthesis 98%	870-24-6	100 gm	1899	500 gm	8469
C 2075	<u>2-CHLORO ETHYL ETHER</u> for synthesis 98%	111-44-4	100 ml	3789	250 ml	9603
C 2085	<u>2-CHLORO ETHYL PHOSPHONIC ACID</u> solution	16672-87-0	100 ml	1593	250 ml	2979
C 2095	<u>1-(2-CHLORO ETHYL)PYRROLIDINE HYDROCHLORIDE</u> for synthesis 98	7250-67-1	100 gm	4869	500 gm	21609
C 2101	<u>3-CHLORO 4-FLUORO ANILINE</u> for synthesis 98%	367-21-5	25 gm	414	100 gm	729
					500 gm	3303
C 2102	<u>3-CHLORO 4-FLUORO NITRO BENZENE</u> 98%	350-30-1	25 gm	2403	100 gm	8505
C 2106	<u>CHLOROFORM</u> for synthesis 98%	67-66-3	500 ml	378	5 lt	2880
C 2107	<u>CHLOROFORM</u> GR 99%+	67-66-3	500 ml	468	5 lt	3708
C 2108	<u>CHLOROFORM</u> for HPLC 99%+	67-66-3			500 ml	522
C 2109	<u>CHLOROFORM</u> for spectroscopy 99%+	67-66-3			500 ml	522
C 2110	<u>CHLOROFORM D (D ATOM)</u> for NMR 99.8% (w/o) TMS	865-49-6			100 ml	9603
C 2111	<u>CHLOROFORM-D</u> 99.8 atom % D [contains 1 % (v/v) TMS]	865-49-6			100 ml	9909
C 2117	<u>3-CHLORO,4-HYDROXY ANILINE</u> 98%	3964-52-1			1 gm	4545
C 2115	<u>CHLOROGENIC ACID</u> extra pure 99%	327-97-9	100 mg	450	1 gm	3906
			5 gm	17001	25 gm	60075
C 2116	<u>CHLOROHEXIDINE GLUCONATE</u> solution	18472-51-0	500 ml	1602	5 lt	14004
C 2118	<u>CHLORO METHYL METHYL ETHER</u> for synthesis 97%+	107-30-2			25 ml	2196
			100 ml	6903	500 ml	24309
C 2120	<u>1-CHLORO METHYL NAPHTHALENE</u> 90%	86-52-2	25 gm	2106	100 gm	3690
					500 gm	13059
C 2119	<u>4-CHLORO-a-METHYLSTYRENE</u> 90+%	1712-70-5	5 gm	2169	10 gm	4302
					25 gm	7002
C 2121	<u>1-CHLORO NAPHTHALENE</u> for synthesis 99%	90-13-1	100 ml	3204	500 ml	8991
C 2130	<u>2-CHLORO 4-NITRO ANILINE</u> for synthesis 99%	121-87-9	25 gm	306	100 gm	693
					250 gm	1296
C 2131	<u>p-CHLORO-o-NITROANILINE</u> for synthesis 99%	89-63-4	100 gm	684	250 gm	1197
C 2133	<u>o-CHLORO-NITRO BENZENE</u> for synthesis 99%	88-73-3	500 gm	567	5 kg	5103
C 2134	<u>m-CHLORO-NITRO BENZENE</u> for synthesis 98%	121-73-3	500 gm	999	5 kg	8991
C 2135	<u>p-CHLORO-NITRO BENZENE</u> for synthesis 98%	100-00-5	500 gm	477	5 kg	4203
C 2136	<u>2-CHLORO-5-NITRO BENZOIC ACID</u> pure 98%	2516-96-3	100 gm	1809	500 gm	6606
C 2141	<u>m-CHLORO PERBENZOIC ACID</u> for synthesis 75-85%	937-14-4			100 gm	1305
C 2142	<u>m-CHLORO PERBENZOIC ACID</u> for synthesis 50-55%	937-14-4	100 gm	2061	500 gm	8919
C 2125	<u>o-CHLORO PHENOL</u> for synthesis 98%	95-57-8	500 ml	945	5 lt	11907
C 2126	<u>3-CHLORO PHENOL</u> puriss 98%	108-43-0	25 gm	648	100 gm	2088
					500 gm	9459
C 2128	<u>p-CHLORO PHENOL</u> for synthesis 98%	106-48-9	500 gm	1242	5 kg	11709
C 2147	<u>CHLORO PHENOL RED</u> GR indicator	4430-20-0	1 gm	171	5 gm	477
					25 gm	1890
C 2148	<u>p-CHLORO PHENOXY ACETIC ACID</u> for synthesis 98% (End user certificate required)	122-88-3	5 gm	495	25 gm	1989
C 2150	<u>2-CHLORO PHENYL ACETIC ACID</u> for synthesis 99%	2444-36-2	25 gm	378	100 gm	990
					500 gm	4455
C 2153	<u>4-CHLORO PHENYL ACETIC ACID</u> for synthesis 99%	1878-66-6	100 gm	1296	500 gm	3969
C 2154	<u>4-CHLORO PHENYL ETHYL ALCOHOL</u> 99%	1875-88-3	5 gm	3303	10 gm	6003
					25 gm	8109
C 2161	<u>2-(3-CHLOROPHENYL)ETHYLAMINE</u> 97%	13078-79-0	5 gm	6192	25 gm	16902

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2162	<u>2-(4-CHLOROPHENYL)ETHYLAMINE</u> 98%	156-41-2	5 gm	3789	25 gm	10305
C 2146	<u>3-CHLOROPHENYL PIPERAZINE</u> pure	6640-24-0	5 gm	POR	100 gm	POR
C 0519	<u>CHLOROPLATINIC ACID</u> hexahydrate, GR (Pt 37.5% min)	18497-13-7	1 gm	5004	5 gm	21303
C 0113	<u>CHLOROPLATINIC ACID</u> (hydrate) 99.9%+	26023-84-7	1 gm	15201	5 gm	48069
C 2151	<u>3-CHLORO-1,2-PROPANEDIOL</u> for synthesis 98%	96-24-2			250 gm	4059
C 2152	<u>1-CHLORO-2-PROPANONE</u> for synthesis 96%	78-95-5			250 ml	36099
C 2155	<u>2-CHLORO PROPIONIC ACID</u> for synthesis 96%	598-78-7	100 ml	1602	500 ml	6939
C 2156	<u>2-CHLORO PROPIONIC ACID</u> puriss 98%+	598-78-7	100 ml	2106	500 ml	9405
C 2158	<u>2-CHLORO PROPIONYL CHLORIDE</u> puriss 99%	7623-09-8	100 gm	9819	500 gm	49059
C 2157	<u>3-CHLORO PROPIONIC ACID</u> puriss 98%+	107-94-8	100 gm	3006	500 gm	8604
C 2159	<u>3-CHLORO PROPIONYL CHLORIDE</u> for synthesis 95%	625-36-5	100 gm	2403	500 gm	7659
C 2160	<u>2-CHLORO PYRIDINE</u> for synthesis 99%	109-09-1	100 ml	1305	500 ml	5229
C 2163	<u>4-CHLORO RESORCINOL</u> 98%	95-88-5	100 gm	4041	500 gm	15039
C 2164	<u>5-CHLOROSALICYLALDEHYDE</u> 98%	635-93-8	5 gm	1989	25 gm	7794
					100 gm	28809
C 2165	<u>n-CHLORO SUCCINIMIDE</u> for synthesis 99%	128-09-6	100 gm	792	250 gm	1683
					500 gm	2979
C 2166	<u>CHLORO SULPHONIC ACID</u> for synthesis 98%	7790-94-5			500 ml	7902
C 2167	<u>CHLORO SULPHONIC ACID</u> GR 99%+	7790-94-5			(4X500 ml)	36099
C 2169	<u>CHLOROTEX</u> REAGENT	- - - - -			100 ml	783
C 2170	<u>2-CHLORO TOLUENE</u> for synthesis 98%	95-49-8	500 ml	990	5 lt	9189
C 2171	<u>3-CHLORO TOLUENE</u> for synthesis 98%	108-41-8	250 ml	1692	1 lt	6093
C 2172	<u>4-CHLORO TOLUENE</u> for synthesis 99%	106-43-4	500 ml	1305	5 lt	11709
C 2174	<u>4-CHLORO-O-XYLENE</u> puriss 98%	615-60-1	10 gm	6633	50 gm	29007
C 2173	<u>4-CHLORO m-XYLENOL</u> for synthesis 98%	88-04-0	100 gm	801	500 gm	2843
C 2175	<u>CHOLESTEROL</u> extra pure 97%	57-88-5	25 gm	2349	100 gm	8910
					500 gm	40905
C 2177	<u>CHOLESTEROL</u> GR 99%+	57-88-5	5 gm	666	25 gm	2619
					100 gm	10809
C 2185	<u>CHOLESTERYL ACETATE</u> cryst. extra pure 99%	604-35-3	5 gm	765	25 gm	3402
C 2188	<u>CHOLESTERYL N-VALERATE</u> ≥90%	7726-03-6	1 gm	3519	5 gm	12699
C 2195	<u>CHOLIC ACID</u> for biochemistry 98%+	81-25-4	25 gm	2205	100 gm	7803
C 2205	<u>CHOLINE CHLORIDE</u> extra pure 99%	67-48-1	100 gm	252	500 gm	837
C 2210	<u>CHONDROITINE SULPHATE</u> pure for biochemistry	9007-28-7	1 gm	1809	5 gm	4302
			10 gm	7605	25 gm	17910
C 8902	<u>CHONDROITIN SULPHATE A SODIUM SALT</u> from bovine trachea, lyophilized powder, suitable for cell culture	39455-18-0	5 gm	6903	25 gm	24039
C 2215	<u>CHROMAZUROL S</u> (C.I.No.43825) indicator	1667-99-8	5 gm	756	10 gm	1089
					25 gm	1989
C 0136	<u>CHROMIUM</u> chips, 99.995%	7440-47-3	50 gm	12069	250 gm	43029
C 5771	<u>CHROMIUM</u> chunks, 2-15 mm, 99.99%	7440-47-3	10 gm	6003	50 gm	24003
C 0135	<u>CHROMIUM</u> granules, -4+7 mesh, 99.999%	7440-47-3	10 gm	6507	50 gm	22005
					250 gm	95049
C 2217	<u>CHROMIUM</u> pieces, 99.999%	7440-47-3	10 gm	5994	50 gm	23049
C 0155	<u>CHROMIUM</u> pieces, 1 - 10 mm, 99.95%	7440-47-3			10 gm	4995
			50 gm	19998	1 kg	204399
C 4535	<u>CHROMIUM</u> , pieces, 2-3 mm (0.08-0.12in) thick, 99.995%	7440-47-3	100 gm	18099	500 gm	72099
C 2225	<u>CHROMIUM</u> powder 99%	7440-47-3	100 gm	792	500 gm	3186
					5 kg	28089

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2227	<u>CHROMIUM</u> powder GR 99.9%	7440-47-3	100 gm	999	500 gm	3591
C 6603	<u>CHROMIUM</u> powder,-10 mesh, 99.996% (metals basis)	7440-47-3	5 gm	6399	25 gm	26199
					100 gm	96039
C 0245	<u>CHROMIUM</u> powder, -60 mesh, 99.99%	7440-47-3	100 gm	14904	500 gm	40509
C 0061	<u>CHROMIUM</u> powder,-200 mesh, 99.95% (metals basis)	7440-47-3	25 gm	9405	100 gm	34002
					500 gm	93006
C 0099	<u>CHROMIUM (CR) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
C 0101	<u>CHROMIUM (CR) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12591	500 ml	37809
C 0103	<u>CHROMIUM AAS STANDARD SOLUTION 1000 MG/L CR IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
C 0104	<u>CHROMIUM AAS STANDARD SOLUTION 1000 MG/L CR IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
C 2230	<u>CHROMIUM ACETATE</u> (Chromic Acetate)	1066-30-4	250 gm	594	500 gm	1170
C 2231	<u>CHROMIUM BORATE</u>	-----	100 gm	1503	500 gm	6705
C 2235	<u>CHROMIUM CARBONATE</u>	29689-14-3	500 gm	2007	5 kg	15066
C 2245	<u>CHROMIUM CHLORIDE</u> (hexahydrate)	10060-12-5	500 gm	936	5 kg	8469
C 2247	<u>CHROMIUM CHLORIDE</u> (hexahydrate) GR	10060-12-5	250 gm	819	500 gm	1179
C 2250	<u>CHROMIUM FLUORIDE</u>	7788-97-8	100 gm	1692	500 gm	7605
C 2252	<u>CHROMIUM NITRATE</u> (nonahydrate) 98%	7789-02-8	500 gm	891	5 kg	8001
C 2253	<u>CHROMIUM NITRATE</u> (nonahydrate) GR 98%+	7789-02-8			500 gm	1089
C 0157	<u>CHROMIUM NITRATE</u> nonahydrate, 99%	7789-02-8	25 gm	990	100 gm	1908
					500 gm	4203
C 2251	<u>CHROMIUM NITRATE</u> nonahydrate, 99.99%	7789-02-8			5 gm	4869
			25 gm	15039	100 gm	48069
C 2254	<u>CHROMIUM OXALATE</u>	814-90-4	100 gm	1449	500 gm	6507
C 2255	<u>CHROMIUM (III) OXIDE</u> GREEN (anhydrous) 99%	1308-38-9	500 gm	1278	5 kg	11502
C 2264	<u>CHROMIUM(III) OXIDE</u> GREEN powder, 99.9%	1308-38-9	5 gm	3501	25 gm	12069
C 0687	<u>CHROMIUM(III) OXIDE</u> 99.97%	1308-38-9	5 gm	4302	25 gm	15605
C 2001	<u>CHROMIUM(III) OXIDE</u> , 99.99%	1308-38-9	5 gm	4509	25 gm	16902
C 2256	<u>CHROMIUM PHOSPHATE</u>	7789-04-0	100 gm	1692	500 gm	7605
C 2259	<u>CHROMIUM PICOLINATE</u> for synthesis 98%+	14639-25-9	100 gm	2385	500 gm	10602
C 2258	<u>CHROMIUM POTASSIUM SULPHATE</u> extra pure	7788-99-0	500 gm	945	5 kg	8505
C 2257	<u>CHROMIUM POTASSIUM SULPHATE</u> GR 99%+	7788-99-0	500 gm	1089	5 kg	9603
C 2260	<u>CHROMIUM SULPHATE</u> (basic) extra pure	39380-78-4	500 gm	396	5 kg	3609
C 2268	<u>CHROMIUM TARTRATE</u> pure	62498-20-8	100 gm	2619	500 gm	11709
C 2265	<u>CHROMIUM TRIOXIDE</u> 99%	1333-82-0	500 gm	990	1 kg	1890
					5 kg	8919
C 2267	<u>CHROMIUM TRIOXIDE</u> GR 99%+	1333-82-0	500 gm	1134	5 kg	9369
C 2275	<u>CHROMOTROPE 2B</u> GR (C.I. 16575)	548-80-1	5 gm	306	25 gm	1242
C 2278	<u>CHROMOTROPE 2R</u> (C.I.No.16570) for microscopy	4197-07-3	10 gm	441	25 gm	891
C 2286	<u>CHROMOTROPIC ACID SODIUM SALT</u> for synthesis	5808-22-0			100 gm	2979
C 2285	<u>CHROMOTROPIC ACID DISODIUM SALT</u> 98%	5808-22-0	10 gm	360	25 gm	864
C 2287	<u>CHROMOTROPIC ACID DISODIUM SALT</u> GR 99%+	5808-22-0	10 gm	990	25 gm	2169
C 2294	<u>CHRYSLIN</u> 98%	480-40-0	5 gm	1899	25 gm	6804
			100 gm	26199	500 gm	96003
C 2295	<u>CHRYSDINE R</u> for microscopy (C.I. No. 11320)	4438-16-8	25 gm	135	100 gm	423
C 2296	<u>CHRYSDINE Y</u> for microscopy (C.I. No. 11320)	532-82-1	25 gm	135	100 gm	423

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2398 ✱	<u>a-CHYMOTRYPSIN</u> crystalline	9004-07-3	250 mg	1107	1 gm 5 gm	3303 14607
C 2301 ☐	<u>CINCHONINE</u> for synthesis 99%	118-10-5	25 gm	3492	100 gm	13419
C 2302 ☐	<u>CINCHONINE HYDROCHLORIDE</u> puriss 99%	312695-48-0	10 gm	4995	25 gm 100 gm	11709 40905
C 2315 ☐	<u>CINNAMALDEHYDE</u> for synthesis 99%	104-55-2	500 ml	945	5 lt	8694
C 2305 ☐	<u>CINNAMIC ACID</u> for synthesis 99%	140-10-3	250 gm	1044	500 gm 5 kg	1971 16902
C 2307	<u>CINNAMIC ACID</u> GR 99%+	140-10-3			250 gm	1386
C 2317	<u>CINNAMON BARK OIL</u>	8015-91-6	250 gm	43002	1 kg	104004
C 2319	<u>CINNAMON LEAF OIL</u> , Ceylon origin,	8015-91-6	1 kg	11079	5 kg	73008
C 2320	<u>CINNAMON OIL</u> , ceylon type	8015-91-6	1 kg	9207	5 kg	37089
C 2316	<u>CINNAMYL ACETATE</u> for synthesis	103-54-8			500 gm	6039
C 2318	<u>CINNAMYL ALCOHOL</u> for synthesis	104-54-1			500 gm	1836
	CISPLATIN please see cis-DIAMINEPLATINUM(II) DICHLORIDE					
C 2325	<u>CITRAL(cis-trans)</u> for synthesis 97%	96680-15-8	100 gm	963	500 gm	4302
C 2330	<u>CITRAZINIC ACID</u> for synthesis 98%	99-11-6	25 gm	1818	100 gm	4509
C 2335 ☐	<u>CITRIC ACID</u> (monohydrate) pure 99%	5949-29-1	500 gm	423	5 kg	3393
C 2337	<u>CITRIC ACID</u> (monohydrate) GR 99%+	5949-29-1	500 gm	594	5 kg	4419
C 2334	<u>CITRIC ACID</u> (monohydrate) pure 99% for HPLC	5949-29-1			500 gm	693
C 2345	<u>CITRIC ACID</u> (anhydrous) extra pure 99%	77-92-9	500 gm	567	5 kg	4608
C 2347	<u>CITRIC ACID</u> (anhydrous) GR 99%+	77-92-9	500 gm	684	5 kg	5409
C 2348	<u>CITRONELLAL</u> for synthesis	5949-05-3			500 gm	4869
C 2344	<u>CITRONELLA OIL</u> (Chinese 85/35)	8000-29-1	1 kg	9693	5 kg	48069
C 2346	<u>CITRONELLA OIL</u> (Java natural, 85/35%)	8000-29-1	1 kg	12006	5 kg	49005
C 2349	<u>CITRONELLOL</u> for synthesis	106-22-9	100 gm	2007	500 gm	8109
C 2350	<u>CITRONELLOL ACETATE</u> for synthesis	150-84-5			500 gm	3996
C 2351	<u>CITRONELLOL BUTYRATE</u> for synthesis	141-16-2			500 gm	4806
C 2352	<u>CITRONELLOL FORMATE</u> for synthesis	105-85-1			500 gm	3996
C 2353	<u>CITRONELLOL PROPIONATE</u> for synthesis	141-14-0			500 gm	4419
C 2355 ☐	<u>L-CITRULLINE</u> for biochemistry 99%	372-75-8	1 gm 25 gm	162 1089	10 gm 100 gm	486 3789
C 2357	<u>CLEANOP MA 01 ALKALINE (pH 6-12.0)</u> for Industrial & Laboratory cleaning	-----	500 ml	279	5 lt	1296
C 2358	<u>CLEANOP MA 02 NEUTRAL (pH 7.2-7.5)</u> for cleaning laboratory glassware & instruments	-----	500 ml	279	5 lt	1296
C 2359	<u>CLEANOP MA 03 PHOSPHATE FREE (pH 11.6-12)</u> for specific cleaning work in lab	-----	500 ml	360	5 lt	1692
C 2360	<u>CLING FILM SEALING TYPE</u>	-----			1 box	758
C 2366	<u>CLOVE BUD OIL</u> natural, FCC,	8000-34-8	1 kg	14004	5 kg 10 kg	46089 81009
C 2365	<u>CLOVE OIL</u> for microscopy	8000-34-8	100 gm	1143	500 gm	5004
C 0513 ✱	<u>CoASH (Coenzyme A-SH)</u> 80%	85-61-0	25 mg	10044	10 mg 100 mg	6003 29007
C 2373	<u>COBALT</u> cubes 99.9% (metals basis)	7440-48-4	5 gm	5319	25 gm 100 gm	26919 81604
C 2374	<u>COBALT</u> cathode 99%	7440-48-4			250 gm	6939
C 2376	<u>COBALT</u> foil 1.0mm (0.04in) thick 99.95% (metals basis)	7440-48-4	5 gm	21609	50 x 50 mm	29979
C 0554	<u>COBALT</u> granular, 99.995%	7440-48-4	5 gm	6012	25 gm	22401

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 0334	<u>COBALT</u> pieces, 99.99%	7440-48-4	100 gm	14049	500 gm	49095
C 2375	<u>COBALT</u> powder 99%	7440-48-4	100 gm	3159	250 gm	7002
C 0017	<u>COBALT</u> powder, spherical, -100+325 mesh, 99.8%	7440-48-4	50 gm	9504	250 gm	32004
C 0951	<u>COBALT</u> powder, 99.9%	7440-48-4	100 gm	6003	250 gm	13005
C 3326	<u>COBALT</u> powder, 99.998%(metals basis)	7440-48-4	5 gm	10404	25 gm	39069
C 2056	<u>COBALT</u> wire, 2.0mm (0.08in) dia, 99.999%	7440-48-4	2 cm	10701	10 cm	37008
C 0105	<u>COBALT (Co) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	4329	500 ml	6903
C 0106	<u>COBALT (Co) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	13104	500 ml	39429
C 0107	<u>COBALT AAS STANDARD SOLUTION 1000 MG/L Co</u> <u>IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	1881	500 ml	3105
C 0108	<u>COBALT AAS STANDARD SOLUTION 1000 MG/L Co</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	1881	500 ml	3105
C 2385	☐ <u>COBALT(II) ACETATE</u> 99%	6147-53-1	250 gm	2691	500 gm	5229
					5 kg	48609
C 2387	☐ <u>COBALT ACETATE GR 99%+</u>	6147-53-1	100 gm	1386	250 gm	2808
C 2388	<u>COBALT ALUMINATE</u>	1333-88-6	25 gm	16839	100 gm	43902
C 2390	<u>COBALT BORATE</u>	15684-35-2	100 gm	6939	500 gm	31005
C 2395	☐ <u>COBALT(II) CARBONATE</u> extra pure	12602-23-2	100 gm	1782	250 gm	3969
			500 gm	7749	5 kg	65709
C 0633	<u>COBALT(II) CHLORIDE</u> , anhydrous, 99.7%	7646-79-9	50 gm	6903	250 gm	25209
C 2405	☐ <u>COBALT(II) CHLORIDE</u> (hexahydrate) extra pure 99%	7791-13-1	100 gm	810	500 gm	3789
					5 kg	34002
C 2407	☐ <u>COBALT(II) CHLORIDE</u> (hexahydrate) GR 99%+	7791-13-1	100 gm	936	500 gm	4239
C 2408	<u>COBALT CHLORIDE</u> test paper	7791-13-1			200 lvs	396
C 0499	<u>COBALT HYDROXIDE</u>	12672-51-4	100 gm	18909	500 gm	76509
C 2414	☐ <u>COBALT NAPHTHENATE</u> (6% Co) for synthesis	61789-51-3	100 gm	2691	500 gm	4689
					5 kg	39906
C 2415	☐ <u>COBALT(II) NITRATE</u> 98%	10026-22-9	100 gm	792	500 gm	3708
					5 kg	29007
C 2417	☐ <u>COBALT(II) NITRATE GR 99%+</u>	10026-22-9	100 gm	981	250 gm	2259
					500 gm	4239
C 2419	<u>COBALT OCTOATE</u> 6%	136-52-7	500 gm	3249	5 kg	29007
C 2418	<u>COBALT OXALATE</u>	814-89-1	100 gm	5679	500 gm	25092
C 2425	☐ <u>COBALT OXIDE</u> pure	1308-06-1	100 gm	2880	250 gm	6939
					500 gm	12402
C 2427	<u>COBALT(II) OXIDE GR</u> for determination of sulfur	1308-06-1	100 gm	3159	500 gm	13905
C 0306	<u>COBALT(II) OXIDE</u> , 99.99%	1307-96-6	5 gm	11079	25 gm	46089
C 6129	<u>COBALT(II) OXIDE</u> 99.998%	1307-96-6	5 gm	13095	25 gm	48069
C 2424	<u>COBALT OXIDE</u> 99.999%	1308-06-1	10 gm	9603	50 gm	40509
C 0666	<u>COBALT(II) PERCHLORATE</u> hexahydrate (End user certificate required)	13478-33-6			25 gm	7605
C 2428	<u>COBALT PHOSPHATE</u>	18718-10-0	100 gm	5607	500 gm	25002
C 1096	<u>COBALT(III) PHTHALOCYANINE</u> β-form, Dye content 97%	3317-67-7	1 gm	1602	10 gm	9360
					50 gm	42039
C 2435	☐ <u>COBALT(III) SULPHATE</u> (heptahydrate) extra pure 98%	10026-24-1	100 gm	837	500 gm	3879
					5 kg	34092
C 2437	☐ <u>COBALT(II) SULPHATE GR</u> (heptahydrate) 99%+	10026-24-1	100 gm	936	250 gm	2142
					500 gm	4086

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2440	<u>COBALT THIOCYANATE</u>	3017-60-5	25 gm	2169	100 gm	7929
C 2430	<u>COCKTAIL 'O' SCINTILATION GRADE</u>	-----	1 lt	864	2.5 lt	1692
C 2431	<u>COCKTAIL 'T' SCINTILATION GRADE</u>	-----	1 lt	819	2.5 lt	1719
C 2432	<u>COCKTAIL 'W' SCINTILATION GRADE</u>	-----	1 lt	1647	2.5 lt	3789
C 2436	<u>COCOA EXTRACT BLEND</u>	84649-99-0	1 kg	16002	5 kg	57609
C 2441	<u>COCO BUTTER</u> for synthesis	8002-31-1	100 gm	1206	500 gm	3249
C 2442	<u>COCODIETHANOLAMIDE</u> for synthesis	120-40-1			500 gm	1908
C 2443	<u>COCOMonoETHANOLAMIDE</u> for synthesis	68140-00-1			500 gm	1593
C 2439	<u>COCONUT OIL</u> , equivalent to analytical standard	8001-31-8			1 gm	7605
C 2438	<u>COCONUT OIL</u> , from Cocos nucifera, low-melting solid	8001-31-8	100 gm	1989	500 gm	3456
C 0162	<u>COCONUT OIL</u> virgin	8001-31-8	100 gm	1881	500 gm	3249
C 2444 *	<u>COENZYME Q10</u> for synthesis	303-98-0	100 mg	639	500 mg	2106
			1 gm	5049	5 gm	9819
C 2446	<u>COFFEE OIL</u> roasted, natural (US)	84650-00-0	500 gm	54099	1 kg	88011
					5 kg	440199
C 2447	<u>COFFEE OIL</u> subcritical, natural	84650-00-0	500 gm	21069	1 kg	34029
					5 kg	150003
C 2449	<u>COGNAC OIL</u> , green, natural,	8016-21-5	25 gm	11079	100 gm	15903
					250 gm	56709
C 2448	<u>COGNAC OIL</u> white, natural,	8016-21-5	100 gm	17208	1 kg	72909
C 2445 ☐	<u>COLCHICINE</u> 99%	64-86-8	1 gm	2592	5 gm	12906
			10 gm	23904	100 gm	POR
C 2457 *	<u>COLLAGEN from bovine achilles tendon powder</u> suitable for substrate for collagenase	9007-34-5	1 gm	6393	5 gm	20403
			10 gm	32049	25 gm	70902
C 2450	<u>2,4,6-COLLIDINE</u> for synthesis (2,4,6-Trimethyl pyridine)	108-75-8	100 ml	1791	500 ml	8496
C 2455	<u>COLLODION</u> 4%	9004-70-0			500 ml	792
C 2458	<u>COLLODION</u> 7%	-----			500 ml	1269
C 2456	<u>COLLODION</u> flexible	9004-70-0	500 ml	1395	5 lt	12906
C 2460 ☐	<u>COLOPHONY</u> for synthesis	8050-09-7	250 gm	2043	500 gm	3195
C 2463 *	<u>CONCANAVALIN A</u> from Canavalia ensiformis (Jack bean)	11028-71-0	5 mg	7506	5 x 5 mg	POR
C 2465 ☐	<u>CONGO RED</u> indicator (C.I. No. 22120) for microscopy	573-58-0	25 gm	153	100 gm	432
			250 gm	1107	1 kg	3492
C 2466	<u>CONGO RED</u> indicator solution	573-58-0	125 ml	117	(10x125 ml)	1053
C 2467	<u>CONGO RED</u> indicator papers	573-58-0	1 pkt	270	10 pkt	2619
C 2475 ☐	<u>COOMASSIE BRILLIANT BLUE R 250</u> (C.I. No. 42660) for gel electrophoresis	6104-59-2	5 gm	522	10 gm	1089
			25 gm	1989	100 gm	7902
C 2480 ☐	<u>COOMASSIE BRILLIANT BLUE G 250</u> (C.I.No.42655) for gel electrophoresis	6104-58-1	5 gm	675	25 gm	2493
C 2481	<u>COPAIBA BALSAM OIL</u> natural,	8001-61-4	1 kg	15003	10 kg	108099
C 2484	<u>COPPER</u> foil 99.8%+thick=0.025 mm (0.001in) Size = (300 x 150mm)	7440-50-8			1 pc	7749
C 2495	<u>COPPER</u> foil (0.1 mm approx.) 99%	7440-50-8	500 gm	4383	5 kg	39699
C 2497	<u>COPPER</u> foil GR (0.1mm approx.) 99%+	7440-50-8	500 gm	4770	5 kg	42093
C 2950	<u>COPPER</u> foil, 0.01mm thick, 99.9%+	7440-50-8	25 x 25 mm	4995	100 x 100 mm	13509
C 2951	<u>COPPER</u> foil, 0.0125mm thick, 99.9%+	7440-50-8	25 x 25 mm	4869	100 x 100 mm	12069
C 2485 ☐	<u>COPPER</u> powder electrolytic 99.5%	7440-50-8	500 gm	2979	5 kg	24003
					30 kg	120609
C 2487	<u>COPPER</u> powder GR 99.7%	7440-50-8	250 gm	1890	500 gm	3492
					5 kg	31005
C 4729	<u>COPPER</u> powder, spherical, -100+325 mesh, 99.9%	7440-50-8	100 gm	3789	500 gm	15003
C 5630	<u>COPPER</u> powder, mesh US mesh size -140 + 325, 99.9%	7440-50-8	50 gm	3996	500 gm	7605

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 0312	<u>COPPER</u> powder, -625 mesh, APS 3.25-4.75 micron, 99.9%	7440-50-8	50 gm	8604	10 gm	3939
C 4672	<u>COPPER</u> powder, 100 mesh, 99.999%	7440-50-8	5 gm	7992	250 gm	22905
C 3036	<u>COPPER</u> shot, 13 mm (0.5in) dia, 99.99%	7440-50-8			25 gm	25902
C 0146	<u>COPPER</u> slug, 6.35mm (0.25in) dia x 6.35mm (0.25in) length, 99.9999%	7440-50-8	25 gm	11079	500 gm	18099
C 2488	<u>COPPER</u> turning 99%	7440-50-8	500 gm	1791	100 gm	33089
C 0109	<u>COPPER (Cu) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	4149	5 kg	15903
C 0110	<u>COPPER (Cu) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	12592	500 ml	6606
C 0111	<u>COPPER AAS STANDARD SOLUTION 1000 MG/L Cu</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	37809
C 0112	<u>COPPER AAS STANDARD SOLUTION 1000 MG/L Cu</u> <u>IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	1818	500 ml	3006
C 0963	<u>COPPER</u> based methanol synthesis catalyst	-----	1 kg	30609	500 gm	16902
C 7488	<u>COPPER(II) ACETATE</u> , 97%	598-54-9	1 gm	5049	2.5 kg	56079
C 3217	<u>COPPER(II) ACETATE</u> , anhydrous, 98%	142-71-2	25 gm	4806	10 gm	17307
C 3230	<u>COPPER(II) ACETATE</u> , 99.99%	142-71-2	5 gm	8208	100 gm	13059
C 2505	<u>COPPER (II) BROMIDE</u> for synthesis	7789-45-9	100 gm	1107	25 gm	32409
C 2506	<u>COPPER BRONZE</u> powder	-----			500 gm	4095
C 0612	<u>COPPER(II) CHLORIDE</u> , puriss, 99%	7447-39-4	50 gm	3159	500 gm	4806
C 3495	<u>COPPER(II) CHLORIDE</u> , puriss, 99.995%	7447-39-4	5 gm	9603	250 gm	4569
C 2508	<u>COPPER CHROMATE</u>	13548-42-0	100 gm	2808	1 kg	15003
C 2509	<u>COPPER CHROMITE</u> (catalyst) for synthesis	12053-18-8	100 gm	945	25 gm	25002
C 2511	<u>COPPER CITRATE</u>	10402-15-0	100 gm	2106	500 gm	8604
C 2515	<u>COPPER NAPHTHENATE</u> 6%	1338-02-9			500 gm	4491
C 8625	<u>COPPER NAPHTHENATE</u> 8%	1338-02-9			500 gm	4705
C 0166	<u>COPPER(II) NITRATE</u> , hydrate, 99.999%	13778-31-9	5 gm	2106	500 gm	4104
C 2695	<u>CUPRIC OXIDE</u> powder extra pure 98%	1317-38-0	100 gm	414	500 gm	4905
C 2697	<u>CUPRIC OXIDE</u> powder GR 99%+ suitable for elementary analysis	1317-38-0	100 gm	585	5 kg	16012
C 3684	<u>COPPER(II) OXIDE</u> 99.99%	1317-38-0	25 gm	17001	500 gm	2394
C 3687	<u>COPPER(II) OXIDE</u> 99.995%	1317-38-0	25 gm	16002	100 gm	47079
C 3663	<u>COPPER(II) OXIDE</u> 99.9995%	1317-38-0	5 gm	8208	100 gm	31401
C 2517	<u>COPPER OXIDE WIRE</u> GR (for elementary analysis)	1317-38-0	100 gm	6273	25 gm	27079
C 0746	<u>COPPER(II) PHTHALOCYANINE</u> 90%+	147-14-8	10 gm	3303	250 gm	12546
C 0745	<u>COPPER(II) PHTHALOCYANINE</u> 99%	147-14-8	1 gm	9603	50 gm	12906
C 2513	<u>CORIANDER OIL</u> , natural, FCC,	8008-52-4			5 gm	34092
C 2514	<u>CORN MINT OIL</u> , natural, chinese type,	68917-18-0	500 gm	9819	1 kg	40059
C 2519	<u>CORN OIL</u> for synthesis	8001-30-7			1 kg	13005
C 2521	<u>CORN OIL</u> , delivery vehicle for fat-soluble compounds	8001-30-7	500 ml	4905	500 ml	1791
C 2522	<u>CORN OIL</u> , equivalent to analytical standard	8001-30-7			2.5 lt	13708
C 2530 *	<u>COROSOLIC ACID</u> 98%	4547-24-4	10 mg	28908	1 gm	11079
C 2520	<u>CORTISONE</u> 98%	53-06-5	250 mg	3069	50 mg	87039
C 2525	<u>COTTON BLUE</u> for microscopy (C.I. 42755)	28983-56-4	25 gm	585	1 gm	8208
C 2526	<u>COTTON BLUE</u> solution	-----			100 gm	2142
C 2527	<u>COTTONSEED OIL</u>	8001-29-4	500 ml	5301	100 ml	279
					1 lt	6507

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2528	<u>COTTONSEED OIL</u> , equivalent to analytical standard	8001-29-4			1 gm	9603
C 2535	<u>COUMARINE</u> for synthesis 99%	91-64-5	100 gm	900	250 gm	1647
				500	gm 2797	
C 2536	<u>COUMARINE</u> , 99%+	91-64-5	50 gm	2709	100 gm	3402
					500 gm	12807
C 2538	<u>o-COUMARIC ACID</u> 97%	614-60-8	5 gm	3708	25 gm	9405
C 2540	<u>m-COUMARIC ACID</u> GR 99%	14755-02-3	5 gm	1449	25 gm	5508
C 2541	<u>CPPU (N-2-CHLORO-4-PYRIDYL)-N'PHENYL UREA</u> for biochemistry 97%	68157-60-8	1 gm	4302	5 gm	20601
C 2545	<u>CREATINE</u> (monohydrate) 99%	6020-87-7	25 gm	180	100 gm	639
					1 kg	4491
C 2557	<u>CREATINE PHOSPHATE DISODIUM SALT</u> GR 99%+	922-32-7	1 gm	2493	5 gm	9306
C 2565	<u>CREATININE</u> 99%	60-27-5	25 gm	585	100 gm	1989
					1 kg	15903
C 2567	<u>CREATININE</u> GR 99%+	60-27-5	10 gm	369	25 gm	720
			100 gm	2106	1 kg	17919
C 2568	<u>CREATININE HYDROCHLORIDE</u> for biochemistry 99%	19230-81-0			25 gm	756
C 2558	<u>CREATINE PHOSPHOKINASE</u> from rabbit muscle Type I, salt-free, lyophilized powder, ≥150 units/mg protein	9001-15-4			500 units	2205
C 2575	<u>CREATININE ZINC CHLORIDE</u> 99%	62708-52-5			10 gm	1269
C 2580	<u>CREOSOTE</u> (beachwood)	8021-39-4	100 gm	1998	500 gm	6939
C 2584	<u>CRESOL</u> (mixed isomers)	1319-77-3	500 ml	1089	5 lt	8208
C 2585	<u>o-CRESOL</u> for synthesis 98%	95-48-7	500 ml	819	5 lt	6903
C 2586	<u>m-CRESOL</u> for synthesis 98%	108-39-4	500 ml	1989	5 lt	18909
C 2587	<u>m-CRESOL</u> GR 99%	108-39-4	500 ml	2169	5 lt	19809
C 2588	<u>p-CRESOL</u> for synthesis 98%	106-44-5	500 gm	1098	5 lt	9189
C 2595	<u>o-CRESOLPHTHALEINE</u> (pH indicator) pH 8.2-9.8	596-27-0	5 gm	207	25 gm	594
			100 gm	2079	500 gm	9693
C 2596	<u>o-CRESOLPHTHALEINE COMPLEXONE</u> indicator	2411-89-4	1 gm	495	5 gm	2394
C 2605	<u>m-CRESOL PURPLE</u> indicator	2303-01-7	1 gm	351	5 gm	1386
			25 gm	6393	100 gm	23004
C 2617	<u>CRESOL RED</u> indicator GR	1733-12-6	5 gm	189	25 gm	684
			100 gm	2304	500 gm	9099
C 2618	<u>CRESOL RED</u> indicator solution	1733-12-6	125 ml	108	10 x 125 ml	936
C 2621	<u>CRESYL VIOLET</u> for microscopy	10510-54-0			1 gm	1602
C 2620	<u>CRESYLIC ACID</u> for synthesis	1319-77-3	500 ml	1089	5 lt	8208
C 0646	<u>CROCONIC ACID</u> , 98%	488-86-8	100 mg	5004	500 mg	6705
			1 gm	9819	5 gm	32409
C 2619	<u>CROSCARMELLOSE SODIUM</u> puriss	74811-65-7	500 gm	2808	5 kg	26109
C 2621a	<u>CROTONALDEHYDE</u> for synthesis 99%	123-73-9			500 ml	1692
C 2622	<u>CROTONIC ACID</u> for synthesis 99%	107-93-7			250 gm	1287
			500 gm	2349	1 kg	4392
C 2623	<u>CROTONIC ACID</u> GR 99%+	107-93-7	250 gm	2889	1 kg	7605
C 2624	<u>CROTON OIL</u> pure	8001-28-3	1 gm	2439	10 gm	16002
			25 gm	24003	100 gm	86004
C 2626	<u>CROWN ETHER/BENZO-15-CROWN-5</u> for synthesis 98%	14098-44-3	1 gm	2349	5 gm	8505
C 2628	<u>CROWN ETHER/BENZO-18-CROWN-6</u> for synthesis 98%	14098-24-9	1 gm	4959	5 gm	17910
C 2629	<u>CROWN ETHER/15-CROWN-5</u> for synthesis 98%	33100-27-5	5 gm	3204	25 gm	10809
C 2630	<u>CROWN ETHER/18-CROWN-6</u> for synthesis 98%	17455-13-9	5 gm	297	25 gm	990
			100 gm	2997	500 gm	POR

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2625	<u>CRYOLITE</u> 99%	15096-52-3	500 gm	414	5 kg	3492
C 2635	<u>CRYSTAL VIOLET</u> for microscopy	548-62-9	25 gm	468	100 gm	1494
			500 gm	7002	1 kg	13402
C 2637	<u>CRYSTAL VIOLET</u> GR for Microscopy C.I. No. 42555	548-62-9	25 gm	612	100 gm	1890
C 2636	<u>CRYSTAL VIOLET</u> solution	548-62-9	125 ml	153	500 ml	675
C 2638	<u>CUCURBIT [5] URIL</u> hydrate contains acid of crystalization	-----			100 mg	POR
C 2639	<u>CUCURBIT [6] URIL</u> hydrate contains acid of crystalization	80262-44-8			1 gm	10404
C 2640	<u>CUCURBIT [7] URIL</u> hydrate contains acid of crystalization	-----			100 mg	21006
C 2643	<u>CUCURBIT [8] URIL</u> hydrate contains acid of crystalization	-----			100 mg	37809
C 2641	<u>CUMENE</u> puriss 99%+	98-82-8	500 ml	2502	1 lt	4905
C 2642	<u>CUMENE HYDROPEROXIDE</u> for synthesis 70%	80-15-9	100 gm	1791	500 gm	7506
C 2644	<u>CUMIN SEED OIL</u> , natural	8014-13-9	100 gm	13509	1 kg	67059
C 2647	<u>CUPFERRON</u> GR 99%+	135-20-6	25 gm	675	100 gm	2493
C 3217	<u>COPPER ACETATE</u> anhydrous 98%	142-71-2	25 gm	4005	100 gm	12069
C 2655	<u>CUPRIC ACETATE</u> (monohydrate) 98%	6046-93-1	250 gm	819	500 gm	1483
					5 kg	13005
C 2657	<u>CUPRIC ACETATE</u> (monohydrate) GR 99%+	6046-93-1	250 gm	1386	500 gm	2502
C 2658	<u>CUPRIC BORATE</u>	39290-85-2	100 gm	1467	500 gm	6903
C 2600	<u>CUPRIC BROMIDE</u>	7789-45-9	100 gm	1107	500 gm	4095
C 2665	<u>CUPRIC CARBONATE</u> extra pure	12069-69-1	500 gm	1584	5 kg	13005
C 2675	<u>CUPRIC CHLORIDE</u> (dihydrate) 98%	10125-13-0	500 gm	1071	5 kg	9603
C 2677	<u>CUPRIC CHLORIDE</u> GR (dihydrate) 99%+	10125-13-0	500 gm	1656	5 kg	11061
C 2679	<u>CUPRIC CITRATE</u>	10402-15-0	100 gm	2106	500 gm	6705
C 2680	<u>CUPRIC FLUORIDE</u>	7789-19-7	100 gm	1395	500 gm	4959
C 2685	<u>CUPRIC NITRATE</u> extra pure 98%	10031-43-3	250 gm	567	500 gm	1071
					5 kg	8919
C 2687	<u>CUPRIC NITRATE</u> GR 99%+	10031-43-3	500 gm	1233	5 kg	11007
C 2690	<u>CUPRIC OXALATE</u>	814-91-5	100 gm	1494	500 gm	6705
C 2700	<u>CUPRIC PHOSPHATE</u> 98%	7798-23-4	100 gm	1395	500 gm	6102
C 2703	<u>CUPRIC SULPHATE</u> anhydrous 98%	7758-98-7	500 gm	1485	5 kg	12609
C 2704	<u>CUPRIC SULPHATE</u> anhydrous GR 99%+	7758-98-7	500 gm	1683	5 kg	14004
C 2705	<u>CUPRIC SULPHATE</u> (pentahydrate) extra pure 98%	7758-99-8	500 gm	738	1 kg	1386
					5 kg	6408
C 2707	<u>CUPRIC SULPHATE</u> (pentahydrate) GR 99%+	7758-99-8	500 gm	837	5 kg	7506
C 2708	<u>CUPRIC SULPHIDE</u>	62975-02-4	100 gm	3906	500 gm	16002
C 2709	<u>CUPRIC SULPHITE</u>	-----	100 gm	3969	500 gm	17019
C 2710	<u>CUPRIC TARTRATE</u>	815-82-7	100 gm	3105	500 gm	12006
C 2715	<u>CUPRIC THIOCYANATE</u>	1111-67-7	50 gm	2106	500 gm	20007
C 2716	<u>CUPROUS BROMIDE</u> anhydrous 97%	7787-70-4			100 gm	747
			500 gm	3339	5 kg	30051
C 2717	<u>CUPROUS BROMIDE</u> 99.999%	7787-70-4	10 gm	14508	100 gm	54009
C 2725	<u>CUPROUS CHLORIDE</u> 97%	7758-89-6	500 gm	1683	1 kg	3069
					5 kg	14004
C 2727	<u>CUPROUS CHLORIDE</u> GR 97%+	7758-89-6	100 gm	1395	250 gm	2592
C 2730	<u>CUPROUS IODIDE</u> extra pure 99%	7681-65-4	100 gm	1827	500 gm	8208
C 2731	<u>CUPROUS OXIDE</u> RED extra pure 96%	1317-39-1	500 gm	2592	5 kg	20709
C 2735	<u>CURCUMINE</u> crystalline 99%	458-37-7	5 gm	585	10 gm	1089
			100 gm	8181	250 gm	20403

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2734 *	<u>CURCUMINE</u> ≥94% (curcuminoid content), ≥80% (Curcumin)	458-37-7	500 mg	16002	1 gm	21609
C 2744 ☐	<u>CYANOACETAMIDE</u> for synthesis 98%	107-91-5	100 gm	594	500 gm	1989
C 2746	<u>CYANO ACETIC ACID</u> 55% solution for synthesis	372-09-8			500 gm	3969
C 2745 ☐	<u>CYANO ACETIC ACID</u> for synthesis 98%	372-09-8	250 gm	1494	1 kg	4797
C 9961	<u>CYANOACETIC ACID</u> , 99%	372-09-8	25 gm	2259	500 gm	9549
					1 kg	16407
C 2750	<u>4-CYANOBENZALDEHYDE</u> puriss 98%	105-07-7	5 gm	765	25 gm	2592
			100 gm	9459	500 gm	35919
C 2755	<u>CYANOCOBALAMINE</u> for biochemistry 99%	68-19-9	250 mg	837	1 gm	2979
C 5047	<u>5-CYANO-2,3-DI-(P-TOLYL)TETRAZOLIUM CHLORIDE</u> ≥85% (HPLC)	90217-02-0	10 mg	4050	50 mg	9207
C 3246 *	<u>4-CYANO-4'-(DODECYLSULFANYLTHIOCARBONYL)</u> <u>SULFANYL]PENTANOIC ACID</u> 97% (HPLC)	870196-80-8	1 gm	16002	5 gm	39699
C 2765 *	<u>CYANOGEN BROMIDE</u> for synthesis 99%	506-68-3	100 gm	2169	500 gm	9729
C 2830 ☐	<u>3-CYANO INDOLE</u> puriss 98%	5457-28-3	1 gm	1602	5 gm	2599
					25 gm	10701
C 2766	<u>5-CYANO INDOLE</u> for synthesis 99%	15861-24-2	1 gm	3006	5 gm	9279
C 2772 ☐	<u>2-CYANO-6-METHOXY BENZOTHAZOLE</u> 99%	943-03-3	1 gm	13005	5 gm	58005
C 5679	<u>(S)-4-CYANO-4'-(2-METHYLBUTYL)BIPHENYL</u> 98%	63799-11-1	1 gm	11709	5 gm	47079
C 4099 *	<u>4-CYANO-4-(PHENYLCARBONOTHIOYLTHIO)</u> <u>PENTANOIC ACID</u>	201611-92-9	1 gm	13905	5 gm	39699
C 4696 *	<u>2-CYANO-2-PROPYL DODECYL TRITHIOCARBONATE</u> , 97% (HPLC)	870196-83-1	1 gm	27909	5 gm	96039
C 2767	<u>3-CYANOPYRIDINE</u> puriss 98%	100-54-9			100 gm	1791
C 2768	<u>4-CYANOPYRIDINE</u> puriss 98%	100-48-1	100 gm	2205	500 gm	8919
C 2769	<u>CYCLAM</u> puriss 98%	295-37-4	1 gm	4905	5 gm	17019
C 0495	<u>CYCLEN</u> , 99% (1,4,7,10-Tetraazacyclododecane)	294-90-6	1 gm	13203	5 gm	19502
C 2774	<u>γ-CYCLODEXTRIN</u> hydrate	91464-90-3	100 mg	1062	500 mg	3006
			1 gm	6003	5 gm	24903
C 2771 ☐	<u>α-CYCLODEXTRIN</u> puriss 98%	10016-20-3	1 gm	1062	5 gm	1602
			25 gm	6489	100 gm	21609
C 2770 ☐	<u>β-CYCLODEXTRIN</u>	7585-39-9	25 gm	306	100 gm	540
			500 gm	2304	5 kg	20079
C 2775	<u>CYCLOHEXANE</u> for synthesis 99%	110-82-7	500 ml	441	5 lt	4239
C 2777	<u>CYCLOHEXANE</u> GR 99%+	110-82-7	500 ml	513	5 lt	4302
C 2778	<u>CYCLOHEXANE</u> for HPLC grade 99%+	110-82-7			500 ml	792
C 2779	<u>CYCLOHEXANE</u> for spectroscopy 99%+	110-82-7			500 ml	792
C 2782	<u>CYCLOHEXANE</u> specially dried GR 99.5%	110-82-7			500 ml	792
	<u>1,2-CYCLOHEXANEDIAMINE</u> <u>TETRA ACETIC ACID</u> please see <u>D 1365</u> <u>trans-1,2-DIAMINOCYCLOHEXANE</u> <u>N,N,N'N' TETRA ACETIC ACID</u> please see <u>D 1367</u>					
C 2781 ☐	<u>trans-1-2-CYCLOHEXANE DICARBOXYLIC ACID</u> 98%	2305-32-0	5 gm	1908	25 gm	6399
			100 gm	12330	500 gm	51606
C 4877	<u>1,2-CYCLOHEXANEDICARBOXYLIC ANHYDRIDE</u> predominantly cis 95%	85-42-7	100 gm	2907	500 gm	5103
C 2780	<u>1,3-CYCLOHEXANE DIONE</u> 99% for synthesis	504-02-9			25 gm	1305
			100 gm	2880	500 gm	11403
C 2785	<u>CYCLOHEXANOL</u> for synthesis 99%	108-93-0	500 ml	657	5 lt	5139
C 2787	<u>CYCLOHEXANOL</u> GR 99%+	108-93-0	500 ml	702	5 lt	6102
C 2795	<u>CYCLOHEXANONE</u> for synthesis 99%	108-94-1	500 ml	639	5 lt	4959

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 2797	<u>CYCLOHEXANONE</u> GR 99%+	108-94-1	500 ml	792	5 lt	6291
C 2798	<u>CYCLOHEXANONE</u> 99.5% for Pesticide Residue Trace Analysis	108-94-1	500 ml	864	1 lt	1602
C 2799	<u>CYCLOHEXANONE</u> 99.9% GC-HS for GC-Headspace Analysis	108-94-1	500 ml	990	1 lt	1602
C 2800	<u>CYCLOHEXENE</u> for synthesis 99%	110-83-8	500 ml	1269	5 lt	11007
	<u>CYCLOHEXIMIDE</u> please see <u>ACTIDIONE</u>					
C 2810	<u>CYCLOHEXYLAMINE</u> for synthesis 99%	108-91-8	500 ml	657	5 lt	5679
C 2807	<u>CYCLOHEXYLAMINE</u> GR 99%+	108-91-8			1 lt	4707
C 2826	<u>CYCLOHEXYL BROMIDE</u> 98%	108-85-0			500 gm	6003
C 8118	<u>CYCLOHEXYLDIMETHOXYMETHYLSILANE</u> , 99.5%	17865-32-6	25 ml	3996	500 ml	24003
C 2829	<u>2-CYCLOHEXYLETHYLAMINE</u> pure	4442-85-7	1 gm	14409	5 gm	69039
C 2811	<u>CYCLOHEXYL ISO-CYANATE</u> for synthesis 99%	3173-53-3	100 ml	13959	250 ml	30609
C 2831	<u>CYCLOHEXYLMAGNESIUM BROMIDE</u> 1M in Tetrahydrofuran	931-50-0	100 ml	9819	500 ml	36009
C 2833	☐ <u>1-CYCLOHEXYL-PIPERAZINE</u> 97%	17766-28-8	5 gm	5508	25 gm	13707
C 2812	<u>CYCLOOCTANONE</u> for synthesis 98%	502-49-8	25 gm	4689	100 gm	15903
C 2813	☐ <u>CYCLOPENTADIENE</u> (dimer) for synthesis 90%	77-73-6	500 ml	2799	1 lt	5679
C 2809	<u>CYCLOPENTANE</u> for synthesis 98%	287-92-3	100 ml	5004	250 ml	6397
C 2810a	☐ <u>CYCLOPENTANOL</u> for synthesis 98%+	96-41-3	500 ml	2205	5 lt	19008
C 2814	☐ <u>CYCLOPENTANONE</u> for synthesis 99%	120-92-3	250 ml	1602	500 ml	2043
					5 lt	16902
C 2839	<u>CYCLOPENTYLMAGNESIUM BROMIDE</u> 1M in THF	33240-34-5	100 ml	11079	500 ml	36009
C 2828	<u>CYCLOPENTYL METHYL ETHER</u> GR 99%+	5614-37-9	500 ml	3213	1 lt	6075
C 2821	☐ <u>CYCLOPROPANECARBONITRILE</u> 98%	5500-21-0	5 gm	4059	10 gm	7902
C 2822	☐ <u>CYCLOPROPANE CARBOXYLIC ACID</u> puriss 98%	1759-53-1	100 gm	4302	250 gm	15309
C 2829a	☐ <u>CYCLOPROPANE-1,1-DICARBOXYLIC ACID</u> 97%	598-10-7	1 gm	1899	5 gm	2403
			25 gm	6993	100 gm	24003
C 2827	☐ <u>CYCLOPROPANEMETHYLAMINE HYDROCHLORIDE</u> 99%	7252-53-1	1 gm	4608	10 gm	45009
C 2816	☐ <u>CYCLOPROPYLAMINE</u> for synthesis 98%	765-30-0	100 ml	1899	500 ml	8505
C 2834	☐ <u>CYCLOPROPYL-DIPHENYL CARBINOL</u> 97%	5785-66-0	5 gm	26001	25 gm	POR
C 2823	<u>CYCLOPROPYLMETHYLKETONE</u> puriss 98%	765-43-5	100 gm	8307	500 gm	25209
C 2900	<u>D-CYCLOSERINE</u> 96%+	68-41-7	500 mg	1602	1 gm	2079
			5 gm	6309	25 gm	28008
C 2819	<u>CYCOCEL</u> for biochemsitry	-----	25 gm	1395	100 gm	3708
C 2820	<u>p-CYMENE</u> for synthesis 95%	99-87-6			250 ml	3969
C 2901	<u>CYPRESS OIL</u> , natural	8013-86-3	100 gm	13905	500 gm	19089
					1 kg	24003
C 2817	<u>CYSTEAMINE HYDROCHLORIDE</u> for synthesis 98% (2-mercapto ethylamine HCl, 2-amino ethanethiol HCl)	156-57-0	100 gm	2088	500 gm	9459
C 2815	☐ <u>L-CYSTEINE</u> for biochemistry 99%+	52-90-4	5 gm	216	25 gm	585
			100 gm	1593	500 gm	6399
C 2818	☐ <u>L-CYSTEINE HYDROCHLORIDE</u> 99%+ (monohydrate) for biochemistry	7048-04-6	25 gm	243	100 gm	891
			500 gm	2970	1 kg	5454
C 2825	☐ <u>L-CYSTINE</u> for biochemistry 99%+	56-89-3	25 gm	387	100 gm	1179
					500 gm	4959
C 2835	☐ <u>CYTIDINE</u> for biochemistry 99%	65-46-3	1 gm	126	5 gm	477
			25 gm	1584	100 gm	6129
C 2837	☐ <u>CYTISINE</u> 99% powder	485-35-8	100 mg	7605	1 gm	18909
C 3040	☐ <u>CYTOCHALASIN A</u> from Drechslera dematioidea, 99%	14110-64-6	1 mg	13005	10 mg	110079
C 3041	☐ <u>CYTOCHALASIN B</u> from Drechslera dematioidea 99%	14930-96-2			1 mg	8307
			5 mg	34002	10 mg	49059

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
C 3042	CYTOCHALASIN D from <i>Zygosporium mansonii</i> , ≥98%	22144-77-0	1 mg	17019		
			5 mg	49095	10 mg	96003
C 2824 * ▢	CYTOCHROME- 'C' for biochemistry 90%	9007-43-6	100 mg	4401	500 mg	19107
C 2836 * ▢	CYTOKININE for biochemistry	-----	1 gm	882	5 gm	3699
C 2845 * ▢	CYTOSINE for biochemistry 98%	71-30-7	1 gm	144	5 gm	639
			25 gm	2790	100 gm	7659
D 1210	DAHLIA for microscopy	-----	5 gm	756	10 gm	1404
D 1201 *	DAIDZEIN 97%	486-66-8			1 gm	4608
			5 gm	17019	25 gm	69003
D 1202 *	DAIDZEIN 98%	486-66-8			100 mg	3708
			500 mg	12609	1 gm	14094
D 1340 *	DAIDZEIN 99%+	486-66-8	25 mg	9909	100 mg	32004
D 1209 ▢	DAMINOZIDE puriss GR 99%	1596-84-5	5 gm	1818	25 gm	7929
D 1211 *	DANSYL CHLORIDE GR 99% for biochemistry	605-65-2	1 gm	2592	5 gm	8892
					25 gm	23492
D 0355 *	DAPHNETIN , 97%+	486-35-1	5 mg	7902	25 mg	33603
D 3851 *	DAPI [4',6-Diamidino-2-phenylindole dihydrochloride] for nucleic acid staining	28718-90-3			10 mg	3942
			25 mg	8109	50 mg	15093
D 1216 *	DAPTOMYCIN for biochemistry 90%	103060-53-3			1 mg	33039
D 1215	DARCO G 60	7440-44-0			500 gm	963
D 1217	DAVANA OIL , natural	8016-03-3	25 gm	14094	100 gm	40905
D 0165 *	3-DEACETILSALANNIN , 98%	1110-56-1			1 mg	75069
D 1225 * ▢	DEAE CELLULOSE 11 for column chromatography	9013-34-7	5 gm	2205	25 gm	9108
D 1226 * ▢	DEAE CELLULOSE 52 for column chromatography	9013-34-7	5 gm	1908	10 gm	3708
			25 gm	9135	100 gm	31599
D 1220	DEAE-CELLULOSE preswollen, microgranular	9013-34-7	10 gm	9909	25 gm	24093
D 1235	n-DECANE puriss 99%+	124-18-5	100 ml	2592	500 ml	10602
D 1236	n-DECANE for synthesis 98%+	124-18-5	100 ml	891	250 ml	1395
			500 ml	3006	5 lt	26190
D 1239 ▢	1-DECANESULPHONIC ACID SODIUM SALT 99% (anhydrous) for HPLC 98%	13419-61-9	5 gm	261	25 gm	1089
			100 gm	3906	10x25 gm	9792
D 1240 ▢	DECANE SULPHONIC ACID SODIUM SALT (Monohydrate) GR for HPLC 99%+	13419-61-9	5 gm	333	25 gm	1089
			100 gm	3906	10x25 gm	9792
D 1246 ▢	1-DECANOL for synthesis 99%	112-30-1	500 ml	837	5 lt	6903
D 1247	1-DECANOL GR 99%+	112-30-1	100 ml	288	1 lt	2007
D 0153	DECANOYL CHLORIDE 98%	112-13-0	100 ml	1989	500 ml	13005
D 5904	DECYL β-D-MALTOPYRANOSIDE , ≥98% (GC)	82494-09-5	500 mg	14949	1 gm	25092
					5 gm	120609
DI0095 ▢	1-DECYL-3-METHYLIMIDAZOLIUM TETRAFLUORO BORATE 98% (HPLC)	244193-56-4			5 gm	2394
			25 gm	7929	100 gm	POR
D 1250 ▢	n-DECYL SULPHATE SODIUM SALT for HPLC 99%+	142-87-0	1 gm	3996	5 gm	17919
D 1255 *	DEHYDROEPIANDROSTERONE 99% for biochemistry	53-43-0	1 gm	963	5 gm	2979
			10 gm	5463	25 gm	13005
D 1265 ▢	DEKALIN for synthesis 99%	91-17-8	500 ml	1242	5 lt	9363
D 1267	DEKALIN puriss 99%+	91-17-8			1 lt	5904
D 0021 * ▢	DEMECOLCINE 98%	477-30-5			5 mg	16803
			10 mg	28089	25 mg	60705
D 1277 *	DEOXYARBUTIN puriss	53936-56-4	1 gm	945	5 gm	3906
D 1275 * ▢	2-DEOXY ADENOSINE extra pure for biochemistry 98%+	16373-93-6	1 gm	1134	5 gm	5103
D 1278 ▢	DEOXY CHOLIC ACID for biochemistry 99%	83-44-3	10 gm	1062	25 gm	1791
					100 gm	6507

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 6346	<u>DEOXYCORTICOSTERONE ACETATE</u> , 98%	56-47-3	5 gm	56097	1 gm 25 gm	20439 220509
D 4223 *	<u>2-DEOXYCYTIDINE</u> extra pure 98%+	951-77-9	100 mg 1 gm	711 3267	500 mg 5 gm	2034 14004
D 8378 *	<u>2-DEOXY-D-GLUCOSE</u> 98%	154-17-6	1 gm	1989	5 gm	8208
D 3444 *	<u>2-DEOXYGUANOSINE</u> 98%+	961-07-9	100 mg	9945	500 mg	28089
D 1279	<u>1-DEOXYNOJIRIMYCIN</u> pure	19130-96-2	5 gm	18099	1 gm 50 mg	53019 67059
D 1280 *	<u>DEOXYRIBONUCLEASE</u> for biochemistry	9003-98-9	10000 unit	2889	50000 unit	8001
D 1285 * ☐	<u>DEOXY RIBONUCLEIC ACID</u> (DNA) for biochemistry	100403-24-5	5 gm 25 gm	1494 5994	10 gm 100 gm	2961 20097
D 1287 * ☐	<u>DEOXY RIBONUCLEIC ACID SODIUM SALT</u> (DNA - sodium) for biochemistry	9007-49-2	5 gm	1593	25 gm 100 gm	6489 27299
D 1286 * ☐	<u>DEOXY RIBONUCLEIC ACID SODIUM SALT</u> extra pure (highly polymerised from calf thymus) for biochemistry	73049-39-5	25 mg 250 mg 1 gm	2493 9909 37008	100 mg 500 mg 5 gm	4779 20304 160209
D 1295 * ☐	<u>2-DEOXY D-RIBOSE</u> for biochemistry 98%	533-67-5	1 gm 25 gm	441 6669	5 gm 100 gm	1791 24093
D 0325 *	<u>12-DEOXYWITHASTRAMONOLIDE</u>	60124-17-6	10 mg	106029	100 gm	906093
D 0511 *	<u>DESACETYL NIMBIN</u> , 98%	18609-16-0			1 mg	85005
D 1300 * ☐	<u>DESS MARTIN PERIODINANE</u> puriss GR 99% (Triacetoxyparadine, 1,1,1-tris (acetyloxy)- (1,1-dihydro-1,2-benziodoxol-3(1H))	87413-09-0	5 gm	648	25 gm 100 gm	2088 9009
D 1301 *	<u>DEUTERIUM OXIDE</u> 99.8% (heavy water) (End user certificate required)	7789-20-0	10 ml	POR	100 ml	POR
D 1305 ☐	<u>DEVARDAS'S ALLOY</u> powder	8049-11-4	100 gm	612	500 gm	2493
D 1307	<u>DEVARDAS'S ALLOY</u> powder GR	8049-11-4	100 gm	783	250 gm	1683
D 0425 *	<u>DEXMEDETOMIDINE HYDROCHLORIDE</u> 98%	145108-58-3	10 mg	10503	50 mg	42003
D 1308 *	<u>DEXTRAN 40</u>	9004-54-0			10 gm	3969
			25 gm	7506	100 gm	26019
D 1306	<u>DEXTRAN</u> Mw 500000	9004-54-0	10 gm	4905	25 gm 100 gm	7209 22905
D 1303	<u>DEXTRAN SULPHATE SODIUM SALT</u> (Mr ~35,000-50,000)	9011-18-1	10 gm	4401	25 gm 100 gm	10206 38709
D 1309 *	<u>DEXTRAN SULPHATE SODIUM SALT</u> (Mr ~500,000)	9011-18-1	10 gm	4239	25 gm 100 gm	10206 38007
D 1310 *	<u>DEXTRAN SULPHATE SODIUM SALT</u> for molecular biology	9011-18-1	10 gm	4302	25 gm	9504
D 0959	<u>DEXTRIN FROM CORN</u> Type I, powder	9004-53-9	100 gm	3501	500 gm 1 kg	13005 15039
D 1315	<u>DEXTRINE WHITE</u>	9004-53-9	500 gm	198	1 kg 5 kg	378 1692
D 1320 ☐	<u>DEXTRINE WHITE</u> for bacteriology	9004-53-9			500 gm	1179
D 1322	<u>DEXTROSE</u> (anhydrous) extra pure	50-99-7	500 gm	387	5 kg	2493
D 1329	<u>DEXTROSE</u> (anhydrous) GR	50-99-7	500 gm	468	5 kg	2790
D 1321	<u>DEXTROSE</u> monohydrate extra pure	14431-43-7	500 gm	270	5 kg	2403
D 1327	<u>DEXTROSE</u> (monohydrate) GR for microbiology	14431-43-7	500 gm	342	5 kg	3006
D 1332 *	<u>DIACEREIN</u> 95%	13739-02-1	10 gm 100 mg	7605 25002	50 mg 1 gm	18189 POR
D 1330	<u>DIACETONE ALCOHOL</u> for synthesis 98%	123-42-2	500 ml	441	5 lt	4203
D 1331	<u>DIACETONE ALCOHOL</u> puriss 99%+	123-42-2			1 lt	4302
D 1335	<u>DIACETYL</u> for synthesis 98%	431-03-8	100 ml	1593	250 ml	3906

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1337	<u>DIACETYL MONOXIME</u> GR 99%+	57-71-6	25 gm	639	100 gm	2088
					500 gm	8919
D 1341	<u>DIALLYL PHTHALATE</u> for synthesis 98%+	131-17-9			500 ml	3996
D 8017	<u>cis-DIAMINEPLATINUM(II) DICHLORIDE</u> ≥ 99.9%	15663-27-1	25 mg	3501	100 mg	9405
			500 mg	38007	1 gm	50607
D 1343	<u>DIAMOND</u> powder 50 microns	-----	1 gm	1107	5 gm	5607
D 1344	<u>DIAMOND</u> powder 1 microns	-----	1 gm	1494	5 gm	7002
D 3941	<u>2,4-DIAMINOBENZENESULPHONIC ACID</u> 98%+	88-63-1	50 gm	3006	100 gm	5607
			500 gm	24093	1 kg	39969
D 1350	<u>3,3'-DIAMINOBENZIDINE</u> base puriss GR 99%	91-95-2	1 gm	1602	5 gm	6705
D 1357	<u>3-3, DIAMINO BENZIDINE TETRA HYDROCHLORIDE</u> GR puriss 98%+	868272-85-9	1 gm	1161	5 gm	5706
D 1348	<u>3,4-DIAMINOBENZOIC ACID</u> 97%	619-05-6			5 gm	1818
			25 gm	3501	100 gm	11061
D 1346	<u>3-5-DIAMINO BENZOIC ACID</u> for synthesis 98%	535-87-5			100 gm	963
D 1347	<u>3-4-DIAMINO BENZOPHENONE</u> 98%	39070-63-8	25 gm	3006	100 gm	10602
D 1355	<u>1,4-DIAMINO BUTANE</u> (tetra methylene diamine) puriss 99%+	110-60-1			100 ml	7569
D 1365	<u>trans-1,2-DIAMINO CYCLOHEXANE</u>	13291-61-7	10 gm	1593	25 gm	3492
	<u>N,N,N',N'-TETRA ACETIC ACID (CDTA)</u> pure 98%				100 gm	12906
D 1367	<u>trans-1,2-DIAMINO CYCLO HEXANE</u>	13291-61-7	10 gm	1809	25 gm	3879
	<u>N,N,N',N'-TETRA ACETIC ACID (CDTA)</u> GR 99%+				100 gm	14409
D 1375	<u>4,4-DIAMINO DIPHENYL ETHER</u> 98% for synthesis	101-80-4	25 gm	1692	100 gm	5769
D 1376	<u>4,4-DIAMINO DIPHENYL METHANE</u> for synthesis 98%	101-77-9			500 gm	3195
D 1377	<u>4,4-DIAMINO DIPHENYL METHANE</u> puriss 99%	101-77-9			500 gm	4005
D 1385	<u>4,4-DIAMINO DIPHENYL SULPHONE</u> for synthesis 98%	80-08-0			100 gm	3204
D 1391	<u>1,8 DIAMINO OCTANE</u> for synthesis 98%	373-44-4	25 gm	4806	100 gm	13059
D 1392	<u>1,5 DIAMINO PENTANE</u> for synthesis 98%	462-94-2			10 ml	28809
D 1394	<u>1,2-DIAMINO PROPANE</u> for synthesis 98%	78-90-0			250 ml	3204
D 1395	<u>1,3-DIAMINO PROPANE</u> puriss 99%	109-76-2	250 ml	3402	1 lt	12096
D 1400	<u>cis-DIAMMINEDINITRATO PLATINIUM (II)</u> 98%	41575-87-5	100 mg	27909	1 gm	250929
D 1405	<u>o-DIANISIDINE</u> for synthesis 99%	119-90-4	25 gm	459	100 gm	1584
					250 gm	3519
D 1407	<u>o-DIANISIDINE</u> GR 99%+	119-90-4	10 gm	315	25 gm	720
D 1415	<u>DIASTASE</u> amylase activity 1300 IU/g	9000-92-4	100 gm	540	500 gm	2277
D 1418	<u>DIASTASE</u> SPEZIAL	9000-92-4			1 kg	14409
D 1420	<u>1,4-DIAZABICYCLO 2,2,2-OCTANE (DABCO)</u> for synthesis 98%	280-57-9	100 gm	891	500 gm	2880
D 1421	<u>1:8 DIAZA BICYCLO UNDECENE (DBU)</u> for synthesis 98%	6674-22-2	25 ml	342	100 ml	936
D 1422	<u>DIAZO REAGENT A</u>	-----	250 ml	504	1 lt	2007
D 1423	<u>DIAZO REAGENT B</u>	-----	250 ml	504	1 lt	2007
D 1424	<u>5-DIAZO URACIL</u> for biochemistry	2435-76-9			1 gm	3006
D 1425	<u>DIBENZOYL METHANE</u> puriss 98%	120-46-7	10 gm	711	25 gm	1764
			100 gm	5508	500 gm	13608
D 1427	<u>DIBENZOYL-D-TARTARIC ACID</u> (monohydrate) 99%	80822-15-7	25 gm	540	100 gm	1881
D 1429	<u>DIBENZOYL L-TARTRIC ACID</u> puriss 99%	62708-56-9	25 gm	3006	100 gm	5994
D 1430	<u>DIBENZYLAMINE</u> for synthesis 98%	103-49-1	100 gm	1539	250 gm	3303
			500 gm	6003	5 kg	POR
D 1431	<u>DIBENZYL DISULPHIDE</u> for synthesis 98%	538-74-9	25 gm	3195	100 gm	8406
D 1432	<u>3,5-DIBROMO ANISOLE</u> 97%	74137-36-3			1 gm	5202
D 1433	<u>5,5-DIBROMO BARBITURIC ACID</u> 97%	511-67-1	1 gm	9603	5 gm	40059
D 1435	<u>p-DIBROMO BENZENE</u> for synthesis 98%	106-37-6	250 gm	1449	500 gm	2196

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1436	<u>1,4-DIBROMOBUTANE</u> puriss 98%	110-52-1	250 gm	1602	1 kg	6003
D 1440	<u>1,3-DIBROMO 5,5-DIMETHYL HYDANTION</u> for synthesis 98%	77-48-5	100 gm	639	500 gm	2797
D 1455	<u>1,2-DI-BROMO ETHANE</u> for synthesis 98%	106-93-4	250 ml	1593	500 ml	2797
					5 lt	23904
D 1457	<u>1,2-DI-BROMO ETHANE</u> puriss 99%+	106-93-4			250 ml	11709
D 1448	<u>4:5 DIBROMO FLUORESCIN</u> dye content 95 %	596-03-2	5 gm	2808	25 gm	12609
D 1454	<u>1,6-DIBROMO HEXANE</u> puriss 98%	629-03-8	100 gm	1656	500 gm	6075
D 1458	<u>DI-BROMO METHANE</u> for synthesis 99%	74-95-3			100 ml	2709
D 1437	<u>1,8-DIBROMOOCTANE</u> puriss 98%	4549-32-0	25 gm	3492	100 gm	108000
D 1463	<u>2,6-DIBROMOPHENOL</u> 97%	608-33-3	1 gm	1449	10 gm	6705
D 1456	<u>1:3 DIBROMO PROPANE</u> puriss 99%	109-64-8	250 gm	3906	1 kg	9603
D 1447	<u>2,6-DIBROMO QUINONE-4-CHLORIMIDE</u> GR 98%	537-45-1	1 gm	3609	5 gm	13905
D 1449	<u>2,4-DIBROMO TOLUENE</u> puriss 98%	31543-75-6	1 gm	POR	5 gm	POR
D 1450	<u>DIBUTYL ADIPATE</u> 90%	105-99-7	250 ml	4041	500 ml	7659
D 1459	<u>DIBUTYLAMINE</u> for synthesis 98%	111-92-2	500 ml	864	5 lt	7704
D 1460	<u>DIBUTYLAMINE</u> puriss 99%	111-92-2			1 lt	5913
D 1464	<u>DIBUTYLBORYL TRIFLUOROMETHANESULFONATE</u> solution 1.0 M in methylene chloride	60669-69-4			100 ml	45099
D 1461	<u>DIBUTYL MALEATE</u> for synthesis 97%	105-76-0	500 ml	576	5 lt	4797
D 4096	<u>2,6-DI-tert-BUTYL PHENOL</u> 99%	128-39-2	25 gm	891	100 gm	1809
D 9062	<u>4,4'(5')-DI-TERT-BUTYLDIBENZO-18-CROWN-6</u>	29471-17-8			1 gm	24039
D 1462	<u>Di-tert-BUTYL PYROCARBONATE</u> puriss 99.5% (DIBOC, Di-tert-butyl dicarbonate)	24424-99-5	25 gm	405	100 gm	738
			500 gm	3456	5 kg	POR
D 1465	<u>DI-n-BUTYL PHTHALATE</u> for synthesis 99%	84-74-2	500 ml	630	5 lt	5004
D 1467	<u>DI-n-BUTYL PHTHALATE</u> GR 99%+	84-74-2	500 ml	1692	1 lt	2709
D 1466	<u>DIBUTYL TIN DIACETATE</u> for synthesis 99%	1067-33-0	250 gm	7506	500 gm	13095
D 1468	<u>DIBUTYL TIN DILAURATE</u> for synthesis	77-58-7	25 ml	1404	100 ml	2889
			500 ml	7992	5 lt	56799
D 1469	<u>DIBUTYL TIN MALEATE</u> for synthesis	78-04-6			500 gm	POR
D 1470	<u>DIBUTYL TIN OXIDE</u> for synthesis 98%	818-08-6	250 gm	2394	1 kg	8379
					5 kg	37089
D 1472	<u>2,4-DICHLORO ACETOPHENONE</u> for synthesis	2234-16-4	25 gm	2808	100 gm	6606
D 1474	<u>2,5 DICHLORO ANILINE</u> for synthesis 99%	95-82-9	250 gm	1692	500 gm	2241
D 1475	<u>2,6-DICHLORO ANILINE</u> puriss 99%	608-31-1			250 gm	6993
D 1483	<u>2:4 DICHLORO BENZALDEHYDE</u> for synthesis 98%	874-42-0	5 gm	1305	100 gm	2304
			250 gm	4302	500 gm	7659
D 1485	<u>3,4-DICHLORO BENZALDEHYDE</u> for synthesis 98%	6287-38-3	5 gm	1602	25 gm	4959
D 1495	<u>o-DICHLORO BENZENE</u> for synthesis 98%	95-50-1	500 ml	450	5 lt	3807
D 1497	<u>o-DICHLORO BENZENE</u> GR 99%+	95-50-1	500 ml	549	5 lt	4149
D 1500	<u>o-DICHLORO BENZENE</u> for HPLC 99%	95-50-1	500 ml	1989	1 lt	2979
D 1498	<u>m-DICHLORO BENZENE</u> for synthesis 98%	541-73-1	500 ml	1692	5 lt	15750
D 1499	<u>1,4-DICHLORO BENZENE</u> for synthesis 98%	106-46-7	500 gm	549	5 kg	4941
D 1505	<u>2,4-DICHLORO BENZOIC ACID</u> for synthesis 98%	50-84-0	100 gm	396	250 gm	891
					500 gm	1593
D 1510	<u>4,4'-DICHLORO BENZOPHENONE</u> for synthesis 98%	90-98-2	25 gm	1341	100 gm	4995
					500 gm	19899
D 1511	<u>2,4-DICHLORO BENZYL ALCOHOL</u> for synthesis 98%	1777-82-8	25 gm	2709	100 gm	9603
					500 gm	25002
D 1512	<u>3,4-DICHLOROBENZYLAMINE</u> 95%	102-49-8	5 gm	3996	25 gm	13905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1503	<u>DICHLOROBIS (ACETONITRILE) PALLADIUM (II)</u>	14592-56-4	500 mg	6795	1 gm	12996
D 1518	<u>DICHLOROBIS(P-CYME)RUTHENIUM (II) DIMER</u> puriss	52462-29-0	1 gm	4959	5 gm	15903
D 1519	<u>DICHLORO [(1,1-BIS DIPHENYLPHOSPHINO FERROCENE)] PALLADIUM (II) puriss</u>	72287-26-4	1 gm	4959	5 gm	19908
D 1513	<u>trans-DICHLORO bis-(TRIPHENYLPHOSPHINE) PALLADIUM (II) 99.95%</u>	13965-03-2	1 gm	3294	5 gm	15939
					25 gm	72909
D 1514	<u>1,4-DICHLOROBUTANE 99%</u>	110-56-5	100 ml	927	500 ml	3492
D 1515	<u>2,3-DICHLORO 5-6-DICYANO 1-4,BENZOQUINONE (DDQ) for synthesis 98%</u>	84-58-2	10 gm	531	25 gm	1089
			100 gm	3969	500 gm	18459
D 1525	<u>1,2-DICHLORO ETHANE for synthesis 99%</u>	107-06-2	500 ml	432	5 lt	2889
D 1527	<u>1,2-DICHLORO ETHANE GR 99%+</u>	107-06-2	500 ml	513	5 lt	3303
D 1528	<u>1,2-DICHLORO ETHANE for HPLC 99%+</u>	107-06-2			500 ml	1305
D 1529	<u>1,2-DICHLORO ETHANE for SPECTROSCOPY 99%+</u>	107-06-2			500 ml	1305
D 1538	<u>3,5-DICHLORO,4-HYDROXY BENZOIC ACID 97%</u>	3336-41-2	10 gm	2403	25 gm	4905
D 0953	<u>2,7-DICHLOROFLUORESCINE, ACS reagent</u>	76-54-0	1 gm	4203	10 gm	19107
D 1537	<u>2,7-DICHLORO FLUORESCINE GR adsorption indicator</u>	76-54-0	5 gm	576	10 gm	891
D 1539	<u>2,4 DICHLORO FLUORO BENZENE 99%</u>	1435-48-9	25 gm	2601	100 gm	9279
D 1540	<u>DICHLORO iso-CYANURIC ACID SODIUM SALT for synthesis 98%</u>	2893-78-9	100 gm	1602	500 gm	2403
D 1546	<u>DICHLORO METHANE Anhydrous</u>	75-09-2	500 ml	1503	5 lt	9603
D 1545	<u>DICHLORO METHANE for synthesis 98%</u>	75-09-2	500 ml	540	5 lt	3879
D 1547	<u>DICHLORO METHANE GR 99%+</u>	75-09-2	500 ml	639	5 lt	4959
D 1548	<u>DICHLORO METHANE for HPLC 99%+</u>	75-09-2			500 ml	693
D 1548a	<u>DICHLORO METHANE for SPECTROSCOPY 99%+</u>	75-09-2			500 ml	693
D 1551	<u>DI-CHLORO METHYL VINYL SILANE for synthesis 97%</u>	124-70-9			100 ml	3996
D 1552	<u>3,4-DI-CHLORO NITRO BENZENE for synthesis 98%</u>	99-54-7	100 gm	1818	500 gm	9603
D 1554	<u>2,4-DI-CHLORO NITRO BENZENE for synthesis 98%</u>	611-06-3	100 gm	1557	250 gm	3906
			500 gm	6993	1 kg	11007
D 1553	<u>2,3 DICHLORO 1,4-NAPHTHOQUINONE for synthesis</u>	117-80-6	25 gm	1404	100 gm	3402
D 1556	<u>2,3-DICHLORO PHENOL 98%</u>	576-24-9	25 gm	1719	100 gm	4608
					500 gm	15705
D 1555	<u>2,4-DICHLORO PHENOL for synthesis 98%</u>	120-83-2	100 gm	396	500 gm	1395
D 1565	<u>2,6-DICHLORO PHENOL extra pure 98%</u>	87-65-0	10 gm	279	25 gm	540
			100 gm	945	500 gm	3789
D 1577	<u>2,6-DICHLORO PHENOL INDOPHENOL GR</u> redox indicator for biological use	956-48-9	1 gm	288	5 gm	1089
					25 gm	4392
D 1578	<u>2,6-DICHLORO PHENOL INDOPHENOL SODIUM SALT GR 98%</u>	620-45-1	1 gm	270	5 gm	1089
					25 gm	4392
D 1585	<u>2,4-DICHLORO PHENOXY ACETIC ACID for synthesis 98%</u>	94-75-7	100 gm	1143	250 gm	2709
					500 gm	4608
D 1586	<u>2,4 DICHLORO PHENYL ACETIC ACID 99%</u>	19719-28-9	25 gm	4491	100 gm	16092
					500 gm	31509
D 1587	<u>3,4 DICHLORO PHENYL ACETIC ACID 98%</u>	5807-30-7	5 gm	1395	25 gm	3096
D 1589	<u>1-(3,4-DICHLOROPHENYL)PIPERAZINE 99%</u>	57260-67-0	5 gm	3996	25 gm	16902
D 1588	<u>4,5-DICHLOROPHTHALIC ANHYDRIDE 98%</u>	942-06-3	5 gm	12609	25 gm	40509
D 1590	<u>4,7-DICHLORO QUINOLINE for synthesis 99%</u>	86-98-6	25 gm	4995	100 gm	13509
D 1597	<u>2,6-DICHLORO QUINONE 4-CHLORIMIDE GR</u>	101-38-2	5 gm	1494	10 gm	2799
			50 gm	10305	100 gm	17991
D 1598	<u>3,5 DICHLORO SALICYLALDEHYDE for synthesis 99%</u>	90-60-8	5 gm	1647	25 gm	5994
D 1600	<u>DICLOFENAC SODIUM puriss 99%</u>	15307-79-6	25 gm	4302	100 gm	15003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1599	<u>DICUMYL PEROXIDE</u> for synthesis 98%	80-43-3	250 gm	3609	1 kg	12006
D 1605	<u>DICYANDIAMIDE</u> for synthesis 98%	461-58-5	500 gm	810	5 kg	7002
D 1610	<u>DICYCLOHEXYLAMINE</u> for synthesis 99%	101-83-7	500 ml	811	5 lt	6939
D 1617	<u>DICYCLOHEXYLAMINE</u> puriss 99%+	101-83-7			1 lt	6219
D 1615	<u>N,N'-DICYCLO HEXYL CARBODIMIDE</u> (DCC) for synthesis 99%	538-75-0	100 gm	1791	500 gm	7497
D 2380	<u>DICYCLOHEXYLMETHANE 4,4'-DIISOCYANATE</u>	5124-30-1	100 ml	9639	500 ml	40509
D 1620	<u>DICYCLO HEXYL PHTHALATE</u> for synthesis 98%	84-61-7	25 gm	810	100 gm	1701
					500 gm	3393
D 1621	<u>DICYCLOPENTADIENE</u> for synthesis (stabilized)	77-73-6	100 ml	1206	500 ml	4302
D 4302	<u>DIDECYLAMINE</u> , 98%	1120-49-6			25 gm	17109
D 5766	<u>DIDECYLDIMETHYLAMMONIUM BROMIDE</u> 98%	2390-68-3	1 gm	6903	5 gm	24003
D 1625	<u>DIDYMIUM OXIDE</u>	11141-21-2	25 gm	4302	100 gm	12006
					500 gm	49005
D 1635	<u>DIETHANOLAMINE</u> for synthesis 98%	111-42-2	500 ml	504	5 lt	3789
D 1637	<u>DIETHANOLAMINE</u> GR 99%+	111-42-2	500 ml	585	5 lt	4599
D 1640	<u>2,2-DIETHOXYACETAMIDE</u> 97%	61189-99-9	5 gm	4005	10 gm	6003
D 0065	<u>2,2-DIETHOXYACETOPHENONE</u> >95%	6175-45-7	100 gm	6993	500 gm	25092
D 1645	<u>DIETHYLAMINE</u> for synthesis 99%	109-89-7	500 ml	540	5 lt	3969
D 1647	<u>DIETHYLAMINE</u> GR 99%+	109-89-7	500 ml	621	5 lt	4491
D 1648	<u>DIETHYLAMINE</u> for HPLC 99.5%	109-89-7			500 ml	1350
D 1650	<u>DIETHYLAMINE HYDROCHLORIDE</u> for synthesis 98%	660-68-4	500 gm	1089	5 kg	9603
D 1653	<u>DIETHYLAMINE PHOSPHATE</u> pure	68109-72-8			100 gm	63909
D 1655	<u>2-DIETHYL AMINO ETHANOL</u> for synthesis 99%	100-37-8	500 ml	738	5 lt	6309
D 1657	<u>2-(DIETHYL AMINO) ETHANOL</u> puriss 99%+	100-37-8			1 lt	4302
D 1665	<u>2-DIETHYL AMINO ETHYL CHLORIDE HYDROCHLORIDE</u> for synthesis 99%	869-24-9	25 gm	486	100 gm	1494
					1 kg	13059
D 1675	<u>N,N-DIETHYL ANILINE</u> for synthesis 98%	91-66-7	500 ml	765	5 lt	6804
D 1677	<u>DIETHYL ANILINE</u> GR 99%+	91-66-7	500 ml	945	5 lt	8505
D 1680	<u>DIETHYL AZODICARBOXYLATE</u> (DAD, DAED, Azocarboxylic acid diethylester) puriss 98%	1972-28-7	5 gm	2691	25 gm	7659
					100 gm	22509
D 1682	<u>DIETHYL CARBAMYL CHLORIDE</u> 99%	88-10-8			100 gm	4392
D 1678	<u>1,1-DIETHYL 2,2'-CARBOCYANINE IODIDE</u> 97%	605-91-4	25 mg	1179	100 mg	3006
D 1679	<u>1,1-DIETHYL 4,4'-CARBOCYANINE IODIDE</u> 97%	4727-50-8	250 mg	3519	1 gm	13005
D 1681	<u>DIETHYL CARBONATE</u> for synthesis 99%	105-58-8	500 ml	864	5 lt	7704
D 4561	<u>DIETHYL CHLOROPHOSPHATE</u> 97%+	814-49-3	25 gm	4707	100 gm	18009
D 1790	<u>DIETHYL DISULPHIDE</u> 98%	110-81-6	25 gm	2106	100 gm	5049
D 1685	<u>DIETHYLENE GLYCOL</u> for synthesis 99%	111-46-6	500 ml	486	5 lt	3906
D 1687	<u>DIETHYLENE GLYCOL</u> GR 99%+	111-46-6	500 ml	558	5 lt	4302
D 1735	<u>DIETHYLENE GLYCOL mono-BUTYL ETHER</u> for synthesis 99%	112-34-5	500 ml	891	5 lt	8001
D 1737	<u>DIETHYLENE GLYCOL mono-BUTYL ETHER</u> puriss 99%+	112-34-5			1 lt	6003
D 1738	<u>DIETHYLENE GLYCOL DIETHYLETHER</u> GR puriss 99%	112-36-7	100 ml	693	500 ml	2304
D 1740	<u>DIETHYLENE GLYCOL mono-ETHYL ETHER</u> for synthesis 99%	111-90-0	500 ml	504	5 lt	4302
D 1741	<u>DIETHYLENE GLYCOL mono-ETHYL ETHER</u> puriss 99%+	111-90-0			1 lt	4707
D 1743	<u>DIETHYLENE GLYCOL mono-METHYL ETHER</u> for synthesis 99%	111-77-3	500 ml	666	5 lt	5004
D 1742	<u>DIETHYLENE GLYCOL mono-METHYL ETHER</u> puriss 99%+	111-77-3			1 lt	5049
D 1745	<u>DIETHYLENE GLYCOL DIMETHYL ETHER</u> for synthesis 99%	111-96-6	500 ml	1395	5 lt	12006
D 1695	<u>DIETHYLENE TRIAMINE</u> for synthesis 97%	111-40-0	500 ml	954	5 lt	8109

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1705	<u>DIETHYLENE TRIAMINE PENTA ACETIC ACID</u> (DTPA) for synthesis 99%	67-43-6	100 gm	369	250 gm	846
			500 gm	1593	5 kg	12699
D 1707	<u>DIETHYLENE TRIAMINE PENTA ACETIC ACID</u> (DTPA) GR 99%+	67-43-6	100 gm	441	250 gm	999
			500 gm	1980	5 kg	15039
D 1708	<u>DIETHYLENETRIAMINEPENTAACETIC ACID</u> , ≥99% (titration)	67-43-6	5 gm	5004	10 gm	6705
					50 gm	20079
D 1704	<u>DTPA PENTA SODIUM SALT</u> 40% solution	140-01-2	500 ml	630	5 lt	5409
D 1726	<u>DIETHYL ETHER</u> (stabilised) for synthesis 99%	60-29-7	500 ml	558	5 lt	4104
D 1727	<u>DIETHYL ETHER</u> (stabilised) puriss GR 99%+	60-29-7	500 ml	621	5 lt	4392
D 1730	<u>DIETHYL ETHER</u> 99.9% for Pesticide Residue Trace Analysis	60-29-7	500 ml	1989	1 lt	3339
D 1728	<u>DIETHYL ETHER</u> (specially dried) GR	60-29-7			500 ml	693
D 1729	<u>DIETHYL ETHER</u> for HPLC 98%	60-29-7			1 lt	3105
D 1715	<u>DIETHYL ETHOXY METHYLENE MALONATE</u> for synthesis	87-13-8	100 gm	891	500 gm	3195
D 1751	<u>DI-2-ETHYL HEXYL PHOSPHATE</u> puriss 98%	298-07-7	250 gm	4302	1 kg	11079
					5 kg	53019
D 1752	<u>DIETHYLKETONE</u> (3-Pentanone) puriss 99%	96-22-0			500 ml	1791
D 1753	<u>DIETHYLOXALACETATE SODIUM SALT</u> puriss 95%	40876-98-0	100 gm	5004	500 gm	19908
D 1755	<u>DIETHYL MALONATE</u> for synthesis 98%	105-53-3	500 ml	891	5 lt	8208
D 1757	<u>DIETHYL MALONATE</u> GR 99%+	105-53-3	500 ml	981	5 lt	8739
D 1765	<u>DIETHYL OXALATE</u> for synthesis 98%	95-92-1	500 ml	657	5 lt	5301
D 1767	<u>DIETHYL OXALATE</u> puriss 99%+	95-92-1			500 ml	3006
D 1777	<u>N-N-DIETHYL-p-PHENYLENE DIAMINE SULPHATE</u> GR 99%+	6283-63-2	100 gm	5994	250 gm	12969
D 1785	<u>DIETHYL PHTHALATE</u> for synthesis 98%	84-66-2	500 ml	585	5 lt	5409
D 1787	<u>DIETHYL PHTHALATE</u> puriss 99%+	84-66-2			1 lt	4302
D 1780	<u>DIETHYL PYROCARBONATE</u> for synthesis 99%	1609-47-8	5 ml	1404	25 ml	2376
			100 ml	8406	500 ml	40707
D 1785a	<u>DIETHYL SUCCINATE</u> for synthesis	123-25-1	500 ml	1692	5 lt	14409
D 1795	<u>DIETHYL SULPHATE</u> for synthesis 98%	64-67-5	500 ml	657	5 lt	5319
D 1800	<u>DIETHYL D-TARTRATE</u> for synthesis 99%	13811-71-7	25 gm	1395	100 gm	3619
					500 gm	15903
D 1804	<u>N,N-DIETHYL-m-TOLUIDINE</u> for synthesis 98%	91-67-8	100 ml	2106	500 ml	6939
D 1801	<u>2:4 DIFLUORO ANILINE</u> 99%	367-25-9	25 gm	1269	100 gm	4545
D 1802	<u>3:5 DIFLUORO ANILINE</u> 97%+	372-39-4	5 gm	2907	25 gm	13005
D 1803	<u>2,6 DIFLUORO BENZALDEHYDE</u> 98%	437-81-0	5 gm	4005	25 gm	18090
					100 gm	60309
D 1806	<u>2,6 DIFLUORO BENZAMIDE</u> 97%+	18063-03-1	10 gm	2808	50 gm	5409
D 1805	<u>m-DI FLUORO BENZENE</u> for synthesis 99%	372-18-9	100 ml	1593	500 ml	7479
D 1810	<u>4-4-DI FLUORO BENZOPHENONE</u> for synthesis 98%	345-92-6	10 gm	711	50 gm	1089
					250 gm	5490
D 1811	<u>2,4 DIFLUORO BROMO BENZENE</u> 98%	348-57-2	25 gm	2619	100 gm	8109
D 1812	<u>3,5 DIFLUORO BROMO BENZENE</u> 98%	461-96-1	25 gm	2799	100 gm	8919
D 1813	<u>2,3 DIFLUORO 5-CHLORO PYRIDINE</u> 97%+	89402-43-7	1 gm	1179	5 gm	5499
D 1814	<u>2:4 DIFLUORO NITRO BENZENE</u> 99%	446-35-5	25 gm	1503	100 gm	3969
D 1815	<u>3:5 DIFLUORO NITRO BENZENE</u> 99%	2265-94-3	5 gm	11079	25 gm	POR
D 1817	<u>DIGITONIN</u> GR 99%	11024-24-1	100 mg	3024	250 mg	7002
			1 gm	25902	5 gm	POR
D 8122	<u>DIHEXYLAMINE</u> 98%+	143-16-8	100 ml	2403	500 ml	6309
D 1888	<u>DIHYDROCYTOCHALASIN B</u> for synthesis	39156-67-7	1 mg	29007	5 mg	113004

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1825	<u>2,6-DIHYDROXY ACETOPHENONE</u> 99% for synthesis	699-83-2	5 gm	2169	10 gm	3294
			25 gm	4194	100 gm	15795
D 1835	<u>2,4-DIHYDROXY ACETOPHENONE</u> 98% for synthesis	89-84-9	25 gm	891	100 gm	3204
D 1845	<u>1,3-DIHYDROXY ACETONE</u> (dimer) 98% for synthesis	26776-70-5	25 gm	2205	100 gm	6399
D 1855	<u>1,4-DIHYDROXY ANTHRAQUINONE</u> for synthesis 96%	81-64-1	25 gm	1692	100 gm	1998
D 1860	<u>3,4-DIHYDROXY BENZALDEHYDE</u> (Protocatechualdehyde) puriss 98%	139-85-5	25 gm	3906	100 gm	14004
					500 g	56709
D 1875	<u>2,4-DIHYDROXY BENZOIC ACID</u> for synthesis 98%	89-86-1	100 gm	2880	500 gm	7605
D 5698	<u>2,5-DIHYDROXYBENZOIC ACID</u> 99%	490-79-9	10 gm	1818	25 gm	3015
D 1865	<u>3,5-DIHYDROXY BENZOIC ACID</u> (a-resorcylic acid) for synthesis 98%	99-10-5	100 gm	1800	250 gm	4491
			500 gm	8775	1 kg	16902
D 1880	<u>2,4-DIHYDROXY BENZOPHENONE</u> 99%	131-56-6			100 gm	3015
D 1890	<u>4,4'-DIHYDROXY BENZOPHENONE</u> for synthesis 99%	611-99-4	25 gm	3789	100 gm	12609
D 1893	<u>2,5-DIHYDROXY-1,4-DITHIANE</u> puriss 97%+	40018-26-6	100 gm	2889	500 gm	12069
					1 kg	19809
D 1891	<u>trans-4,5-DIHYDROXY-1,2-DITHIANE</u> 99% (Oxidized DTT)	14193-38-5			1 gm	7506
			5 gm	25803	25 gm	80019
D 1892	<u>1,5-DIHYDROXY NAPHTHALENE</u> 97%	83-56-7	100 gm	3105	500 gm	9405
D 1903	<u>3,4-DIHYDRO-2H-PYRAN</u>	110-87-2	100 ml	2493	500 ml	7893
D 1899	<u>3,3-DIINDOLYLMETHANE</u> 99%	1968-05-4	1 gm	2979	5 gm	12708
D 1895	<u>DIiodo METHANE</u> (for seperation of minerals) 98%	75-11-6			100 gm	6003
D 1898	<u>3,5-DIiodo L-THYRONINE</u> pure	1041-01-6			250 mg	9702
D 1896	<u>DIISOBUTYL ALUMINIUM HYDRIDE</u> (1M soln IN HEXANE)	1191-15-7	100 ml	6903	400 ml	24039
D 1897	<u>DIISOBUTYL ALUMINIUM HYDRIDE</u> (20w.t. soln IN TOLUENE)	1191-15-7	100 ml	5409	400 ml	20619
D 1900	<u>DI-ISO OCTYL PHTHALATE</u> for synthesis	27554-26-3	100 ml	6759	500 ml	30015
D 1901	<u>DI-ISO PROPYL AZO DICARBOXYLATE</u> for synthesis 98%	2446-83-5	25 gm	2403	100 gm	6003
D 1990a	<u>DI-ISO-PROPYL AMINE</u> for synthesis 98%	108-18-9	500 ml	1089	5 lt	9405
D 8741	<u>N,N-DIISOPROPYLCARBODIIMIDE</u> 99%	693-13-0	25 gm	3609	100 gm	13005
					500 gm	50607
D 1905	<u>DI-ISO-PROPYL ETHER</u> for synthesis 98%	108-20-3	500 ml	513	5 lt	3807
D 1906	<u>DI-ISO-PROPYL ETHER</u> GR 99%+	108-20-3	500 ml	567	5 lt	4005
D 1904	<u>DI-iso-PROPYL ETHYLAMINE</u> for synthesis 99%	7087-68-5	250 ml	1107	500 ml	2007
D 5241	<u>DILAURYLDIMETHYLAMMONIUM BROMIDE</u> 98%	3282-73-3	5 gm	4401	10 gm	7803
D 1908	<u>DILLWEED OIL</u> natural	8006-75-5	100 ml	5607	1 kg	21906
					5x1 kg	84069
D 1907	<u>DIMEDONE</u> GR 99%+ (reagent for aldehyde)	126-81-8	25 gm	1089	100 gm	2907
D 0478	<u>meso-2,3-DIMERCAPTOSUCCINIC ACID</u> , 97%+	304-55-2	1 gm	891	5 gm	2007
					25 gm	6993
D 0479	<u>meso-2,3-DIMERCAPTOSUCCINIC ACID</u> puriss 98%+	304-55-2			1 gm	1602
			5 gm	5409	25 gm	24003
D 1910	<u>2,4-DIMETHOXYBENZALDEHYDE</u> 98%	613-45-6	25 gm	2304	100 gm	5607
D 1911	<u>2,5-DIMETHOXYBENZALDEHYDE</u> 99%	93-02-7	25 gm	3006	100 gm	7704
D 1912	<u>4,4'-DIMETHOXY BENZOPHENONE</u> 98%	90-96-0	25 gm	2592	100 gm	8991
D 1915	<u>1,2-DIMETHOXY ETHANE</u> for synthesis 99%	110-71-4	500 ml	2196	5 lt	19809
D 1917	<u>DIMETHOXY METHANE</u> for synthesis 99%	109-87-5	500 ml	999	5 lt	9603
D 1918	<u>DIMETHOXY METHANE</u> puriss 99.7%+	109-87-5			500 ml	1791
D 0754	<u>2,2-DIMETHOXY-2-PHENYLACETOPHENONE</u> , 99%	24650-42-8	50 gm	7605	250 gm	24003
D 1919	<u>2,2'-DIMETHOXY PROPANE</u> for synthesis 98%	77-76-9	500 ml	1206	5 lt	10809
D 1920	<u>2,2'-DIMETHOXY PROPANE</u> puriss 99%	77-76-9	250 ml	1107	500 ml	1864

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 1922	<u>2:5 DIMETHOXY TETRAHYDROFURAN</u> for synthesis	696-59-3	100 gm	4779	250 gm	10899
D 1924	<u>2:4 DIMETHOXY TOLUENE</u> puriss 99%	38064-90-3	1 gm	5508	5 gm	22005
D 1921	<u>4,4'-DIMETHOXY TRITYL CHLORIDE</u> for biochemistry 98%	40615-36-9	5 gm	1809	25 gm	7308
					100 gm	26010
D 1925	☐ <u>N,N-DIMETHYL ACETAMIDE</u> for synthesis 98%	127-19-5	500 ml	594	5 lt	4905
D 1927	<u>N,N-DIMETHYL ACETAMIDE</u> GR 99%+	127-19-5	500 ml	675	5 lt	5202
D 1928	<u>N,N-DIMETHYL ACETAMIDE</u> for HPLC 99%+	127-19-5			500 ml	999
D 1930	<u>N,N-DIMETHYL ACETAMIDE</u> 99.9% GC	127-19-5			500 ml	1089
D 3699	<u>N,N-DIMETHYLACETAMIDE</u> , anhydrous, 99.8%	127-19-5	100 ml	6003	1 lt	10602
D 1935	☐ <u>3,3-DIMETHYL ACRYLIC ACID</u> for synthesis 98%	541-47-9	100 gm	3096	500 gm	12879
D 1932	<u>DIMETHYL ADIPATE</u> 99%	627-93-0			500 ml	2403
D 1940	<u>DIMETHYLAMINE</u> 40% solution for synthesis	124-40-3	500 ml	270	5 lt	1998
D 1942	☐ <u>DIMETHYLAMINE HYDROCHLORIDE</u> for synthesis 98%	506-59-2	100 gm	207	500 gm	495
					5 kg	5508
D 1941	<u>DIMETHYLAMINE HYDROCHLORIDE</u> puriss 99%+	506-59-2			250 gm	1998
D 1943	☐ <u>4-DIMETHYL AMINO ANTIPYRINE</u> for synthesis 99%	58-15-1	25 gm	1593	100 gm	5994
			250 gm	15093	1 kg	49059
D 1945	☐ <u>p-DIMETHYL AMINO BENZALDEHYDE</u> for synthesis 98%	100-10-7	25 gm	396	100 gm	1431
			250 gm	3402	1 kg	12906
D 1947	☐ <u>p-DIMETHYL AMINO BENZALDEHYDE</u> GR 99%+	100-10-7	25 gm	432	100 gm	1593
			250 gm	3609	1 kg	14409
D 1957	☐ <u>p-DIMETHYL AMINO BENZYLIDINE RHODANINE</u> GR 99%+	536-17-4	5 gm	1593	25 gm	6759
D 1967	☒ <u>p-DIMETHYL AMINO CINNAMALDEHYDE</u> GR 99%+	6203-18-5	1 gm	1692	5 gm	2502
			10 gm	4194	25 gm	10935
D 1975	☐ <u>2-DIMETHYL AMINO ETHANOL</u>	108-01-0	500 ml	711	1 lt	1305
	for synthesis 98%				5 lt	6012
D 1977	<u>2-DIMETHYL AMINO ETHANOL</u> puriss 99%+	108-01-0			1 lt	6003
D 1985	☐ <u>2-DIMETHYL AMINOETHYL CHLORIDE</u>	4584-46-7	100 gm	963	250 gm	1395
	<u>HYDROCHLORIDE</u> 98%		500 gm	2592	5 kg	20709
D 2094	<u>3-DIMETHYLAMINO-1-PROPANOL</u> 99%	3179-63-3			100 ml	4392
D 2090	<u>3-DIMETHYLAMINO PROPYLAMINE</u> 98.5%	109-55-7			500 ml	1791
D 1986	☐ <u>3-DIMETHYL AMINOPROPYL CHLORIDE HYDROCHLORIDE</u> 99%	5407-04-5	100 gm	2619	500 gm	12609
D 1990	☒ <u>1-(3-DIMETHYLAMINOPROPYL)-3-ETHYLCARBODIIMIDE</u>	25952-53-8	5 gm	261	25 gm	981
	<u>HYDROCHLORIDE</u> 99%		100 gm	3492	1 kg	30303
D 1995	☐ <u>4-DIMETHYL AMINO PYRIDINE (DMAP)</u> for synthesis 99%	1122-58-3	5 gm	396	25 gm	504
			100 gm	1305	1 kg	8019
D 2005	☐ <u>N,N-DIMETHYL ANILINE</u> for synthesis 98%	121-69-7	500 ml	765	5 lt	7002
D 2007	<u>N,N-DIMETHYL ANILINE</u> GR 99%+	121-69-7	500 ml	945	5 lt	8019
D 2006	<u>DIMETHYL ANTHRANILATE</u>	85-91-6			500 gm	11907
D 2011	<u>DIMETHYL AZO DICARBOXYLATE</u> puriss 90%	2446-84-6	5 gm	POR	25 gm	POR
D 2004	<u>1,3-DIMETHYL BARBITURIC ACID</u> 98%+	769-42-6	25 gm	2403	100 gm	8406
D 2008	<u>5:6 DIMETHYL BENZIMIDAZOLE</u> for synthesis 99%	582-60-5	25 gm	3519	100 gm	9765
D 2009	☐ <u>DIMETHYL BENZYLAMINE</u> for synthesis 98%+	103-83-3	250 ml	2592	1 lt	8604
D 2012	<u>2,2-DIMETHYLBUTYRIC ACID</u> puriss 99%	595-37-9	100 ml	3609	500 ml	16002
D 2013	<u>DIMETHYLCARBAMOYL CHLORIDE</u> 98%	79-44-7			100 gm	4302
D 2010	☐ <u>DIMETHYL CARBONATE</u> for synthesis 99%	616-38-6	500 ml	603	5 lt	5193
D 2015	☐ <u>DIMETHYL DICHLOROSILANE</u> for synthesis 98%	75-78-5	250 ml	2169	1 lt	9405
D 2019	☐ <u>DIMETHYL DISULPHIDE</u> for synthesis 98%	624-92-0	5 ml	3708	25 ml	7992
			100 ml	15903	250 ml	32094

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 0825	<u>DIMETHYL ETHER</u> , ≥99%	115-10-6			100 gm	POR
D 2021	<u>DIMETHYL ETHYL HEXADECYL AMMONIUM BROMIDE</u> for synthesis 99%	124-03-8	10 gm	1494	25 gm	2007
			100 gm	5355	500 gm	12006
D 2036	<u>2,3-DIMETHYL HYDROQUINONE</u> 97%	608-43-5	5 gm	8406	25 gm	24003
D 2025	<u>N,N-DIMETHYL FORMAMIDE</u> for synthesis 99%	68-12-2	500 ml	558	5 lt	4302
D 2027	<u>N,N-DIMETHYL FORMAMIDE</u> GR 99%+	68-12-2	500 ml	612	5 lt	4869
D 2028	<u>N,N-DIMETHYL FORMAMIDE</u> for HPLC 99%+	68-12-2			500 ml	756
D 2029	<u>N,N-DIMETHYL FORMAMIDE</u> (SPECIALLY DRIED) GR	68-12-2			500 ml	756
D 2030	<u>N,N-DIMETHYL FORMAMIDE</u> for molecular biology 99.5%	68-12-2			500 ml	1206
D 2031	<u>N,N-DIMETHYLFORMAMIDE DIMETHYLACETAL</u> puriss 97%	4637-24-5	100 ml	1692	500 ml	5994
D 2302	<u>6,6-DIMETHYL FULVENE</u> 97%	2175-91-9			5 ml	30069
D 2034	<u>DIMETHYL GLYOXIME</u> for industrial use	95-45-4	1 kg	3492	5 kg	15903
D 2035	<u>DIMETHYL GLYOXIME</u> extra pure 99%	95-45-4	100 gm	675	500 gm	2880
					5 kg	26019
D 2037	<u>DIMETHYL GLYOXIME</u> GR 99%+ (organic precipitant for nickel and palladium)	95-45-4	100 gm	810	500 gm	3159
					5 kg	27009
D 2039	<u>DIMETHYL GLYOXIME DISODIUM SALT</u> (octahydrate) GR 99%+	75006-64-3			250 gm	1359
D 2040	<u>N,O-DIMETHYLHYDROXYL AMINE HYDROCHLORIDE</u> puriss 99%	6638-79-5	25 gm	1692	100 gm	6003
D 2041	<u>N,N-DIMETHYL IMIDAZOLIDINONE</u> 99%	80-73-9	100 gm	1881	500 gm	8469
D 2042	<u>DIMETHYL MALONATE</u> 99%	108-59-8			500 ml	1602
D 2045	<u>N,N-DIMETHYL-4-NITROSOANILINE</u> for synthesis 97%	138-89-6			25 gm	1998
D 2060	<u>N,N-DIMETHYL OCTYLAMINE</u> for HPLC	7378-99-6	10 gm	891	50 gm	3969
			250 gm	15039	500 gm	28809
D 2054	<u>2:4 DIMETHYL PHENOL</u> for synthesis 98%	105-67-9	100 ml	1404	250 ml	3006
			500 ml	4869	1 lt	9306
D 2055	<u>2,3 DIMETHYL PHENOL</u> for synthesis 98%	526-75-0			100 gm	9306
D 2056	<u>2,5 DIMETHYL PHENOL</u> for synthesis 98%	95-87-4			100 gm	3006
D 2058	<u>2,6 DIMETHYL PHENOL</u> for synthesis 98%	576-26-1	100 gm	2880	500 gm	9603
D 2059	<u>3,4 DIMETHYL PHENOL</u> for synthesis 98%	95-65-8			100 gm	5904
D 2061	<u>3,5 DIMETHYL PHENOL</u> for synthesis 98%	108-68-9			100 gm	4905
D 2067	<u>N,N-DIMETHYL-p- PHENYLENE DIAMINE DIHYDROCHLORIDE</u> GR 99.5%	536-46-9	10 gm	1692	25 gm	3096
					100 gm	11907
D 2068	<u>N,N-DIMETHYL p-PHENYLENE DIAMINE OXALATE</u> for synthesis 99%	62778-12-5	5 gm	2007	10 gm	4005
			25 gm	6003	100 gm	22005
D 2069	<u>N,N-DIMETHYL p-PHENYLENE DIAMINE SULPHATE</u> GR 99%	536-47-0	5 gm	1701	10 gm	2709
			25 gm	4608	100 gm	13302
D 2071	<u>DIMETHYL PHTHALATE</u> for synthesis 99%	131-11-3	500 ml	405	5 lt	3402
D 2072	<u>DIMETHYL PHTHALATE</u> puriss 99%+	131-11-3			1 lt	8604
D 2083	<u>DIMETHYL POLYSILOXANE</u> viscosity 5 cSt	9016-00-6	100 gm	5607	500 gm	15003
D 2076	<u>DIMETHYL POLYSILOXANE</u> viscosity 10 cSt	9016-00-6	100 gm	3006	500 gm	11709
D 2077	<u>DIMETHYL POLYSILOXANE</u> viscosity, 20 cSt	9016-00-6	100 gm	2304	500 gm	12402
D 2070	<u>DIMETHYL POLYSILOXANE</u> viscosity, 50 cSt	9016-00-6	100 gm	3789	500 gm	13059
D 2078	<u>DIMETHYL POLYSILOXANE</u> viscosity 200 cSt	9016-00-6	100 gm	4302	500 gm	12402
D 2075	<u>DIMETHYL POLYSILOXANE</u> viscosity 350 cSt	9016-00-6	100 gm	1296	500 gm	5607
D 2079	<u>DIMETHYL POLYSILOXANE</u> viscosity 500 cSt	9016-00-6	100 gm	3204	500 gm	13905
D 2080	<u>DIMETHYL POLYSILOXANE</u> viscosity 1,000 cSt	9016-00-6	100 gm	3303	500 gm	9396
D 2084	<u>DIMETHYL POLYSILOXANE</u> viscosity 3,400 cSt	9016-00-6	100 gm	1864	500 gm	6399
D 2081	<u>DIMETHYL POLYSILOXANE</u> viscosity 60,000 cSt	9016-00-6	100 gm	POR	500 gm	POR
D 2085	<u>DIMETHYL POPOP</u> scintillation grade 99%+	3073-87-8	5 gm	6993	25 gm	30609

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 2091	<u>2,2-DIMETHYL-1,3-PROPANEDIOL</u> for synthesis 98%	126-30-7	500 gm	513	1 kg	999
D 6517	<u>N,N-DIMETHYL-6-PROPIONYL-2-NAPHTHYLAMINE</u> , 98%	70504-01-7	25 mg	10305	100 mg	31203
D 2092	<u>DIMETHYL PROPYLENE UREA (DMPU)</u> puriss 98%	7226-23-5	100 gm	3996	500 gm	13059
D 2093	<u>DIMETHYL SUCCINATE</u> for synthesis 98%	106-65-0			500 ml	1539
D 2095	<u>DIMETHYL SULPHATE</u> for synthesis 98%	77-78-1			500 ml	441
D 2101	<u>DIMETHYL SULPHIDE</u> puriss 99%	75-18-3	500 ml	2205	1 lt	3690
D 2102	<u>DIMETHYL SULPHONE</u> puriss 98%	67-71-0	100 gm	603	250 gm	774
			1 kg	2709	5 kg	12006
D 2105	<u>DIMETHYL SULPHOXIDE</u> for synthesis 98%	67-68-5	500 ml	1692	5 lt	13005
D 2107	<u>DIMETHYL SULPHOXIDE GR 99%+</u>	67-68-5	500 ml	1782	5 lt	13509
D 2109	<u>DIMETHYL SULPHOXIDE</u> for HPLC 99%+	67-68-5			500 ml	1971
D 2110	<u>DIMETHYL SULPHOXIDE</u> for SPECTROSCOPY 99%+	67-68-5			500 ml	1971
D 2111	<u>DIMETHYL SULPHOXIDE</u> for molecular biology 99%+	67-68-5	100 ml	1080	500 ml	3690
D 2112	<u>DIMETHYL SULPHOXIDE D6</u> 99.9 atom % D, contains 1 % (v/v) TMS	2206-27-1			25 gm	11709
D 2113	<u>N,N DIMETHYL THIOUREA</u> 98.5%	534-13-4	5 gm	2106	100 gm	4068
D 2115	<u>N,N-DIMETHYL-p-TOLUIDINE</u> for synthesis 98%	99-97-8			500 ml	5679
D 2125	<u>N,N-DIMETHYL UREA</u> for synthesis 98%	96-31-1	500 gm	540	5 kg	4689
D 2135	<u>DIMETHYL YELLOW</u> INDICATOR	60-11-7	25 gm	198	100 gm	486
					1 kg	4329
D 2145	<u>DIMIDIUM BROMIDE</u> 99%	518-67-2	100 mg	351	500 mg	1593
	(fluorescent probe for nucleic acids)		1 gm	2709	5 gm	12069
D 2146	<u>DIMIDIUM BROMIDE DISULPHINE BLUE</u> indicator solution	-----			100 ml	2907
D 2155	<u>2,4-DINITRO ANILINE</u> for synthesis 98%	97-02-9	250 gm	1089	1 kg	3519
D 2163	<u>1,2-DINITRO BENZENE</u> 97%	528-29-0	1 gm	4806	5 gm	15003
D 2164	<u>m-DINITRO BENZENE</u> pract for synthesis	99-65-0	500 gm	1359	5 kg	11079
D 2165	<u>m-DINITRO BENZENE</u> for synthesis 98%	99-65-0	250 gm	792	500 gm	1485
D 2167	<u>m-DINITRO BENZENE GR 99%+</u>	99-65-0	25 gm	198	100 gm	693
D 2175	<u>1-4 DINITRO BENZENE</u> for synthesis	100-25-4	5 gm	4869	25 gm	16902
D 2185	<u>3,5 DINITRO BENZOIC ACID</u> for synthesis 99%	99-34-3	100 gm	639	500 gm	2979
					5 kg	26919
D 2187	<u>3,5 DINITRO BENZOIC ACID GR 99%+</u>	99-34-3	25 gm	297	100 gm	891
	reagent for determination of creatinine				500 gm	3186
D 2190	<u>3:5 DINITRO BENZOYL CHLORIDE</u> for synthesis 98%	99-33-2	25 gm	3996	100 gm	14904
D 2195	<u>2,4-DINITRO PHENOL</u> indicator GR 99%+	51-28-5	25 gm	189	100 gm	792
D 2205	<u>2,4-DINITRO PHENYL HYDRAZINE</u> for synthesis 98%	119-26-6	25 gm	189	100 gm	639
					500 gm	2979
D 2207	<u>2,4-DINITRO PHENYL HYDRAZINE GR 99%</u>	119-26-6	25 gm	252	100 gm	738
	(reagent for aldehyde and ketones)				500 gm	3186
D 2215	<u>3,5-DINITRO SALICYLIC ACID</u> for synthesis 98%	609-99-4	25 gm	558	100 gm	2088
			250 gm	3969	500 gm	7506
D 2217	<u>3,5-DINITRO SALICYLIC ACID GR 99%+</u>	609-99-4	25 gm	693	100 gm	2439
			250 gm	4905	500 gm	8919
D 5744	<u>DIOCTYLAMINE</u> , 98%	1120-48-5	25 gm	2709	100 gm	9909
D 2220	<u>DIOCTYL PHTHALATE</u> for synthesis 98%	117-81-7	500 ml	585	5 lt	5229
D 2222	<u>DIOCTYL SEBACATE</u> ≥95%	122-62-3	500 ml	1089	5 lt	9009
D 2225	<u>DIOCTYL SODIUM SULPHO SUCCINATE</u> 98%	577-11-7	500 gm	1503	5 kg	13005
D 2226	<u>DIOCTYL SODIUM SULPHO SUCCINATE</u> puriss 98%+	577-11-7	100 gm	3501	500 gm	9063
D 2227 *	<u>DIOGENIN</u> 90%+	512-04-9	1 gm	1602	5 gm	2709
			25 gm	11601	100 gm	31509

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 2228 ✱	<u>DIOSMETIN</u> 97%+	520-34-3	10 mg	8019	100 mg	24003
			500 mg	56502	1 gm	98001
D 2229 ✱	<u>DIOSMIN</u> pure	520-27-4	5 gm	3204	25 gm	8109
D 2234	<u>1,4-DIOXANE</u> anhydrous, 99.8%	123-91-1	100 ml	5904	250 ml	11007
					1 lt	12006
D 2235 ☐	<u>1,4-DIOXANE</u> for synthesis 98%	123-91-1	500 ml	720	5 lt	5607
D 2237	<u>1,4-DIOXAN</u> GR 99%+	123-91-1	500 ml	783	5 lt	6102
D 2239	<u>1,4-DIOXAN</u> for HPLC 99%+	123-91-1			500 ml	1206
D 2238	<u>1,4-DIOXAN</u> for spectroscopy 99%+	123-91-1			500 ml	1206
D 2236	<u>1,4-DIOXAN</u> scintillation grade 99%+	123-91-1			500 ml	1206
D 2243 ☐	<u>1,3-DIOXOLANE</u> for synthesis 97%+	646-06-0	500 ml	1089	5 lt	8406
D 2241 ☐	<u>1,3-DIOXOLANE</u> puriss 98%	646-06-0	500 ml	1242	5 lt	8892
D 2242	<u>DIPENTENE</u> for synthesis	138-86-3	500 ml	1791	1 lt	2709
D 2245	<u>DIPHENOL PURPLE</u> for synthesis	- - - -	5 gm	4608	25 gm	19908
D 2255 ☐	<u>DIPHENYL ACETIC ACID</u> for synthesis 99%	117-34-0	25 gm	495	100 gm	1593
					500 gm	6003
D 2260	<u>1,3-DIPHENYLACETONE</u> puriss 98%	102-04-5			100 gm	5904
D 2265 ☐	<u>DIPHENYL ACETONITRILE</u> for synthesis 98%	86-29-3	100 gm	891	500 gm	3609
D 2275 ☐	<u>DIPHENYLAMINE</u> for synthesis 98%	122-39-4	250 gm	693	500 gm	990
					5 kg	8919
D 2277	<u>DIPHENYLAMINE</u> GR 99%+	122-39-4	100 gm	351	500 gm	1188
D 2287 ☐	<u>N,N'-DIPHENYL BENZIDINE</u> GR 99%	531-91-9	1 gm	801	5 gm	2574
			10 gm	4302	25 gm	10062
D 2305 ☐	<u>DIPHENYL CARBAZIDE</u> 98%	140-22-7	10 gm	837	25 gm	1485
					100 gm	4491
D 2307 ☐	<u>DIPHENYL CARBAZIDE</u> GR 98%+	140-22-7	10 gm	990	25 gm	1989
	(reagent for chromium)				100 gm	6903
D 2317 ☐	<u>DIPHENYL CARBAZONE</u> GR	538-62-5	5 gm	612	25 gm	2488
	(sensitivity to mercury 1:100000)				100 gm	9009
D 2320 ☐	<u>DIPHENYL CARBONATE</u> for synthesis 99%	102-09-0	100 gm	900	250 gm	2007
			500 gm	3141	5 kg	28008
D 2295 ☐	<u>DIPHENYL CARBINOL</u> for synthesis 99%	91-01-0	100 gm	459	500 gm	1764
D 2325a	<u>DIPHENYL DISELENIDE</u> for synthesis 98%	1666-13-3	5 gm	1602	25 gm	6003
D 2325 ☐	<u>DIPHENYL ETHER</u> for synthesis 98%	101-84-8	500 ml	837	5 lt	7893
D 2327	<u>DIPHENYL ETHER</u> puriss 99%+	101-84-8			1 lt	7605
D 2330	<u>DIPHENYL GLYOXIME</u> GR 99%	23873-81-6	25 gm	4230	100 gm	15903
D 2331	<u>DIPHENYL GUANIDINE</u> 98% for synthesis	102-06-7	100 gm	1206	250 gm	2403
					500 gm	3195
D 2335	<u>5,5-DIPHENYL HYDANTOIN</u> for synthesis 98%	57-41-0	100 gm	2808	500 gm	13005
D 2340 ☐	<u>DIPHENYL METHANE</u> for synthesis	101-81-5	250 ml	639	500 ml	1206
D 2342 ☐	<u>2,2-DIPHENYL-1-PICRYLHYDRAZYL</u> (DPPH) 98%	1898-66-4	250 mg	4806	500 mg	7479
			1 gm	8208	5 gm	32049
D 2341 ☐	<u>DIPHENYL THIOUREA</u> for synthesis 98%	102-08-9	100 gm	1305	500 gm	4959
D 2345	<u>DIPHOSPHORIC ACID</u> for synthesis 98%	2466-09-3	100 gm	5805	500 gm	28809
D 2347	<u>2,6-DIPICOLINIC ACID</u> puriss 99%	499-83-2	50 gm	1431	250 gm	4995
D 2348	<u>DIPICRYLAMINE</u> for synthesis	131-73-7	1 gm	39609	5 gm	160929
D 2352 ☐	<u>DIPROPYLENE GLYCOL</u> 99%	25265-71-8			500 ml	2169
D 2350	<u>DI-n-PROPYLAMINE</u> for synthesis 99%	142-84-7	250 ml	1692	500 ml	2979
D 2351 ☐	<u>DISULPHINE BLUE</u> puriss	129-17-9	25 gm	1629	100 gm	6516

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 2355 * ☐	<u>5,5-DITHIO BIS (2-NITRO BENZOIC ACID)</u> extra pure (Ellman's reagent) 99%	69-78-3	1 gm 10 gm	990 6210	5 gm 25 gm	3249 14103
D 2356 *	<u>2,2-DITHIO BIS-(5-NITROPYRIDINE)</u> 96%	2127-10-8			1 gm	4005
D 2361	<u>DITHIO DIGLYCOLLIC ACID</u> for synthesis 98%	505-73-7	10 gm	9891	25 gm	19819
D 2365 * ☐	<u>DITHIOERYTHRITOL</u> (DTE) (Cleland's reagent) 99%	6892-68-8	1 gm	1602	5 gm 25 gm	8307 36099
D 2377 ☐	<u>DITHIOXAMIDE</u> GR 99%+	79-40-3	1 gm 10 gm	1125 7407	5 gm 25 gm	4059 15705
D 2384 * ☐	<u>DITHIOTHREITOL</u> (DTT) (Cleland's reagent) extra pure 98%+	3483-12-3	1 gm 10 gm	540 3402	5 gm 25 gm	1944 8307
D 2385 * ☐	<u>DITHIOTHREITOL</u> (DTT) (Cleland's reagent) for molecular biology 99%	3483-12-3	1 gm 25 gm	639 9603	5 gm 100 gm	2079 38007
D 2382	<u>DL-DITHIOTHREITOL</u> 0.1M solution	3483-12-3			10 ml	1989
D 2383	<u>DL-DITHIOTHREITOL</u> 1M solution	3483-12-3			10 ml	3609
D 2386	<u>DITHIOZONE</u> 85%	60-10-6	5 gm	828	25 gm	3591
D 2397 ☐	<u>DITHIOZONE</u> GR 99%+ (reagent for lead & mercury)	60-10-6	5 gm	990	10 gm 25 gm	1692 4203
D 2400 ☐	<u>DI-P-TOLUOYL-D-TARATARIC ACID</u> puriss 98%	32634-68-7	5 gm	396	25 gm	1494
D 2401 ☐	<u>DI-P-TOLUOYL-L-TARATARIC ACID</u> puriss 98%	32634-66-5	5 gm	396	25 gm	1494
D 0124	<u>DI-VINYL BENZENE</u> 80%	1321-74-0			250 ml	12069
D 2402	<u>DOCETAXEL</u> 97%+	114977-28-5	5 mg	14004	25 mg	47079
D 2405	<u>n-DOCOSANE</u> for synthesis 99%	629-97-0	25 gm	3159	100 gm	11709
D 2415 ☐	<u>n-DODECANE</u> for synthesis 99%	112-40-3	100 ml 500 ml	1161 4329	250 ml 5 lt	2502 37008
D 2418 ☐	<u>DODECANE SULPHONIC ACID SODIUM SALT</u> for HPLC 99%+	2386-53-0	5 gm	1089	25 gm	1692
D 2420 ☐	<u>1-DODECANE THIOL</u> for synthesis 98%	112-55-0	250 ml	1791	500 ml	1989
D 0714	<u>DODECANOYL CHLORIDE</u> 97.5%	112-16-3	100 gm	3996	500 gm	18909
D 2421	<u>tert-DODECYL MERCAPTAN</u> for synthesis 97%	25103-58-6			500 ml	1602
D 2425 ☐	<u>1-DODECANOL</u> for synthesis 98%	112-53-8	500 ml	639	5 lt	5859
D 2426	<u>1-DODECANOL</u> puriss 99%+	112-53-8			1 lt	6849
D 2431 ☐	<u>DODECENYL SUCCINIC ANHYDRIDE</u> for synthesis	26544-38-7	250 gm	3519	500 gm	6309
D 2435a ☐	<u>DODECYLAMINE</u> for synthesis 98%	124-22-1	100 ml 500 ml	657 2979	250 ml 5 lt	1593 26019
D 2433	<u>DODECYL BENZENE</u> for synthesis	123-01-3	25 ml	16029	100 ml	50409
D 2434 ☐	<u>DODECYL BENZENE SULPHONIC ACID SODIUM SALT</u> purified	25155-30-0	500 gm	1287	1 kg 5 kg	2304 10602
D 2435 *	<u>DODECYL BENZENE SULPHONIC ACID METHYL ESTER</u> for surfactant tests	- - - -			5 ml	77409
D 2430 *	<u>n-DODECYL β-D-MALTOSE</u> 98%	69227-93-6	500 mg	13059	1 gm	18909
D 2436	<u>DODECYL PYRIDINIUM CHLORIDE</u> for synthesis 98%	207234-02-4	25 gm	5409	100 gm	8604
D 0156	<u>2-(DODECYLTHIOCARBONOTHIOYLTHIO)-2-METHYL PROPIONIC ACID</u> , 98% (HPLC)	461642-78-4	1 gm	10602	5 gm	35469
D 2422	<u>1-DODECYL TRIMETHYL AMMONIUM BROMIDE</u> 98%	1119-94-4	100 gm	1206	500 gm	4005
D 2423 ☐	<u>1-DODECYL TRIMETHYL AMMONIUM BROMIDE</u> puriss 99%	1119-94-4	25 gm	1395	100 gm	4491
D 2440	<u>DOMIPHEN BROMIDE</u> 97%	538-71-6	25 gm	4203	100 gm	11601
D 2445	<u>DL-DOPA</u> for biochemistry 99%	63-84-3	1 gm 25 gm	306 3339	5 gm 100 gm	729 8451
D 2446	<u>L-DOPA</u> for biochemistry 99%	59-92-7			1 gm	387

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
D 2450	<u>DOPAMINE HYDROCHLORIDE</u> puriss 99%	62-31-7	5 gm 1 gm	873 297	25 gm 5 gm	3996 999
D 9111 ✱	<u>DORSOMORPHIN</u> 98%+	866405-64-3	5 mg	18909	25 mg	75006
D 9487 ✱	<u>DOTA</u> , ≥97%	60239-18-1	100 mg	6939	1 gm	24003
D 0925 ✱	<u>DOTA-JR11</u> , 95%	-----	250 µg	126099	5 gm	96003
D 2451	<u>DOW CORNING 550 H-T-L-V SILICONE FLUID</u>	-----			1 mg	460899
D 2452	<u>DOW CORNING SILICONE ANTIFOAM</u>	-----			500 gm	19008
D 2455	<u>COWEX 50X8 (Na) 20-50 mesh</u> Standard grade	69011-19-4			500 gm	9909
D 2458	<u>COWEX 50WX2 200-400 mesh</u>	69011-19-4	100 gm	3699	500 gm	3996
D 2459	<u>COWEX 2X4 20-50 MESH</u>	69011-19-4	100 gm	3996	454 gm	15903
D 7175 ✱	<u>DOXORUBICIN HYDROCHLORIDE</u> , 98.0-102.0% (End user certificate required)	25316-40-9	1 mg	4491	454 gm	16902
D 7156 ✱	<u>DOXORUBICIN HYDROCHLORIDE</u> suitable for fluorescence 98% (End user certificate required)	25316-40-9	10 mg	27009	10 mg	27909
D 2601	<u>DPD No.1</u> tablets (determination of bromine, chlorine, chlorine dioxide and ozone)	-----	100 tab	3996	50 mg	79029
D 2606	<u>DPD No.1</u> tablets high Calcium (determination of bromine, chlorine and ozone)	-----	100 tab	3609	50 mg	89190
D 2602	<u>DPD No.3</u> tablets (determination of chlorine and ozone)	-----	100 tab	3402	10x100 tab	35019
D 2603	<u>DPD No.4</u> tablets (determination of chlorine)	-----	100 tab	3708	10x100 tab	32004
D 2465 ☐	<u>D.P.X. MOUNTANT</u> for microscopy	130-12-2	250 ml	441	500 ml	30069
D 2470	<u>DRABKIN'S</u> solution	-----	500 ml	207	500 ml	33093
D 2471	<u>DRAGENDROFF'S</u> reagent	-----	125 ml	1557	5 lt	846
D 2475 ☐	<u>DULCITOL</u> for microbiology 99%	608-66-2	25 gm	837	10x125 ml	6003
D 5469	<u>DYSPROSIUM</u> foil 99.99%, 0.25mm thick	7429-91-6	25x25 mm	32049	100 gm	3069
D 5670	<u>DYSPROSIUM</u> foil, 99.99%, 0.50mm thick	7429-91-6	25x25 mm	39069	50x50 mm	67509
D 2476	<u>DYSPROSIUM ingot 99.9%</u>	7429-91-6			50x50 mm	76059
D 2472	<u>DYSPROSIUM(III) ACETATE</u> tetrahydrate 99.9%	15280-55-4	25 gm	5904	25 gm	16902
D 2477 ☐	<u>DYSPROSIUM(III) ACETATE</u> tetrahydrate 99.99%	15280-55-4	10 gm	7101	100 gm	18504
D 2479 ☐	<u>DYSPROSIUM(III) BROMIDE</u> puriss 99.99%	14456-48-5	1 gm	9603	50 gm	24606
D 2478 ✱	<u>DYSPROSIUM CARBONATE</u> GR 99%+	38245-35-1	5 gm	1908	5 gm	47079
D 2484 ✱	<u>DYSPROSIUM CHLORIDE</u> GR 99.99%	10025-74-8			25 gm	6705
D 2481 ☐	<u>DYSPROSIUM(III) FLUORIDE</u> anhydrous 99.9%	13569-80-7	5 gm 10 gm	20709 5607	1 gm	6939
D 2686	<u>DYSPROSIUM(III) FLUORIDE</u> 99.98%	13569-80-7	10 gm	14004	25 gm	93006
D 2482 ☐	<u>DYSPROSIUM(III) IODIDE</u> puriss 99.99%	15474-63-2	1 gm	19089	25 gm	9702
D 2681	<u>DYSPROSIUM NITRATE</u> 99.9%	10031-49-9	25 gm	5229	25 gm	9702
D 2480 ✱	<u>DYSPROSIUM NITRATE</u> GR 99.99%	10031-49-9	5 gm	3393	5 gm	9702
D 2487 ☐	<u>DYSPROSIUM(III) OXALATE</u> decahydrate 99.9%	24670-07-3	25 gm	3393	5 gm	9702
D 2486	<u>DYSPROSIUM OXIDE</u> 99%	1308-87-8	5 gm	1107	5 gm	9702
D 2485 ☐	<u>DYSPROSIUM OXIDE</u> GR 99.9%	1308-87-8	5 gm	1384	5 gm	9702
D 0669	<u>DYSPROSIUM(III) OXIDE</u> , 99.99%	1308-87-8	5 gm	3006	5 gm	9702
D 2488 ☐	<u>DYSPROSIUM(III) 2,4-PENTANEDIONATE</u> 99.9%	14637-88-8	5 gm	14004	5 gm	9702
D 2490 ✱	<u>DYSPROSIUM SULPHATE</u> GR 99.99%	14373-91-2	5 gm	14049	5 gm	9702
D 2500 ☐	<u>DYSPROSIUM(III) TITANIUM OXIDE</u> 99% (metals basis)	68993-46-4	10 gm	18099	5 gm	9702
D 2505 ☐	<u>DYSPROSIUM(III) TRIFLUOROMETHANESULPHONATE</u> 98%	139177-62-1	5 gm	9603	5 gm	9702

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
E 1214	<u>EGG ALBUMIN</u> powder	9006-59-1	100 gm	594	500 gm	2295
E 1215	<u>EGG ALBUMINE</u> flakes	9006-59-1	100 gm	1602	500 gm	6705
E 1209	<u>EGTA</u> 0.5M sterile (pH 8.0)	-----			100 ml	4392
E 1210	<u>E.G.T.A.</u> GR 99% for complexometry (Ethylene glycol-bis(2-aminoethylether)-N,N,N',N'-tetraacetic acid)	67-42-5	10 gm 100 gm	2709 19809	25 gm 500 gm	5301 POR
E 1202	<u>EHRlich's A</u> Reagent (For Diazo-Reaction For Determination Of Bilirubin In Serum & Urine)	-----			250 ml	396
E 1201	<u>EHRlich's B</u> Reagent (For Diazo-Reaction For Determination Of Bilirubin In Serum & Urine)	-----			250 ml	396
E 1211	<u>EHLRICH'S</u> reagent	-----	125 ml	153	500 ml	495
E 1225 *	<u>n-EICOSANE</u> for synthesis 97%	112-95-8	25 gm	2493	100 gm	8991
E 1227	<u>1-EICOSANE BROMIDE</u> 98%	4276-49-7			25 gm	10341
E 1228	<u>1-EICOSANOL</u> 97%	629-96-9	5 gm	2790	100 gm	27099
E 0086 *	<u>ELAIDIC ACID</u> ≥99%	112-79-8	1 gm	6309	5 gm	20709
					25 gm	96093
E 1226 *	<u>ELLAGIC ACID</u> technical grade	476-66-4	5 gm	2709	10 gm	4995
			25 gm	10602	100 gm	37908
E 1229 *	<u>ELLAGIC ACID</u> 95%+	476-66-4	1 gm	1359	5 gm	3879
			10 gm	7407	25 gm	14103
E 1231 *	<u>EMODIN</u> 95%	518-82-1	100 mg	8001	500 mg	12069
			1 gm	14049	5 gm	60039
E 1230	<u>EMULSIFYING WAX</u> for synthesis	97069-99-0	500 gm	1107	1 kg	2169
E 1234	<u>EOSIN BA</u>	-----	1 gm	9981	5 gm	39006
E 1235	<u>EOSINE BLUE</u> for microscopy (C.I. No. 45400)	548-24-3	25 gm	684	100 gm	2592
			500 gm	11601	1 kg	21006
E 1245	<u>EOSINE YELLOW SPIRIT SOLUBLE</u> (C.I.45386) for microscopy	17372-87-1	25 gm	585	100 gm	1890
			500 gm	8505	1 kg	15093
E 1255	<u>EOSINE YELLOW WATER SOLUBLE</u> (C.I.45380) for microscopy	17372-87-1	25 gm	369	100 gm	1035
			500 gm	4491	1 kg	8604
E 1256	<u>EOSINE</u> staining solution	17372-87-1	100 ml	153	500 ml	684
E 1257	<u>R(-)EPICHLOROHYDRINE</u> puriss 99%	51594-55-9	5 gm	6291	25 gm	14409
E 1258	<u>S(+)EPICHLOROHYDRINE</u> puriss 99%	67843-74-7	5 gm	7407	25 gm	22059
E 1260	<u>EPICHLOROHYDRIN</u> for synthesis 99%	106-89-8	500 ml	648	5 lt	5220
E 1267	<u>EPICHLOROHYDRIN</u> GR 99%+	106-89-8	500 ml	720	5 lt	5769
E 1265	<u>EPSILON BLUE</u> indicator	84540-31-8	1 gm	13905	5 gm	69003
E 1268	<u>ERBIUM</u> pieces 99.9%	7440-52-0	1 gm	2304	10 gm	12032
					50 gm	47099
E 1119	<u>ERBIUM(III) ACETATE</u> , tetrahydrate, 99%	15280-57-6	25 gm	6804	100 gm	23094
E 1120	<u>ERBIUM(III) ACETATE</u> tetrahydrate 99.9%	15280-57-6	5 gm	2790	25 gm	10809
					100 gm	32409
E 1125	<u>ERBIUM(III) BROMIDE</u> nonahydrate 99.99%	29843-93-4	5 gm	POR	25 gm	POR
E 1130	<u>ERBIUM(III) BROMIDE</u> puriss 99.99%	13536-73-7	1 gm	POR	5 gm	POR
E 1135	<u>ERBIUM(III) CARBONATE</u> hydrate 99.99%	22992-83-2	1 gm	2079	5 gm	9603
E 1138	<u>ERBIUM(III) CHLORIDE</u> [hydrate] 99.9%	19423-85-9	25 gm	8703	100 gm	27702
E 1140	<u>ERBIUM(III) CHLORIDE</u> hydrate 99.99%	19423-85-9	5 gm	4608	25 gm	16407
					100 gm	39609
E 1145	<u>ERBIUM(III) CHLORIDE</u> puriss 99.9%	10138-41-7	5 gm	5607	25 gm	17901
E 1146	<u>ERBIUM(III) CHLORIDE</u> 99.98%	10138-41-7			5 gm	19701
E 1136	<u>ERBIUM(III) CHLORIDE</u> hexahydrate, 99.99%	10025-75-9			5 gm	3096
			25 gm	12492	100 gm	29907
E 1149	<u>ERBIUM(III) FLUORIDE</u> anhydrous 99.9%	13760-83-3	10 gm	13905	50 gm	59094

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
E 1155	☐ <u>ERBIUM(III) FLUORIDE</u> anhydrous 99.99%	13760-83-3	10 gm	16902	50 gm	67059
E 1160	☐ <u>ERBIUM FLUORIDE OXIDE</u> , 99.99%	13825-13-3	5 gm	15849	10 gm	26091
E 1161	<u>ERBIUM(III) IODIDE</u> 90%	13813-42-8	2 gm	16902	10 gm	45009
E 1165	☐ <u>ERBIUM(III) IODIDE</u> puriss 99.9%	13813-42-8	1 gm	26019	5 gm	108999
E 1171	<u>ERBIUM(III) IODIDE</u> 99.99%	13813-42-8			10 gm	56709
E 1170	☐ <u>ERBIUM(III) ISOPROPOXIDE</u>	14814-07-4	1 gm	26199	5 gm	76005
E 1182	<u>ERBIUM(III) NITRATE</u> , hexahydrate, 99.99%	13476-05-6			5 gm	2979
			25 gm	7479	100 gm	27099
E 1181	<u>ERBIUM(III) NITRATE</u> pentahydrate 99.9%	10031-51-3	5 gm	3609	25 gm	12204
					100 gm	25209
E 1180	☐ <u>ERBIUM(III) NITRATE</u> pentahydrate 99.99%	10031-51-3	1 gm	4005	5 gm	6507
			25 gm	18909	100 gm	49905
E 1183	<u>ERBIUM(III) OXALATE</u> decahydrate 99.9%	30618-31-6	5 gm	4806	25 gm	13905
E 1185	☐ <u>ERBIUM(III) OXALATE</u> decahydrate 99.99%	30618-31-6	10 gm	10602	50 gm	49059
E 1272	<u>ERBIUM OXIDE</u> 99%	12061-16-4	10 gm	5004	50 gm	13005
E 1269	☐ <u>ERBIUM OXIDE</u> 99.5%	12061-16-4	10 gm	5607	50 gm	14004
E 1271	☐ <u>ERBIUM OXIDE</u> 99.9%	12061-16-4	25 gm	7209	100 gm	21609
			500 gm	56709	1 kg	96039
E 1270	☐ <u>ERBIUM OXIDE GR</u> 99.99%	12061-16-4	1 gm	1503	5 gm	2979
			10 gm	5004	25 gm	7479
					100 gm	29079
E 1195	☐ <u>ERBIUM(III) PHOSPHATE</u> hydrate 99.9%	14242-01-4	5 gm	13905	10 gm	24093
E 1200	☐ <u>ERBIUM(III) SULPHATE</u> hydrate 99.9%	10031-52-4	5 gm	4959	10 gm	9603
E 1276	☐ <u>ERIOCHROME BLACK T</u> indicator (C.I.No.14645)	1787-61-7	25 gm	369	100 gm	990
			500 gm	3609	1 kg	6489
E 1277	☐ <u>ERIOCHROME BLACK T GR</u> indicator (C.I.No.14645)	1787-61-7	25 gm	441	100 gm	1188
			500 gm	4509	1 kg	8604
E 1300	<u>ERIOCHROME BLUE BLACK B</u> metal indicator C. I. No. 14640	3564-14-5	5 gm	306	25 gm	846
E 1297	☐ <u>ERIOCHROME CYANINE R GR</u> (C.I.No.43820) reagent for aluminium	3564-18-9	10 gm	756	25 gm	1764
			100 gm	6705	500 gm	33093
E 1305	<u>ERIOGLAUCINE</u> (redox indicator) (C.I.No. 42090)	3844-45-9	10 gm	594	25 gm	1296
E 1306	<u>ERIOGLAUCINE A</u>	2650-18-2	5 gm	1296	25 gm	3159
E 1308	<u>ERYTHRITOL</u> for biochemistry	149-32-6	5 gm	405	25 gm	693
E 1310	☐ <u>ERYTHROMYCIN</u> for biochemistry	114-07-8	1 gm	351	5 gm	1539
E 1315	☐ <u>ERYTHROSINE B</u> for microscopy (C.I.No.45430)	15905-32-5	25 gm	891	100 gm	3393
					500 gm	15903
E 1320	<u>ESBACH'S</u> reagent	- - - -	125 ml	126	(10x125 ml)	1089
E 1327	<u>ESCHKA'S MIXTURE GR</u> for determination of sulfur in coal	8007-09-8	250 gm	13905	(4x250 gm)	45909
E 1324	<u>ESTRIOL</u> 97%	50-27-1	100 mg	5904	500 mg	7209
			1 gm	11601	5 gm	POR
E 1328	<u>ESTRONE</u> for biochemistry	53-16-7	1 gm	4104	5 gm	15903
E 1331	<u>ETHANE-1,2-DISULPHONIC ACID DISODIUM SALT</u> (anhydrous) for HPLC 99%	5325-43-9	5 gm	1692	25 gm	7749
E 1329	<u>ETHANE DITHIOL</u> for synthesis 99%	540-63-6	25 ml	3069	100 ml	7056
E 1330	☐ <u>ETHANE SULPHONIC ACID SODIUM SALT GR</u> for HPLC 99%	5324-47-0	1 gm	2007	5 gm	5895
E 1337	<u>ETHANOL GR</u> 99.8% (LAB REAGENT)	64-17-5	500 ml	2007	(20x500) ml	38079
E 1338	<u>ETHANOL</u> for HPLC 99.8%	64-17-5	500 ml	5607	1 lt	10809
E 1345	<u>ETHANOLAMINE</u> (mono) for synthesis 99%	141-43-5	500 ml	567	5 lt	5103
E 1347	<u>ETHANOLAMINE</u> (mono) GR 99%+	141-43-5	500 ml	630	5 lt	5687

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
E 1350	<u>ETHANOLAMINE HYDROCHLORIDE</u> for synthesis 99%	2002-24-6	500 gm	1791	5 kg	15903
E 1355	<u>ETHIDIUM BROMIDE</u> for biochemistry 99% GR	1239-45-8	100 mg	180	250 mg	396
			1 gm	535	5 gm	2304
			25 gm	8469	100 gm	30609
E 1354	<u>ETHIDIUM BROMIDE</u> , for molecular biology, 99%	1239-45-8	1 gm	531	5 gm	2565
E 1356	<u>ETHIDIUM BROMIDE</u> Solution~1% in Water	1239-45-8	10 ml	801	50 ml	1791
E 3676	<u>ETHIDIUM BROMIDE MONOAZIDE</u> , ≥95% (HPLC)	58880-05-0			5 mg	86409
E 1357	<u>ETHIDIUM CHLORIDE</u> GR 98%+	602-52-8	1 gm	4869	5 gm	19809
E 1360	<u>2-ETHOXY ACETOPHENONE</u> for synthesis 98%	2142-67-8	10 gm	4104	25 gm	9603
E 1365	<u>p-ETHOXY ACETOPHENONE</u> for synthesis 99%	1676-63-7			5 gm	1989
			25 gm	4554	100 gm	14608
E 1364	<u>p-ETHOXY BENZALDEHYDE</u> for synthesis 98%	10031-82-0			100 gm	6804
E 1366	<u>p-ETHOXY BENZOIC ACID</u> for synthesis 99%	619-86-3	10 gm	738	100 gm	6093
E 1368	<u>p-ETHOXY CHRYSOIDINE HYDROCHLORIDE</u> 98%+	2313-87-3	1 gm	4392	5 gm	21609
E 1369	<u>2-ETHOXY ETHANOL</u> for synthesis 99%	110-80-5	500 ml	513	5 lt	3879
E 1367	<u>2-ETHOXY ETHANOL</u> GR 99%+	110-80-5	500 ml	585	5 lt	4095
E 1370	<u>2-ETHOXY ETHYL ACETATE</u> for synthesis 99%	111-15-9	500 ml	441	5 lt	3204
E 1371	<u>2-ETHOXY ETHYL ACETATE</u> puriss 99%	111-15-9			1 lt	2797
E 1374	<u>2-ETHOXY PHENOL</u> for synthesis 98%	94-71-3			100 ml	1791
			250 ml	4491	500 ml	8469
E 2648	<u>ETHYL ACETATE</u> (anhydrous) 99.8%	141-78-6	100 ml	3549	1 lt	3807
E 1380	<u>ETHYL ACETATE</u> for synthesis 99%	141-78-6	500 ml	441	5 lt	2709
E 1377	<u>ETHYL ACETATE</u> puriss GR 99%+	141-78-6	500 ml	504	5 lt	3303
E 1378	<u>ETHYL ACETATE</u> for spectroscopy 99%+	141-78-6			500 ml	693
E 1379	<u>ETHYL ACETATE</u> for HPLC 99%+	141-78-6			500 ml	693
E 1375	<u>ETHYL ACETO ACETATE</u> for synthesis 98%	141-97-9	500 ml	1287	5 lt	9108
E 1376	<u>ETHYL ACETO ACETATE</u> puriss GR 99%+	141-97-9			1 lt	5103
E 1386	<u>ETHYL ACRYLATE</u> for synthesis 99%	140-88-5			500 ml	891
E 1373	<u>ETHYLAL</u> 99%	462-95-3			500 ml	1602
E 1382	<u>ETHYLAMINE</u> 70% solution for synthesis	75-04-7	500 ml	531	5 lt	4806
E 1388	<u>2-(ETHYLAMINO) ETHANOL</u> for synthesis 97%	110-73-6	250 ml	1107	1 lt	3609
E 1389	<u>ETHYL 4-AMINOBENZOATE</u> 98%+	94-09-7	250 gm	3789	1 kg	10908
E 1385a	<u>ETHYL ANTHRANILATE</u> for synthesis	87-25-2			25 ml	3069
E 1391	<u>3-ETHYL ANILINE</u> 97%	587-02-0	10 ml	7506	50 ml	19080
E 1392	<u>4-ETHYL ANILINE</u> 98%	589-16-2	100 ml	6219	500 ml	28809
E 1384	<u>n-ETHYL ANILINE</u> for synthesis 98%	103-69-5	500 ml	765	5 lt	6201
E 1387	<u>ETHYL BENZENE</u> for synthesis 99%	100-41-4	500 ml	891	5 lt	8109
E 1383	<u>ETHYL BENZOATE</u> for synthesis 98%	93-89-0	500 ml	936	5 lt	8703
E 1381	<u>ETHYL BENZOYL ACETATE</u> for synthesis	94-02-0			100 gm	3609
E 1385	<u>ETHYL BROMIDE</u> for synthesis 99%	74-96-4			500 ml	1593
E 1390	<u>ETHYL BROMO ACETATE</u> for synthesis 96%	105-36-2	100 gm	1206	250 gm	2799
					500 gm	4806
E 1393	<u>ETHYL 3-BROMO BENZOATE</u> for synthesis 98%	24398-88-7	25 gm	8604	100 gm	31059
E 1394	<u>ETHYL 4-BROMO BENZOATE</u> for synthesis 98%	5798-75-4	25 gm	4005	100 gm	12069
E 1395	<u>ETHYL-2-BROMO PROPIONATE</u> for synthesis 98%	535-11-5	100 gm	1602	500 gm	5904
E 1397	<u>ETHYL-3-BROMO PROPIONATE</u> for synthesis 98%	539-74-2			100 gm	7191
E 1410	<u>2-ETHYL-1-BUTENE</u> puriss 95%+	760-21-4	10 ml	5679	50 ml	27099
E 1398	<u>ETHYL BUTYRATE</u> for synthesis	105-54-4			500 gm	3294
E 1400	<u>ETHYL CAPROATE</u> for synthesis	123-66-0			500 ml	3789

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
E 1399	<u>ETHYL CAPRYLATE</u> for synthesis	106-32-1			500 gm	3591
E 1401	<u>ETHYL CARBAZATE</u> 98%	4114-31-2	25 gm	990	100 gm	2700
E 1415	<u>ETHYL CELLULOSE</u> (18-22 CPS)	9004-57-3	250 gm	3807	500 gm	6759
E 1416	<u>ETHYL CELLULOSE</u> low viscosity (7 CPS)	9004-57-3			500 gm	7083
E 1425	<u>ETHYL CHLORO ACETATE</u> for synthesis 98%	105-39-5	500 ml	1287	5 lt	11709
E 1430	<u>ETHYL 4-CHLORO ACETO ACETATE</u> for synthesis 98%	638-07-3	100 gm	1962	500 gm	8919
E 1433	<u>ETHYL CHLORO FORMATE</u> puriss 99%+	541-41-3	100 ml	2799	1 lt	19899
E 1435	<u>ETHYL-2-CHLORO PROPIONATE</u> for synthesis 95%	535-13-7			100 ml	8604
E 1445	<u>ETHYL CINNAMATE</u> for synthesis	103-36-6	500 ml	5859	5 lt	48069
E 1455	<u>ETHYL CYANO ACETATE</u> for synthesis 98%	105-56-6	500 ml	1089	5 lt	9036
E 1457	<u>ETHYL CYCLOHEXANE</u> 99%	1678-91-7			500 ml	1989
E 1456	<u>ETHYL DECANOATE</u> for synthesis 98%+	110-38-3	500 ml	12609	1 kg	21006
E 1451	<u>1-ETHYL-3-3 DIMETHYL AMINO PROPYLCARBODIMIDE</u>	1892-57-5	5 gm	261	25 gm	990
	<u>HYDROCHLORIDE</u> for synthesis 99%		100 gm	3492	1 kg	33039
E 0118	<u>N-ETHYL-N'-(3-DIMETHYLAMINOPROPYL)</u>	25952-53-8	100 mg	1701	1 gm	2403
	<u>CARBODIIMIDE HYDROCHLORIDE</u> , 99%+		5 gm	3708	25 gm	14049
					100 gm	48069
E 1465	<u>ETHYLENE DIAMINE</u> for synthesis 99%	107-15-3	500 ml	693	5 lt	5409
E 1467	<u>ETHYLENE DIAMINE</u> GR 99%+	107-15-3	500 ml	1305	5 lt	POR
E 1475	<u>ETHYLENE DIAMINE DIACETATE</u> for synthesis 98%	38734-69-9			5 gm	7902
E 1476	<u>ETHYLENE DIAMINE DIHYDROCHLORIDE</u> 99%	333-18-6	100 gm	792	500 gm	3249
E 1478	<u>ETHYLENE DIAMINE SULPHATE</u> for synthesis 99%	22029-36-3	100 gm	7992	250 gm	18099
E 1479	<u>E.D.T.A.</u> solution N/50 for volumetric solution	60-00-4			500 ml	216
E 1485	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	60-00-4	100 gm	351	500 gm	1143
	for synthesis 99%				5 kg	10206
E 1487	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u> GR 99%+	60-00-4	100 gm	423	500 gm	1386
	for complexometry				5 kg	11007
E 1488	<u>EDTA CALCIUM DISODIUM SALT</u> for synthesis 97%	62-33-9	500 gm	1449	5 kg	11502
E 1488a	<u>EDTA CALCIUM SALT</u> for synthesis 98%	8014-93-5	500 gm	1494	5 kg	12609
E 1489	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	25102-12-9	100 gm	324	500 gm	1386
	<u>DIPOTASSIUM SALT</u> GR 99%+				5 kg	11007
E 1495	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	6381-92-6	100 gm	450	500 gm	1890
	<u>DISODIUM SALT</u> 99%				5 kg	11079
E 1497	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	6381-92-6	100 gm	540	500 gm	2088
	<u>DISODIUM SALT</u> GR 99%+				5 kg	12906
E 1506	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	6381-92-6	100 gm	1287	500 gm	2394
	<u>DISODIUM SALT</u> dihydrate, for molecular biology, 99%					
E 1505	<u>ETHYLENE DIAMINE TETRA ACETIC ACID FERRIC</u>	15708-41-5	100 gm	333	250 gm	792
	<u>SODIUM SALT</u> for synthesis 98%				500 gm	1386
E 1508	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	14402-88-1	500 gm	1089	5 kg	8991
	<u>MAGNESIUM DISODIUM SALT</u> 98.5%					
E 1520	<u>ETHYLENE DIAMINE TETRA ACETIC ACID TRI</u>	65501-24-8	250 gm	891	1 kg	2592
	<u>POTASSIUM SALT</u> (dihydrate) 99% Reagent for complexometry					
E 1507	<u>ETHYLENE DIAMINE TETRA ACETIC ACID</u>	12312-36-6	500 gm	1089	5 kg	8919
	<u>MAGNESIUM SALT</u> for synthesis 97%					
E 1525	<u>ETHYLENE DIAMINE TETRA ACETIC</u>	12312-36-6	100 gm	1206	500 gm	4869
	<u>ACID MAGNESIUM SALT</u> GR 98%					
E 1515	<u>ETHYLENE DIAMINE TETRA ACETIC</u>	64-02-8	100 gm	450	500 gm	1791

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	ACID TETRA SODIUM SALT 98%				5 kg	14004
E 1545	☐ ETHYLENE GLYCOL for synthesis 99%	107-21-1	500 ml	513	5 lt	3492
E 1547	ETHYLENE GLYCOL puriss GR 99%+	107-21-1	500 ml	585	5 lt	3906
E 1541	ETHYLENE GLYCOL MONOBUTYL ETHER ACETATE	112-07-2	500 ml	567	1 lt	1044
	98%+				5 lt	4401
E 1544	☐ ETHYLENE GLYCOL mono-STEARATE for synthesis	111-60-4	500 gm	1791	5 kg	15093
E 1527	3,4-ETHYLENEDIOXYTHIOPHENE 97%	126213-50-1	5 gm	3096	10 gm	6003
					25 gm	7479
E 1546	ETHYLENE UREA for synthesis 96%+	120-93-4	25 gm	1890	250 gm	6003
					500 gm	9279
E 1666	ETHYLENE-VINYL ACETATE pellets [Poly(ethylene-co-vinyl acetate)]	24937-78-8	250 gm	7002	500 g	12609
E 1548	ETHYL EOSIN for microscopy (C.I.No. 45386)	21514-87-4	5 gm	4896	10 gm	7605
E 1550	ETHYLENE THIOUREA for synthesis 97%+	96-45-7	100 gm	1791	500 gm	5508
E 1553	ETHYL FORMATE for synthesis 98%	109-94-4	500 ml	963	5 lt	8649
E 1554	ETHYL HEPTANOATE for synthesis	106-30-9			500 gm	3402
E 1555	☐ 2-ETHYL HEXANOIC ACID for synthesis 99%	149-57-5	500 ml	585	5 lt	4806
E 1556	☐ 2-ETHYL HEXANOIC ACID puriss 99%+	149-57-5			1 lt	6219
E 1565	☐ 2-ETHYL-1-HEXANOL for synthesis 99%	104-76-7	500 ml	567	5 lt	4293
E 1568	2-ETHYL HEXYL ACETATE puriss 99%	103-09-3			500 ml	1188
E 1575	☐ 2-ETHYL HEXYL ACRYLATE for synthesis 99%	103-11-7	500 ml	531	5 lt	4401
E 1577	2-ETHYL HEXYL ACRYLATE GR 99%+	103-11-7			1 lt	7902
E 8111	☐ 2-ETHYLHEXYL BROMIDE 97%	18908-66-2	25 ml	1692	100 ml	2790
					500 ml	8181
E 1578	2-ETHYLHEXYL METHACRYLATE for synthesis (stabilized) 98%	688-84-6	250 ml	1359	1 lt	4302
E 1579 *	ETHYL HYDROCUPREINE HYDROCHLORIDE	3413-58-9	100 mg	4509	1 gm	28089
E 1006	ETHYL 3-HYDROXY BENZOATE 99%	7781-98-8	25 gm	1989	100 gm	7902
E 1580	☐ ETHYL p-HYDROXY BENZOATE for synthesis 99%	120-47-8	500 gm	1953	5 kg	17019
E 0184	☐ ETHYL 4-HYDROXYBENZOATE SODIUM SALT , 99%	35285-68-8			500 gm	2619
E 1595	☐ ETHYL IODIDE for synthesis 99%	75-03-6	100 ml	4095	250 ml	8559
E 1596	ETHYL iso-BUTYRATE for synthesis	97-62-1			500 gm	3969
E 1598	ETHYL iso-VALERATE for synthesis	108-64-5			500 gm	6903
E 1602	☐ ETHYL LACTATE for synthesis 99%	97-64-3	250 ml	1242	500 ml	2304
			1 lt	4266	5 lt	18819
E 1600	ETHYLMAGNESIUM BROMIDE solution 1.0 M in THF	925-90-6	100 ml	5049	500 ml	24039
E 1601	ETHYLMAGNESIUM CHLORIDE solution 2.0 M in THF	2386-64-3	100 ml	5409	500 ml	20709
E 1603 *	n-ETHYL MALEIMIDE for synthesis 98%	128-53-0			1 gm	1305
			5 gm	1980	25 gm	7929
E 1605	☐ ETHYL METHANE SULPHONATE 98%	62-50-0	5 gm	603	10 gm	774
	(plant mutagen)		100 gm	6498	500 gm	POR
E 1604	☐ N-ETHYLMETHYLAMINE 99%	624-78-2	5 gm	7695	25 gm	29007
E 1606	ETHYLMETHYL FORMAMIDE pure	28860-25-5	25 gm	POR	100 gm	POR
E 1607	☐ 1-ETHYL 2-METHYL INDOLE 97%	40876-94-6			25 gm	31203
E 1615	ETHYL METHYL KETONE for synthesis 99% (End user certificate required)	78-93-3	500 ml	792	5 lt	6201
E 1617	ETHYL METHYL KETONE GR 99%+ (End user certificate required)	78-93-3	500 ml	891	5 lt	6903
E 1619	ETHYL METHYL KETONE for HPLC 99.7% (End user certificate required)	78-93-3			500 ml	891
EI-0015	1-ETHYL-1-METHYLPYRROLIDINIUM BROMIDE , 99%	69227-51-6	5 gm	2295	25 gm	8775
					50 gm	11304
E 1618	☐ n-ETHYL MORPHOLINE for synthesis 98%	100-74-3	250 ml	1503	1 lt	5904
E 1625	☐ ETHYL OLEATE for synthesis 99%	111-62-6	500 ml	1044	5 lt	8919

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
E 1630	<u>ETHYL ORANGE SODIUM SALT</u>	62758-12-7			10 gm	3519
E 1635	<u>ETHYL PHENYL ACETATE</u> for synthesis	101-97-3	500 ml	2763	5 lt	21069
E 1640	<u>n-ETHYL PIPERAZINE</u> for synthesis 99%	5308-25-8	250 ml	1593	1 lt	5499
E 1641	<u>ETHYL PIPERAZINE-1-CARBOXYLATE</u> 99%	120-43-4			25 gm	2055
E 1645	<u>ETHYL PROPIONATE</u> for synthesis	105-37-3	500 ml	1908	5 lt	16092
E 1650	<u>ETHYL PYRUVATE</u> for synthesis 97%	617-35-6	25 gm	963	100 gm	2979
					500 gm	13509
E 1655	<u>ETHYL SALICYLATE</u> for synthesis	118-61-6	500 ml	2619	5 lt	20106
E 1661	<u>ETHYL SILICATE</u> for synthesis	78-10-4	500 ml	1449	5 lt	11592
E 0146	<u>ETHYL 1,1,2,2-TETRAFLUOROETHYL ETHER</u> 97%	512-51-6	5 gm	3996	25 gm	15903
E 1662	<u>ETHYL TRI FLUORO ACETATE</u> 99%	383-63-1	100 gm	900	500 gm	4401
E 1663	<u>ETHYL TRIPHENYL PHOSPHONIUM BROMIDE</u> for synthesis 99%	1530-32-1	25 gm	396	100 gm	1134
E 1665	<u>ETHYL VANILIN</u> for synthesis 99%	121-32-4	100 gm	1287	500 gm	6003
E 1667	<u>ETHYL VIOLET</u> C. I. No. 42600 for microscopy	2390-59-2	5 gm	459	5 gm	873
E 1670	<u>EUCALYPTUS OIL</u> for synthesis	84625-32-1			250 ml	1944
E 1677	<u>EUCALYPTUS OIL</u> , 70-75%	84625-32-1	1 kg	7992	10 kg	69705
E 1678	<u>EUCALYPTUS OIL</u> , 80-85%	84625-32-1	1 kg	7803	10 kg	39906
E 1669	<u>UDRAGIT E-100</u>	24938-16-7	25 gm	3996	100 gm	9603
					250 gm	15903
E 1668	<u>UDRAGIT EPO</u>	24938-16-7	25 gm	3492	100 gm	8793
					250 gm	15003
E 1671	<u>UDRAGIT L-100</u> for synthesis	25086-15-1	25 gm	2205	100 gm	4095
			250 gm	7992	500 gm	15003
E 1672	<u>UDRAGIT S-100</u> for synthesis	25086-15-1	25 gm	2205	100 gm	4095
			250 gm	7992	500 gm	15003
E 1673	<u>UDRAGIT RL-100</u> for synthesis	3343-24-1	25 gm	2205	100 gm	4599
			250 gm	8991	500 gm	17919
E 1674	<u>UDRAGIT RS-100</u> for synthesis	3343-24-1	25 gm	2619	100 gm	5679
			250 gm	9603	500 gm	16002
E 1675	<u>EUGENOL</u> extra pure 99%	97-53-0	100 gm	1386	500 gm	6489
E 1676	<u>EUGENOL ACETATE</u> for synthesis	93-28-7	100 gm	2169	500 gm	6003
E 1685	<u>EUPAROL</u> for microscopy	- - - - -			100 gm	756
E 1690	<u>EUROPIUM</u> ingot 99.9%	7440-53-1	1 gm	25209	5 gm	113049
E 1706	<u>EUROPIUM(III) ACETATE</u> hydrate 99.9%	62667-64-5	5 gm	13095	25 gm	47079
E 1707	<u>EUROPIUM(III) ACETATE</u> hydrate 99.99%	62667-64-5	1 gm	3402	5 gm	13005
E 1710	<u>EUROPIUM(III) ACETATE</u> hydrate 99.999%	62667-64-5	1 gm	3807	10 gm	26703
E 1715	<u>EUROPIUM(III) BROMIDE</u> 99.99% (metals basis)	13780-48-8	1 gm	11079	5 gm	39906
E 1725	<u>EUROPIUM(III) CARBONATE</u> hydrate 99.99%	86546-99-8	1 gm	4149	5 gm	16902
E 1735	<u>EUROPIUM(III) CHLORIDE</u> puriss, 99.99%	10025-76-0	1 gm	8208	5 gm	23139
E 1734	<u>EUROPIUM(III) CHLORIDE</u> hexahydrate, 99.9%	13759-92-7	5 gm	14409	25 gm	40059
E 1733	<u>EUROPIUM(III) CHLORIDE</u> hexahydrate, 99.99%	13759-92-7	1 gm	5508	5 gm	16209
					25 gm	49005
E 1741	<u>EUROPIUM(III) FLUORIDE</u> anhydrous 99.5%	13765-25-8	1 gm	3204	5 gm	15408
E 1742	<u>EUROPIUM(III) FLUORIDE</u> anhydrous 99.9%	13765-25-8	1 gm	4959	10 gm	20907
E 1745	<u>EUROPIUM(III) FLUORIDE</u> anhydrous 99.98%	13765-25-8			1 gm	3969
			5 gm	13509	25 gm	50904
E 0616	<u>EUROPIUM(III) IODIDE</u> , 99.999%	22015-35-6			5 gm	39069
E 6125	<u>EUROPIUM(III) NITRATE</u> pentahydrate, 99.9%	63026-01-7			1 gm	8406
			10 gm	43209	50 gm	111771

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
E 1750	<u>EUROPIUM(III) NITRATE</u> hexahydrate 99.9%	10031-53-5	1 gm	3006	5 gm	4905
			10 gm	15003	50 gm	60507
E 1731	<u>EUROPIUM(III) NITRATE</u> hexahydrate, 99.99%	10031-53-5	1 gm	4005	5 gm	5859
					25 gm	16929
E 1755	<u>EUROPIUM(III) NITRATE</u> hydrate 99.99%	100587-95-9	500 mg	6003	1 gm	9603
			5 gm	13032	25 gm	51201
E 1760	<u>EUROPIUM(III) OXALATE</u> hydrate, 99.9%	152864-32-9	1 gm	4689	5 gm	23004
E 1693	<u>EUROPIUM OXIDE</u> 99%	1308-96-9	1 gm	1179	5 gm	4005
					25 gm	16029
E 1695	<u>EUROPIUM OXIDE</u> 99.9%	1308-96-9	1 gm	1395	5 gm	4959
			25 gm	22059	100 gm	76059
E 1694	<u>EUROPIUM OXIDE</u> 99.99%	1308-96-9	1 gm	3807	5 gm	13905
			25 gm	44001	100 gm	135095
E 0161	<u>EUROPIUM OXIDE</u> , 99.996%	1308-96-9	1 gm	3906	5 gm	10206
					25 gm	47709
E 1696	<u>EUROPIUM OXIDE</u> 99.999%	1308-96-9	1 gm	7605	5 gm	16902
E 1765	<u>EUROPIUM(III) 2,4-PENTANEDIONATE</u> hydrate, 99.9%	181266-82-0	1 gm	15903	5 gm	49905
E 1776	<u>EUROPIUM(III) SULPHATE</u> octahydrate 99.9%	10031-55-7	1 gm	4905	10 gm	44091
E 1775	<u>EUROPIUM(III) SULPHATE</u> octahydrate 99.99%	10031-55-7	5 gm	26910	10 gm	48069
E 1705	<u>EVANS BLUE</u> for microscopy (C.I. 23860)	314-13-6	5 gm	270	25 gm	1089
E 1800 *	<u>EVEROLIMUS</u> for biochemistry 90%	159351-69-6	10 mg	11709	25 mg	24003
E 5409 *	<u>EVODIAMINE</u> , 98%	518-17-2			100 mg	7002
			250 mg	12807	1 gm	49599
F 1210 *	<u>FARNESOL</u> 95%	4602-84-0			10 ml	5391
F 1213	<u>FAST BLACK K SALT</u>	64071-86-9	1 gm	8406	5 gm	30609
F 1215	<u>FAST BLUE B SALT</u> (C.I. No. 37235) for microbiology	14263-94-6	25 gm	819	100 gm	3042
			500 gm	13509	1 kg	POR
F 1225	<u>FAST BLUE BB SALT</u> (C.I.No. 37175) for microbiology	5486-84-0	5 gm	8991	25 gm	28089
F 1226	<u>FAST BLUE RR SALT</u> (C.I. 37155)	14726-29-5	1 gm	4329	5 gm	20502
F 1235	<u>FAST GARNET GBC SALT</u> purified (C.I. 37210)	101-89-3	10 gm	234	25 gm	432
F 1245	<u>FAST GREEN</u> for microscopy (C.I.42000)	- - - - -	25 gm	135	100 gm	315
F 1248	<u>FAST GREEN FCF</u> for microscopy (C.I. 53171)	2353-45-9	5 gm	540	25 gm	1989
			100 gm	6507	500 gm	30195
F 1249	<u>FAST RED E</u> (C.I.No. 16045)	2302-96-7			10 gm	7605
F 1255	<u>FAST SULPHONE BLACK F</u> (C.I. No. 26990)	3682-47-1	10 gm	405	25 gm	936
					100 gm	3006
F 1266	<u>FAST VIOLET B salt</u> for microscopy (C.I.No. 37165)	14726-28-4	1 gm	30609	5 gm	96003
F 1270	<u>FAT RED 7B</u> (C.I.No. 26050)	6368-72-5			10 gm	6759
F 1271	<u>FEHLING'S SOLUTION A</u>	- - - - -	500 ml	405	5 lt	3609
F 1272	<u>FEHLING'S SOLUTION B</u>	- - - - -	500 ml	594	5 lt	5310
F 1276	<u>FENNEL OIL</u> FCC,	8006-84-6	250 gm	5607	1 kg	20709
F 1281	<u>FENUGREEK ABSOLUTE</u> , natural	84625-40-1	100 gm	5004	1 kg	29079
					5 kg	180999
F 1273	<u>FERRIC ACETATE</u>	10450-55-2	100 gm	1395	500 gm	6399
F 1275	<u>FERRIC ACETYL ACETONATE</u> for synthesis 98%	14024-18-1	100 gm	2241	500 gm	8496
F 1279	<u>FERRIC AMMONIUM OXALATE</u>	14221-47-7			500 gm	2169
F 1280	<u>FERRIC BORATE</u>	20452-97-6	100 gm	999	500 gm	4302
F 1290	<u>FERRIC CARBONATE</u>	- - - - -			500 gm	1809
F 1295	<u>FERRIC CHLORIDE</u> anhydrous 98%	7705-08-0	500 gm	216	5 kg	1692

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
F 1297	<u>FERRIC CHLORIDE</u> GR anhydrous 99%+	7705-08-0	500 gm	360	5 kg	2790
F 0934	<u>FERRIC CHLORIDE</u> anhydrous, powder ≥99.99% trace metals basis	7705-08-0	1 gm	11268	5 gm	38907
F 1305	<u>FERRIC CHLORIDE</u> (hexahydrate) 99%	10025-77-1	500 gm	315	5 kg	2808
F 1307	<u>FERRIC CHLORIDE</u> (hexahydrate) GR 99%+	10025-77-1	500 gm	396	5 kg	3051
F 1315	<u>FERRIC CITRATE</u> 98%	17217-76-4	500 gm	1593	5 kg	12609
F 1320	<u>FERRIC HYDROXIDE POLYMALTOSE</u> complex	- - - - -	500 gm	3006	2.5 kg	10602
F 1325	<u>FERRIC NITRATE</u> extra pure 98%	7782-61-8	500 gm	288	5 kg	2304
F 1327	<u>FERRIC NITRATE</u> GR 98%+	7782-61-8	500 gm	684	5 kg	6102
F 1328	<u>FERRIC NITRATE</u> ≥98%	7782-61-8	100 gm	3006	500 gm	7605
F 1330	<u>FERRIC OXALATE</u>	15321-61-6			500 gm	2007
F 1333	<u>FERRIC OXIDE</u> black	1309-37-1	500 gm	387	5 kg	2979
F 1335	<u>FERRIC OXIDE</u> red 98%	1309-37-1	500 gm	396	5 kg	3006
F 1338	<u>FERRIC OXIDE</u> red 99%	1309-37-1	25 gm	2304	500 gm	3006
					2.5 kg	8991
F 1333a	<u>FERRIC OXIDE</u> red 99.999%	1309-37-1	5 gm	5319	25 gm	13059
F 1339	<u>FERRIC PERCHLORATE</u> GR (End user certificate required)	13537-24-1			100 gm	13905
F 1340	<u>FERRIC (ORTHO)PHOSPHATE</u>	10045-86-0	500 gm	1188	5 kg	9504
F 1345	<u>FERRIC PYROPHOSPHATE</u>	10058-44-3	500 gm	1890	5 kg	16902
F 1356	<u>FERRIC SULPHATE</u> exsiccated	15244-10-7	500 gm	432	5 kg	3609
F 1357	<u>FERRIC SULPHATE</u> GR	15244-10-7	500 gm	630	5 kg	5607
F 1358	<u>FERRIC SULPHATE</u> pentahydrate 97%	142906-29-4	100 gm	7209	500 gm	36009
F 1359	<u>FERRIC TARTRATE</u>	2944-68-5	100 gm	1692	500 gm	8001
F 1360	<u>FERROCENE</u> for synthesis 98%	102-54-5	25 gm	603	100 gm	1242
			500 gm	5004	1 kg	6561
F 1367	<u>FERROIN SOLUTION</u> GR (redox indicator)	14634-91-4	25 ml	306	100 ml	882
					500 ml	4095
F 1368	<u>FERRON</u> GR 99%+	547-91-1	5 gm	3204	25 gm	15093
F 1370	<u>FERROUS AMMONIATE</u>	- - - - -			500 gm	POR
F 1372	<u>FERROUS CARBONATE</u>	563-71-3	500 gm	1998	5 kg	16902
F 1375	<u>FERROUS CHLORIDE</u> (hydrate) extra pure 99%	13478-10-9	500 gm	738	5 kg	6093
F 1377	<u>FERROUS CHLORIDE</u> (hydrate) GR 99%+	13478-10-9	250 gm	909	1 kg	3186
F 0162	<u>FERROUS FLUORIDE</u> , 98%	7789-28-8			10 gm	6219
F 1378	<u>FERROUS FUMARATE</u> for synthesis	141-01-5	500 gm	693	5 kg	5679
F 1379	<u>FERROUS GLUCONATE</u> for synthesis	299-29-6	500 gm	1899	5 kg	16902
F 1380	<u>FERROUS GLYCINE SULPHATE</u> for synthesis	17169-60-7	500 gm	864	5 kg	6921
F 1381	<u>FERROUS OXALATE</u>	516-03-0	500 gm	1692	5 kg	14904
F 0414	<u>FERROUS OXIDE</u> 99.5%	1345-25-1	5 gm	10809	25 gm	22779
F 1382	<u>FERROUS PHOSPHATE</u>	10028-23-6	500 gm	1404	5 kg	11799
F 1385	<u>FERROUS SULPHATE</u> (heptahydrate) extra pure 99%	7782-63-0	500 gm	270	5 kg	1287
F 1387	<u>FERROUS SULPHATE</u> (heptahydrate) GR 99%+	7782-63-0	500 gm	342	5 kg	3006
F 1386	<u>FERROUS SULPHATE</u> extra pure exsiccated (dried) (monohydrate)	13463-43-9	500 gm	189	5 kg	1692
F 1395	<u>FERROUS SULPHIDE</u> fused stick	1317-37-9	1 kg	693	5 kg	3006
F 1405	<u>FERULIC ACID</u> for synthesis 98%	537-98-4	5 gm	783	10 gm	1404
			25 gm	2286	100 gm	8091
F 0423	<u>FETAL BOVINE SERUM</u> (Heat inactivated)	- - - - -	100 ml	26091	500 ml	76509
F 1268	<u>FETAL CALF SERUM</u> for biochemistry	- - - - -	100 ml	10602	500 ml	49905
F 1404	<u>FIELD'S STAIN A</u> solution for microscopy	- - - - -	125 ml	153	500 ml	423
F 1409	<u>FIELD'S STAIN B</u> solution for microscopy	- - - - -	125 ml	153	500 ml	423
F 1406	<u>FIELD'S STAIN A</u> for microscopy	- - - - -	5 gm	108	25 gm	225

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
F 1407	<u>FIELD'S STAIN B</u> for microscopy	-----	5 gm	108	1 kg 25 gm	5769 225
F 1408	<u>FILTER AID</u> powder	99439-28-8	500 gm	315	1 kg 5 kg	5769 2808
F 1400 *	<u>FIREFLY LANTERN EXTRACT</u> for ATP determination	-----			50 mg	70902
F 1401 *	<u>FISETIN</u> puriss 98%+	345909-34-4	100 mg	3006	500 mg	6003
			1 gm	6939	5 gm	12069
F 1414 *	<u>FLAVIN</u> mononucleotide 73-79%	130-40-5	5 gm	7002	10 gm	8604
F 1424	<u>CLORISIL</u> , 30-60 mesh	1343-88-0	100 gm	1692	250 gm	3105
F 1425	<u>CLORISIL</u> , 60-100 mesh for column-chromatography	1343-88-0	100 gm	2466	500 gm	11079
F 1410 ☐	<u>FLUORENE</u> for synthesis 95%	86-73-7	100 gm	2691	250 gm	5679
			500 gm	8091	1 kg	15903
F 1413 *	<u>9-FLUORENE METHANOL</u> 99%	24324-17-2	10 gm	1494	50 gm	6597
F 1411 ☐	<u>9-FLUORENONE</u> for synthesis 99%	486-25-9	100 gm	1602	250 gm	2592
			500 gm	4806	1 kg	8793
F 1412 *	<u>9-FLUORENONE 2-CARBOXYLIC ACID</u>	784-50-9	1 gm	2106	5 gm	6705
F 1415 ☐	<u>FLUORESCINE</u> (C.I. 45350) indicator	2321-07-5	25 gm	315	100 gm	891
			500 gm	4302	1 kg	6939
F 1417 ☐	<u>FLUOROSCIENCE DIACETATE</u> puriss	596-09-8	5 gm	5103	25 gm	18009
F 1416 ☐	<u>FLUORESCINE SODIUM</u> (C.I. 45350) indicator	518-47-8	25 gm	288	100 gm	945
			500 gm	3996	1 kg	7839
F 1418 *	<u>FLUORESCIN ISO-THIOCYANATE</u> (10%) on celite extra pure for biochemistry	3326-32-7	25 mg	2169	100 mg	4041
			250 gm	8919	1 gm	27909
F 1419 *	<u>FLUORESCIN ISOTHIOCYANATE ISOMER I</u> suitable for protein labeling, ≥90% (HPLC), powder	3326-32-7	50 mg	3546	100 mg	4302
			250 mg	7803	1 gm	29007
F 0481 *	<u>FLUORESCIN 5(6)-ISOTHIOCYANATE</u> mixture of 2 components, ≥90% (HPLC)	27072-45-3	100 mg	4302	1 gm	22707
F 4788	<u>FLUORESCIN MERCURIC ACETATE</u>	3570-80-7	100 mg	7992	1 gm	56007
F 1435 ☐	<u>FLUOBORIC ACID</u> 40% for synthesis	16872-11-0	500 gm	792	5 kg	6939
F 5110	<u>FLUCONAZOLE</u> 98%	86386-73-4	1 gm	1629	5 gm	4608
					25 gm	22509
F 5111	<u>FLUCONAZOLE</u> 99%	86386-73-4	100 mg	3996	500 mg	6939
			1 gm	10602	5 gm	30609
F 1436	<u>FLUOSILICIC ACID</u> for synthesis	16961-83-4	500 ml	792	5 lt	7209
F 1445 ☐	<u>4-FLUORO ACETOPHENONE</u> for synthesis 98%	403-42-9	25 gm	1242	100 gm	4005
					500 gm	16902
F 1444 ☐	<u>2-FLUORO ANILINE</u> for synthesis 98%	348-54-9	100 ml	1602	500 ml	5139
F 1447 ☐	<u>3-FLUORO ANILINE</u> 99%	372-19-0	25 gm	5391	100 gm	16902
F 1446 ☐	<u>4-FLUORO ANILINE</u> for synthesis 98%	371-40-4	100 ml	1089	500 ml	5319
F 1448 ☐	<u>4-FLUORO BENZALDEHYDE</u> for synthesis 98%	459-57-4	100 gm	1998	500 gm	6894
F 1455 ☐	<u>FLUORO BENZENE</u> for synthesis 99%	462-06-6			500 ml	3069
F 1460 ☐	<u>2-FLUORO BENZOIC ACID</u> for synthesis 99%	445-29-4	100 gm	2403	500 gm	6975
F 1462 ☐	<u>4-FLUORO BENZOIC ACID</u> puriss 99%	456-22-4	100 gm	1494	500 gm	5904
F 1458 ☐	<u>o-FLUORO BENZONITRILE</u> 99%	394-47-8	10 gm	2601	100 gm	16029
F 1459 ☐	<u>p-FLUORO BENZONITRILE</u> 99%	1194-02-1	5 gm	1197	25 gm	2979
					100 gm	9405
F 1465	<u>4-FLUORO BENZOPHENONE</u> puriss 99%	345-83-5	25 gm	2403	100 gm	6705
					500 gm	30609
F 1471 ☐	<u>p-FLUORO BROMO BENZENE</u> 97%+	460-00-4	100 gm	2205	500 gm	9603

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
F 1476 ☐	<u>2-FLUORO-4-BROMO PYRIDINE</u> 97%	128071-98-7	1 gm	4779	5 gm	6894
F 1464 *	<u>5-FLUORO CYTOSINE</u> for biochemistry 99%	2022-85-7	250 mg	603	1 gm	909
			5 gm	2619	25 gm	11692
F 1467	<u>1-FLUORO-2-4-DINITRO BENZENE</u> GR 99%+	70-34-8	25 gm	1269	50 gm	1809
			100 gm	2997	250 gm	7479
F 1468	<u>2-FLUORO-5-NITRO ANILINE</u> for synthesis 98%+	369-36-8	25 gm	3708	100 gm	12708
F 1472 ☐	<u>1-FLUORO-2-NITRO BENZENE</u> 98%	1493-27-2	100 gm	2709	250 gm	5004
F 1469	<u>1-FLUORO-4-NITRO BENZENE</u> for synthesis 98%	350-46-9	100 ml	1746	500 ml	5949
F 1466 ☐	<u>2-FLUORO PHENOL</u> 98%	367-12-4	25 gm	4005	100 gm	11079
F 1468a	<u>4-FLUORO PHENOL</u> puriss GR 99%	371-41-5	25 gm	1602	100 gm	6003
F 1470	<u>4-FLUORO PHENYL ACETIC ACID</u> for synthesis 98%	405-50-5	5 gm	1062	25 gm	3969
F 1474 ☐	<u>1-(4-FLUOROPHENYL) PIPERAZINE</u> 98%	2252-63-3			10 gm	POR
F 1477 ☐	<u>2-FLUORO PYRIDINE</u> 98%	372-48-5	10 gm	2502	100 gm	19701
F 1473	<u>4-FLUORO TOLUENE</u> puriss 99%	352-32-9	100 gm	2304	500 gm	9603
F 1475 * ☐	<u>5-FLUORO URACIL</u> extra pure 99%	51-21-8	1 gm	396	5 gm	1053
					25 gm	4005
F 3145	<u>FMOC-S-ACETAMIDO METHYL-L-CYSTEINE</u> for biochemistry 98%+	86060-81-3	5 gm	2664	25 gm	10539
F 3080	<u>FMOC-L-ALANINE</u> puriss for biochemistry 99%	35661-39-3	5 gm	702	25 gm	3006
					100 gm	7191
F 3087a	<u>FMOC-AMIDE</u> for biochemistry	84418-43-9	1 gm	6408	5 gm	9729
F 3085	<u>FMOC-L-ASPARGINE</u> puriss for biochemistry 99%	71989-16-7	5 gm	594	25 gm	3069
					100 gm	8037
F 3140	<u>FMOC-L-ASPARTIC ACID-4- BENZYL ESTER</u>	86060-84-6	1 gm	3996	5 gm	9729
	for biochemistry 98%+		10 gm	10809	25 gm	18909
F 3150	<u>FMOC-S-BENZYL-L-CYSTEINE</u> for biochemistry 98%+	53298-33-2	10 gm	11403	25 g	20205
F 3087	<u>FMOC-CHLORIDE</u> for biochemistry	28920-43-6	5 gm	594	25 gm	2169
					100 gm	7209
F 3090	<u>FMOC-L-GLUTAMINE</u> puriss for biochemistry 99%	71989-20-3	5 gm	693	25 gm	2907
					100 gm	9603
F 3155	<u>FMOC-L-GLUTAMIC ACID-BENZYL ESTER</u> for biochemistry 98%+	123639-61-2	10 gm	10908	25 gm	19206
F 3095	<u>FMOC-L-GLYCINE</u> puriss for biochemistry 99%	29022-11-5	5 gm	801	25 gm	3420
					100 gm	9999
F 3100	<u>FMOC-L-ISO LEUCINE</u> puriss for biochemistry 99%	71989-23-6	5 gm	801	25 gm	3420
					100 gm	9999
F 3105	<u>FMOC-L-LEUCINE</u> puriss for biochemistry 99%	35661-60-0	5 gm	756	25 gm	3069
					100 gm	8604
F 3106	<u>FMOC-L-LYS(ALLOC)-OH</u> for biochemistry 98%	146982-27-6	1 gm	2709	5 gm	7092
					25 gm	29079
F 3160	<u>FMOC-N_ε-Z-L-LYSINE</u> for biochemistry 98%+	86060-82-4	5 gm	5301	25 gm	14705
F 3110	<u>FMOC-L-METHIONINE</u> puriss for biochemistry 99%	71989-28-1	5 gm	792	25 gm	3069
					100 gm	9603
F 3165	<u>FMOC-4-NITRO-L-PHENYLALANINE</u> for biochemistry 98%+	95753-55-2	10 gm	7704	25 gm	13509
F 3115	<u>FMOC-L-PHENYL ALANINE</u> puriss for biochemistry 99%	35661-40-6	5 gm	765	25 gm	3069
					100 gm	8406
F 3170	<u>FMOC-D-PHENYLGLYCINE</u> for biochemistry 98%+	111524-95-9	10 gm	7101	25 gm	12402
F 3175	<u>FMOC-L-PHENYLGLYCINE</u> for biochemistry 98%+	102410-65-1	10 gm	6102	25 gm	10701
F 3120	<u>FMOC-L-PROLINE</u> puriss for biochemistry 99%	71989-31-6	5 gm	693	25 gm	3069

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
F 3180	<u>Fmoc-O-Benzyl-L-Serine</u> for biochemistry 98%+	83792-48-7	10 gm	26019	100 gm	9603
F 3125	<u>Fmoc-L-Serine</u> puriss for biochemistry 99%	73724-45-5	1 gm	1404	25 gm	46089
F 3130	<u>Fmoc-L-Threonine</u> puriss for biochemistry 99%	73731-37-0	5 gm	1179	5 gm	3051
					25 gm	4804
					100 gm	15903
F 3135	<u>Fmoc-L-Valine</u> puriss for biochemistry 99%	68858-20-8	5 gm	504	25 gm	2997
					100 gm	8604
F 3126	<u>Fmoc-OSu</u> for biochemistry 98%	82911-69-1	5 gm	864	25 gm	2979
					100 gm	10602
F 3127	<u>Fmoc-S-Acetamido Methyl-L-Cysteine</u> for biochemistry 98%	86060-81-3			1 gm	2619
F 1485	<u>Folic Acid</u> 98% for biochemistry	59-30-3	5 gm	288	10 gm	486
			25 gm	1107	100 gm	4239
F 1495	<u>Folin & Ciocalteu's Phenol</u> reagent	-----	100 ml	342	250 ml	792
					500 ml	1359
F 1497	<u>Folin & Wu's</u> alkaline copper solution	-----			500 ml	288
F 1498	<u>Folin & Wu's</u> phosphate-molybdate solution	-----			500 ml	657
F 1499	<u>Formaldehyde</u> 37-41% solution GR	50-00-0	500 ml	315	5 lt	1899
F 1500	<u>Formaldehyde</u> solution for Molecular Biology	50-00-0			500 ml	1098
F 1450	<u>Formaldehyde</u> tablets	-----			100 tabs	1395
F 1505	<u>Formamide</u> for synthesis 98%	75-12-7	500 ml	738	5 lt	4149
F 1507	<u>Formamide</u> GR 99%	75-12-7	500 ml	792	5 lt	5409
F 1506	<u>Formamide</u> for Molecular Biology 99.5%	75-12-7	500 ml	1287	1 lt	2439
F 1509	<u>Formamide</u> 99.5% for UV spectroscopy	75-12-7	500 ml	1395	1 lt	2295
F 1510	<u>Formamidine Acetate</u> for synthesis 98%	3473-63-0	100 gm	1494	500 gm	6093
F 1515	<u>Formaldehyde Hydrochloride</u> 97%	62479-72-5			5 gm	4392
F 1516	<u>Formic Acid</u> 98-100% for synthesis	64-18-6			500 ml	738
F 1517	<u>Formic Acid</u> 98-100% GR	64-18-6			500 ml	783
F 1520	<u>Formic Acid</u> 80-85% for synthesis	64-18-6	500 ml	441	5 lt	3879
F 1519	<u>4-Formyl Benzoic Acid</u> puriss 99%	619-66-9	5 gm	792	25 gm	1989
					100 gm	6939
F 1522	<u>1-Formyl piperidine</u> puriss 99%	2591-86-8	100 gm	3942	500 gm	16029
F 1521	<u>Fouchet's</u> reagent	-----	125 ml	108	500 ml	423
F 1523	<u>Frankincense Oil</u> , Certified organic	8016-36-2			1 kg	79092
F 1525	<u>D-Fructose</u> extra pure 98%	57-48-7	100 gm	234	250 gm	396
			500 gm	693	5 kg	5544
F 1527	<u>D-Fructose</u> GR 99% suitable for biochemistry & microbiology	57-48-7	100 gm	315	250 gm	495
					1 kg	1692
F 1528	<u>D-Fructose 1,6-bisphosphate Barium Salt</u>	103213-43-0	1 gm	4302	5 gm	15903
	practical grade, 70-80%, amorphous powder					
F 0692	<u>D-Fructose 1,6-bisphosphate Trisodium Salt</u>	38099-82-0	100 mg	2007	1 gm	5094
	hydrate, ≥98%				5 gm	16002
F 1545	<u>Fuchsin Acid</u> for microscopy (C.I. No. 42685)	3244-88-0	25 gm	585	100 gm	1971
					1 kg	16902
F 1535	<u>Fuchsin Basic</u> for microscopy (C.I. No. 42510)	632-99-5	25 gm	243	100 gm	684
					1 kg	5769
F 1536	<u>Fuchsin Basic</u> solution 0.1%w/v	-----	125 ml	189	500 ml	909
F 1550	<u>L-Fucose</u> for biochemistry 99%	2438-80-4	1 gm	3402	5 gm	12069
F 1555	<u>Fuller's Earth</u> for adsorption purposes	8031-18-3	500 gm	135	5 kg	1206
F 0467	<u>Fuller's Earth</u> (-100 mesh particle size)	8031-18-3	1 kg	2709	5 kg	5706

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
F 1556	<u>FUMARIC ACID</u> for synthesis 99%	110-17-8	500 gm	945	5 kg	8469
F 1557	<u>FUMARIC ACID</u> GR 99%+	110-17-8	100 gm	189	500 gm	531
F 1560	<u>FURAN</u> for synthesis 98%	110-00-9	100 ml	3006	500 ml	8604
F 0011	<u>2,5-FURANDICARBOXYLIC ACID</u> 97%	3238-40-2	1 gm	3996	5 gm	14949
F 1568	<u>FURFURAL</u> for synthesis 98%	98-01-1	500 ml	981	5 lt	8919
F 1567	<u>FURFURAL</u> GR 99%+	98-01-1	100 ml	612	500 ml	1206
F 1570	<u>FURFURYL ALCOHOL</u> for synthesis 99%	98-00-0	500 ml	873	5 lt	8001
F 1571	<u>FURFURYL ALCOHOL</u> puriss 99%+	98-00-0			1 lt	6003
F 1575	<u>FURFURYLAMINE</u> for synthesis 98%	617-89-0	500 ml	1602	5 lt	15093
F 1585	<u>2-FUROIC ACID</u> for synthesis 98%	88-14-2			25 gm	315
			100 gm	945	500 gm	4284
F 1586	<u>3-FUROIC ACID</u> 98%	488-93-7	5 gm	3105	25 gm	13059
F 1587	<u>FUSEL OIL</u> , natural	8013-75-0			100 gm	7407
			500 gm	9549	1 kg	15003
F 0643	<u>FUSIDIC ACID</u> 98%	6990-06-3	1 gm	2304	5 gm	7605
			10 gm	13905	25 gm	27099
F 1595	<u>FUSION MIXTURE</u> extra pure	-----			500 gm	423
F 1597	<u>FUSION MIXTURE</u> GR	-----			500 gm	495
G 1107	<u>GADOLINIUM</u> , foil, 99.99%, 0.25mm thick	7440-54-2	25 x 25 mm	18090	50 x 50 mm	45090
G 1100	<u>GADOLINIUM</u> , foil, 99.99%, 0.50mm thick	7440-54-2	25 x 25 mm	10890	50 x 50 mm	29079
G 1190	<u>GADOLINIUM</u> pieces 99.9%	7440-54-2	10 gm	11205	50 gm	37701
G 1181	<u>GADOLINIUM</u> powder, -200 mesh, 99.9%	7440-54-2	5 gm	12105	25 gm	48069
G 1191	<u>GADOLINIUM(III) ACETATE</u> hydrate 99.9%	100587-93-7	5 gm	1989	25 gm	6219
					100 gm	16803
G 1192	<u>GADOLINIUM BORIDE</u> , 99.5% (metals basis)	12008-06-9	1 gm	6939	5 gm	27099
G 1182	<u>GADOLINIUM(III) BROMIDE</u> 99.9%	13818-75-2	1 gm	5904	10 gm	44091
G 1194	<u>GADOLINIUM(III) BROMIDE</u> puriss 99.99% (metals basis)	13818-75-2	5 gm	29907	25 gm	POR
G 1201	<u>GADOLINIUM CARBONATE</u> 99%	38245-36-2	5 gm	4455	25 gm	7605
G 1183	<u>GADOLINIUM CARBONATE</u> 99.99%	38245-36-2	25 gm	11709	100 gm	33093
G 1188	<u>GADOLINIUM(III) CHLORIDE</u> hexahydrate 99.9%	13450-84-5			5 gm	1602
			25 gm	5409	100 gm	20709
G 1195	<u>GADOLINIUM(III) CHLORIDE</u> hexahydrate 99.99%	13450-84-5	5 gm	2808	25 gm	5769
G 1196	<u>GADOLINIUM(III) CHLORIDE</u> puriss 99.99%	10138-52-0	5 gm	20709	25 gm	61092
G 1189	<u>GADOLINIUM(III) FLUORIDE</u> anhydrous 99.9%	13765-26-9	25 gm	13203	100 gm	31302
G 1197	<u>GADOLINIUM(III) FLUORIDE</u> anhydrous 99.99%	13765-26-9	10 gm	6219	50 gm	23094
G 1198	<u>GADOLINIUM(III) HYDROXIDE</u> hydrate 99.9%	100634-91-1	5 gm	5103	25 gm	25902
G 1199	<u>GADOLINIUM(III) IODIDE</u> puriss 99.99%	13572-98-0	1 gm	19602	5 gm	POR
G 1200	<u>GADOLINIUM(III) ISOPROPOXIDE</u> 99% (metals basis)	14532-05-9	500 mg	19089	1 gm	34092
G 1204	<u>GADOLINIUM NITRATE</u> hydrate 99.9%	94219-55-3	25 gm	5319	100 gm	13608
			500 gm	43092	1 kg	54099
G 1207	<u>GADOLINIUM NITRATE</u> , hydrate, 99.99%	94219-55-3	5 gm	3915	25 gm	10809
					100 gm	31401
G 1561	<u>GADOLINIUM (III) NITRATE</u> hexahydrate 99.9%	19598-90-4			25 gm	8604
			100 gm	30609	500 gm	79092
G 1562	<u>GADOLINIUM (III) NITRATE</u> hexahydrate 99.99%+	19598-90-4	10 gm	11907	50 gm	38079
			100 gm	44091	500 gm	130599
G 1563	<u>GADOLINIUM(III) NITRATE</u> hexahydrate, 99.999%	19598-90-4	10 gm	14004	100 gm	79902
G 1560	<u>GADOLINIUM(III) OXALATE</u> hydrate 99.9%	100655-00-3	10 gm	2799	25 gm	5949

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
G 1601	<u>GADOLINIUM OXIDE</u> 99%	12064-62-9	5 gm	801	25 gm	2790
G 1203	<u>GADOLINIUM OXIDE</u> 99.9%	12064-62-9	5 gm	864	25 gm	2907
G 8411	<u>GADOLINIUM OXIDE</u> , > 10 µm, 99.99%	12064-62-9	25 gm	5607	100 gm	21069
G 1206	<u>GADOLINIUM OXIDE</u> 99.99%	12064-62-9	10 gm	3249	50 gm	11907
			250 gm	27099	1 kg	90909
G 1202	<u>GADOLINIUM OXIDE</u> 99.999%	12064-62-9	25 gm	10206	100 gm	21069
G 1565	<u>GADOLINIUM(III) 2,4-PENTANEDIONATE</u> hydrate 99.9%	64438-54-6	5 gm	14094	25 gm	49059
G 1570	<u>GADOLINIUM SILICIDE</u> 99.9% (metals basis)	12134-75-7	5 gm	30609	10 gm	59049
G 1575	<u>GADOLINIUM(III) SULPHATE</u> octahydrate 99.9%	13450-87-8	5 gm	4869	10 gm	8649
G 1205	<u>D-GALACTOSE</u> extra pure 99%	59-23-4	25 gm	531	100 gm	1764
			500 gm	8217	1 kg	15093
G 1215	<u>D-GALACTOSAMINE HYDROCHLORIDE</u> for biochemistry 98%	1772-03-8	100 mg	405	1 gm	1791
G 1225	<u>GALLIC ACID</u> for synthesis 98%	5995-86-8			100 gm	1107
			250 gm	2007	500 gm	3303
G 1233	<u>GALLIUM</u> (metal) 99.9%	7440-55-3	5 gm	4509	10 gm	6003
			25 gm	14049	100 gm	43092
G 1234	<u>GALLIUM</u> (metal) 99.99%	7440-55-3	5 gm	4995	10 gm	6939
			25 gm	16002	100 gm	45099
G 1235	<u>GALLIUM</u> (metal) 99.999%	7440-55-3	5 gm	5508	10 gm	7659
			25 gm	16902	100 gm	48699
G 0070	<u>GALLIUM (Ga) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN 2% HNO3</u> traceable to NIST	- - - -	50 ml	4158	100 ml	6606
G 0988	<u>GALLIUM ACETATE</u> pure	2571-06-4			1 gm	9702
			5 gm	18604	25 gm	39906
G 1600	<u>GALLIUM ANTIMONIDE</u> 99.99% (metals basis)	12064-03-8	1 gm	13905	5 gm	56709
G 1605	<u>GALLIUM ARSENIDE</u> 99.999% (metals basis)	1303-00-0	1 gm	16029	5 gm	49059
G 1610	<u>GALLIUM(III) BROMIDE</u> anhydrous 99.9%	13450-88-9	2 gm	19809	10 gm	60309
G 1615	<u>GALLIUM(III) BROMIDE</u> puriss 99.998% (metals basis)	13450-88-9	1 gm	16902	5 gm	48069
G 1677	<u>GALLIUM(III) CHLORIDE</u> 99.99%	13450-90-3	5 gm	4005	25 gm	11079
G 1625	<u>GALLIUM(III) CHLORIDE</u> puriss 99.999% (metals basis)	13450-90-3	5 gm	5499	25 gm	15309
G 1636	<u>GALLIUM(III) FLUORIDE</u> 99.85%	7783-51-9	1 gm	19809	5 gm	76059
G 1640	<u>GALLIUM(III) FLUORIDE</u> 99.999% (metals basis)	7783-51-9	1 gm	24309	5 gm	86904
G 1645	<u>GALLIUM(III) IODIDE</u> puriss 99.999% (metals basis)	13450-91-4	1 gm	8604	5 gm	29079
G 1665	<u>GALLIUM(III) NITRATE</u> hydrate 99.9% (metals basis)	69365-72-6	1 gm	3303	5 gm	4491
					25 gm	16704
G 1666	<u>GALLIUM(III) NITRATE</u> hydrate 99.999%	69365-72-6			5 gm	6408
			25 gm	22005	100 gm	70029
G 1670	<u>GALLIUM(III) NITRIDE</u> 99.99% (metals basis)	25617-97-4	10 gm	49905	50 gm	144099
G 1241	<u>GALLIUM OXIDE</u> 99%	12024-21-4	5 gm	3708	25 gm	15903
G 1242	<u>GALLIUM OXIDE</u> 99.9%	12024-21-4	5 gm	4005	25 gm	16209
G 1239	<u>GALLIUM OXIDE</u> 99.99%	12024-21-4	5 gm	5607	25 gm	20007
G 1240	<u>GALLIUM OXIDE</u> GR 99.999%	12024-21-4	5 gm	6129	25 gm	21303
G 1700	<u>GALLIUM(III) 2,4-PENTANEDIONATE</u> 99.99% (metals basis)	14405-43-7	5 gm	9306	25 gm	30402
G 1705	<u>GALLIUM PHOSPHIDE</u> 99.999% (metals basis)	12063-98-8	1 gm	13059	10 gm	63099
G 1710	<u>GALLIUM(III) SELENIDE</u> 99.99% (metals basis)	12024-24-7	1 gm	6003	5 gm	23508
G 1715	<u>GALLIUM(III) SULPHATE</u> hydrate 99.999% (metals basis)	13780-42-2	5 gm	12906	10 gm	25092
G 1720	<u>GALLIUM(III) SULPHIDE</u> 99.99% (metals basis)	12024-22-5	1 gm	8991	5 gm	40509
G 1730	<u>GALLIUM(II) TELLURIDE</u> 99.999% (metals basis)	12024-14-5	1 gm	29007	5 gm	96093
G 1236	<u>GALLOCYANINE</u> (C.I.No. 51030) for microscopy	1562-85-2	5 gm	3996	25 gm	POR

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
G 1237	<u>GALLOCYANINE CHLORIDE</u> GR for microscopy	- - - - -	1 gm	3402	5 gm	POR
G 1256	<u>GARLIC OIL BLEND</u> , artificial	8000-78-0	250 gm	5805	1 kg	12996
					5 kg	42003
G 1259	<u>GARLIC OIL</u> , Chinese	8000-78-0	250 gm	5607	1 kg	20709
					5 x 1 kg	83079
G 1245	<u>GELATIN POWDER</u> for bacteriology	9000-70-8	500 gm	1638	5 kg	13059
G 1247	<u>GELATIN PEPTONE</u> for bacteriology	9000-70-8			500 gm	1962
G 1232 *	<u>GENISTEIN</u> 95%	446-72-0	100 mg	2502	500 mg	7029
			1 gm	9603	10 gm	36099
G 1231 *	<u>GENISTEIN</u> 98%	446-72-0	5 mg	1791	25 mg	2043
			100 mg	3501	500 mg	9603
			1 gm	10809	5 gm	43029
G 1255	<u>GENTIAN VIOLET</u> (C.I. No. 42555) for microscopy	548-62-9	25 gm	468	100 gm	1494
					1 kg	13401
G 1257	<u>GENTIAN VIOLET GR</u> (C.I. No. 42555)	548-62-9	25 gm	612	100 gm	1944
G 1254	<u>GENTION VIOLET</u> (aqueous) solution	548-62-9	125 ml	225	(10x125) ml	1809
G 1253	<u>GENTION VIOLET</u> (alcoholic) solution	548-62-9	125 ml	225	(10x125) ml	2106
G 1258	<u>β-GENTIOBIOSIDE</u> for biochemistry 99%	554-91-6			100 mg	1755
			250 mg	3969	1 gm	14004
G 1246	<u>GERANIOL</u> for synthesis	106-24-1	100 gm	1791	500 gm	5607
G 1248	<u>GERANIOL ACETATE</u> for synthesis	105-87-3			500 gm	3519
G 1249	<u>GERANYL BUTYRATE</u> for synthesis	106-29-6			500 gm	5607
G 1250	<u>GERANYL FORMATE</u> for synthesis	105-86-2			500 gm	5904
G 1251	<u>GERANYL PHENYL ACETATE</u> for synthesis	102-22-7	100 gm	7929	500 gm	26019
G 1252	<u>GERANYL PROPIONATE</u> for synthesis	105-90-8			500 gm	7605
G 1266	<u>GERMANIUM</u> lump 99.999%	7440-56-4			1 gm	2502
			5 gm	10701	10 gm	16092
G 0811	<u>GERMANIUM</u> pieces, 3.2mm (0.125in) and down, 99.999%	7440-56-4	10 gm	17001	50 gm	68049
G 1265	<u>GERMANIUM</u> powder 99.9%	7440-56-4			1 gm	1971
			5 gm	6993	10 gm	14409
G 0044	<u>GERMANIUM</u> powder -100 mesh, ≥99.999%	7440-56-4	10 gm	18090	25 gm	43002
G 0616	<u>GERMANIUM</u> , polycrystalline, 99.999%	7440-56-4			1 gm	3204
			5 gm	13509	10 gm	21609
G 0071	<u>GERMANIUM (Ge) ICP STANDARD SOLUTION 1 GM/L</u> IN 5% HNO ₃ , 1% HF traceable to NIST	- - - - -	50 ml	4158	100 ml	6606
G 1270	<u>GERMANIUM (IV) CHLORIDE</u> 99.9999% (metals basis)	10038-98-9	25 gm	49905	100 gm	139059
G 1271	<u>GERMANIUM (II) CHLORIDE</u> dioxane complex (1:1)	28595-67-7			10 gm	69399
G 1279	<u>GERMANIUM DIOXIDE</u> 99.9%	1310-53-8			1 gm	693
			10 gm	5103	25 gm	10602
G 1268	<u>GERMANIUM DIOXIDE</u> 99.99% (electronic grade)	1310-53-8			1 gm	792
			10 gm	5805	25 gm	12609
G 1269	<u>GERMANIUM DIOXIDE</u> 99.998%	1310-53-8	10 gm	6039	25 gm	12069
					100 gm	43092
G 1280	<u>GERMANIUM DIOXIDE</u> 99.999%	1310-53-8			1 gm	891
			10 gm	6777	25 gm	13302
G 1274	<u>GERMANIUM TELLURIDE</u> 99.999%	12025-39-7	1 gm	12609	5 gm	48069
G 1275	<u>GIBBERLIC ACID</u> (LAB)	77-06-5	1 gm	225	(10x1) gm	1782
			(100x1 gm)	13806	(1000x1 gm)	POR
G 1285	<u>GIEMSA'S STAIN</u> for microscopy	51811-82-6	25 gm	720	100 gm	2592
			500 gm	11601	1 kg	19809
G 1284	<u>GIEMSA'S STAIN</u> used as a blood stain	51811-82-6	1 gm	3402	5 gm	8001

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
					25 gm	29700
G 1286	<u>GIEMSA'S STAINING</u> solution	- - - - -	100 ml	351	250 ml	765
G 1287	<u>GINGER EXTRACT</u> natural	84696-15-1	250 gm	5607	1 kg	20709
G 1288	<u>GINGER OIL</u> , natural	8007-08-7	100 gm	5004	250 gm	14301
					1 kg	26019
G 1290	<u>GINSENG</u> powder	- - - - -	25 gm	3402	100 gm	12609
G 1291	<u>GINSENG</u> extract	- - - - -	5 gm	3204	10 gm	4302
			25 gm	11709	100 gm	33093
G 1238	<u>GINSENOSIDE</u> 80%	14197-60-5	5 mg	5769	25 mg	23409
G 1297	<u>GIRARD'S REAGENT GR</u> gives water-soluble derivatives of ketones and ketosteroids	1126-58-5	25 gm	16092	100 gm	60309
G 1298	<u>GLASS BEADS (LAB)</u>	65997-17-3	500 gm	387	5 kg	3402
G 1299	<u>GLASS WOOL (LAB)</u>	65997-19-3	250 gm	396	500 gm	783
G 1300	<u>γ-GLOBULINE (BOVINE)</u> Cohn fraction 11, 111 for biochemistry 98%	68476-36-8	1 gm	7786	5 gm	36909
G 1303	<u>GLUCAN</u> from wheat	- - - - -	100 gm	2619	500 gm	7992
G 6113	<u>β-1,3-GLUCAN</u> , from Euglena gracilis	9051-97-2	1 gm	6903	5 gm	27099
G 0816	<u>α-D-GLUCOHEPTONIC ACID SODIUM SALT</u>	10094-62-9	25 gm	999	100 gm	2907
					1 kg	28089
G 1301	<u>GLUCONIC ACID</u> 50% for synthesis	526-95-4	500 ml	693	5 lt	5679
G 1302	<u>D-GLUCOSAMINE HYDROCHLORIDE</u> 99%	66-84-2	10 gm	396	25 gm	549
			100 gm	792	500 gm	3492
G 4934	<u>D-(+)-GLUCOSE</u> 99.5%	50-99-7	100 gm	3006	1 kg	4005
G 1304	<u>GLUCOSE OXIDASE</u> for biochemistry	9001-37-0			10000 Units	2052
G 0099	<u>β-D-GLUCOSE PENTAACETATE</u> 98%	604-69-3	25 gm	1017	100 gm	3393
					500 gm	12906
G 1305	<u>GLUCOSE-1-PHOSPHATE DIPOTASSIUM SALT</u> for biochemistry	5996-14-5	100 mg	10404	1 gm	46008
G 1315	<u>GLUCOSE-1-PHOSPHATE DISODIUM SALT</u> for biochemistry	56401-20-8	1 gm	1818	5 gm	3969
G 1316	<u>GLUCOSE 6-PHOSPHATE DISODIUM SALT GR</u> for biochemistry	3671-99-6	1 gm	1602	5 gm	7605
G 1320	<u>D-GLUTAMIC ACID</u> puriss for biochemistry 99%	6893-26-1	1 gm	594	5 gm	1593
G 1335	<u>L-GLUTAMIC ACID</u> for bacteriology 99%+	56-86-0	100 gm	252	250 gm	486
			500 gm	909	1 kg	1692
					10 kg	13005
G 1345	<u>L-GLUTAMIC ACID mono-SODIUM SALT</u> 99%	6106-04-3	100 gm	180	500 gm	648
					5 kg	4608
G 1355	<u>L-GLUTAMINE</u> for biochemistry 99%+	56-85-9	25 gm	270	100 gm	936
			500 gm	4509	1 kg	8406
G 1365	<u>GLUTARALDEHYDE</u> for synthesis (25% aqueous solution)	111-30-8	500 ml	729	5 lt	6003
G 1367	<u>GLUTARALDEHYDE</u> (25% aqueous solution) GR	111-30-8			1 lt	5013
G 1368	<u>GLUTARALDEHYDE</u> 2% solution (sterile solution)	111-30-8	1 lt	1359	5 lt	POR
G 1375	<u>GLUTARIC ACID</u> extra pure 99%	110-94-1	100 gm	891	250 gm	1998
			500 gm	3789	5 kg	34092
G 1380	<u>GLUTATHIONE (OXIDIZED)</u> (GSSG) extrapure, 99%	27025-41-8	250 mg	1206	500 mg	1791
			1 gm	3204	5 gm	13869
G 1381	<u>GLUTATHIONE (OXIDIZED)</u> for molecular biology 99.5%	27025-41-8	250 mg	1818	500 mg	3609
			1 gm	4509	5 gm	19809
G 1382	<u>GLUTATHIONE (OXIDIZED)</u> for biochemistry 99%	27025-41-8	250 mg	1305	500 mg	2493
	free from histamine and glutathione reduced		1 gm	3006	5 gm	14904
G 1081	<u>GLUTATHIONE (REDUCED)</u> extrapure, 99%	70-18-8	1 gm	306	5 gm	1233
			25 gm	4527	100 gm	16002
G 1384	<u>GLUTATHIONE (REDUCED)</u> cell culture tested 99%+	70-18-8	1 gm	2169	5 gm	9306
G 1385	<u>GLUTATHIONE (REDUCED)</u> for biochemistry 99%	70-18-8	1 gm	333	5 gm	1359

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
G 1082 ✱	<u>GLUTATHIONE (REDUCED)</u> for molecular biology, 99.5%	70-18-8	25 gm 1 gm	5467 693	100 gm 5 gm	16029 2034
G 1386	<u>GLUTEN</u> from wheat	8002-80-0	25 gm 500 gm	7605 4302	100 gm 5 kg	17802 31059
G 1404	<u>GLYCEROL</u> extra pure 98%	56-81-5	500 ml	594	5 lt	5139
G 1387	<u>GLYCEROL</u> GR 99%+	56-81-5	500 ml	693	5 lt	5607
G 1393a	<u>GLYCEROL</u> for Molecular Biology 99%+	56-81-5			500 ml	1386
G 1389	<u>GLYCEROL-a-CHLORO HYDRIN</u> for synthesis 98%	96-24-2			250 gm	4059
G 1402	<u>GLYCEROL FORMAL</u> (Mixture of alpha & beta isomers) 98%	99569-11-6	100 ml 5 lt	1179 35001	500 ml 25 lt	3906 POR
G 1388	<u>GLYCEROL mono-OLEATE</u> for synthesis	25496-72-4	100 gm	1809	500 gm	3105
G 1390	<u>GLYCEROL mono-STEARATE</u> for synthesis	31566-31-1	500 gm 5 kg	495 4005	1 kg 25 kg	846 POR
G 1396 ✱	<u>GLYCEROL-3-PHOSPHATE</u> Dehydrogenase extrapure	9075-65-4			500 units	6102
G 1391	<u>GLYCEROL TRIACETATE</u> for biochemistry 99% GR	102-76-1	500 ml	765	1 lt 5 lt	1503 5607
G 1392	<u>GLYCEROL TRIBUTYRATE</u> for biochemistry 99%	60-01-5	100 ml	1395	500 ml	5859
G 1393 ✱	<u>R(+)-GLYCIDOL</u> puriss 98%	57044-25-4	1 gm	3006	5 gm 25 gm	8019 16209
G 1394 ✱	<u>S(-)-GLYCIDOL</u> puriss 98%	60456-23-7	1 gm	3105	5 gm 25 gm	7308 24092
G 1809	<u>GLYCIDYL METHACRYLATE</u> 97%+	106-91-2	100 ml	630	500 ml	2295
G 5744	<u>(3-GLYCIDYLOXYPROPYL)TRIMETHOXYSILANE</u> , 98%	2530-83-8	25 ml 500 ml	1809 8298	100 ml 1 lt	3303 15003
G 1395	<u>GLYCINE</u> for synthesis 98%	56-40-6	100 gm 500 gm	306 1188	250 gm 5 kg	693 10809
G 1397	<u>GLYCINE</u> GR 99%+	56-40-6	500 gm	1485	100 gm 5 kg	342 12906
G 1398	<u>GLYCINE</u> for molecular biology 99.5%	56-40-6	100 gm	495	500 gm	1791
G 1399	<u>GLYCINE ANHYDRIDE</u> 98%+	106-57-0	25 gm	3600	100 gm	14301
G 1400	<u>GLYCINE BENZYL ESTER HCL</u> for biochemistry 98%+	2462-31-9	5 gm	2817	25 gm	10908
G 1406 ✱	<u>GLYCINE BENZYL ESTER p-TOLUENE SULPHONATE</u> for biochemistry 98%+	1738-76-7	5 gm	2295	25 gm	6759
G 1405 ✱	<u>GLYCINE ETHYL ESTER HYDROCHLORIDE</u> for synthesis 98%	623-33-6	100 gm	513	500 gm	2169
G 1410 ✱	<u>GLYCINE METHYL ESTER HYDROCHLORIDE</u> 99%	5680-79-5	100 gm	1809	500 gm	5805
G 1415 ✱	<u>GLYCOGEN</u> for biochemistry	9005-79-2	1 gm	1494	5 gm	6759
G 1416 ✱	<u>GLYCOGEN</u> pract	9005-79-2	1 gm	1089	5 gm	4419
G 1420	<u>GLYCOLLIC ACID</u> puriss 98%	79-14-1	100 gm	1998	500 gm	7497
G 1421	<u>GLYCOLLIC ACID</u> 70% solution for synthesis	79-14-1	500 ml	1287	1 lt 5 lt	2502 10404
G 1423	<u>GLYCULURIL</u> 98%+	496-46-8	5 gm	3006	25 gm 100 gm	4869 13905
G 1425	<u>GLYCYL GLYCINE</u> for biochemistry 99%	556-50-3	5 gm 25 gm	495 1890	10 gm 100 gm	846 6489
G 1426	<u>GLYCYRRHIZIC ACID AMMONIUM SALT</u> from glycyrrhiza root 70%+	53956-04-0	25 gm	7704	100 gm	18405
G 1427	<u>GLYCYRRHIZIC ACID AMMONIUM SALT</u> from glycyrrhiza root 95%+	53956-04-0	1 gm	1989	5 gm	3996
G 1435	<u>GLYOXAL</u> (solution 40% in water) for synthesis	107-22-2	500 ml	405	5 lt	3042
G 1437	<u>GLYOXAL</u> (solution 40% in water) GR	107-22-2			1 lt	3195
G 1447	<u>GLYOXAL BIS-(2-HYDROXYANIL)</u> GR 98%	1149-16-2	5 gm	1494	10 gm	1971

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	reagent for calcium and uranium		25 gm	3591	6 x 25 gm	21501
G 1449	<u>GLYOXYLIC ACID</u> 98% for synthesis	563-96-2	25 gm	3006	100 gm	8019
G 1450	<u>GLYOXYLIC ACID SOLUTION</u> 50% for synthesis	298-12-4	250 ml	783	1 lt	2394
			2.5 lt	4869	5 lt	8604
	<u>GOLD CHLORIDE</u> please see <u>CHLOROAUIC ACID</u>					
G 0072	<u>GOLD (Au) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTE HCL</u> traceable to NIST	-----	100 ml	11205	500 ml	22419
G 0073	<u>GOLD (Au) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTE HCL</u> traceable to NIST	-----	100 ml	42201	500 ml	92369
G 1451	<u>GOLD</u> metal GR 99.99% (End user certificate required)	7440-57-5	1 gm	27999	5 gm	120609
G 0932	<u>GOLD</u> powder, spherical, APS 0.8-1.5 micron, 99.96+% (End user certificate required)	7440-57-5	250 mg	7209	1 gm	21708
					5 gm	81306
G 8469	<u>GOLD</u> shots 1-6 mm (0.03-0.2in), 99.999%	7440-57-5	1 gm	POR	5 gm	POR
G 2999	<u>GOLD(III) CHLORIDE</u> trihydrate, 99.9%	16961-25-4	1 gm	15309	5 gm	55098
G 0951	<u>GOLD(III) CHLORIDE</u> , 99.99% (au 64.4% min)	13453-07-1	250 mg	5319	1 gm	16002
					5 gm	72099
G 2214	<u>GOLD-GERMANIUM ALLOY</u> (88 % Au and 12 % Ge) 99.99%	-----	1 pc	POR	5 pc	POR
G 1452	<u>GOWER'S</u> reagent	-----			500 ml	369
G 1455	<u>GRAM'S IODINE</u> for microscopical staining	12298-68-9	25 gm	846	100 gm	3249
G 1461	<u>GRAM'S IODINE</u> staining solution	-----			125 ml	225
G 1462	<u>GRAPEFRUIT OIL</u> , florida natural	8016-20-4			1 kg	28089
G 1460	<u>GRAPHITE</u> fine powder extra pure	7782-42-5	500 gm	333	5 kg	3006
G 1464 *	<u>GREEN TEA EXTRACT</u> Egcg 50%	84650-60-2	1 gm	999	5 gm	1791
G 2820 *	<u>GRUBBS CATALYST 1ST GENERATION</u> 97%	172222-30-9	1 gm	11025	5 gm	45009
G 2825 *	<u>GRUBBS CATALYST 2ND GENERATION</u> 97%	246047-72-3	100 mg	3906	500 mg	19008
G 1465	<u>GUAIACOL</u> extra pure 99%	90-05-1	250 g	1062	500 gm	1629
G 1475	<u>GUANIDINE CARBONATE</u> for synthesis 99%	593-85-1	100 gm	486	250 gm	1179
			500 gm	2169	1 kg	4104
G 1485	<u>GUANIDINE HYDROCHLORIDE</u> for synthesis 99%	50-01-1	100 gm	585	500 gm	2619
			1 kg	4149	5 kg	19008
G 1486	<u>GUANIDINE HYDROCHLORIDE</u> for biochemistry 99%+	50-01-1	25 gm	207	100 gm	621
					500 gm	2907
G 1487	<u>GUANIDINE HYDROCHLORIDE</u> for molecular biology 99.5%	50-01-1	100 gm	783	500 gm	3546
G 1495	<u>GUANIDINE NITRATE</u> for synthesis 98%	506-93-4	250 gm	423	500 gm	504
					5 kg	4689
G 1500	<u>GUANIDINE THIOCYANATE</u> for molecular biology & biochemistry 99%	593-84-0	25 gm	603	100 gm	792
			250 gm	1791	500 gm	3492
			1 kg	7479	5 kg	31509
G 1505	<u>GUANINE</u> for biochemistry 98%	73-40-5	5 gm	270	25 gm	891
			100 gm	2907	1 kg	26001
G 1515	<u>GUANINE HYDROCHLORIDE</u> for biochemistry 99%	635-39-2	5 gm	450	25 gm	1692
G 1525	<u>GUANINE SULPHATE</u> for biochemistry 99%+	10333-92-3			1 gm	864
G 1535	<u>GUANOSINE</u> for biochemistry 99%	118-00-3	10 gm	648	25 gm	1483
G 1540	<u>GUAR GUM</u> powder	9000-30-0	500 gm	576	1 kg	1107
					5 kg	POR
G 1541	<u>GUAR GUM</u> spazial	9000-30-0			500 gm	1305
G 1543	<u>GUM GELLAN</u> pure	71010-52-1	100 gm	1908	250 gm	4401
			500 gm	8217	1 kg	13869
G 1545	<u>GUM GHATTI</u> extra pure	9000-28-6	100 gm	405	500 gm	1692

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
G 1546	<u>GUM GHATTI</u> solution	9000-28-6			5 kg	14904
G 1553	<u>GUM KARAYA</u> for synthesis	9000-36-6	500 gm	2601	125 ml	144
G 1552	<u>GUM ROSIN</u>	8050-09-7	250 gm	477	5 kg	23094
G 1550	<u>GUM TRAGACANTH</u>	9000-65-1	500 gm	774	1 kg	1809
G 1551	<u>GUM XANTHAN</u>	11138-66-2	100 gm	387	5 kg	6759
			1 kg	1404	500 gm	792
G 1555	<u>GYPSUM</u> powder	99400-01-8	500 gm	225	5 kg	6507
H 1207	<u>HABA GR 98%</u> for automatic analysis	1634-82-8	1 gm	396	5 kg	2025
					10 gm	1179
H 1215	<u>H-ACID</u> for synthesis	5460-09-3	5 gm	603	25 gm	2169
			100 gm	3006	500 gm	1602
H 0693	<u>HAFNIUM</u> pieces, 4-10 mm, 99.9%	7440-58-6	5 gm	6003	25 gm	9405
H 0749	<u>HAFNIUM</u> powder, -325 mesh, 99.6% (metals basis excluding Zr), Zr nominal 2-3.5%	7440-58-6	5 gm	6102	25 gm	24093
					100 gm	25092
H 9961	<u>HAFNIUM CHLORIDE</u> 99.9%	13499-05-3	5 gm	3006	25 gm	76059
			100 gm	16092	500 gm	5103
H 1217	<u>HAFNIUM OXIDE</u> puriss 99%	12055-23-1	1 gm	1089	25 gm	65079
			25 gm	6606	5 gm	4590
H 1201	<u>HAFNIUM OXIDE</u> 99.9%	12055-23-1	1 gm	1809	100 gm	26001
H 0067	<u>HAFNIUM OXIDE</u> 99.99%	12055-23-1	1 gm	8703	10 gm	9603
H 0069	<u>HAFNIUM OXIDE</u> 99.995%	12055-23-1	1 gm	12204	5 gm	35406
H 6612	<u>HAFNIUM OXIDE</u> pieces, dia 1-3 mm, 99.99%	12055-23-1			25 gm	42606
H 1218	<u>HATU</u> puriss 99%	148893-10-1	1 gm	288	25 gm	30609
			25 gm	5949	5 gm	1269
H 1210	<u>HAYEM'S</u> reagent	-----			100 gm	POR
H 1219	<u>HBTU</u> 98% (solid phase peptide synthesis reagent)	94790-37-1	1 gm	243	500 ml	423
			25 gm	1692	5 gm	378
H 1216	<u>HEDTA</u> extra pure 99%	150-39-0	5 gm	1449	100 gm	5904
H 1220	<u>HEMATIN</u> for microscopy	15489-90-4			25 gm	5103
			5 gm	12906	1 gm	2205
H 1225	<u>HEMATOXYLIN</u> stain (C.I. No. 75290) for microscopy	517-28-2	5 gm	2790	10 gm	22338
					25 gm	11493
					100 gm	POR
H 1226	<u>HEMATOXYLIN (DELAFIELD'S)</u> staining solution	-----	125 ml	540	500 ml	2502
H 1227	<u>HEMATOXYLIN (EHLRICH'S)</u> staining solution	-----	125 ml	594	500 ml	2619
H 1228	<u>HEMATOXYLIN (HARRIS)</u> staining solution	-----	125 ml	675	500 ml	3006
H 1229	<u>HEMATOXYLIN MAYER'S</u> solution	-----	100 ml	288	500 ml	639
H 1230	<u>HEMICELLULASE</u> for biochemistry	9025-56-3			1 gm	3906
			5 gm	16002	25 gm	60903
H 1235	<u>HEMIN</u> for biochemistry 90-95%	16009-13-5	1 gm	1395	5 gm	4905
H 0062	<u>HEMIN</u> , from porcine, (HPLC) ≥97%	16009-13-5	1 gm	4005	5 gm	17091
					25 gm	70308
H 0060	<u>HEMOGLOBIN</u> , from bovine blood	9008-02-0	1 gm	4104	5 gm	15093
			10 gm	26109	25 gm	43092
H 1245	<u>HAEMOGLOBIN</u> powder (protease substrate) for biochemistry	9008-02-0	100 gm	990	500 gm	4473
H 1246	<u>HAEMOGLOBIN</u> solution	9008-02-0			10 ml	1206
H 1255	<u>HEPARIN SODIUM</u> 20,000 IU/VIAL for biochemistry	9041-08-1			1 Vial	1908
H 1265	<u>HEPARIN SODIUM</u> 1,00,000 IU/VIAL for biochemistry	9041-08-1			1 Vial	4905
H 1270	<u>HEPES</u> , extra pure, 98%	7365-45-9	25 gm	495	100 gm	1539

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
H 1275	<u>HEPES</u> (buffer) for biochemistry 99%	7365-45-9	500 gm	6993	1 kg	13492
			5 gm	198	25 gm	693
			100 gm	1998	500 gm	6939
H 1271	<u>HEPES</u> , for molecular biology, 99%	7365-45-9	100 gm	2088	500 gm	7794
H 1273	<u>HEPES</u> buffer solution, 1M in water	- - - -	100 ml	990	500 ml	4491
H 1274	<u>3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-HEPTADEC AFLUORO DECYL METHACRYLATE</u> 97%	1996-88-9	5 gm	2979	25 ml	9792
					500 gm	38079
H 1276	<u>n-HEPTADECANE</u> puriss 99%+	629-78-7	25 ml	6003	100 ml	12609
H 1279	<u>HEPTA FLUORO BUTYRIC ACID</u> 99%	375-22-4	25 gm	2691	100 gm	9627
					500 gm	46089
H 1278	<u>n-HEPTALDEHYDE</u> 95%	111-71-7	500 ml	2079	5 lt	16092
H 1280	<u>HEPTANE</u> (fraction) for synthesis	142-82-5	500 ml	513	5 lt	5004
H 1284	<u>n-HEPTANE</u> for synthesis 95%	142-82-5	500 ml	639	5 lt	5706
H 1285	<u>n-HEPTANE</u> for synthesis 99%	142-82-5	500 ml	693	5 lt	5904
H 1287	<u>n-HEPTANE</u> GR 99%+	142-82-5	500 ml	765	5 lt	6309
H 1289	<u>n-HEPTANE</u> for HPLC 99%+	142-82-5			500 ml	1296
H 1290	<u>n-HEPTANE</u> for spectroscopy	142-82-5			500 ml	1296
H 1297	<u>1-HEPTANE SULPHONIC ACID SODIUM SALT</u> (monohydrate) for HPLC 99%	207300-90-1	5 gm	306	25 gm	1089
			100 gm	3897	10 x 25 gm	11709
H 1299	<u>1-HEPTANE SULPHONIC ACID SODIUM SALT</u> (anhydrous) for HPLC 99%+	22767-50-6	5 gm	306	25 gm	1089
			100 gm	3897	10 x 25 gm	11709
H 1300	<u>1-HEPTANOL</u> puriss 99%+	111-70-6	500 ml	1494	5 lt	12906
H 1301	<u>HESPERIDIN</u> 98%	520-26-3	5 gm	360	10 gm	594
			100 gm	3492	500 gm	15003
H 1302 *	<u>HESPERETIN</u> 97%+	69097-99-0	1 gm	1565	5 gm	6507
			25 gm	16902	50 gm	30402
H 1305	<u>HEXACHLORO BENZENE</u> crystalline GR	118-74-1	5 gm	6093	25 gm	29007
H 1310	<u>HEXACHLORO 1,3-BUTADIENE</u> for synthesis 97%	87-68-3	250 ml	15605	1 lt	46089
H 1311	<u>HEXACHLORO CYCLOPENTADIENE</u> for synthesis	77-47-4	1 ml	3807	5 ml	16092
			100 ml	39069	500 ml	110799
H 1315	<u>HEXACHLORO ETHANE</u> for synthesis 98%	67-72-1	100 gm	315	500 gm	828
H 4543	<u>HEXACHLOROPLATINIC ACID</u> GR (Pt 37.5% min)	18497-13-7	1 gm	7209	5 gm	35019
H 1325	<u>n-HEXADECANE</u> 99%	544-76-3	100 ml	2808	500 ml	9549
H 0124	<u>1,2-HEXADECANEDIOL</u> 98%	6920-24-7	5 gm	5706	25 gm	30609
H 1326	<u>n-HEXADECANE SULPHONIC ACID SODIUM SALT</u> for HPLC 99%	15015-81-3			5 gm	1890
			25 gm	4995	10 x 25 gm	39906
H 1335	<u>HEXADECYLAMINE</u> for synthesis 98%	143-27-1	25 gm	1791	250 gm	2259
					1 kg	6903
H 1338	<u>HEXAFLUOROPHOSPHORIC ACID</u> ~ 62% solution	16940-81-1	100 gm	1395	500 gm	5679
H 1340	<u>HEXA-FLUORO 2-PROPANOL</u> for synthesis 99%	920-66-1			100 ml	22059
H 1341	<u>HEXA-FLUORO 2-PROPANOL</u> for spectroscopy 99.5%	920-66-1	50 ml	20709	100 ml	31509
H 1345	<u>1,1,1,3,3,3 - HEXAMETHYL DISILAZANE</u> (HMDS) for synthesis 98%	999-97-3	100 ml	1395	500 ml	6003
H 5811	<u>HEXAMETHYLDISILANE</u> 98%	1450-14-2	50 gm	3969	250 gm	17109
H 1350	<u>HEXAMETHYL DISILOXANE</u> for synthesis 98%	107-46-0	100 ml	792	500 ml	2592
H 2561	<u>HEXAMETHYLENE DIISOCYANATE</u> 98%	822-06-0	250 ml	9603	1 lt	34092
H 1351	<u>HEXAMETHYL PHOSPHORIC TRIAMIDE</u> for synthesis 98%	680-31-9	100 ml	2169	500 ml	7659
H 1355	<u>HEXAMINE</u> extra pure 99%	100-97-0	500 gm	423	5 kg	3384
H 1357	<u>HEXAMINE</u> GR 99%+	100-97-0	500 gm	522	5 kg	4104

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
H 1356	<u>HEXAMINE</u> ≥99.5%	100-97-0	100 gm	2205	500 gm	4707
H 1018	<u>HEXANE</u> anhydrous, 95%	110-54-3	100 ml	6003	1 lt	9702
H 1359	<u>HEXANE</u> fraction 65-70 °C	110-54-3	500 ml	423	5 lt	3303
H 1360	<u>HEXANE</u> fraction for synthesis	110-54-3	500 ml	486	5 lt	3906
H 1361	<u>HEXANE</u> fraction GR	110-54-3	500 ml	504	5 lt	4005
H 1362	<u>n-HEXANE</u> for synthesis 95%	110-54-3	500 ml	549	5 lt	4608
H 1365	<u>n-HEXANE</u> for synthesis 99%	110-54-3	500 ml	585	5 lt	5409
H 1367	<u>n-HEXANE</u> GR 99%+	110-54-3	500 ml	693	5 lt	6309
H 1369	<u>n-HEXANE</u> for HPLC 99%+	110-54-3			500 ml	1089
H 1370	<u>n-HEXANE</u> for spectroscopy	110-54-3			500 ml	1089
H 1372	<u>1:6 HEXANE DIOL</u> for synthesis 99%	629-11-8	100 gm	396	500 gm	1783
H 5124	<u>1,6-HEXANEDIOL DIACRYLATE</u> , 80%	13048-33-4	100 gm	5445	500 gm	11889
H 1392a	<u>1-HEXANETHIOL</u> , 97%	111-31-9	5 ml	2709	100 ml	7704
					500 m	26109
H 1374	<u>1-HEXANE SULPHONIC ACID SODIUM SALT</u> (anhydrous) for HPLC 98%	2832-45-3	25 gm	1089	100 gm	3996
H 1375	<u>1-HEXANE SULPHONIC ACID SODIUM SALT</u> (monohydrate) for HPLC 99%+	2832-45-3	5 gm	306	25 gm	1089
					100 gm	3996
H 1380	<u>HEXANOIC ACID</u> puriss 98%	142-62-1			250 ml	1908
H 1385	<u>1-HEXANOL</u> for synthesis 99%	111-27-3	500 ml	1188	1 lt	2106
					5 lt	9909
H 1387	<u>1-HEXANOL</u> GR 99%+	111-27-3	100 ml	495	500 ml	1395
					5 lt	12906
H 0153	<u>HEXANOYL CHLORIDE</u> 98%	142-61-0	100 ml	5094	500 ml	20709
H 1393	<u>HEXATRIACONTANE</u> 98%	630-06-8	5 gm	2502	10 gm	4005
H 1386 *	<u>HEXOKINASE</u> from <i>Saccharomyces cerevisiae</i>	9001-51-8			250 mg	8208
H 1382	<u>1-HEXYLAMINE</u> 98%+	111-26-2	250 ml	7992	500 ml	13905
H 1388	<u>N-HEXYLAMINE</u> 99.5% for HPLC	111-26-2			100 ml	3519
H 1383	<u>1-HEXYL-2,3-DIMETHYL IMIDAZOLIUM CHLORIDE</u> puriss 98%	455270-59-4	5 gm	POR	25 gm	POR
H 1391	<u>HEXYLMAGNESIUM BROMIDE</u> solution 2.0 M in diethyl ether	3761-92-0	100 ml	POR	500 ml	POR
H 1384	<u>1-HEXYL-3-METHYL IMIDAZOLIUM CHLORIDE</u> puriss 98%	171058-17-6	5 gm	2394	25 gm	7992
H 1389	<u>HEXYLENE GLYCOL</u> for synthesis 99%	107-41-5	500 ml	675	5 lt	5508
H 1390	<u>4-HEXYL RESORCINOL</u> for synthesis 99%	136-77-6	25 gm	5103	100 gm	14400
H 1395	<u>HIPPURIC ACID</u> cryst 99%	495-69-2	100 gm	522	500 gm	1890
					5 kg	16902
H 1400	<u>HIPPURIC ACID SODIUM SALT</u> for synthesis 98%+	532-94-5	25 gm	1899	100 gm	4959
H 2056	<u>HISTAMINE</u> , ≥97%	51-45-6	1 gm	16002	5 gm	70605
H 1398 *	<u>HISTAMINE ACID PHOSPHATE</u> for biochemistry 99%	51-74-1	1 gm	1809	5 gm	3996
					25 gm	16992
H 1399 *	<u>HISTAMINE HYDROCHLORIDE</u> for biochemistry 99%	56-92-8	1 gm	693	5 gm	1692
					25 gm	7479
H 1405	<u>L-HISTIDINE</u> for biochemistry 99%+	71-00-1			25 gm	873
			100 gm	2709	500 gm	13905
H 1410	<u>L-HISTIDINE METHYL ESTER HYDROCHLORIDE</u> 98%+	7389-87-9	1 gm	675	5 gm	2493
H 1415 *	<u>L-HISTIDINE MONOHYDROCHLORIDE</u> for biochemistry 99%	5934-29-2	25 gm	792	100 gm	2790
					500 gm	12069
H 1416	<u>L-HISTIDINE MONOHYDROCHLORIDE</u> for molecular biology 99%	5934-29-2	25 gm	891	100 gm	2808
H 1422	<u>HOLMIUM</u> 99.9% (chips)	7440-60-0	1 gm	8307	5 gm	30609

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
H 0939	<u>HOLMIUM</u> powder, -200 mesh, 99.9%	7440-60-0	5 gm	15102	25 gm	68049
H 1408	<u>HOLMIUM</u> pieces, 99.9%	7440-60-0			1 gm	8604
			10 gm	36909	50 gm	150309
H 1750	<u>HOLMIUM(III) ACETATE</u> hydrate 99.99%	312619-49-1			1 gm	1819
			10 gm	9405	50 gm	39069
H 1755	<u>HOLMIUM(III) BROMIDE</u> puriss 99.98%	13825-76-8	1 gm	16002	5 gm	46089
H 1760	<u>HOLMIUM(III) CARBONATE</u> hydrate 99.9%	38245-34-0	5 gm	2502	10 gm	3609
H 1765	<u>HOLMIUM(III) CHLORIDE</u> hexahydrate 99.9%	14914-84-2	5 gm	3249	25 gm	9405
					100 gm	27405
H 1770	<u>HOLMIUM(III) CHLORIDE</u> anhydrous 99.9%	10138-62-2	1 gm	7605	5 gm	14705
H 1789	<u>HOLMIUM(III) FLUORIDE</u> anhydrous 99.9%	13760-78-6	1 gm	2709	10 gm	14608
H 1785	<u>HOLMIUM(III) FLUORIDE</u> anhydrous 99.99%	13760-78-6	5 gm	15507	10 gm	26919
H 1790	<u>HOLMIUM(III) IODIDE</u> puriss 99.99%	13813-41-7	1 gm	16902	5 gm	60903
H 1801	<u>HOLMIUM(III) NITRATE</u> pentahydrate 99.9%	14483-18-2	10 gm	9405	50 gm	32049
H 1800	<u>HOLMIUM(III) NITRATE</u> pentahydrate 99.99%	14483-18-2	5 gm	12708	10 gm	22095
H 1421	<u>HOLMIUM(III) OXIDE</u> 99%	12055-62-8	5 gm	1980	10 gm	3402
H 1419	<u>HOLMIUM(III) OXIDE</u> 99.9%	12055-62-8	5 gm	2088	10 gm	3969
			25 gm	7929	50 gm	14049
H 1420	<u>HOLMIUM(III) OXIDE GR</u> 99.99%	12055-62-8	5 gm	7803	10 gm	13509
			25 gm	19089	100 gm	63099
H 0612	<u>HOLMIUM OXIDE</u> 99.995%	12055-62-8			1 gm	4077
			5 gm	13095	25 gm	47079
H 1805	<u>HOLMIUM(III) 2,4-PENTANEDIONATE</u> 99.9%	14589-33-4	1 gm	8604	10 gm	49059
H 1810	<u>HOLMIUM(III) SULPHATE</u> hydrate 99.99%	15622-40-9	5 gm	9663	25 gm	43092
H 1426	<u>HOMATROPINE HYDROBROMIDE GR</u> 99% (End user certificate required)	51-56-9	1 gm	3591	25 gm	27099
H 1435	<u>HOMO VANILLIC ACID</u> extra pure 99%	306-08-1			250 mg	4302
H 1436	<u>HOMOVERATRYLAMINE</u> for synthesis	120-20-7			100 gm	17910
H 1439 *	<u>HORDENINE</u> 99%	539-15-1	100 mg	5409	500 mg	18604
			1 gm	43092	5 gm	60759
H 1437	<u>HUMIC ACID</u> for synthesis	68514-28-3	500 gm	315	5 kg	2709
H 8134	<u>HUMIC ACID SODIUM SALT</u> technical	68131-04-4			100 gm	2907
H 1438 *	<u>(-)-HUPERZINE A</u> 98%+	102518-79-6			25 mg	18009
H 1440 *	<u>HYALURONIC ACID SODIUM SALT</u> for biochemistry	9067-32-7	100 mg	1098	1 gm	2007
			5 gm	8001	25 gm	26019
H 1097 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 750,000-1,000,000	9067-32-7	10 mg	19089	50 mg	59069
H 1098 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 1,000,000-1,250,000	9067-32-7	10 mg	16092	50 mg	53019
H 1099 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 1,250,000-1,500,000	9067-32-7	10 mg	17802	50 mg	59049
H 1104 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 1,750,000-2,000,000	9067-32-7	10 mg	15093	50 mg	51093
H 1105 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 2,000,000-2,200,000	9067-32-7	10 mg	15003	50 mg	59049
H 1106 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 2,000,000-2,400,000	9067-32-7	10 mg	16002	50 mg	56079
H 1441 *	<u>HYALURONIC ACID SODIUM SALT</u> , from streptococcus, mol wt 8,000-15,000	9067-32-7	10 mg	16002	50 mg	54099
H 1442 *	<u>HYALURONIC ACID SODIUM SALT</u> ,	9067-32-7	10 mg	15309	50 mg	55044

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	from streptococcus, mol wt 10,000-30,000					
H 1107 *	<u>HYALURONIC ACID SODIUM SALT</u> , from bovine vitreous humor	9067-32-7	10 mg	29007	50 mg	103049
H 1445	<u>HYAMINE 1622 99%</u>	121-54-0	25 gm	1485	100 gm	4689
H 1446	<u>HYAMINE 1622 solution</u>	121-54-0	1 lt	1422	5 lt	3906
H 1455 ☐	<u>HYDRAZINE DIHYDROCHLORIDE</u> extra pure 99%	5341-61-7	100 gm	423	500 gm	1783
					5 kg	15093
H 1460	<u>HYDRAZINE HYDRATE</u> 24-26% solution in water	10217-52-4			500 ml	792
H 1462	<u>HYDRAZINE HYDRATE</u> , N ₂ H ₄ 50-60%	10217-52-4	100 ml	1908	500 ml	4005
H 1465	<u>HYDRAZINE HYDRATE</u> 80% for synthesis	10217-52-4	500 ml	1989	5 lt	16902
H 1467	<u>HYDRAZINE HYDRATE GR 80%</u>	10217-52-4	500 ml	2169	5 lt	17649
H 1468	<u>HYDRAZINE HYDRATE</u> for synthesis 99%	10217-52-4			500 ml	2493
H 1469	<u>HYDRAZINE HYDRATE GR 99%</u>	10217-52-4			500 ml	3708
H 1475 ☐	<u>HYDRAZINE SULPHATE</u> for synthesis 98%	10034-93-2	100 gm	387	500 gm	1449
					5 kg	12069
H 1477 ☐	<u>HYDRAZINE SULPHATE GR 99%+</u>	10034-93-2	100 gm	450	500 gm	1692
H 1485	<u>HYDRAZOBENZENE</u> for synthesis 98%	122-66-7	25 gm	3159	100 gm	11079
H 1490 ☐	<u>HYDRINDANTINE</u> dihydrate 98%	5950-69-6	5 gm	1197	25 gm	4491
H 1496	<u>HYDRIODIC ACID GR 55%</u> with stabilizer	10034-85-2			250 ml	7092
H 1495 ☐	<u>HYDRO-IODIC ACID GR (min. 57%)</u>	10034-85-2			250 ml	7659
H 1505 ☐	<u>HYDROBROMIC ACID</u> 48% for synthesis	10035-10-6	500 ml	1305	5 lt	12069
H 1507 ☐	<u>HYDROBROMIC ACID</u> 48% GR	10035-10-6	500 ml	1503	5 lt	13905
H 5781	<u>HYDROBROMIC ACID</u> 48 wt% in H ₂ O, ≥99.99%	10035-10-6	100 ml	3006	500 ml	14058
H 1515	<u>HYDROBROMIC ACID</u> 33% in glacial acetic acid	10035-10-6			500 ml	1791
H 1518	<u>HYDROCHLORIC ACID N/10 solution</u>	7647-01-0			500 ml	117
H 1525	<u>HYDROCORTISONE</u> for biochemistry 99%	50-23-7	1 gm	693	5 gm	2979
H 1528	<u>HYDROCORTISONE ACETATE</u> puriss 99%	50-03-3	1 gm	792	5 gm	3393
H 1529 ☐	<u>HYDROFLUORIC ACID</u> 40%	7664-39-3	500 ml	747	5 lt	4779
H 1530 ☐	<u>HYDROFLUORIC ACID</u> 40% GR	7664-39-3	500 ml	1188	5 lt	9909
H 1531 ☐	<u>HYDROFLUORIC ACID</u> 48% GR	7664-39-3	500 ml	1287	5 lt	10908
H 1532 ☐	<u>HYDROFLUORIC ACID</u> 48% GR ELECTRONIC grade	7664-39-3	500 ml	1395	5 lt	12609
H 1540	<u>HYDROGEN PEROXIDE SOLUTION</u> 6% w/v H ₂ O ₂ (100 volumes)	7722-84-1	1 lt	396	5 lt	1692
H 1541	<u>HYDROGEN PEROXIDE SOLUTION</u> 30% w/v H ₂ O ₂ (100 volumes)	7722-84-1	500 ml	486	5 lt	3888
H 1542	<u>HYDROGEN PEROXIDE SOLUTION GR</u> (100 Volume) 30%	7722-84-1	500 ml	549	5 lt	4392
H 1535 ☐	<u>HYDROQUINONE</u> for synthesis 99%	123-31-9	100 gm	693	500 gm	3087
					5 kg	26919
H 1537 ☐	<u>HYDROQUINONE GR 99%+</u>	123-31-9	100 gm	819	500 gm	3393
					5 kg	29007
H 1545 ☐	<u>HYDROQUINONE DIMETHYL ETHER</u> for synthesis 99%	150-78-7	100 gm	891	250 gm	1593
			1 kg	5490	5 kg	24066
H 1549 ☐	<u>HYDROQUINONE mono-METHYL ETHER</u>	150-76-5	100 gm	711	250 gm	1386
	for synthesis 99%				1 kg	5229
H 1550	<u>p-HYDROXY ACETANILIDE</u> for synthesis 98%+	103-90-2	100 gm	1224	500 gm	3159
H 1555 ☐	<u>o-HYDROXY ACETOPHENONE</u> for synthesis 98%+	118-93-4	100 ml	1296	250 ml	2889
					500 ml	5202
H 1556 ☐	<u>m-HYDROXY ACETOPHENONE</u> for synthesis 98%+	121-71-1	25 gm	792	100 gm	2196
H 1558 ☐	<u>p-HYDROXY ACETOPHENONE</u> for synthesis 98%+	99-93-4	100 gm	594	250 gm	1395
			500 gm	2493	5 kg	21069
H 1559 ☐	<u>1-HYDROXY ADAMANTANE</u> 99%	768-95-6	5 gm	1188	25 gm	3906
					100 gm	11709

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
H 0985	<u>HYDROXYAPATITE</u> , powder	12167-74-7	25 gm	12609	100 g	43092
H 0425	<u>HYDROXYAPATITE</u> , aqueous paste, <50 nm, 15 wt. %	-----			50 gm	13005
H 1560	<u>1-HYDROXY-7-AZABENZO TRIAZOLE (HOAT)</u> puriss 98% protecting reagent	39968-33-7	1 gm	675	5 gm	2790
H 1565	<u>p-HYDROXY AZOBENZENE</u> pure (adsorption indicator)	1689-82-3			25 gm	2088
H 1570	<u>m-HYDROXY BENZALDEHYDE</u> for synthesis 97%	100-83-4	100 gm 500 gm	1404 7506	250 gm 1 kg	3969 11970
H 1574	<u>o-HYDROXY BENZALDEHYDE</u> for synthesis 98%	90-02-8	100 ml	792	250 ml	1492
H 1575	<u>p-HYDROXY BENZALDEHYDE</u> for synthesis 98%	123-08-0	100 gm	621	250 gm	1080
					500 gm	1989
H 1580	<u>4-HYDROXY BENZAMIDE</u> 98%	619-57-8	5 gm	1998	25 gm	7479
					100 gm	18909
H 1584	<u>m-HYDROXY BENZOIC ACID</u> for synthesis 98%	99-06-9	100 gm	1593	500 gm	7191
H 1585	<u>p-HYDROXY BENZOIC ACID</u> for synthesis 98%	99-96-7	100 gm	261	500 gm 5 kg	990 8406
H 1586	<u>p-HYDROXY BENZOIC ACID SODIUM SALT</u> GR for biochemistry 99%	114-63-6	25 gm	2007	100 gm 1 kg	3591 31905
H 1587	<u>p-HYDROXY BENZOPHENONE</u> 98%	1137-42-4	25 gm	2619	100 gm	3474
H 1590	<u>1-HYDROXY BENZOTRIAZOLE</u> (anhydrous)	2592-95-2	25 gm	279	100 gm	990
	for synthesis 98%		250 gm	2304	1 kg	8109
H 1591	<u>1-HYDROXY BENZOTRIAZOLE</u> (hydrate)	123333-53-9	25 gm	279	100 gm	1017
	for synthesis 98%		500 gm	4104	1 kg	7992
H 1616	<u>4-HYDROXY BENZYL ALCOHOL</u> for synthesis 98%	623-05-2	25 gm	1692	100 gm	5103
H 8612	<u>HYDROXYCHLOROQUINE SULPHATE</u> ≥98% (HPLC), powder	747-36-4	5 mg	10602	25 mg	43092
H 1620	<u>HYDROXY CITRONELLAL</u> for synthesis	107-75-5			500 gm	7605
H 1622a	<u>6-HYDROXY-3-COUMARANONE</u> 97%	6272-26-0	1 gm	2709	5 gm	9207
H 1624	<u>4-HYDROXY COUMARIN</u> puriss 98%	1076-38-6	25 gm	621	100 gm 500 gm	2241 8991
H 0351	<u>HYDROXY CYCLOHEXYL PHENYL KETONE</u> , 99%	947-19-3	50 gm	3609	250 gm	8703
H 1595	<u>p-HYDROXY DIPHENYL</u> for synthesis 98%	92-69-3	100 gm	891	500 gm	3591
H 0923	<u>HYDROXYETHYL CELLULOSE</u> average Mw ~90,000	9004-62-0	250 gm	4329	1 kg	8604
H 0926	<u>HYDROXYETHYL CELLULOSE</u> average Mw ~380,000	9004-62-0	25 gm	4806	500 gm	9405
H 0921	<u>HYDROXYETHYL CELLULOSE</u> average Mw ~720,000	9004-62-0	250 gm	4302	1 kg	9765
H 0927	<u>HYDROXYETHYL CELLULOSE</u> average Mw ~1,300,000	9004-62-0	250 gm	4329	1 kg	10809
H 1618	<u>HYDROXY ETHYL CELLULOSE</u> for synthesis (HV 270)	9004-62-0	500 gm	2619	5 kg	22059
H 1619	<u>HYDROXY ETHYL CELLULOSE</u> (HV 145)	9004-62-0	500 gm	2884	5 kg	24039
H 1683	<u>(2-HYDROXYETHYL)-β-CYCLODEXTRIN</u> pure	128446-32-2	10 gm	12609	100 gm	86409
H 1620a	<u>n-HYDROXY ETHYL ETHYLENE DIAMINE</u> for synthesis	111-41-1	250 ml	1809	1 lt	4905
H 1626	<u>2-HYDROXY ETHYL METHACRYLATE</u> 98%	868-77-9	500 ml	2790	5 lt	25092
H 1625	<u>4-(2-HYDROXYETHYL) MORPHOLINE</u> (2-Morpholinoethanol) puriss 99%	622-40-2			250 ml	1602
H 1621	<u>n-HYDROXY ETHYL PHTHALIMIDE</u> for synthesis 97%	3891-07-4	100 gm	990	500 gm	4491
H 1631	<u>1,2-HYDROXY ETHYL PIPERIDINE</u> for synthesis 98%	3040-44-6	100 ml	648	500 ml	2889
H 1641	<u>1-(2-HYDROXYETHYL)PIPERAZINE</u> 98%	103-76-4			100 ml	3969
H 1622	<u>4-HYDROXY INDOLE</u> for synthesis 98%	2380-94-1	1 gm	2619	5 gm	8064
H 1623	<u>5-HYDROXY INDOLE</u> for synthesis 97%	1953-54-4	1 gm	3807	5 gm	17019
H 1632	<u>2-HYDROXY ISO BUTYRIC ACID</u> for synthesis 98%	594-61-6	25 gm	1629	100 gm	5706
H 1605	<u>HYDROXYLAMINE HYDROCHLORIDE</u> for synthesis 98%	5470-11-1	100 gm	333	500 gm 5 kg	1485 13005
H 1607	<u>HYDROXYLAMINE HYDROCHLORIDE</u> GR 99%+	5470-11-1	100 gm	450	500 gm	1737

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
					5 kg	15093
H 1608	<u>HYDROXYLAMINE HYDROCHLORIDE</u> GR 99% (Mercury Free)	5470-11-1	100 gm	1089	500 gm	4509
H 1604	<u>HYDROXYLAMINE-O-SULPHONIC ACID</u> pract. 96%	2950-43-8	25 gm	3006	100 gm	12609
H 1615	<u>HYDROXYLAMINE SULPHATE</u> for synthesis 98%	10039-54-0	100 gm	180	500 gm	693
					5 kg	6003
H 1617	<u>HYDROXYLAMINE SULPHATE</u> GR 99%+	10039-54-0	100 gm	225	500 gm	792
					5 kg	7065
H 1633	<u>(4S)-4-HYDROXY-L-ISOLEUCINE</u> 98%	55399-93-4			50 mg	38079
H 3516	<u>N-(HYDROXYMETHYL)ACRYLAMIDE</u> 98%	924-42-5	25 gm	2403	250 gm	17919
H 1640	<u>4-HYDROXY-3-METHOXY ACETOPHENONE</u> 98%	498-02-2	25 gm	2304	100 gm	6939
H 1630	<u>3-HYDROXY 4-METHOXY BENZALDEHYDE</u> 99%	621-59-0	25 gm	1486	100 gm	4941
H 1634	<u>4-HYDROXY 3-METHOXY CINNAMIC ACID</u> for synthesis	1135-24-6	1 gm	2007	10 gm	6003
H 1638	<u>4-HYDROXY-3-METHOXYCINNAMIC ACID</u> , mixture of isomers	1135-24-6	100 mg	5301	1 gm	47097
H 1636	<u>4-HYDROXY 3-METHYL BENZOIC ACID</u> 97%	499-76-3	1 gm	1809	10 gm	8019
					25 gm	9909
H 1637	<u>5-HYDROXYMETHYL FURFURAL</u> 98%	67-47-0	1 gm	1665	5 gm	6831
					25 gm	27207
H 1635	<u>4-HYDROXY 4-METHYL 2-PENTANONE</u> for synthesis 99%	123-42-2	500 ml	2619	1 lt	3600
H 1645	<u>2-HYDROXYMETHYL-2-METHYL-1,3 PROPANEDIOL</u> 98%	77-85-0	100 gm	792	1 kg	7659
H 1654	<u>2-HYDROXY 1-NAPHTHALDEHYDE</u> for synthesis	708-06-5	25 gm	2907	100 gm	10953
H 1655	<u>3-HYDROXY-2-NAPTHOIC ACID</u> for synthesis 98%	92-70-6	250 gm	3105	1 kg	7299
H 1656	<u>n-HYDROXY-1,8-NAPHTHALIMIDE SODIUM SALT</u> 99%	6207-89-2			5 gm	2799
H 1658	<u>n-HYDROXY NAPHTHALIMIDE SODIUM SALT</u> for metal titration	7797-81-1			5 gm	3195
H 1665	<u>HYDROXY NAPHTHOL BLUE</u>	63451-35-4	5 gm	378	25 gm	1359
	indicator for calcium determination		100 gm	5409	500 gm	24039
H 1670	<u>4-HYDROXYPHENYLACETIC ACID</u> 97%+	156-38-7	25 gm	4392	100 gm	10791
H 1675	<u>L-HYDROXY PROLINE</u> for biochemistry 99%+	51-35-4	1 gm	126	5 gm	396
			25 gm	1404	100 gm	4869
H 6099	<u>HYDROXYPROPYL CELLULOSE</u>	9004-64-2	100 gm	10908	250 gm	21069
H 1682	<u>(2-HYDROXYPROPYL)-β-CYCLODEXTRINE</u> 98%	128446-35-5	25 gm	2592	100 gm	7902
H 1681	<u>2-HYDROXY PROPYL β-CYCLODEXTRINE</u>	128446-35-5	5 gm	2259	25 gm	5508
	for synthesis 99%+		100 gm	14049	500 gm	63099
H 1684	<u>(2-HYDROXYPROPYL)-β-CYCLODEXTRINE</u>	128446-35-5	1 gm	8991	5 gm	30015
	for Cell culture 99%+		10 gm	50607	25 gm	POR
H 1679	<u>HYDROXYPROPYLBETADEX</u> 98%+	128446-35-5	100 mg	9603	500 mg	18099
	Reference Standard grade				5 gm	36099
H 1680	<u>2-HYDROXY PROPYL METHACRYLATE</u> for synthesis 98%	923-26-2	250 ml	POR	1 lt	POR
H 1813	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> E3	9004-65-3	500 gm	2979	5 kg	27909
H 1692	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> E6	9004-65-3	500 gm	2889	1 kg	5319
H 1685	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> E5	9004-65-3	500 gm	2439	1 kg	4869
H 1686	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> E15	9004-65-3	500 gm	2439	1 kg	4869
H 1687	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> E50	9004-65-3	500 gm	2889	1 kg	5409
H 1814	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> E4M	9004-65-3	500 gm	2907	5 kg	27909
H 1812	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> F4M	9004-65-3	500 gm	2979	5 kg	27999
H 1815	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> K100	9004-65-3	500 gm	2979	5 kg	27909
H 1688	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> K4M	9004-65-3	500 gm	3789	5 kg	28098
H 1689	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> K15M	9004-65-3	500 gm	3879	5 kg	29709
H 1690	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> K30M	9004-65-3	500 gm	3303	5 kg	26199
H 1691	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC)</u> K100M	9004-65-3	500 gm	3429	5 kg	27909

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
H 1811	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC) K200M</u>	9004-65-3	500 gm	3969	5 kg	30609
H 1693	<u>HYDROXY PROPYL METHYL CELLULOSE (HPMC) K300M</u>	9004-65-3	500 gm	3789	5 kg	30609
H 1694	<u>HYDROXYPROPYL METHYL CELLULOSE PHTHALATE</u> pure	9050-31-1	100 gm	6903	500 gm	28809
H 1695	<u>2-HYDROXY PYRIDINE</u> for synthesis 98%	142-08-5	100 gm	3996	500 gm	13509
H 1696	<u>3-HYDROXY PYRIDINE</u> for synthesis 98%	109-00-2	25 gm	819	100 gm	3069
H 1698	<u>4-HYDROXY PYRIDINE</u> for synthesis 98%	626-64-2	25 gm	1791	100 gm	7506
H 1704	<u>4-HYDROXY QUINALDINE</u> for synthesis	- - - -			100 gm	POR
H 1705	<u>8-HYDROXY QUINOLINE</u> for synthesis 99%	148-24-3	100 gm	837	500 gm	3591
					5 kg	33093
H 1707	<u>8-HYDROXY QUINOLINE GR 99%+</u> reagent for vanadium & magnesium	148-24-3	100 gm	972	500 gm	4104
					5 kg	32004
H 1715	<u>n-HYDROXY SUCCINIMIDE</u> for synthesis 98%	6066-82-6	25 gm	711	100 gm	2394
					500 gm	7974
H 0168	<u>n-HYDROXY SUCCINIMIDE</u> 99%	6066-82-6	5 gm	1908	25 gm	2502
			100 gm	6705	1 kg	49905
H 1717	<u>4-HYDROXY-TEMPO</u> free radical 98+%	2226-96-2	5 gm	1692	25 gm	5949
H 1714	<u>3-HYDROXY TYROSOL</u> 98%	10597-60-1	25 mg	27099	100 mg	75006
H 1716	<u>5-HYDROXY DL-TRYPTOPHAN</u> for biochemistry 99%	56-69-9	5 mg	9009	10 mg	14031
					1 gm	35019
H 1718	<u>5-HYDROXY L-TRYPTOPHAN</u> for biochemistry 99%	4350-09-8	500 mg	1476	1 gm	2644
H 1719	<u>HYDROXYUREA</u> 98%	127-07-1	1 gm	2403	5 gm	3789
					25 gm	9729
H 1720	<u>HYFLOSUPERCEL</u> filter aid	61790-53-2	500 gm	243	5 kg	2106
H 3312	<u>HYGROMYCIN B</u> , from streptomyces hygroscopicus	31282-04-9	50 mg	6183	100 mg	10503
					500 mg	34902
H 9326	<u>HYGROMYCIN B</u> , from streptomyces hygroscopicus, plant cell culture tested, ≥60% (HPLC), lyophilized powder	31282-04-9	50 mg	5706	100 mg	9801
					500 mg	18019
H 0913	<u>HYNIC-TOC TRIFLUOROACETATE</u> 95%	257943-19-4	1 mg	86049	10 mg	POR
H 1450	<u>HYODEOXYCHOLIC ACID</u> 98%	83-49-8	1 gm	2709	5 gm	9018
H 1721	<u>HYPERICIN</u> from Hypericum perforatum	548-04-9	25 mg	18603	100 mg	43029
H 1725	<u>HYPOPHOSPHOROUS ACID</u> 30% for synthesis	6303-21-5	500 ml	1395	5 lt	11007
H 1726	<u>HYPOPHOSPHOROUS ACID</u> 50% GR for synthesis	6303-21-5	500 ml	1899	5 lt	16002
H 1735	<u>HYPOXANTHINE</u> for biochemistry 99%	68-94-0	1 gm	99	5 gm	198
			25 gm	891	100 gm	3195
I 5871	<u>IBUPROFEN</u> for biochemistry 98%	15687-27-1	1 gm	4806	5 gm	14004
I 1200	<u>ICARIIN</u> ≥94%	489-32-7	100 mg	2106	1 gm	12069
I 1205	<u>IMIDAZOLE</u> (buffer substance) 99%	288-32-4	100 gm	540	500 gm	2169
					5 kg	17109
I 1206	<u>IMIDAZOLE</u> ≥99%	288-32-4	100 gm	4302	500 gm	16209
I 1207	<u>IMIDAZOLE GR 99%+</u>	288-32-4	25 gm	360	100 gm	639
			500 gm	2493	5 kg	19404
I 1210	<u>IMIDAZOLE</u> for molecular biology 99.9%	288-32-4	5 gm	234	25 gm	684
					100 gm	2484
I 1212	<u>IMINO DIACETIC ACID</u> for synthesis 98%	142-73-4	25 gm	333	100 gm	693
			250 gm	936	500 gm	1692
I 1213	<u>IMINO DIBENZYL</u> for synthesis 99%	494-19-9	25 gm	1818	100 gm	6939
I 1215	<u>IMMERSION OIL</u>	- - - -	30 ml	234	125 ml	693
	for microscopy optically clear non-fluorescent				500 ml	1962
I 5633	<u>IMPERATORIN</u> , powder, ≥98% (HPLC)	482-44-0	25 mg	6561	100 mg	14796

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
I 1218	<u>INDENE</u> pract. 90 ~ 95%	95-13-6	250 ml	4689	1000 ml	15903
I 1220	<u>INDIAN INK</u>	-----	30 ml	108	100 ml	189
I 1265	<u>INDICATOR PAPERS</u> (PH)					
	A Specific range (pH 2.0-4.5)	-----			10 bks	360
	B Specific range (pH 3.5-6.0)	-----			10 bks	360
	C Specific range (pH 5.0-7.5)	-----			10 bks	360
	D Specific range (pH 6.0-9.0)	-----			10 bks	360
	E Specific range (pH 8.0-10.5)	-----			10 bks	360
	F Specific range (pH 2.0-10.5)	-----			10 bks	360
	H Specific range (pH 3.8-5.3)	-----			10 bks	360
	G <u>INDICATOR MULTI-RANGE</u> contains each of the above 6 ranges	-----			1 box	1359
I 1266	<u>INDICATOR PAPER</u> complete range pH 1.0-14.0	-----			10 bks	360
I 1275	<u>INDIGO CARMINE</u> GR for microscopy (C.I. No. 73015)	860-22-0	25 gm	288	100 gm	963
					1 kg	8982
I 1225	<u>INDIUM</u> ingots 99.9%	7440-74-6	10 gm	3771	25 gm	8919
					100 gm	35046
I 1226	<u>INDIUM</u> ingots, 99.99%	7440-74-6			10 gm	3969
			25 gm	10602	100 gm	37908
I 1229	<u>INDIUM</u> powder, -100 mesh, 99.9% (End user certificate required)	7440-74-6	5 gm	6993	25 gm	27099
I 1228	<u>INDIUM</u> powder, -325 mesh, 99.99% (End user certificate required)	7440-74-6	1 gm	13059	5 gm	64008
I 3511	<u>INDIUM</u> powder, -325 mesh, 99.999% (End user certificate required)	7440-74-6	1 gm	20079	5 gm	91089
I 6006	<u>INDIUM</u> rod, dia 6mm, 99.99%	7440-74-6	50 mm	24039	100 mm	30609
					200 mm	49005
I 0047	<u>INDIUM</u> shot, 4mm (0.2in), 99.99%	7440-74-6	10 gm	6408	50 gm	18405
I 0021	<u>INDIUM</u> wire reel, dia 0.25 mm, 99.999%	7440-74-6	2.5 mtr	16029	10 mtr	30609
					25 mtr	79029
I 0023	<u>INDIUM</u> wire reel, dia 0.5 mm, 99.999%	7440-74-6	2.5 mtr	19089	10 mtr	56079
					25 mtr	160299
I 0024	<u>INDIUM</u> wire reel, dia 1.0 mm, 99.999%	7440-74-6	1 mtr	30609	5 mtr	107100
I 0027	<u>INDIUM</u> wire reel, dia 1.5 mm, 99.99%	7440-74-6	1 mtr	29079	5 mtr	108099
I 0025	<u>INDIUM</u> wire reel, dia 1.5 mm, 99.999%	7440-74-6	1 mtr	18099	5 mtr	59049
I 0026	<u>INDIUM</u> wire reel, dia 2.0 mm, 99.999%	7440-74-6	25 cm	12069	1 mtr	39069
					5 mtr	207909
I 6012	<u>INDIUM(III) ACETATE</u> , 99.99%	25114-58-3	10 gm	6993	50 gm	22806
I 1230	<u>INDIUM NITRATE</u> extra pure 99%	207398-97-8	5 gm	2439	10 gm	3519
					25 gm	8604
I 1231	<u>INDIUM NITRATE</u> 99.9%	207398-97-8	5 gm	2691	10 gm	3789
					50 gm	17919
I 1232	<u>INDIUM NITRATE</u> 99.99%	207398-97-8	10 gm	6507	50 gm	18819
I 1233	<u>INDIUM NITRATE</u> 99.999%	207398-97-8	5 gm	4365	25 gm	14994
I 1235	<u>INDIUM OXIDE</u> extra pure 99%	1312-43-2	10 gm	4203	25 gm	7749
I 1234	<u>INDIUM OXIDE</u> 99.9%	1312-43-2	5 gm	3600	10 gm	5589
					25 gm	8235
I 1238	<u>INDIUM OXIDE</u> 99.99%	1312-43-2	10 gm	6390	50 gm	25092
I 1237	<u>INDIUM OXIDE</u> 99.994%	1312-43-2	10 gm	9207	50 gm	27909
I 1236	<u>INDIUM OXIDE</u> 99.997%	1312-43-2	10 gm	10305	50 gm	28089
I 1240	<u>INDIUM OXIDE</u> , 99.999% (metals basis)	1312-43-2	10 gm	11709	50 gm	51399
I 1245	<u>INDIUM SULPHATE</u> extra pure 98%	13464-82-9	10 gm	2790	25 gm	6219
I 1247	<u>INDIUM SULPHATE</u> 99.9%	13464-82-9	10 gm	5904	25 gm	13905
I 1255	<u>INDIUM TRICHLORIDE</u> extra pure 99%	10025-82-8	5 gm	3492	10 gm	6903

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
I 6544	<u>INDIUM TRICHLORIDE</u> , 99.99%	10025-82-8	10 gm	7407	25 gm 50 gm	11709 24039
I 1285	<u>INDOLE</u> for synthesis 99%	120-72-9	25 gm	360	100 gm 500 gm	1179 5508
I 1287	<u>INDOLE</u> GR 99%	120-72-9	10 gm 100 gm	171 1287	25 gm 1 kg	396 11007
I 1295	<u>INDOLE-3-ACETIC ACID</u> for biochemistry 99%	87-51-4	5 gm	387	25 gm 100 gm	1485 5103
I 1305	<u>3-INDOLE-ACETONITRILE</u> for biochemistry 99%	771-51-7	5 gm	1431	25 gm	5490
I 1315	<u>INDOLE-3-BUTYRIC ACID</u> for biochemistry 99%	133-32-4	5 gm	414	25 gm 100 gm	1665 5859
I 1307	<u>INDOLE-3-CARBINOL</u> 96%	700-06-1	1 gm	2772	5 gm 25 gm	4590 19431
I 1310	<u>INDOLE 3-CARBOXALDEHYDE</u> for biochemistry 99%	487-89-8			10 gm	882
I 1314	<u>INDOLE-3-CARBOXYLIC ACID</u> for biochemistry 99%	771-50-6	25 gm 1 gm	1791 603	100 gm 5 gm	6399 1152
I 1317	<u>INDOLE-5-CARBOXYLIC ACID</u> 95%	1670-81-1	1 gm	5094	5 gm	9369
I 1316	<u>INDOLE-3-PROPIONIC ACID</u> for biochemistry 99%	830-96-6	5 gm	1044	25 gm	3132
I 1325	<u>INOSINE</u> for biochemistry 99%	58-63-9	5 gm	288	10 gm	567
I 1335	<u>meso(myo)-INOSITOL</u> for biochemistry 99%	87-89-8	25 gm 25 gm	1287 288	100 gm 1 kg	4995 792 6489
I 3070	<u>INSULIN</u> powder (natural)	- - - - -	25 gm	1989	100 gm	3996
I 3477	<u>INSULIN</u> from bovine pancreas powder, suitable for cell culture	11070-73-8	25 mg	13608	100 mg	41094
I 3480	<u>INSULIN</u> ≥25 USP units/mg (HPLC), powder	11070-73-8	50 mg	19602	100 mg	28701
I 1347	<u>I.N.T.</u> GR for biochemistry 98%	146-68-9	1 gm	2295	5 gm	10908
I 1349	<u>IODONITROTETRAZOLIUM CHLORIDE</u> for cell culture 98%+	146-68-9	1 gm	3303	5 gm	11799
I 1355	<u>INULIN</u> for biochemistry	9005-80-5	5 gm 25 gm	504 990	100 gm 1 kg	3249 26910
I 1360	<u>INVERTASE</u> enzyme	9001-57-4	500 mg 5 gm	5094 19089	1 gm 10 gm	8604 30609
I 1367	<u>IODIC ACID</u> GR 99%	7782-68-5	25 gm	1692	100 gm	5148
I 1375	<u>IODINE</u> (resublimed) extra pure 99%	7553-56-2	100 gm	2790	500 gm	12492
I 1377	<u>IODINE</u> resublimed GR 99%+	7553-56-2	100 gm	2979	500 gm	13419
I 1378	<u>IODINE</u> 0.01N volumetric solution	7553-56-2			500 ml	468
I 1384	<u>IODINE mono-BROMIDE</u> for synthesis 98%	7789-33-5	100 gm	7092	500 gm	31509
I 1385	<u>IODINE mono-CHLORIDE</u> for synthesis 98%	7790-99-0			100 gm	2691
I 1386	<u>IODINE mono-CHLORIDE</u> solution	7790-99-0			250 ml	792
I 1397	<u>IODINE PENTOXIDE</u> GR for flue gas analysis 99%+	12029-98-0	25 gm	2169	100 gm	7191
I 1405	<u>IODINE TRICHLORIDE</u> for synthesis 97%	865-44-1	25 gm	2592	100 gm	10206
I 1415	<u>IDO ACETAMIDE</u> puriss 99%	144-48-9	5 gm	3006	10 gm 25 gm	5769 10809
I 1427	<u>IDO ACETIC ACID</u> GR 99%	64-69-7	5 gm	2808	25 gm 100 gm	6705 24039
I 1430	<u>IODOBENZENE</u> puriss 99% (stabilised with silver wire)	591-50-4	100 gm	2295	500 gm	10494
I 1432	<u>IODOBENZENE DIACETATE</u> puriss 99%	3240-34-4	25 gm	1386	100 gm	5085
I 1433	<u>2-IODOBENZOIC ACID</u> 98%	88-67-5	25 gm	891	100 gm	2880

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
I 0514 *	<u>m-IODOBENZYL GUANIDINE HEMISULPHATE SALT</u> ≥98%	80663-95-2	5 gm	11052	25 gm	43101
I 1431 *	<u>5-iodo-2-DEOXYURIDINE</u> 99%	54-42-2	100 mg	1692	1 gm	3204
					5 gm	12888
I 1435	<u>iodoform</u> extra pure 99%	75-47-8	100 gm	4194	250 gm	8559
I 1437 ☐	<u>5-iodo INDOLE</u> 98%	16066-91-4	1 gm	4005	5 gm	8505
					25 gm	23904
I 1434	<u>5-iodo-2-METHYLBENZOIC ACID</u> 98%	52548-14-8	5 gm	1602	25 gm	5494
					100 gm	19782
I 1436	<u>4-iodo PHENOL</u> puriss 98%+	540-38-5	25 gm	5193	100 gm	19989
I 1438	<u>IODOPHOR</u>	39392-86-4	1 lt	792	5 lt	3690
I 1440	<u>n-iodo SUCCINIMIDE</u> puriss 99%	516-12-1	5 gm	396	25 gm	1342
					100 gm	5085
	ION EXCHANGE RESINS					
I 1445 ☐	<u>OTTOLITE ORA-400 20-50 mesh</u> (strongly anionic resin) Std. grade	9002-24-8	500 gm	1449	5 kg	12006
I 1455 ☐	<u>OTTOLITE ORC-120 20-50 mesh</u> (Strongly cationic resin) Std. grade	9002-23-7	500 gm	1305	5 kg	9909
I 1465 ☐	<u>OTTOLITE OWRC-50 20-50 mesh</u> (Weekly cationic resin) Std. grade	-----	500 gm	2106	5 kg	17910
I 1466 ☐	<u>OTTOLITE IRA-410</u>	9002-26-0	250 gm	3015	1 kg	9819
I 1467 ☐	<u>OTTOLITE 225 H</u>	-----	250 gm	702	1 kg	1251
I 1468 ☐	<u>OTTOLITE 225 NA</u>	-----	250 gm	702	1 kg	1251
I 1469 ☐	<u>OTTOLITE 300</u>	-----	250 gm	792	1 kg	2295
I 1475	<u>α-IONONE</u> for synthesis	127-41-3	100 ml	6408	500 ml	30402
I 1476	<u>β-IONONE</u> for synthesis	79-77-6	100 ml	2502	500 ml	10602
I 1484	<u>IRIDIUM powder</u> 99.9% (End user certificate required)	7439-88-5	1 gm	96093	10 gm	POR
I 0081	<u>IRIDIUM powder</u> , -22 mesh, 99.99% (End user certificate required)	7439-88-5	1 gm	99072	5 gm	POR
I 0108	<u>IRIDIUM(III) CHLORIDE</u> , hydrate, 99.9%	14996-61-3	1 gm	15903	5 gm	73809
I 1485	<u>IRIDIUM TRICHLORIDE</u> (Iridium content 46%)	10025-83-9			1 gm	24903
I 9063	<u>IRIDIUM(IV) OXIDE</u> , 99.9%	12030-49-8	1 gm	86049	5 gm	396096
I 0636	<u>IRIDIUM(IV) OXIDE</u> , 99.99%	12030-49-8	1 gm	96903	5 gm	439029
I 1495	<u>IRON</u> (metal) fillings app. 100 mesh	7439-89-6	1 kg	693	5 kg	3267
I 3027	<u>IRON</u> foil, 0.125 mm thick, 99.5%+	7439-89-6	25 x 25 mm	3402	50 x 50 mm	13095
					100 x 100 mm	36999
I 3033	<u>IRON</u> foil, 0.2 mm thick, 99.5%+	7439-89-6	25 x 25 mm	6039	50 x 50 mm	16902
					100 x 100 mm	56079
I 3045	<u>IRON</u> foil, 0.5 mm thick, 99.5%+	7439-89-6	25 x 25 mm	7668	50 x 50 mm	24003
I 3054	<u>IRON</u> foil, 0.92 mm thick, 99.5%+	7439-89-6	25 x 25 mm	14904	50 x 50 mm	43902
I 6960	<u>IRON</u> foil, 1.5 mm thick, 99.995%	7439-89-6	25 x 25 mm	36999	50 x 50 mm	86409
I 3063	<u>IRON</u> foil, 2.0 mm thick, 99.995%	7439-89-6	25 x 25 mm	49059	50 x 50 mm	135099
I 3708	<u>IRON</u> pieces, 3.2-6.4 mm, 99.99%	7439-89-6	25 gm	2295	100 gm	5202
I 1496 ☐	<u>IRON</u> powder electrolytic 99.5%	7439-89-6	1 kg	936	5 kg	4356
I 0984	<u>IRON</u> powder, spherical, <10 µm, 99.9%+	7439-89-6	25 gm	1494	250 gm	8703
					1 kg	16902
I 1498	<u>IRON REDUCED</u> extra pure 99%	7439-89-6	1 kg	1395	5 kg	6291
I 1500	<u>IRON wire</u> , 0.57 mm dia, 99%	7439-89-6	100 gm	792	500 gm	3519
I 0714	<u>IRON wire</u> , 2.0mm dia, 99.995%	7439-89-6	25 cm	18099	100 cm	74079
I 0050	<u>IRON (Fe) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTED HCL</u> traceable to NIST					
I 0051	<u>IRON (Fe) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTED HNO3</u> traceable to NIST					
I 0052	<u>IRON (Fe) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12592	500 ml	37809

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
I 0053	<u>IN DILUTED HCL</u> traceable to NIST <u>IRON (Fe) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12592	500 ml	37809
I 0054	<u>IN DILUTED HNO3</u> traceable to NIST <u>IRON AAS STANDARD SOLUTION 1000 MG/L Fe</u>	-----	100 ml	1809	500 ml	3015
I 0055	<u>IN DILUTED HCL</u> traceable to NIST <u>IRON AAS STANDARD SOLUTION 1000 MG/L Fe</u>	-----	100 ml	1809	500 ml	3015
I 0135	<u>IRON(III) HYDROXIDE</u> , 98%	1309-33-7	25 gm	4005	100 gm 250 gm	12069 28809
I 0134	<u>IRON(III) OXIDE</u> , hydrated	20344-49-4	50 gm	7605	250 gm	28809
I 0381	<u>IRON(II,III) OXIDE</u> 99.99%	1317-61-9	10 gm	16704	25 gm 100 gm	33093 108099
I 5699	<u>IRON(II,III) OXIDE</u> 99.997%	1317-61-9	10 gm	18909	25 gm 100 gm	43029 76059
I 0086	<u>IRON(II) PHTHALOCYANINE</u> , pract	132-16-1	1 gm	2889	5 gm	3492
I 0087	<u>IRON(II) PHTHALOCYANINE</u> Dye content ~90 %	132-16-1	1 gm	3249	10 gm	10602
I 1505	<u>ISAMINE BLUE</u> for microscopy	1324-86-3	1 gm	9603	10 gm	76509
I 1515	<u>ISATIN</u> for synthesis 98%	91-56-5	100 gm 1 kg	2169 13059	500 gm 5 kg	7605 57069
I 1517	<u>ISATIN</u> GR 99%+	91-56-5	25 gm 500 gm	693 8793	100 gm 1 kg	2493 16902
I 1525	<u>ISATOIC ANHYDRIDE</u> for synthesis 99%	118-48-9	100 gm	405	500 gm	1269
I 1535	<u>iso-AMYL ACETATE</u> for synthesis 98%	123-92-2	500 ml	603	5 lt	5679
I 1537	<u>iso-AMYL ACETATE</u> GR 99%	123-92-2	500 ml	693	5 lt	6219
I 1545	<u>iso-AMYL ALCOHOL</u> for synthesis 98%	123-51-3	500 ml	369	5 lt	2889
I 1547	<u>iso-AMYL ALCOHOL</u> GR 99%	123-51-3	500 ml	486	5 lt	3879
I 1548	<u>iso-BUTYL ACETATE</u> for synthesis	110-19-0	500 ml	567	5 lt	5139
I 1565	<u>iso-BUTYL BENZENE</u> puriss 99%	538-93-2			500 ml	477
I 1549	<u>iso-BUTYL BENZOATE</u> for synthesis	120-50-3			500 gm	3195
I 1550	<u>iso-BUTYL BUTYRATE</u> for synthesis	539-90-2			500 gm	2799
I 1553	<u>iso-BUTYL CHLOROFORMATE</u> 98%	543-27-1	100 ml	1449	500 ml	6705
I 1551	<u>iso-BUTYL CINNAMATE</u> for synthesis	122-67-8			500 gm	3996
I 1552	<u>iso-BUTYL FORMATE</u> for synthesis	542-55-2			500 gm	3690
I 1555	<u>iso-BUTYL IODIDE</u> for synthesis 98%	513-38-2			100 ml	3492
I 1576	<u>ISOBUTYL 4-HYDROXYBENZOATE</u> 98%	4247-02-3	5 gm	1989	25 gm	3699
I 1570	<u>iso-BUTYL METHACRYLATE</u> for synthesis 99%	97-86-9	500 ml	2979	1 lt	4608
I 0022	<u>3-ISOBUTYL-1-METHYLXANTHINE</u> 99%+	28822-58-4	100 mg 1 gm	4473 24606	250 mg 5 gm	8883 97092
I 1572	<u>iso-BUTYL PHENYL ACETATE</u> for synthesis	102-13-6			500 gm	3969
I 1573	<u>iso-BUTYL PROPIONATE</u> for synthesis	540-42-1			500 gm	5679
I 1574	<u>iso-BUTYL SALICYLATE</u> for synthesis	87-19-4			500 gm	3105
I 1571	<u>iso-BUTYRALDEHYDE</u> puriss 99%	78-84-2			500 ml	1296
I 1575	<u>iso-BUTYRIC ACID</u> for synthesis 99%	79-31-2	500 ml	1791	5 lt	16002
I 1577	<u>iso-BUTYRIC ACID</u> GR 99%+	79-31-2			1 lt	7605
I 1578	<u>iso-BUTYRIC ANHYDRIDE</u> for synthesis 98%	97-72-3			500 ml	2889
I 1579	<u>iso-BUTYRYL CHLORIDE</u> 98%	79-30-1	250 ml	2403	1 lt	5508
I 1599	<u>3-ISO CHROMANONE</u> 98%	4385-35-7	1 gm 25 gm	2349 16047	5 gm 100 gm	8604 36099
I 1595	<u>DL-iso-CITRIC ACID tri-SODIUM SALT</u> GR 98% for biochemistry	1637-73-6	500 mg	2601	1 gm	4203

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
I 5566	<u>ISODECYL METHACRYLATE</u> , 95%	29964-84-9			1 lt	7308
I 1598	<u>iso-EUGENOL</u> for synthesis	97-54-1			100 gm	2619
I 1600	<u>iso-EUGENYL ACETATE</u> for synthesis	93-29-8			500 gm	7659
I 1605	<u>DL-iso-LEUCINE</u> for biochemistry 99%	443-79-8	10 gm	2196	25 gm	4959
I 1606	<u>L-iso-LEUCINE</u> for biochemistry 99%+	73-32-5	5 gm	117	25 gm	441
			100 gm	1395	500 gm	5679
I 4571*	<u>ISOMALTOSE</u> ~98% (TLC)	499-40-1	100 mg	5589	500 mg	14004
			1 gm	22059	5 gm	45099
I 1615	<u>iso-NIAZIDE</u> for synthesis 99%	54-85-3	5 gm	270	25 gm	396
			100 gm	774	500 gm	3465
I 1625	<u>iso-NICOTINIC ACID</u> for synthesis 99%	55-22-1	100 gm	846	500 gm	3195
I 1630	<u>iso-NIPECOTINIC ACID</u> for synthesis 99%	498-94-2	25 gm	1179	100 gm	4302
I 1635	<u>iso-OCTANE</u> extra pure 99%	540-84-1	500 ml	1134	5 lt	9018
I 1637	<u>iso-OCTANE</u> GR 99%+	540-84-1	500 ml	1287	5 lt	9909
I 1639	<u>iso-OCTANE</u> for HPLC 99%+	540-84-1			500 ml	1692
I 1645	<u>iso-PENTANE</u> for synthesis 99%	78-78-4	500 ml	1395	5 lt	12699
I 1647	<u>iso-PENTANE</u> GR 99%+	78-78-4	500 ml	1602	1 lt	3069
I 1661	<u>iso-PENTANOIC ACID</u> for synthesis 99%	503-74-2			500 ml	6003
I 1655	<u>iso-PHTHALALDEHYDE</u> for synthesis 99%	626-19-7	25 gm	1395	100 gm	5490
I 1656	<u>iso-PHTHALIC ACID</u> for synthesis 99%	121-91-5	500 gm	450	5 kg	4068
I 1663	<u>iso-PHORONE</u> for synthesis 99%	78-59-1	500 ml	549	5 lt	4392
I 1662	<u>iso-PHORONE</u> puriss GR 99%+	78-59-1			1 lt	2797
I 9055	<u>ISOPHTHALOYL CHLORIDE</u> , ≥99%	99-63-8	100 gm	3060	500 gm	3969
					1 kg	7569
I 1665	<u>iso-PROPANOL</u> for synthesis 99%	67-63-0	500 ml	414	5 lt	2488
I 1667	<u>iso-PROPANOL</u> puriss GR 99%+	67-63-0	500 ml	459	5 lt	3303
I 1670	<u>iso-PROPANOL</u> electronic grade 99%+	67-63-0	500 ml	432	5 lt	3366
I 1669	<u>iso-PROPANOL</u> for HPLC 99%+	67-63-0			500 ml	450
I 1666	<u>iso-PROPANOL</u> for molecular biology, ≥99.5%	67-63-0	25 ml	2007	4 x 25 ml	5607
					500 ml	6507
I 1668a	<u>iso-PROPANOL</u> for spectroscopy 99%+	67-63-0			500 ml	414
I 1668	<u>iso-PROPYL ACETATE</u> for synthesis 99%	108-21-4	500 ml	585	5 lt	4779
I 1670a	<u>4-iso-PROPYL ANILINE</u> for synthesis 99%	99-88-7	25 ml	3006	100 ml	7659
I 1671	<u>iso-PROPYLAMINE</u> for synthesis 99%	75-31-0	500 ml	738	5 lt	6219
I 1672	<u>iso-PROPYLAMINE</u> GR 99%+	75-31-0			1 lt	7092
I 1675	<u>iso-PROPYL BROMIDE</u> for synthesis 98%	75-26-3	500 ml	1899	5 lt	17091
I 1678	<u>iso-PROPYL CHLORO ACETATE</u> for synthesis 98%	105-48-6			500 ml	1305
I 1685	<u>iso-PROPYL IODIDE</u> for synthesis 97%	75-30-9			100 ml	3492
I 1690	<u>iso-PROPYLMAGNESIUM CHLORIDE</u> solution 2.0 M in THF	1068-55-9	100 ml	4194	500 ml	12609
I 1695	<u>iso-PROPYL MYRISTATE</u> for synthesis 97%	110-27-0	500 ml	666	5 lt	5859
I 1697	<u>1-ISOPROPYL PIPERAZINE</u> 97%	4318-42-7	1 gm	4302	5 gm	5589
					25 gm	9792
I 1699 *	<u>ISOPROPYL β-D-1-THIOGALACTOPYRANOSIDE (IPTG)</u> (dioxan free) for biochemistry 99%	367-93-1	1 gm	369	5 gm	1656
			10 gm	3159	100 gm	28089
I 1698 *	<u>ISOPROPYL β-D-1-THIOGALACTOPYRANOSIDE</u> (IPTG) for Molecular Biology 99%+	367-93-1	250 mg	279	1 gm	405
			5 gm	1818	10 gm	3519
			25 gm	8208	100 gm	30402
I 1701 *	<u>IPTG</u> solution	367-93-1	1 ml	1647	5 x 1 ml	6705
I 1700	<u>iso-PULEGOL</u> for synthesis	89-79-2			500 gm	5949

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
I 1702	<u>iso-QUINOLINE</u> tech 95%	119-65-3	100 ml	3969	500 ml	15093
I 1710	<u>iso-VALERALDEHYDE</u> for synthesis 98%	590-86-3	100 ml	1107	500 ml	4806
I 1703	<u>iso-VALERIC ACID</u> (3-Methylbutyric acid) puriss 99%	503-74-2	100 ml	1602	500 ml	7209
I 1704	<u>iso-VANILLIN</u> puriss 98%	621-59-0	10 gm	846	25 gm	1485
			100 gm	4869	500 gm	21906
I 1705	<u>ITACONIC ACID</u> puriss 99%	97-65-4			250 gm	450
			500 gm	594	5 kg	5319
J 1205	<u>JACK BEAN MEAL</u> for microbiology	-----	100 gm	513	500 gm	1791
J 1215	<u>JANUS GREEN B</u> for microscopy (C.I. 11050)	2869-83-2	5 gm	675	10 gm	990
					25 gm	2295
J 1217	<u>JASMIN ABSOLUTE</u>	8022-96-6	25 gm	35019	100 gm	130905
J 0023	<u>JASMINE OIL</u>	8022-96-6	25 gm	34002	1 kg	675099
J 1225	<u>JENNER'S STAIN</u> for microscopy	62851-42-7	10 gm	261	25 gm	513
					100 gm	1881
J 1227	<u>JOJOBA OIL</u> , from Simmondsia chinensis	61789-91-1	100 ml	14049	500 ml	39069
J 1228	<u>JUNIPER BERRY OIL</u>	8002-68-4	100 gm	11403	1 kg	74970
K 1226	<u>KAISER'S GLYCEROL GELATIN</u> solution	-----			100 gm	162
K 1207	<u>KALIGNOST</u> GR 99.5%	143-66-8	5 gm	693	10 gm	1089
			25 gm	2394	100 gm	9459
K 1219	<u>KANAMYCIN SULPHATE</u> GR for biochemistry	25389-94-0	1 gm	540	5 gm	2169
K 2567	<u>KANAMYCIN SULPHATE</u>	25389-94-0	1 gm	4203	5 gm	12203
	from streptomycetes kanamyceticus, for plant cell culture				25 gm	46647
K 1215	<u>KAOLIN</u> extra pure	1332-58-7	500 gm	180	5 kg	1602
K 1220	<u>KARL FISCHER</u> reagent pyridine free single solution	-----			500 ml	2169
K 1225	<u>KEISELGUHR</u> (purified white)	91053-39-3	500 gm	405	1 kg	693
					5 kg	3069
K 1227	<u>KEISELGUHR G</u> for thin layer chromatography	91053-39-3			500 gm	1062
K 3455	<u>2-KETOBUTYRIC ACID</u> 97%	600-18-0			5 gm	16407
K 1235	<u>α-KETO-GLUTARIC ACID</u> puriss 99%+	328-50-7	25 gm	567	100 gm	1998
					1 kg	15903
K 1236	<u>KETOMALONIC ACID</u> monohydrate 97%	560-27-0	1 gm	76059	5 gm	POR
K 1247	<u>KINETINE</u> for biochemistry GR 99.5%	525-79-1	100 mg	81	250 mg	171
			1 gm	396	10 gm	3789
K 1255	<u>KOJIC ACID</u> for biochemistry 98%	501-30-4	1 gm	198	5 gm	891
			10 gm	1692	25 gm	2403
			100 gm	8109	1 kg	68049
K 1257	<u>KOJIC ACID DIPALMITATE</u> for biochemistry	79725-98-7	1 gm	693	5 gm	3105
K 1256	<u>KOVAC'S INDOLE</u> reagent	-----			100 ml	234
K 1268	<u>KYNURAMINE DIHYDROBROMIDE</u> pure	304-47-2			25 mg	9198
L 1201	<u>LAB-O-CLEAN</u> (NEUTRAL) phosphate free	-----	500 ml	225	5 lt	1791
L 1202	<u>LAB-O-CLEAN</u> chromic-sulphuric acid cleaning solution	-----	500 ml	234	5 lt	2025
L 1205	<u>LACMOID</u> (pH indicator)	33869-21-5	5 gm	963	25 gm	4302
L 1215	<u>LACTIC ACID</u> extra pure	50-21-5	500 ml	873	5 lt	6309
L 1217	<u>LACTIC ACID</u> GR	50-21-5	500 ml	945	5 lt	7029
L 1218	<u>LACTIC ACID</u> 1.0 N solution	50-21-5	500 ml	369	5 lt	2205
L 3812	<u>LACTOPEROXIDASE</u>	9003-99-0	1 mg	4995	5 mg	19008
	from bovine milk lyophilized powder (essentially salt-free), ≥200 units/mg protein					
L 1225	<u>LACTOPHENOL</u> (COTTON-BLUE) for microscopy	-----	250 ml	162	500 ml	288
L 1224	<u>LACTOPHENOL</u> (Mountant) special for fungi	-----			500 ml	324
L 1226	<u>LACTOPHENOL</u> (PICRIC ACID) for microscopy	-----	100 ml	153	500 ml	441

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
L 1236	<u>LACTOSE</u> (monohydrate) 99%	10039-26-6	500 gm	432	5 kg	4059
L 1237	<u>LACTOSE</u> (monohydrate) GR 99%+ for bacteriological purpose	10039-26-6	500 gm	513	5 kg	4869
L 1240	<u>LANOLINE</u> anhydrous	8006-54-0	500 gm	1287	5 kg	11061
L 1241	<u>LANTHANUM</u> pieces 99.9%	7439-91-0	1 gm	1809	5 gm	4905
			25 gm	14803	100 gm	40608
L 1209	<u>LANTHANUM</u> powder, -200 mesh, 99.9%	7439-91-0	5 gm	39906	25 gm	117099
L 1243	<u>LANTHANUM ACETATE</u> extra pure 98%	917-70-4	25 gm	396	100 gm	1287
L 1242	<u>LANTHANUM ACETATE</u> GR 99.9%	917-70-4	25 gm	603	100 gm	2079
L 1675	<u>LANTHANUM BORIDE</u> 99.5%	12008-21-8	10 gm	6606	50 gm	21069
L 6699	<u>LANTHANUM BORIDE</u> , 325 mesh, 99.5%	12008-21-8	10 gm	7929	50 gm	21906
					250 gm	99873
L 1680	<u>LANTHANUM(III) BROMIDE</u> hydrate 99.99%	224183-16-8	5 gm	1269	25 gm	4869
L 1690	<u>LANTHANUM(III) BROMIDE</u> puriss 99.9%	13536-79-3	2 gm	8406	10 gm	28008
					50 gm	99063
L 0625	<u>LANTHANUM(III) BROMIDE</u> puriss 99.99%	13536-79-3	1 gm	10602	10 gm	37089
L 1244	<u>LANTHANUM CARBONATE</u> GR 99.9%	54451-24-0	25 gm	792	100 gm	2790
L 1049	<u>LANTHANUM CARBONATE</u> 99.99%	54451-24-0	50 gm	6606	250 gm	27099
L 1247	<u>LANTHANUM CHLORIDE</u> GR 99.9%	10025-84-0	100 gm	2286	500 gm	10206
L 1248	<u>LANTHANUM CHLORIDE</u> 99.99%	10025-84-0	50 gm	6408	250 gm	27306
L 1081	<u>LANTHANUM FLUORIDE</u> 99%	13709-38-1	25 gm	3879	100 gm	8199
L 1250	<u>LANTHANUM FLUORIDE</u> GR 99.9%	13709-38-1	25 gm	4059	100 gm	9729
L 1082	<u>LANTHANUM FLUORIDE</u> 99.99%	13709-38-1	50 gm	5310	250 gm	27603
L 1252	<u>LANTHANUM HYDROXIDE</u> GR 99.9%	14507-19-8	50 gm	5805	250 gm	14508
L 1710	<u>LANTHANUM(III) IODIDE</u> puriss 99.9%	13813-22-4	1 gm	7407	5 gm	30096
L 1711	<u>LANTHANUM(III) IODIDE</u> puriss 99.995%	13813-22-4	1 gm	10602	5 gm	37008
L 1257	<u>LANTHANUM NITRATE</u> GR 99%+	10277-43-7	25 gm	675	100 gm	2088
			500 gm	8289	1 kg	14904
L 1067	<u>LANTHANUM NITRATE</u> 99.9%	10277-43-7	100 gm	3006	500 gm	12069
L 1068	<u>LANTHANUM NITRATE</u> 99.99%	10277-43-7	5 gm	1692	50 gm	1980
			250 gm	8604	1 kg	32049
L 1268	<u>LANTHANUM OXALATE</u> GR 99%+	537-03-1	10 gm	495	25 gm	1107
					100 gm	3969
L 1269	<u>LANTHANUM OXIDE</u> 99%	1312-81-8	25 gm	288	100 gm	801
					500 gm	3042
L 1267	<u>LANTHANUM OXIDE</u> GR 99.9%	1312-81-8	100 gm	981	500 gm	3969
L 1268a	<u>LANTHANUM OXIDE</u> 99.99%	1312-81-8	50 gm	7209	250 gm	21069
L 0819	<u>LANTHANUM OXIDE</u> 99.999%	1312-81-8	50 gm	7704	250 gm	23201
L 1730	<u>LANTHANUM(III) 2,4-PENTANEDIONATE</u> hydrate 99.9%	64424-12-0	10 gm	6939	100 gm	39699
L 1745	<u>LANTHANUM(III) PHOSPHATE</u> hydrate 99.99%	14913-14-5	5 gm	3015	25 gm	10809
L 1270	<u>LANTHANUM SULPHATE</u> GR 99.9%	57804-25-8	25 g	4005	100 gm	10305
L 1098	<u>LANTHANUM SULPHATE</u> 99.99%	57804-25-8	50 gm	9108	250 gm	36603
L 1275	<u>LAURIC ACID</u> for synthesis 99%	143-07-7	500 gm	504	5 kg	4536
L 1285	<u>LAURYL ALCOHOL</u> for synthesis 99%	112-53-8	500 ml	639	5 lt	5859
L 2726	<u>LAURYL METHACRYLATE</u> contains 500 ppm MEHQ as inhibitor, 96%	142-90-5	100 ml	4905	500 ml	7407
L 2066	<u>LAURYL MALTOSE NEOPENTYL GLYCOL</u> , 99%	1257852-96-2	1 gm	15039	5 gm	58509
L 1287	<u>LAVANDIN OIL</u> natural	8022-15-9	250 gm	13905	1 kg	36099
L 1289	<u>LAVENDER OIL</u>	8000-28-0	500 ml	4203	1 lt	7803
L 1290	<u>LAVENDER OIL</u> 40/42% fleurs	8000-28-0	1 kg	22608	5 kg	82008
L 1288	<u>LAWESSON's reagent</u>	19172-47-5	25 gm	846	100 gm	3249

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
L 1295	<u>LEAD</u> foil, 99%	7439-92-1	500 gm	1287	5 kg	11502
L 1297	<u>LEAD</u> foil, GR 99%+	7439-92-1	250 gm	1602	500 gm	2493
L 2700	<u>LEAD</u> foil, 1.0 mm, thick, 99.9%	7439-92-1	25 x 25 mm	4302	50 x 50 mm	12069
					100 x 100 mm	39699
L 2709	<u>LEAD</u> foil, 0.25 mm (0.04in) thick, 99.9989%	7439-92-1			50 x 50 mm	11907
L 1305	<u>LEAD</u> granular 99.5%	7439-92-1	500 gm	1089	5 kg	9801
L 1307	<u>LEAD</u> 325 mesh, powder GR 99.5%	7439-92-1	500 gm	1017	5 kg	9108
L 1308	<u>LEAD</u> rod 99.999%	7439-92-1			50 gm	8919
L 0060	<u>LEAD (Pb) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
L 0062	<u>LEAD (Pb) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
L 0063	<u>LEAD AAS STANDARD SOLUTION 1000 MG/L Pb</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
L 1315	<u>LEAD ACETATE</u> (trihydrate) pure 99%	6080-56-4	500 gm	675	5 kg	6039
L 1317	<u>LEAD ACETATE</u> GR (trihydrate) 99%+	6080-56-4	500 gm	774	5 kg	6903
L 1325	<u>LEAD ACETATE</u> (BASIC) anhydrous extra pure 99%	51404-69-4	1 kg	1287	2.5 kg	3069
					5 kg	5949
L 1327	<u>LEAD ACETATE</u> (BASIC) solution 18-21%	-----	1 lt	423	5 lt	1989
L 1330	<u>LEAD ARSENATE</u>	7784-40-9	100 gm	4302	500 gm	12069
L 1335	<u>LEAD BORATE</u>	12676-62-9	500 gm	1404	5 kg	9603
L 1336	<u>LEAD(II) BROMIDE</u> for synthesis 99%	10031-22-8	500 gm	1791	5 kg	16002
L 5481	<u>LEAD(II) BROMIDE</u> , 99.999%	10031-22-8	5 gm	4005	25 gm	16002
L 1345	<u>LEAD CARBONATE</u> extra pure 98%	598-63-0	500 gm	873	5 kg	8109
L 1347	<u>LEAD CARBONATE</u> GR 99%+	598-63-0	250 gm	2979	1 kg	11007
L 1348	<u>LEAD CARBONATE</u> basic 77%	1319-46-6			500 gm	837
L 1360	<u>LEAD(II) CHLORIDE</u> anhydrous 99%	7758-95-4	500 gm	783	5 kg	7002
L 0741	<u>LEAD(II) CHLORIDE</u> , 99.999%	7758-95-4	5 gm	4806	25 gm	25092
					100 gm	47079
L 1361	<u>LEAD CHROMATE</u> pure 98%	7758-97-6	500 gm	990	5 kg	8910
L 1367	<u>LEAD CHROMATE</u> GR 99%	7758-97-6	100 gm	486	250 gm	891
L 1375	<u>LEAD DIOXIDE</u> extra pure 95%	1309-60-0	500 gm	1818	5 kg	15093
L 1377	<u>LEAD DIOXIDE</u> GR 97%	1309-60-0	250 gm	2295	1 kg	8604
L 1379	<u>LEAD FLUORIDE</u> 98%	7783-46-2	100 gm	1395	500 gm	6102
L 1380	<u>LEAD FLUOBORATE</u> for electroplating	13814-96-5	1 kg	585	5 kg	2808
L 1381	<u>LEAD IODIDE</u> 97%	10101-63-0	100 gm	4419	500 gm	19809
L 3694	<u>LEAD IODIDE</u> , 99%	10101-63-0			50 gm	4779
L 5710	<u>LEAD IODIDE</u> , 99.999%	10101-63-0			50 gm	16902
L 1385	<u>LEAD MONOXIDE</u> (litharge) 98%	1317-36-8	500 gm	729	1 kg	1242
					5 kg	5067
L 1387	<u>LEAD MONOXIDE</u> GR 99%+	1317-36-8	250 gm	2295	1 kg	8091
L 1386	<u>LEAD MONOXIDE</u> puriss, ≥99%	1317-36-8			50 gm	3519
			250 gm	5076	1 kg	10107
L 3036	<u>LEAD MONOXIDE</u> <10 μm, ≥99.9% trace metals basis	1317-36-8	100 gm	2403	500 gm	3609
L 0034	<u>LEAD MONOXIDE</u> 99.99%	1317-36-8	50 gm	5805	250 gm	15003
L 1383	<u>LEAD MONOXIDE</u> 99.999%	1317-36-8	25 gm	6804	100 gm	23004
L 1384	<u>LEAD MONOXIDE</u> 99.9995%	1317-36-8	25 gm	8604	100 gm	27009
L 1395	<u>LEAD NITRATE</u> pure 99%	10099-74-8	500 gm	630	5 kg	6012
L 1397	<u>LEAD NITRATE</u> GR 99%+	10099-74-8	500 gm	783	5 kg	6939

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
L 1398	<u>LEAD NITRATE</u> 99.999%	10099-74-8	10 gm 250 gm	4707 43092	50 gm 1 kg	13059 130059
L 1400	<u>LEAD OXALATE</u> pure	814-93-7	100 gm	1179	500 gm	4005
L 1405	<u>LEAD OXIDE</u> 99%	1314-41-6	500 gm	972	5 kg	7992
L 0535	<u>LEAD OXIDE</u> 1-2 μ m, 99%	1314-41-6	100 gm	1548	500 gm	7191
L 1410	<u>LEAD PHOSPHATE</u> pure	7446-27-7	500 gm	1359	5 kg	12006
L 1415	<u>LEAD STEARATE</u> pure	1072-35-1	500 gm	630	5 kg	5607
L 1420	<u>LEAD SULPHATE</u> pure 99%	7446-14-2	500 gm	837	5 kg	7506
L 1423	<u>LEAD SULPHIDE</u> pure	1314-87-0	100 gm	1206	500 gm	4131
L 0337	<u>LEAD SULPHIDE</u> 99.9%	1314-87-0	10 gm	7308	50 gm	29007
L 1422	<u>LEAD SULPHIDE</u> 99.995%	1314-87-0	1 gm	1809	10 gm	13086
L 1424	<u>LEAD TARTRATE</u>	815-84-9	100 gm	1602	500 gm	7209
L 1426	<u>LEAD(II) TELLURIDE</u> 99.99%	1314-91-6	10 gm	14094	50 gm	33093
L 1425	<u>LEAD(II) TELLURIDE</u> 99.998%+	1314-91-6	25 gm	26091	100 gm	90909
L 1427	<u>LEAD TETRA ACETATE</u> GR 98%+	546-67-8			100 gm	1908
L 1428	<u>LEAD THIOCYANATE</u> 98%	592-87-0	100 gm	1593	500 gm	7605
L 1429	<u>LEAD THIOSULPHATE</u>	13478-50-7	25 gm	2691	100 gm	8739
L 1431 ✱	<u>LECTIN</u> from vulgaris phaseolus (puriss)	-----	1 mg	7605	5 mg	22005
L 0387 ✱	<u>LECTIN</u> from Phaseolus vulgaris (red kidney bean) [PHA-M]	-----	25 mg	9702	100 mg	36099
L 0385 ✱	<u>LECTIN</u> from Phaseolus vulgaris (red kidney bean) Phytohemagglutinin PHA-P	-----			1 mg	5103
L 1435 ☐	<u>LEISHMAN'S STAIN</u> for microscopy	12627-53-1	25 gm	675	100 gm 1 kg	2385 22401
L 1436	<u>LEISHMAN'S STAIN</u> solution	12627-53-1	250 ml	252	500 ml	405
L 1440	<u>LEMON GRASS OIL</u> for synthesis	8007-02-1	100 ml	1107	500 ml	4302
L 1441	<u>LEMON OIL</u> rectified, Argentina origin	8008-56-8			1 kg	15309
L 1442	<u>LEMON OIL</u> cold-pressed, California origin	8008-56-8	1 kg	22770	5 kg	99099
L 1444	<u>D-LEUCINE</u> puriss 99%	328-38-1	1 gm	594	5 gm	1791
L 1445 ☐	<u>L-LEUCINE</u> for biochemistry 99%+	61-90-5	10 gm 100 gm	162 873	25 gm 500 gm 1 kg	288 4419 7209
L 1446	<u>L-LEUCINE METHYL ESTER HYDROCHLORIDE</u> for biochemistry 99%	7517-19-3	10 gm	3303	25 gm	4689
L 1448 ☐	<u>DL-NORLEUCINE</u> for biochemistry 99%+	616-06-8	10 gm	1818	25 gm	4392
L 1450a	<u>L-LEUCINOL</u> for biochemistry 96%	7533-40-6	1 gm	1602	5 gm 25 gm	4005 12708
L 1450	<u>LEVULINIC ACID</u> for synthesis 98%	123-76-2	100 gm	873	250 gm 1 kg	2403 7893
L 1455 ☐	<u>LIGHT GREEN</u> for microscopy (C.I. No. 42095)	5141-20-8	25 gm	1692	100 gm	5607
L 1456 ☐	<u>LIGHT GREEN SF YELLOWISH</u> for microscopy	5141-20-8	25 gm	1692	100 gm	5769
L 1454	<u>LIGHT GREEN</u> solution 0.1%	-----	250 ml	243	5 lt	3888
L 1457	'LIGROIN' GR	9005-53-2			500 ml	1971
L 1447	<u>D(+)</u> LIMONENE for synthesis	5989-27-5			500 ml	2043
L 1451	<u>LIME OIL</u> natural, purified by distillation, FCC	8008-26-2	1 kg	13032	5 kg	50490
L 1449	<u>LIME WATER</u> saturated solution	1305-62-0			500 ml	90
L 1458	<u>LINALOOL</u> for synthesis	78-70-6	100 gm	1548	500 gm	5193
L 1459	<u>LINALYL ACETATE</u> for synthesis	115-95-7	100 gm	963	500 gm	4302
L 1460	<u>LINALYL ANTHRANILATE</u> for synthesis	7149-26-0			500 gm	9603
L 1461	<u>LINALYL BENZOATE</u> for synthesis	126-64-7	100 gm	2709	500 gm	10602
L 1462	<u>LINALYL BUTYRATE</u> for synthesis	78-36-4	100 gm	3492	500 gm	13905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
L 1463	<u>LINALYL CINNAMATE</u> for synthesis	78-37-5	100 gm	3006	500 gm	12906
L 1464	<u>LINALYL FORMATE</u> for synthesis	115-99-1	100 gm	2889	500 gm	12609
L 1465	<u>LINALYL PHENYL ACETATE</u> for synthesis	- - - -	100 gm	3699	500 gm	16902
L 1466	<u>LINALYL PROPIONATE</u> for synthesis	144-39-8	100 gm	3402	500 gm	13905
L 1469	<u>LINOLEIC ACID</u> 58-74%	60-33-3	250 ml	3402	1 lt	9801
L 1467 *	<u>LINOLEIC ACID</u> puriss 99%	60-33-3	1 gm	1404	5 gm	3969
L 1467a	<u>LINSEED OIL</u> pure	8001-26-1	250 ml	3105	500 ml	5607
L 1468	<u>LINSEED OIL</u> (flaxseed)	8001-26-1			1 gm	10602
L 1471 * ☐	<u>LIPASE</u> for microbiology	9001-62-1	25 gm	396	100 gm	1296
	<u>LIPOIC ACID</u> please see T 1609					
L 1475	<u>LISSAMINE GREEN</u> (C.I. No. 44090) redox indicator	3087-16-9	5 gm	225	25 gm	477
L 1480	<u>LISSAMINE RHODAMINE B</u>	62796-29-6	1 gm	22059	5 gm	93069
L 1482 ☐	<u>LISSAPOL D</u>	- - - -			500 gm	POR
L 1485	<u>LITHIUM</u> (METAL) 99%	7439-93-2	100 gm	10404	500 gm	48069
					1 kg	81009
L 6579	<u>LITHIUM (Li) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO₃</u> traceable to NIST	- - - -	100 ml	4149	500 ml	6606
L 0065	<u>LITHIUM (Li) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO₃</u> traceable to NIST	- - - -	100 ml	12519	500 ml	37809
L 0066	<u>LITHIUM AAS STANDARD SOLUTION 1000 MG/L Li</u> <u>IN DILUTED HNO₃</u> traceable to NIST	- - - -	100 ml	1818	500 ml	3015
L 1495	<u>LITHIUM ACETATE</u> extra pure 99%	6108-17-4	100 gm	1602	250 gm	2295
					500 gm	4239
L 1497	<u>LITHIUM ACETATE</u> GR 99%+	6108-17-4	100 gm	1791	250 gm	2493
L 0871	<u>LITHIUM ACETATE</u> 99.95%	546-89-4			100 gm	11007
L 0686	<u>LITHIUM ACETATE</u> 99.999%	546-89-4	5 gm	2889	25 gm	11664
L 5008	<u>LITHIUM ALUMINATE</u> pure	12003-67-7	100 gm	4806	250 gm	8604
L 1505 ☐	<u>LITHIUM ALUMINIUM HYDRIDE</u> for synthesis 97%	16853-85-3	100 gm	12906	500 gm	58059
L 1506	<u>LITHIUM ALUMINIUM HYDRIDE</u> tablets 97%	16853-85-3			10 gm	2043
			100 gm	16002	1 kg	POR
L 5749	<u>LITHIUM ALUMINIUM HYDRIDE</u> 99.95%	16853-85-3			10 gm	2799
L 1507	<u>LITHIUM AZIDE</u> 20% w/w solution in water	19597-69-4			100 gm	15903
L 1508	<u>LITHIUM BIS(TRIMETHYLSILYL)AMIDE</u> solution 1.0 M in THF	4039-32-1	100 ml	2007	10x100 ml	18189
L 1509	<u>LITHIUM BOROHYDRIDE</u> 95%	16949-15-8	5 gm	7389	25 gm	33093
L 1515	<u>LITHIUM BROMIDE</u> anhydrous 99%	7550-35-8	100 gm	1107	500 gm	4770
L 2941	<u>LITHIUM BROMIDE</u> 99.995%+	7550-35-8	25 gm	14409	100 gm	48006
L 1520 *	<u>LITHIUM CARBAMOYLPHOSPHATE</u> dibasic hydrate ≥85%	1866-68-8	100 mg	2403	1 gm	5292
L 1525	<u>LITHIUM CARBONATE</u> extra pure 99%	554-13-2	250 gm	2979	500 gm	5490
					5 kg	POR
L 1527	<u>LITHIUM CARBONATE</u> GR 99%+	554-13-2	100 gm	1593	250 gm	3789
L 1528	<u>LITHIUM CARBONATE</u> 99.9%	554-13-2	50 gm	5004	250 gm	20079
L 1529	<u>LITHIUM CARBONATE</u> 99.99%	554-13-2	10 gm	3105	50 gm	5679
					250 gm	22095
L 0851	<u>LITHIUM CARBONATE</u> 99.997%	554-13-2	10 gm	3402	50 gm	8505
					250 gm	30906
L 1535 ☐	<u>LITHIUM CHLORIDE</u> (anhydrous) 98%	7447-41-8	250 gm	3969	500 gm	7479
L 1537 ☐	<u>LITHIUM CHLORIDE</u> GR (anhydrous) 99%+	7447-41-8	100 gm	1791	250 gm	4239
L 1538	<u>LITHIUM CHLORIDE</u> ≥99.5%	7447-41-8	100 gm	7605	500 gm	14094
L 8906	<u>LITHIUM CHLORIDE</u> puriss, 99.995%	7447-41-8	5 gm	3879	25 gm	19008

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
L 1547	<u>tr-LITHIUM CITRATE</u> GR 99%+	6080-58-6	100 gm	1044	250 gm	2169
L 0162	<u>LITHIUM COBALT(III) OXIDE</u> 97%	12190-79-3	500 gm	24039	1 kg	39996
L 1555	<u>LITHIUM FLUORIDE</u> pure 98%	7789-24-4	100 gm	1692	500 gm	4608
L 1557	<u>LITHIUM FLUORIDE</u> GR 99%	7789-24-4	100 gm	1791	500 gm	6003
L 1560	<u>LITHIUM HYDRIDE</u> 95%	7580-67-8	25 gm	4905	100 gm	18009
L 1565	<u>LITHIUM HYDROXIDE</u> (monohydrate) 99%	1310-66-3	100 gm	1305	250 gm	3195
					500 gm	5994
L 1567	<u>LITHIUM HYDROXIDE</u> (monohydrate) GR 99%+	1310-66-3	100 gm	1692	500 gm	6489
L 1570	<u>LITHIUM IODIDE</u> , trihydrate, 99%	7790-22-9	25 gm	2394	100 gm	7389
L 6669	<u>LITHIUM IODIDE</u> anhydrous, beads, -10 mesh, 99.999%	10377-51-2	5 gm	14094	25 gm	53091
L 1575	<u>LITHIUM LACTATE</u> for synthesis 98%	867-55-0	25 gm	567	100 gm	1287
					500 gm	6003
L 1585	<u>LITHIUM METABORATE</u>	13453-69-5			100 gm	2691
			250 gm	6309	1 kg	21069
L 1587	<u>LITHIUM METABORATE</u> anhydrous GR	13453-69-5	100 gm	2808	250 gm	7047
L 1624	<u>LITHIUM METABORATE</u> 99.9%	13453-69-5	100 gm	3519	500 gm	15201
L 1590	<u>LITHIUM MOLYBDATE</u> for synthesis	13568-40-6	50 gm	3069	100 gm	5607
L 1595	<u>LITHIUM NITRATE</u> (anhydrous) 98%	7790-69-4			100 gm	936
			500 gm	4491	5 kg	38007
L 1597	<u>LITHIUM NITRATE</u> (anhydrous) GR 99%+	7790-69-4			100 gm	1107
			500 gm	4779	5 kg	40032
L 1598	<u>LITHIUM NITRATE</u> 99.99%	7790-69-4	25 gm	15903	125 gm	44019
L 5953	<u>LITHIUM NITRIDE</u> ≥99.5%	26134-62-3	5 gm	3906	10 gm	7695
					25 gm	15903
L 1605	<u>LITHIUM OXALATE</u> extra pure 98%+	553-91-3	100 gm	637	500 gm	3006
L 1610	<u>LITHIUM PERCHLORATE</u> 99% (End user certificate required)	13453-78-6	25 gm	1602	100 gm	5229
L 1612	<u>LITHIUM PHOSPHATE</u> extra pure	10377-52-3	100 gm	3879	500 gm	17091
L 0816	<u>LITHIUM PHOSPHATE</u> 99.99%	10377-52-3	25 gm	10908	100 gm	29007
L 1615	<u>LITHIUM SULPHATE</u> 99%	10102-25-7			100 gm	1089
			250 gm	2599	500 gm	4779
L 1617	<u>LITHIUM SULPHATE</u> GR 99%+	10102-25-7	100 gm	1242	250 gm	2709
L 0522	<u>LITHIUM SULPHIDE</u> 99%+	12136-58-2	1 gm	4905	10 gm	16029
L 1618	<u>LITHIUM TETRABORATE</u> GR 98%	12007-60-2	100 gm	2304	1 kg	20079
L 1620	<u>LITHIUM TETRABORATE</u> for analysis grade	12007-60-2	100 gm	9306	1 kg	62019
L 5554	<u>LITHIUM TITANTATE</u> 97%	12031-82-2	50 gm	3069	100 gm	4509
L 1614	<u>LITHIUM TRIETHYL BOROXYDRIDE</u> 1M in THF puriss	22560-16-3			100 ml	12609
L 1616	<u>LITHIUM TRIFLIMIDE</u> 99%+	90076-65-6	10 gm	4509	50 gm	15201
					250 gm	63099
L 1619	<u>LITHIUM TUNGSTATE</u>	13568-45-1	25 gm	7605	100 gm	13959
L 1483	<u>LITHOCHOLIC ACID</u> 95%+	434-13-9	10 gm	6102	25 gm	14806
L 1625	<u>LITMUS</u> indicator extra pure	1393-92-6	10 gm	360	25 gm	783
			100 gm	2619	500 gm	9459
L 1626	<u>LITMUS BLUE</u> indicator paper	-----			200 lvs	342
L 1628	<u>LITMUS RED</u> indicator paper	-----			200 lvs	342
L 1629a	<u>LITMUS</u> (pH indicator) solution (red)	-----	125 ml	171	500 ml	585
L 1629	<u>LIVER EXTRACT</u> powder for bacteriology	-----	500 gm	1593	5 kg	13059
L 1631	<u>LIVER HYDROLYSATE</u> enzymatic for bacteriology	91079-45-7			500 gm	3996
L 1632	<u>LIVER INFUSION</u> powder	-----			500 gm	3690
L 1634	<u>LUGOL'S IODINE</u> solution	-----	125 ml	342	500 ml	1188
L 1635a	<u>LUMINOL</u> for chemiluminescence 98%	521-31-3	1 gm	585	5 gm	918

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
L 1637	<u>LUMINOL</u> for biochemistry 98%	521-31-3	5 gm	693	25 gm	3303
					100 gm	9639
L 1643 ✱	<u>LUTEOLIN</u> 97%	491-70-3	100 mg	5805	500 mg	14004
			1 gm	17019	5 gm	48069
L 1642 ✱	<u>LUTEOLIN</u> 98%	491-70-3	10 mg	11079	50 mg	43092
			100 mg	51309	500 mg	65079
L 0992	<u>LUTETIUM</u> foil, 1 mm thick, 99.9%	7439-94-3			25 x 25 mm	96039
L 6091	<u>LUTETIUM</u> foil, 0.127 mm thick, 99.9%	7439-94-3			25 x 25 mm	100098
L 1641	<u>LUTETIUM</u> pieces 99.9%	7439-94-3			1 gm	26091
L 1650	<u>LUTETIUM</u> powder 99.9%	7439-94-3	1 gm	64089	5 gm	POR
L 1655	<u>LUTETIUM(III) ACETATE</u> hydrate, 99.9%	18779-08-3	1 gm	7407	5 gm	30159
L 1660	<u>LUTETIUM(III) CHLORIDE</u> hexahydrate, 99.99%	15230-79-2	1 gm	9063	5 gm	31203
L 1663	<u>LUTETIUM(III) FLUORIDE</u> anhydrous, 99.9%	13760-81-1	1 gm	11079	5 gm	39069
L 1665	<u>LUTETIUM(III) FLUORIDE</u> anhydrous 99.99%	13760-81-1	1 gm	12609	5 gm	43092
L 1664	<u>LUTETIUM(III) NITRATE</u> hydrate, 99.9%	100641-16-5	1 gm	4905	5 gm	18099
L 1666	<u>LUTETIUM(III) NITRATE</u> hydrate, 99.99%	100641-16-5	1 gm	5607	5 gm	19809
L 1667	<u>LUTETIUM(III) OXIDE</u> 99.9%	12032-20-1	1 gm	7506	5 gm	24039
					25 gm	41004
L 1668	<u>LUTETIUM(III) OXIDE</u> 99.99%	12032-20-1	1 gm	8190	5 gm	25092
					25 gm	57069
L 1669	<u>LUTETIUM(III) OXIDE</u> 99.995%	12032-20-1	1 gm	14202	5 gm	58059
L 1633	<u>2,3-LUTIDINE</u> for synthesis 98%	583-61-9	250 ml	4869	500 ml	7659
L 1630	<u>2,6-LUTIDINE</u> for synthesis 99%	108-48-5			500 ml	2619
L 1671	<u>3,4-LUTIDINE</u> 97.5%	583-58-4			250 ml	4392
L 1674	<u>3,5-LUTIDINE</u> 98%	591-22-0			250 ml	2691
L 1640	<u>LYCOPodium</u> for synthesis (End user certificate required)	8023-70-9	500 gm	1404	5 kg	12906
L 1635 ☐	<u>L-LYSINE</u> (base) crystalline 99%	56-87-1	5 gm	864	10 gm	1161
			25 gm	2709	100 gm	10206
L 1636 ☐	<u>L-LYSINE MONOHYDROCHLORIDE</u>	657-27-2	25 gm	126	100 gm	351
	for biochemistry 99%+		500 gm	1287	1 kg	POR
L 1638	<u>LYSOL</u> disinfectant	12772-68-8	500 ml	594	5 lt	5607
L 1647 ✱	<u>3-sn-LYSOPHOSPHATIDYLETHANOLAMINE</u> from egg yolk	- - - - -			5 mg	10593
L 1648 ✱	<u>L-α-LYSOPHOSPHATIDYLCHOLINE</u> from egg yolk ≥99% Type I	9008-30-4			25 mg	5103
L 1645 ✱ ☐	<u>LYSOZYME</u> for biochemistry	12650-88-3	1 gm	783	5 gm	2907
					25 gm	13509
L 1639 ✱	<u>LYSOZYME</u> from chicken egg white powder, lyophilized powder, protein ≥90%, ≥40,000 units/mg protein	12650-88-3	1 gm	6129	5 gm	21501
			10 gm	34704	25 gm	76005
					100 gm	207099
L 1649 ✱	<u>LYSOZYME</u> , from chicken egg white powder, ~70000 U/mg	12650-88-3	1 gm	4302	10 gm	9918
					50 gm	27018
L 1084 ✱	<u>LYSOZYME</u> , from chicken egg white dialyzed, lyophilized, powder, ~100000 U/mg	12650-88-3	1 gm	4698	5 gm	16506
L 1646 ✱	<u>LYSOZYME CHLORIDE</u> for biochemistry	9066-59-5	1 gm	6903	5 gm	24408
					25 gm	98109
L 1670 ✱	<u>D-LYXOSE</u> for biochemistry 99%	1114-34-7			1 gm	1692
M 1200 ✱	<u>MACEROZYME R-10</u> for biochemistry	- - - - -	100 mg	1998	500 mg	4284
			1 gm	6489	5 gm	28701
M 1205 ☐	<u>MAGNESIUM</u> ribbon 99%+	7439-95-4	25 gm	477	10x25 gm	3969
M 1206	<u>MAGNESIUM</u> turning (for grignard reactions) 99%+	7439-95-4	500 gm	1593	5 kg	13005

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 1208	<u>MAGNESIUM</u> powder 99%	7439-95-4	100 gm	648	500 gm	2979
M 8523	<u>MAGNESIUM</u> powder, -325 mesh, 99.8%	7439-95-4	10 gm	2907	100 gm	5319
M 6578	<u>MAGNESIUM (Mg) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	4149	500 ml	6608
M 0061	<u>MAGNESIUM (Mg) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	12592	500 ml	37809
M 0062	<u>MAGNESIUM AAS STANDARD SOLUTION 1000 MG/L Mg</u> <u>IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	1818	500 ml	3015
M 0063	<u>MAGNESIUM AAS STANDARD SOLUTION 1000 MG/L Mg</u> <u>IN DILUTED HNO3</u> traceable to NIST	- - - - -	100 ml	1818	500 ml	3015
M 1215	<u>MAGNESIUM ACETATE</u> (tetrahydrate) 98%	16674-78-5	500 gm	1044	5 kg	8919
M 1217	<u>MAGNESIUM ACETATE</u> GR 99%+	16674-78-5	250 gm	1179	500 gm	2205
M 1218	<u>MAGNESIUM ACETATE</u> for molecular biology 99%+	16674-78-5	100 gm	585	500 gm	2772
M 1220	<u>MAGNESIUM ALUMINIUM SILICATE</u>	1337-76-4	500 gm	1602	5 kg	12006
M 1225	<u>MAGNESIUM AMMONIUM PHOSPHATE</u> (MAP)	7785-21-9	500 gm	2007	5 kg	18009
M 1226	<u>MAGNESIUM BORATE</u>	13703-82-7	500 gm	2403	5 kg	16002
M 0224	<u>MAGNESIUM BORIDE</u> ≥99.9%	12007-25-9	5 gm	2808	25 gm	15039
M 1230	<u>MAGNESIUM BROMIDE</u> extra pure 99%	13446-53-2	500 gm	2394	5 kg	20403
M 1235	<u>MAGNESIUM CARBONATE</u> (light) extra pure	39409-82-0	250 gm	549	500 gm	1188
					5 kg	7992
M 1237	<u>MAGNESIUM CARBONATE</u> (light) GR	39409-82-0	500 gm	1485	5 kg	8604
M 1240	<u>MAGNESIUM CHLORIDE</u> anhydrous 99%+	7786-30-3	100 gm	711	500 gm	1107
					5 kg	7407
M 6038	<u>MAGNESIUM CHLORIDE</u> , puriss, 99.99%	7786-30-3	5 gm	4455	25 gm	18207
					100 gm	54909
M 1245	<u>MAGNESIUM CHLORIDE</u> hexahydrate, extra pure 98%	7791-18-6	500 gm	270	5 kg	1791
M 1247	<u>MAGNESIUM CHLORIDE</u> hexahydrate GR 99%+	7791-18-6	500 gm	351	5 kg	4203
M 1248	<u>MAGNESIUM CHLORIDE</u> for molecular biology 99.5%	7791-18-6	500 gm	936	5 kg	8604
M 2901	<u>MAGNESIUM CHLORIDE</u> hexahydrate, 99.999%	7791-18-6	25 gm	15903	100 gm	44091
M 1249	<u>MAGNESIUM CHROMATE</u>	13423-61-5	100 gm	1899	500 gm	8991
M 1250	<u>MAGNESIUM CITRATE</u> extra pure 98%	3344-18-1	500 gm	945	5 kg	7506
M 1255	<u>MAGNESIUM FLUORIDE</u> extra pure 98%	7783-40-6	500 gm	792	5 kg	7776
M 1257	<u>MAGNESIUM FLUORIDE</u> spezial 99%	7783-40-6			1 kg	5112
M 1258	<u>MAGNESIUM GLUCONATE</u> for synthesis	3632-91-5	250 gm	4302	500 gm	7002
M 1260	<u>MAGNESIUM HYDROXIDE</u> extra pure	1309-42-8	500 gm	396	1 kg	765
M 1265	<u>MAGNESIUM NITRATE</u> (hexahydrate) extra pure 98%	13446-18-9	500 gm	288	5 kg	2304
M 1267	<u>MAGNESIUM NITRATE</u> GR (hexahydrate) 99%+	13446-18-9	500 gm	396	5 kg	3105
M 1268	<u>MAGNESIUM NITRATE</u> , 99.97%	13446-18-9	5 gm	3303	50 gm	12402
					250 gm	48069
M 1269	<u>MAGNESIUM NITRATE</u> , 99.999%	13446-18-9	10 gm	4104	50 gm	10404
M 1288	<u>MAGNESIUM OXALATE</u> for synthesis	547-66-0	500 gm	1602	5 kg	14004
M 1274	<u>MAGNESIUM OXIDE</u> (heavy)	1309-48-4	500 gm	1494	5 kg	12609
M 1275	<u>MAGNESIUM OXIDE</u> (light)	1309-48-4	500 gm	1143	5 kg	9909
M 1277	<u>MAGNESIUM OXIDE</u> GR (light) 97%+	1309-48-4	500 gm	1332	5 kg	10602
M 3667	<u>MAGNESIUM OXIDE</u> -325 mesh, ≥99%	1309-48-4	250 gm	10602	1 kg	19701
M 0855	<u>MAGNESIUM OXIDE</u> , 99.95%	1309-48-4	25 gm	8703	100 gm	34092
					500 gm	106029
M 0162	<u>MAGNESIUM OXIDE</u> 99.995%	1309-48-4	10 gm	7803	50 gm	26919
M 0184	<u>MAGNESIUM OXIDE</u> 99.999%	1309-48-4	10 gm	13005	50 gm	39609

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 1287	<u>MAGNESIUM PERCHLORATE</u> hydrate (for drying) GR (End user certificate required)	64010-42-0	100 gm	5679	500 gm	19089
M 1288a	<u>MAGNESIUM PERCHLORATE</u> dried MAR for elementary analysis (End user certificate required)	10034-81-8	100 gm	6705	500 gm	19602
M 6681	<u>MAGNESIUM PHTHALOCYANINE</u>	1661-03-6	1 gm	3339	5 gm	17604
M 1291	☐ <u>MAGNESIUM PHOSPHATE</u>	7782-75-4	500 gm	1485	5 kg	11880
M 1295	☐ <u>MAGNESIUM STEARATE</u> precipitated fine powder	557-04-0	500 gm	558	5 kg	4404
M 1305	☐ <u>MAGNESIUM SULPHATE</u> extra pure 99%	10034-99-8	500 gm	234	5 kg	1449
M 1307	☐ <u>MAGNESIUM SULPHATE</u> GR 99%+	10034-99-8	500 gm	324	5 kg	1791
M 1308	☐ <u>MAGNESIUM SULPHATE</u> dried 98%	22189-08-8	500 gm	477	5 kg	3807
M 1309	☐ <u>MAGNESIUM tri-SILICATE</u> hydrate	39365-87-2	500 gm	360	5 kg	3204
M 1312	☐ <u>MAGNESIUM SULPHIDE</u>	12032-36-9	100 gm	1359	500 gm	6012
M 1311	☐ <u>MAGNESIUM TARTRATE</u> pure	20752-56-1	100 gm	1206	500 gm	5904
M 1317	☐ <u>MAGNESON I</u> GR indicator	74-39-5	1 gm	1503	25 gm	2601
					100 gm	9099
M 1327	☐ <u>MAGNESON II</u> GR indicator	5290-62-0	25 gm	3609	100 gm	12069
M 1335	<u>MALACHITE GREEN</u> for microscopy (malachite green oxalate) (C.I. 42000)	2437-29-8	25 gm	216	100 gm	540
					1 kg	3492
M 1336	<u>MALACHITE GREEN</u> 1% aqueous solution (stain for plant cytoplasm)	-----			100 ml	108
M 1345	<u>MALEIC ACID</u> for synthesis 99%	110-16-7	500 gm	639	2.5 kg	2709
M 1347	<u>MALEIC ACID</u> GR 99%+	110-16-7	100 gm	180	500 gm	783
M 1355	☐ <u>MALEIC ANHYDRIDE</u> for synthesis 99%	108-31-6	500 gm	891	5 kg	8019
M 1357	<u>MALEIC ANHYDRIDE</u> GR 99%+	108-31-6	100 gm	315	500 gm	1413
M 1365	<u>MALEIC HYDRAZIDE</u> for synthesis 98%	123-33-1	100 gm	567	1 kg	4905
M 1380	☐ <u>6-MALEIMIDOCAPROIC ACID</u> 98%	55750-53-3	1 gm	2790	5 gm	12906
M 1375	☐ <u>DL-MALIC ACID</u> for synthesis 99%	617-48-1	500 gm	738	5 kg	5904
M 1377	<u>DL-MALIC ACID</u> for biochemistry 99%+	617-48-1	250 gm	2898	1 kg	8991
M 1376	<u>L-MALIC ACID</u> puriss 99%	97-67-6	25 gm	792	100 gm	1944
			500 gm	8469	5 kg	POR
M 1395	<u>MALONAMIDE</u> for synthesis 99%	108-13-4			100 gm	1269
M 1396	☐ <u>MALONIC ACID</u> for synthesis 99%	141-82-2	250 gm	1044	500 gm	1989
			1 kg	3204	5 kg	16002
M 1397	☐ <u>MALONIC ACID</u> GR 99%+	141-82-2	100 gm	549	250 gm	1206
					1 kg	3708
M 1398	<u>MALONONITRILE</u> for synthesis 98%	109-77-3	100 gm	846	500 gm	3879
M 5251	<u>MALONONITRILE</u> ≥99%	109-77-3	100 gm	1503	500 gm	5805
					5 kg	50031
M 1405	☐ <u>MALT DIASTASE</u> for bacteriology	9000-92-4			500 gm	2196
M 1415	☐ <u>MALT EXTRACT</u> powder for bacteriology	8002-48-0	500 gm	594	5 kg	5049
M 1416	<u>MALT EXTRACT</u> certified for microbiology	8002-48-0	500 gm	1179	5 kg	8910
M 1418	☐ <u>MALTODEXTRINE</u> powder	9050-36-6	500 gm	180	5 kg	1701
M 1414	<u>MALTOL</u> pure 99%	118-71-8	100 gm	3600	250 gm	6003
					1 kg	9027
M 1425	☐ <u>MALTOSE</u> monohydrate, for bacteriology 99%	6363-53-7	100 gm	369	250 gm	765
			500 gm	1539	5 kg	12069
M 1426	<u>MALTOSE</u> monohydrate, puriss 99% {NRC GRADE}	6363-53-7	100 gm	396	500 gm	1692
M 1434	<u>MANDARIN OIL</u>	8008-31-9	100 gm	10602	1 kg	26919
M 1435	☐ <u>DL-MANDELIC ACID</u> for synthesis 99%	90-64-2	100 gm	1206	250 gm	2799
					500 gm	4869
M 1440	☐ <u>R-MANDELIC ACID</u> for synthesis 99%+	611-71-2	5 gm	504	25 gm	891

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	(D-MANDELIC ACID)				100 gm	2169
M 1441 *	<u>S-MANDELIC ACID</u> for synthesis 99%+	17199-29-0	5 gm	504	25 gm	891
	(L-MANDELIC ACID)				100 gm	2169
M 1446	<u>MANGANESE flakes 99%</u>	7439-96-5			500 gm	639
M 1445	<u>MANGANESE flakes 99.98%</u>	7439-96-5	100 gm	1305	500 gm	5202
M 7071	<u>MANGANESE granules, 0.8-12 mm, 99.98%</u>	7439-96-5	25 gm	8802	100 gm	23076
M 0613	<u>MANGANESE pieces, irregular, 99.95% (metals basis)</u>	7439-96-5	25 gm	10444	100 gm	28089
M 1444	<u>MANGANESE powder 99.8%</u>	7439-96-5	250 gm	891	500 gm	1737
M 0090	<u>MANGANESE powder, -140 mesh, 99.6% (metals basis)</u>	7439-96-5	25 gm	3141	100 gm	9144
					500 gm	24903
M 1783	<u>MANGANESE powder, -325 mesh, 99.95% (metals basis)</u>	7439-96-5	25 gm	8919	100 gm	23049
M 0064	<u>MANGANESE (Mn) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
M 0065	<u>MANGANESE (Mn) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
M 0066	<u>MANGANESE (Mn) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
M 0067	<u>MANGANESE (Mn) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
M 0068	<u>MANGANESE AAS STANDARD SOLUTION 1000 MG/L Mn IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
M 0069	<u>MANGANESE AAS STANDARD SOLUTION 1000 MG/L Mn IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
M 0509	<u>MANGANESE(III) ACETATE</u> , dihydrate, 97%	19513-05-4	5 gm	2799	25 gm	8649
					100 gm	26109
M 1455	<u>MANGANESE (II) ACETATE (tetrahydrate)</u> extra pure 99%	6156-78-1	500 gm	972	5 kg	7776
M 1457	<u>MANGANESE ACETATE GR (tetrahydrate) 99%+</u>	6156-78-1	500 gm	1143	5 kg	10404
M 0591	<u>MANGANESE(II) ACETATE</u> , tetrahydrate, ≥99.5%	6156-78-1	500 gm	5607	5 kg	30609
M 0934	<u>MANGANESE(II) ACETATE</u> , tetrahydrate, 99.99%	6156-78-1			50 gm	6606
M 1459	<u>MANGANESE BORATE</u>	12228-91-0	500 gm	3699	5 kg	30069
M 1460	<u>MANGANESE BROMIDE</u>	13446-03-2	100 gm	3069	500 gm	12006
M 1465	<u>MANGANESE CARBONATE</u>	34156-69-9	500 gm	913	5 kg	4608
M 0163	<u>MANGANESE CARBONATE</u> , 44-46% (Mn)	34156-69-9	250 gm	3501	1 kg	8505
M 1475	<u>MANGANESE(II) CHLORIDE</u> , tetrahydrate, 97%	13446-34-9	500 gm	504	5 kg	4419
M 1477	<u>MANGANESE(II) CHLORIDE</u> tetrahydrate GR 98%+	13446-34-9	500 gm	585	5 kg	5004
M 2467	<u>MANGANESE(II) CHLORIDE</u> tetrahydrate, 99.99%	13446-34-9	5 gm	3807	25 gm	10602
					100 gm	42606
M 1476	<u>MANGANESE(II) CHLORIDE</u> , ≥99%	7773-01-5	10 gm	5076	50 gm	16092
					250 gm	37089
M 5881	<u>MANGANESE(II) CHLORIDE</u> , puriss, 99.999%	7773-01-5	5 gm	7506	25 gm	22005
M 1480	<u>MANGANESE CHROMATE</u>	55392-76-2	100 gm	1602	500 gm	7605
M 1481	<u>MANGANESE CITRATE</u>	5968-88-7	100 gm	1755	500 gm	8703
M 0145	<u>MANGANESE(II) OXIDE</u> , 99.99%	1344-43-0	10 gm	11403	50 gm	30204
M 0133	<u>MANGANESE(III) OXIDE</u> 99%	1317-34-6	100 gm	5769	500 gm	26001
M 0761	<u>MANGANESE(III) OXIDE</u> 99.9%	1317-34-6	5 gm	12006	25 gm	26001
M 1485	<u>MANGANESE DIOXIDE</u> pract	1313-13-9	500 gm	405	5 kg	3807
M 1487	<u>MANGANESE DIOXIDE</u> GR	1313-13-9	500 gm	891	5 kg	8001
M 7355	<u>MANGANESE(IV) OXIDE</u> 99.9%	1313-13-9	250 gm	8649	1 kg	26091
M 3571	<u>MANGANESE (IV) OXIDE</u> , 99.99%	1313-13-9	5 gm	2709	25 gm	15039
					100 gm	39069
M 7711	<u>MANGANESE (IV) OXIDE</u> , 99.999% (metals basis)	1313-13-9	5 gm	4203	25 gm	16605

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 1488	<u>MANGANESE FLUORIDE</u>	7783-53-1	100 gm	3069	100 gm	49059
M 1489	<u>MANGANESE NITRATE</u> solution 45-50%	10377-66-9	500 ml	540	500 gm	13005
M 0248	<u>MANGANESE(II) NITRATE</u> , hydrate, 99.98%	15710-66-4	100 gm	4401	5 lt	4302
M 0245	<u>MANGANESE(II) NITRATE</u> hydrate, 99.999%	15710-66-4	10 gm	6102	500 gm	16902
M 1490	<u>MANGANESE OXALATE</u>	6556-16-7	100 gm	1107	50 gm	18018
M 1491	☐ <u>MANGANESE PHOSPHATE</u>	51349-94-1	100 gm	1107	500 gm	4392
M 1495	☐ <u>MANGANESE(II) SULPHATE</u> purified 99%	10034-96-5	500 gm	1017	5 kg	9108
M 1497	☐ <u>MANGANESE(II) SULPHATE</u> GR 99%+	10034-96-5	500 gm	522	5 kg	3789
M 1500	<u>MANGANESE SULPHIDE</u>	18820-29-6	500 gm	945	5 kg	8739
M 1501	<u>MANGANESE TARTRATE</u>	22438-86-4	100 gm	1602	500 gm	7605
M 1503 *	<u>a-MANGOSTIN</u> 98%	6147-11-1	100 gm	1908	500 gm	17001
M 1505	☐ <u>D-MANNITOL</u> extra pure 99%	69-65-8	10 mg	19008	50 mg	57006
			250 gm	936	500 gm	1683
			1 kg	3249	5 kg	14049
M 1507	☐ <u>D-MANNITOL</u> GR 99%+ for bacteriology	69-65-8	250 gm	1044	500 gm	1818
					5 kg	16002
M 6025	☐ <u>D-MANNITOL</u> ≥99% (sum of enantiomers, HPLC)	69-65-8	250 gm	6903	1 kg	20403
					5 kg	74007
M 1515	☐ <u>D-MANNOSE</u> for biochemistry 99%	3458-28-4	10 gm	441	25 gm	990
			100 gm	3696	500 gm	16002
M 5949 *	<u>MANNOSE TRIFLATE</u> , for PET imaging, ≥98% (TLC)	92051-23-5	25 mg	2610	10x25 mg	13095
M 1520	<u>MARBLE</u> chips	471-34-1	500 gm	189	5 kg	1602
M 1525	<u>MARTIUS YELLOW</u> for microscopy (C.I. No. 10315)	605-69-6			25 gm	2295
M 1530 *	<u>MASLINIC ACID</u> 98%	4373-41-5	5 mg	15804	25 mg	47007
M 1526 *	<u>MATRINE</u> puriss	519-02-8	25 mg	8919	50 mg	13005
			100 mg	27099	500 mg	51093
M 1535	☐ <u>MAY & GRUNWALD'S STAIN</u> for microscopy	68988-92-1	5 gm	243	25 gm	558
M 1536	<u>MAY & GRUNWALD'S STAIN</u> solution	-----	125 ml	252	500 ml	990
M 1538	<u>MAYER'S</u> solution	-----	125 ml	270	500 ml	864
M 1540	<u>MAYER'S MUCICARMINE</u> solution	-----	100 ml	297	500 ml	1305
M 1545	☐ <u>MEAT EXTRACT</u> powder for bacteriology	-----	500 gm	1080	5 kg	8649
M 1546	☐ <u>MEAT EXTRACT</u> paste for bacteriology	-----	500 gm	936	5 kg	7488
M 1547	<u>MEAT INFUSION</u> powder bacteriological ingredient	-----			500 gm	2790
M 1555	☐ <u>MELAMINE</u> for synthesis 99%	108-78-1	500 gm	441	5 kg	3879
M 1556	<u>MELAMINE</u> , 99%	108-78-1	5 gm	1006	100 gm	2304
					1 kg	2709
M 1559	<u>MELAMINE FORMALDEHYDE RESIN</u> (60% solution)	-----	500 gm	2106	5 kg	POR
M 1557	☐ <u>MELAMINE FORMALDEHYDE RESIN</u> 98%	-----	500 gm	2304	5 kg	POR
M 1558 *	☐ <u>MELATONIN</u> 99%	73-31-4	1 gm	558	5 gm	1890
			25 gm	5607	100 gm	26019
M 1565 *	☐ <u>D-MELIBIOSE</u> puriss for bacteriology 99%+	585-99-9	1 gm	3546	5 gm	13509
M 1575	<u>MENADIONE</u> for biochemistry 99%+	58-27-5	25 gm	1089	100 gm	3879
M 1576	<u>MENADIONE SODIUM BISULPHITE</u> pure	130-37-0	25 gm	963	100 gm	2997
M 1585	<u>MENTHOL</u> crystalline 99%	2216-51-5	25 gm	504	100 gm	1449
M 8625	<u>MEPIQUAT CHLORIDE</u>	24307-26-4	1 gm	8505	5 gm	17703
M 1595	☐ <u>2-MERCAPTO BENZIMIDAZOLE</u> for synthesis 99%	583-39-1	100 gm	405	250 gm	765
			500 gm	1404	1 kg	2772
M 1607	<u>2-MERCAPTO BENZOIC ACID</u> GR 99%+	147-93-3	100 gm	3996	500 gm	14904
M 1615	☐ <u>2-MERCAPTO BENZOTHAIAZOLE</u> for synthesis 98%+	149-30-4	500 gm	1494	5 kg	12006
M 1617	<u>2-MERCAPTO BENZOTHAIAZOLE</u> GR 99%	149-30-4	25 gm	198	100 gm	684

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 1625	☐ <u>2-MERCAPTO ETHANOL</u> for synthesis 98%+	60-24-2	500 gm	2169	5 kg	18189
M 1627	☐ <u>2-MERCAPTO ETHANOL</u> GR 99%+	60-24-2	100 ml	594	500 ml	2493
M 1628	<u>2-MERCAPTO ETHANOL</u> for molecular biology 99%	60-24-2	100 ml	792	250 ml	1692
M 1635	<u>3-MERCAPTO 1,2-PROPANE DIOL</u> 90%	96-27-5	100 ml	891	250 ml	1791
M 1639	<u>2-MERCAPTO PROPIONIC ACID</u> for synthesis 95%	79-42-5	100 ml	3393	500 ml	16408
M 1640	<u>3-MERCAPTO PROPIONIC ACID</u> for synthesis 99%	107-96-0	100 gm	5607	100 gm	5607
M 3330	<u>(3-MERCAPTOPROPYL) TRIMETHOXSILANE</u> 95%	4420-74-0	100 gm	1890	500 gm	7695
M 1645	☐ <u>6-MERCAPTO PURINE</u> for biochemistry 99%	6112-76-1	25 gm	2304	100 gm	5805
			1 gm	612	5 gm	2115
M 1655	<u>MERCURIC ACETATE</u> extra pure 99%	1600-27-7	50 gm	2979	100 gm	5679
	(reagent for hydrolysis of vinyl halides to ketones)		250 gm	12906	500 gm	25092
M 1657	<u>MERCURIC ACETATE</u> GR 99%+	1600-27-7			50 gm	3159
			100 gm	5949	250 gm	13905
M 1659	<u>MERCURIC AMMONIUM CHLORIDE</u> for synthesis	10124-48-8	100 gm	7603	500 gm	POR
M 1660	<u>MERCURIC AMMONIUM THIOCYANATE</u> for synthesis	- - - -	100 gm	7902	500 gm	POR
M 1665	☐ <u>MERCURIC(II) BROMIDE</u> 99%	7789-47-1	25 gm	1179	100 gm	5004
M 1667	<u>MERCURIC(II) BROMIDE</u> GR 99%+	7789-47-1	25 gm	1449	100 gm	5391
M 1668	<u>MERCURY CHLORANILATE</u> GR	33770-60-4	5 gm	5679	10 gm	10602
M 1675	☐ <u>MERCURIC CHLORIDE</u> 98%	7487-94-7	100 gm	3456	250 gm	8379
			500 gm	15903	1 kg	30906
M 1677	☐ <u>MERCURIC CHLORIDE</u> GR 99%+ (reagent for zinc)	7487-94-7	100 gm	3789	250 gm	8892
			500 gm	17109	1 kg	34002
M 1680	☐ <u>MERCURIC FLUORIDE</u> puriss 97%	7783-39-3			10 gm	17902
M 1685	☐ <u>MERCURIC IODIDE (RED)</u> 99%	7774-29-0	100 gm	4194	250 gm	9729
M 1687	☐ <u>MERCURIC IODIDE (RED)</u> GR 99%+	7774-29-0	100 gm	4392	250 gm	10404
M 1695	☐ <u>MERCURIC NITRATE</u> extra pure 99%	7783-34-8	100 gm	4869	250 gm	11502
					500 gm	21609
M 1697	☐ <u>MERCURIC NITRATE</u> GR 99%+	7783-34-8	100 gm	4590	250 gm	10908
M 1705	☐ <u>MERCURIC OXIDE (RED)</u> extra pure 99%	21908-53-2	100 gm	5193	500 gm	24309
M 1707	☐ <u>MERCURIC OXIDE (RED)</u> GR 99%+	21908-53-2	100 gm	5490	500 gm	25902
M 1715	☐ <u>MERCURIC OXIDE (YELLOW)</u> extra pure 99%	21908-53-2	100 gm	5049	500 gm	23409
M 1717	☐ <u>MERCURIC OXIDE (YELLOW)</u> GR 99%+	21908-53-2	100 gm	5229	500 gm	24903
M 1725	☐ <u>MERCURIC SULPHATE</u> 99%	7783-35-9	100 gm	4392	250 gm	10449
					500 gm	20403
M 1727	☐ <u>MERCURIC SULPHATE</u> GR 99%+	7783-35-9	100 gm	4590	250 gm	10908
M 1736	☐ <u>MERCURIC THIOCYANATE</u> 99%	592-85-8	25 gm	2079	100 gm	4005
M 1737	☐ <u>MERCURIC THIOCYANATE</u> GR 99%+	592-85-8	25 gm	2295	100 gm	4293
M 1740	☐ <u>MERCUROCHROME</u> (mercury dibromo fluorescein)	129-16-8	25 gm	1098	500 gm	POR
M 1745	☐ <u>MERCUROUS CHLORIDE</u> , dihydrate, 99%	10112-91-1	100 gm	4959	500 gm	23904
M 1747	☐ <u>MERCUROUS CHLORIDE</u> , dihydrate, GR 99%+	10112-91-1	100 gm	5193	500 gm	24903
M 1755	☐ <u>MERCUROUS NITRATE</u> extra pure 95%	14836-60-3	100 gm	5049	250 gm	12204
M 1757	☐ <u>MERCUROUS NITRATE</u> GR 98%+	14836-60-3	100 gm	5391	250 gm	12906
M 1765	☐ <u>MERCURY</u> pure 99%	7439-97-6	250 gm	10404	500 gm	19404
M 1767	☐ <u>MERCURY</u> GR 99%+	7439-97-6	100 gm	4590	250 gm	10899
					500 gm	20403
M 1766	☐ <u>MERCURY</u> >99.99% trace metals basis	7439-97-6	250 gm	14049	1 kg	42039
M 0070	<u>MERCURY (Hg) ICP STANDARD SOLUTION 1 GM/L</u>	- - - -	100 ml	4131	500 ml	6606

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 0071	<u>IN DILUTED HNO₃</u> traceable to NIST <u>MERCURY (Hg) ICP STANDARD SOLUTION 10 GM/L</u>	- - - - -	100 ml	12502	500 ml	37602
M 0072	<u>IN DILUTED HNO₃</u> traceable to NIST <u>MERCURY AAS STANDARD SOLUTION 1000 MG/L Hg</u>	- - - - -	100 ml	2241	500 ml	3744
M 1768	<u>IN DILUTED HNO₃</u> traceable to NIST <u>MERCURY AMMONIATED</u> for synthesis	10124-48-8	250 gm	13905	500 gm	24066
M 1769	<u>MERCURY-THALLIUM</u> for synthesis	- - - - -			50 gm	49005
M 1770	<u>MERRIFIELD RESIN</u> 1% crosslinked, 200-400 mesh	55844-94-5	5 gm	2592	25 gm	10602
M 1771	<u>MERRIFIELD RESIN</u> 2% crosslinked, 200-400 mesh	55844-94-5	5 gm	2592	25 gm	10602
M 1775	<u>MESITYLENE</u> puriss 98%	108-67-8	250 ml	1107	500 ml	2106
M 1777	<u>MESITYL OXIDE</u> for synthesis 98%	141-79-7			500 ml	1989
M 1776	<u>MESITYL OXIDE</u> puriss 99%+	141-79-7			1 lt	8505
M 1785	<u>METANILIC ACID</u> for synthesis	121-47-1	250 gm	396	500 gm	648
M 1797	<u>METANIL YELLOW</u> GR (C.I. No. 13065)	587-98-4	25 gm	162	100 gm	396
M 1804	<u>METHACRYLAMIDE</u> for synthesis 98%	79-39-0	100 gm	819	1 kg	3069
			500 gm	2304	250 gm	1395
M 1805	<u>METHACRYLIC ACID</u> for synthesis 99%	79-41-4	500 ml	945	5 kg	16092
M 1810	<u>METHACRYLONITRILE</u> puriss 99%	126-98-7	5 ml	56079	5 lt	8109
M 1815	<u>METHANE SULPHONIC ACID</u> for synthesis 98%	75-75-2	500 ml	3609	25 ml	140944
M 1817	<u>METHANE SULPHONIC ACID SODIUM SALT</u>	2386-57-4			5 lt	POR
	for HPLC 98%		25 gm	2088	5 gm	585
M 1825	<u>METHANE SULPHONYL CHLORIDE</u> (mesyl chloride) puriss 99%+	124-63-0	100 gm		100 gm	6939
M 4713	<u>METHANOL</u> D4 99.8 atom% D (End user certificate required)	811-98-3	500 ml	1305	100 ml	819
M 1835	<u>L-METHIONINE</u> for biochemistry 99%+	63-68-3	25 gm	288	1 lt	2007
					10 gm	POR
M 1836	<u>DL-METHIONINE</u> for biochemistry 99%+	59-51-8	25 gm	288	100 gm	1035
M 1845	<u>3-METHOXY ACETOPHENONE</u> puriss 98%	586-37-8			500 gm	4779
M 1855	<u>4-METHOXY ACETOPHENONE</u> for synthesis 98%	100-06-1	100 gm	468	25 ml	3303
			500 gm	576	250 gm	1296
M 1860	<u>O-METHOXYLAMINE HYDROCHLORIDE</u> (O-Methyl hydroxylamine HCl) puriss 99%	593-56-6	25 gm	1836	1 kg	3879
M 1865 *	<u>p-METHOXY AZOBENZENE</u> absorption indicator	2396-60-3		990	100 gm	3402
M 0142	<u>3-METHOXY BENZAMIDE</u> , 97%	5813-86-5			1 kg	27099
M 1867	<u>2-METHOXY BENZOIC ACID</u> for synthesis 98%	579-75-9	100 gm	1197	1 gm	2007
M 1869	<u>4-METHOXY BENZOPHENONE</u> 97%	611-94-9	25 gm	3906	5 gm	3519
M 1870	<u>2-METHOXY BENZOYL CHLORIDE</u> for synthesis 97%	21615-34-9	5 gm	6939	500 gm	4987
M 1874	<u>4-METHOXY BENZYL ALCOHOL</u> 98%	105-13-5	100 gm	2169	100 gm	12204
M 1871	<u>3-METHOXY BENZYLAMINE</u> 97%+	5071-96-5	1 gm	1692	25 gm	9639
M 1868	<u>4-METHOXY BENZYLAMINE</u> for synthesis 98%	2393-23-9	25 gm	1539	5 gm	4203
M 1873	<u>4-METHOXY BENZYL CYANIDE</u> 97%	104-47-2			25 gm	9639
M 1909	<u>METHOXYDIETHYLBORANE</u> 1M in THF	7397-46-8	100 ml	8703	100 ml	9603
M 1875	<u>2-METHOXY ETHANOL</u> for synthesis 99%	109-86-4	500 ml	639	500 ml	38079
M 1877	<u>2-METHOXY ETHANOL</u> puriss GR 99%+	109-86-4	500 ml	711	5 lt	4995
M 1878	<u>2-METHOXY ETHANOL</u> HPLC 99%+	109-86-4			5 lt	5391
M 1879	<u>4-METHOXY-2-HYDROXY BENZOPHENONE</u> 98%	131-57-7	5 gm	1602	500 ml	864
M 1880	<u>5-METHOXY INDOLE</u> for synthesis 99%	1006-94-6	1 gm	1692	25 gm	2061
					5 gm	4608

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 1885	<u>4-METHOXY PHENACYL BROMIDE</u> for synthesis 98%	2632-13-5	5 gm	891	25 gm	14409
M 1890	<u>4-METHOXY PHENOL</u> for synthesis 99%	150-76-5	100 gm	711	25 gm	1269
M 1887	<u>p-METHOXY PHENYL ACETIC ACID</u> 99%	7021-09-2	5 gm	6669	100 gm	5607
M 1886	<u>2-METHOXY PHENYL ACETIC ACID</u> for synthesis 99%	93-25-4	5 gm	1602	1 kg	5229
M 2001	<u>3-METHOXY PHENYL ACETIC ACID</u> 99%	1798-09-0	5 gm	1404	10 gm	12069
M 1888	<u>4-METHOXY PHENYL ACETIC ACID</u> for synthesis 99%	104-01-8	100 gm	891	25 gm	19602
M 1903	<u>4-METHOXY PHENYL ACETONE</u> 97%	122-84-9	10 gm	1593	10 gm	1791
M 1881	<u>1-METHOXY 2-PROPANOL</u> for synthesis 98%	107-98-2	500 ml	684	25 gm	3393
M 1889	<u>2-METHOXY PROPENE</u> puriss 97%	116-11-0	500 ml	8297	25 gm	5607
M 1882	<u>1-METHOXY-2-PROPYL ACETATE</u> puriss 99%+	108-65-6	500 ml	774	500 gm	4194
M 1898	<u>7-METHOXY-1-TETRALONE</u> 99%	6836-19-7	5 gm	3879	25 gm	3006
M 8951	<u>5-METHOXYTRYPTAMINE</u> , 97%	608-07-1	100 mg	3096	500 gm	22509
M 1891	<u>n-METHYL ACETAMIDE</u> for synthesis 98%	79-16-3	100 ml	1791	5 lt	6012
M 1893	<u>METHYL ACETATE</u> pract	79-20-9	500 ml	567	250 ml	10206
M 1892	<u>METHYL ACETATE</u> for synthesis 99%	79-20-9	500 ml	693	2.5 lt	3105
M 1894	<u>METHYL ACETATE</u> GR 99%+	79-20-9	500 ml	792	25 gm	11709
M 1896	<u>METHYL ACETATE</u> for HPLC 99%+	79-20-9	500 ml	684	100 gm	43092
M 1895	<u>METHYL ACETO ACETATE</u> for synthesis 99%	105-45-3	500 ml	684	1 gm	8550
M 1897	<u>METHYL ACETO ACETATE</u> GR 99%+	105-45-3	500 ml	594	500 ml	4005
M 6954	<u>2-METHYL ACETOPHENONE</u> 98%	577-16-2	25 gm	4608	5 lt	4905
M 1905	<u>p-METHYL ACETOPHENONE</u> for synthesis 95%+	122-00-9	100 gm	567	5 lt	5391
M 1915	<u>METHYL ACRYLATE</u> for synthesis 99%	96-33-3	500 ml	693	5 lt	5391
M 1935	<u>METHYLAL</u> (dimethoxymethane) for synthesis 99%	109-87-5	500 ml	972	5 lt	5391
M 1939	<u>METHYLAMINE</u> 40% solution for synthesis	74-89-5	500 ml	243	5 lt	5391
M 1930	<u>METHYL 2-AMINO-5-BROMOBENZOATE</u> 98%	52727-57-8	5 gm	1503	500 ml	594
M 1940	<u>2-(METHYLAMINO) ETHANOL</u> 98% for synthesis	109-83-1	500 ml	693	5 gm	1404
M 1932	<u>6-(METHYLAMINO)PURINE</u> 98%	443-72-1	250 gm	459	100 gm	11709
M 1941	<u>METHYLAMMONIUM CHLORIDE</u> for synthesis 99%	593-51-1	250 gm	459	1 kg	1584
M 1942	<u>n-METHYL ANILINE</u> for synthesis 99%	100-61-8	500 ml	819	1 kg	3906
M 1943	<u>n-METHYL ANILINE</u> GR 99%+	100-61-8	500 ml	7659	1 kg	3906
M 1951	<u>2-METHYL ANISOLE</u> 99%	578-58-5	100 ml	4095	5 lt	5904
M 1952	<u>3-METHYL ANISOLE</u> 99%	100-84-5	100 ml	4005	500 ml	972
M 1946	<u>4-METHYL ANISOLE</u> for synthesis 99%	104-93-8	250 ml	4005	500 ml	7902
M 1944	<u>METHYL ANTHRANILATE</u> for synthesis 98%	134-20-3	500 ml	1385	5 lt	12609
M 1945	<u>n-METHYL ANTHRANILIC ACID</u> for synthesis 90%	119-68-6	10 gm	1692	25 gm	3609
M 1954	<u>METHYL BEHENATE</u>	929-77-1	1 gm	8307	5 gm	12069
M 1948	<u>2-METHYL BENZALDEHYDE</u> (o-Tolualdehyde) 98%+	529-20-4	25 gm	3204	10 gm	18909
M 1949	<u>3-METHYL BENZALDEHYDE</u> (m-Tolualdehyde) 97%+	620-23-5	5 gm	1818	25 gm	4905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 1950	☐ <u>4-METHYL BENZALDEHYDE</u> (p-Tolualdehyde) puriss 99%	104-87-0	100 gm	1494	100 gm	8208
M 1953	<u>METHYL BENZENESULPHONATE</u> pure	80-18-2	25 gm	2016	500 gm	5391
M 1955	☐ <u>METHYL BENZOATE</u> 99% (embedding agent)	93-58-3	250 ml	423	100 gm	6408
					500 ml	792
					5 lt	7011
M 1964	<u>2-METHYL BENZONITRILE</u> (o-tolunitrile) for synthesis 97%+	529-19-1			25 ml	2619
M 1965	<u>3-METHYL BENZONITRILE</u> (m-tolunitrile) for synthesis 99%	620-22-4			25 ml	2106
M 1975	<u>4-METHYL BENZONITRILE</u> (p-tolunitrile) for synthesis 98%	104-85-8	25 gm	945	100 gm	3609
					250 gm	8604
M 1987	☐ <u>3-METHYL-2-BENZOTHAZOLINONE HYDRAZONE</u>	4338-98-1	1 gm	1161	5 gm	3708
	<u>HYDROCHLORIDE (MBTH) GR 98%+</u>		10 gm	6192	25 gm	16902
M 1993	☐ <u>2-METHYL BENZYL ALCOHOL</u> 98%	89-95-2			10 gm	2592
M 1996	☐ <u>3-METHYL BENZYL ALCOHOL</u> 98%	587-03-1	25 gm	9603	100 gm	33093
M 1994	☐ <u>4-METHYL BENZYL ALCOHOL</u> 98%	589-18-4	25 gm	4905	100 gm	11808
M 1990	☐ <u>2-METHYL BENZYL AMINE</u> 96%	89-93-0	1 gm	1305	5 gm	3807
M 1991	☐ <u>3-METHYL BENZYL AMINE</u> 98%	100-81-2	1 gm	2439	5 gm	7806
M 1992	☐ <u>4-METHYL BENZYL AMINE</u> 97%	104-84-7	5 gm	3996	25 gm	5193
					100 gm	15903
M 1995	☐ <u>METHYL BLUE</u> for microscopy (C.I.No. 42780)	28983-56-4	25 gm	585	100 gm	2142
					1 kg	18099
M 2013	<u>METHYL BLUE</u> aqueous solution	28983-56-4			100 ml	360
M 1999	☐ <u>METHYL-4-BROMOBENZOATE</u> 99%	619-42-1			10 gm	3501
M 1998	☐ <u>METHYL 2-BROMOHEXANOATE</u> 98%+	5445-19-2			100 ml	4302
M 2000	<u>3-METHYL 2-BUTENOIC ACID</u> for synthesis 97%+	541-47-9	25 gm	1692	100 gm	3096
					500 gm	12879
M 2005	<u>METHYL-tert-BUTYL ETHER</u> puriss 99%	1634-04-4	500 ml	432	1 lt	837
					5 lt	3591
M 2007	<u>METHYL-tert-BUTYL ETHER</u> for HPLC 99.7%	1634-04-4	500 ml	738	1 lt	1593
M 2008	<u>METHYL BUTYRATE</u> for synthesis	623-42-7			500 gm	3789
M 2010	<u>4-METHYL CATECHOL</u> for synthesis 98%	452-86-8	25 gm	3105	100 gm	3969
					500 gm	15201
M 2027	☐ <u>METHYL CELLULOSE</u> viscosity 25 cP	9004-67-5	100 gm	5904	250 gm	9036
					500 gm	14049
M 2025	☐ <u>METHYL CELLULOSE</u> (HIGH VISC.) for synthesis	9004-67-5	500 gm	2691	5 kg	24003
M 2026	☐ <u>METHYL CELLULOSE</u> (LOW VISC.)	9004-67-5	500 gm	2619	5 kg	23049
M 2035	☐ <u>METHYL CHLORO ACETATE</u> for synthesis 99%	96-34-4			500 ml	1692
M 2041	<u>METHYL CHLOROFORM</u> for synthesis 99%+	71-55-6			1 lt	POR
M 2045	<u>METHYL CHLORO FORMATE</u> puriss 98%+	79-22-1			500 ml	2439
M 2046	<u>METHYL CINNAMATE</u> for synthesis	103-26-4	100 gm	2502	500 gm	9639
M 2047	☐ <u>METHYL CYANO ACETATE</u> for synthesis 99%	105-34-0			500 ml	2403
M 2044	<u>METHYL-β-CYCLODEXTRIN</u> 98%+	128446-36-6	5 gm	3501	25 gm	15021
			100 gm	28809	500 gm	39069
M 2048	<u>METHYL CYCLOHEXANE</u> for synthesis 98%	108-87-2			500 ml	756
M 2049	<u>METHYL CYCLOHEXANE</u> puriss 99%+	108-87-2			500 ml	1899
M 2055	<u>n-METHYL CYCLOHEXYLAMINE</u> for synthesis 97%	100-60-7	100 ml	3996	500 ml	16029
M 0416	☐ <u>METHYLCYCLOPENTADIENE dimer</u> , 95%	26472-00-4	100 ml	2007	500 ml	5004
			1 lt	10107	5 lt	24003
M 2050	<u>METHYL CYCLOPENTANE</u> puriss 99%	96-37-7			100 ml	6993
M 2061	☐ <u>METHYL DICHLORO ACETATE</u> for synthesis 99%	116-54-1			500 ml	3807

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 2062	<u>2-METHYL-1,3-DIOXOLAN</u> for synthesis 98%	497-26-7	5 gm	1908	25 gm	7002
M 2067	<u>N,N-METHYLENE bis-ACRYLAMIDE</u> GR 99%	110-26-9	25 gm	432	100 gm	1332
			250 gm	3204	1 kg	11088
M 2070	<u>N,N-METHYLENE bis-ACRYLAMIDE</u> for molecular biology 99%	110-26-9	25 gm	585	100 gm	2187
M 2075	<u>METHYLENE BLUE</u> for microscopy (C.I.No.52015)	61-73-4	25 gm	387	100 gm	1485
					1 kg	13402
M 2077	<u>METHYLENE BLUE</u> GR (C.I. No. 52015)	61-73-4	25 gm	441	100 gm	1656
					1 kg	14904
M 2073	<u>METHYLENE BLUE</u> loffler's alkaline solution	61-73-4			125 ml	135
M 2074	<u>METHYLENE BLUE</u> aqueous staining solution	61-73-4	125 ml	108	250 ml	189
M 2080	<u>METHYLENE BLUE</u> 0.5% solution	61-73-4	500 ml	162	5 lt	1296
M 2079	<u>METHYLENE BLUE</u> tablets for milk testing	61-73-4			50 tab	1737
M 2078	<u>METHYLENE BLUE POLYCHROME</u> for microscopy	61-73-4	5 gm	162	25 gm	594
M 3061	<u>METHYLENE BLUE</u> , hydrate, Certified grade	122965-43-9	25 gm	3402	100 gm	9369
M 2082	<u>3,4-(METHYLENEDIOXY)ANILINE</u> 97%	14268-66-7	10 gm	5229	50 gm	15209
	<u>METHYLENE IODIDE</u> please see <u>DI-iodomethane</u>					
M 0624	<u>METHYLENEDIPHOSPHONIC ACID</u> , ≥97%	1984-15-2	1 gm	2493	5 gm	9603
					25 gm	38709
M 0639	<u>METHYLENEDIPHOSPHONIC ACID</u> , ≥99%	1984-15-2	1 gm	2691	5 gm	10503
					25 gm	40707
M 2081	<u>METHYLENE VIOLET 3RAX</u> C.I.No. 50206	4569-86-2	1 gm	3141	5 gm	11142
M 2085	<u>METHYL EUGENOL</u> extra pure 99%	93-15-2	100 ml	1404	500 ml	6759
M 2091	<u>n-METHYL FORMAMIDE</u> for synthesis 98%	123-39-7			500 ml	2979
M 2090	<u>METHYL FORMATE</u> for synthesis 98%	107-31-3			500 ml	963
M 2093	<u>1-METHYL-3-FORMYLINDOLE</u> 97%	19012-03-4	1 gm	4005	5 gm	9819
					25 gm	30501
M 2088	<u>a-METHYL D-GLUCOSIDE</u> for biochemistry 99%	97-30-3	25 gm	405	100 gm	657
			500 gm	3249	5 kg	29797
M 2092	<u>METHYL GLYOXAL</u> 40% solution	78-98-8			25 ml	9603
M 2095	<u>METHYL GREEN</u> (C.I. 42585) for microscopical staining	7114-03-6	5 gm	765	10 gm	1440
			25 gm	3249	100 gm	12069
M 0957	<u>METHYL HESPERIDIN</u> 90%	11013-97-1	1 gm	1899	5 gm	2403
M 2100	<u>METHYL HESPERIDIN</u> 94%	11013-97-1	5 gm	2889	25 gm	7992
M 2107	<u>METHYLHYDRAZINE SULPHATE</u> puriss 98%	302-15-8	5 gm	2106	25 gm	6129
M 2105	<u>METHYL-p-HYDROXY BENZOATE</u> for synthesis 99%	99-76-3	500 gm	1386	5 kg	12402
M 2106	<u>METHYL-p-HYDROXY BENZOATE SODIUM SALT</u> 99%	5026-62-0	500 gm	1593	5 kg	13905
M 6822	<u>1-METHYLIMIDAZOLE</u> 99%	616-47-7	100 gm	1179	500 gm	4095
M 2115	<u>2-METHYL IMIDAZOLE</u> for synthesis 99%	693-98-1	100 gm	558	500 gm	2169
M 2117	<u>1-METHYL INDOLE</u> 98%	603-76-9	5 gm	1494	25 gm	5094
					100 gm	15399
M 2118	<u>2-METHYL INDOLE</u> for synthesis 98%	95-20-5	25 gm	1629	100 gm	3798
M 2119	<u>3-METHYL INDOLE</u> for synthesis 98%	83-34-1	5 gm	1818	25 gm	5904
M 2120	<u>METHYL INDOLE-5-CARBOXYLATE</u> 98%+	1011-65-0	1 gm	2619	5 gm	9900
M 2125	<u>METHYL IODIDE</u> for synthesis 99%	74-88-4	100 ml	5490	250 ml	12906
M 2130	<u>METHYL IONONE</u> for synthesis	1335-46-2			500 gm	8649
M 2135	<u>METHYL iso-BUTYL CARBINOL</u> for synthesis 99%	108-11-2			500 ml	1395
M 2136	<u>METHYL iso-BUTYL KETONE</u> for synthesis 99%	108-10-1	500 ml	531	5 lt	4959
M 2137	<u>METHYL iso-BUTYL KETONE</u> GR 99%+	108-10-1	500 ml	576	5 lt	4995
M 2138a	<u>METHYL iso-BUTYL KETONE</u> for UV spectroscopy 99%+	108-10-1			500 ml	963
M 2138	<u>METHYL iso-EUGENOL</u> for synthesis	93-16-3	5 gm	3501	100 gm	5607

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 2142	<u>METHYL <i>iso</i>-PROPYL KETONE</u> puriss 99%	563-80-4	250 ml	2709	500 gm	24093
M 2141	<u>METHYL ISOTHIOCYANATE</u> 97%	556-61-6	500 gm	POR	1 lt	9207
M 3561	<u>METHYL JASMONATE</u> , 95%	39924-52-2	5 ml	4509	1 kg	POR
M 2139	<u>METHYL LAURINATE</u> for synthesis	- - - - -			25 ml	15605
M 2143	<u>METHYLMAGNESIUM BROMIDE</u> solution 1.5 M in THF	75-16-1	100 ml	4401	500 gm	5679
M 2140	<u>METHYL α-D-MANNOPYRANOSIDE</u> for biochemistry 99%	617-04-9	100 ml	3006	500 ml	12609
M 2145	<u>METHYL METHACRYLATE</u> (monomer) for synthesis 99%	80-62-6	10 gm	666	25 gm	3456
M 2155	<u>METHYL METHANE SULPHONATE</u> (methanesulphonic acid methylester) puriss 98%	66-27-3	500 ml	3906	5 lt	5679
M 2165	<u>n-METHYL MORPHOLINE</u> puriss 98%+	109-02-4	25 gm	1503	100 gm	6939
M 2177	<u>METHYL NADIC ANHYDRIDE</u> puriss 95%	25134-21-8	250 ml	5049	500 ml	2619
M 2171	<u>2-METHYL NAPHTHALENE</u> for synthesis 97%	91-57-6	250 ml	1494	500 ml	7893
M 2175	<u>METHYL-2-NAPHTHYL ETHER</u> for synthesis 99%	93-04-9	100 gm	5004	500 gm	5004
M 2178	<u>METHYL-5-NITRO-2-FUROATE</u> 98%	1874-23-3	250 gm	414	1 kg	1188
M 2180	<u>2-METHYL 5-NITRO IMIDAZOLE</u> for synthesis 99%	88054-22-2	1 gm	1899	5 kg	5301
M 2181	<u>N-METHYL-N-NITROSO-p-TOLUENE SULPHONAMIDE</u> 99%	80-11-5	100 gm	3969	5 gm	5607
MI0035	<u>1-METHYL-3-OCTYLIMIDAZOLIUM HEXAFLUORO PHOSPHATE</u> $\geq 95\%$	304680-36-2	500 gm	126099	500 gm	16902
M 2183	<u>METHYL OLEATE</u> for synthesis 99%	112-62-9	25 gm	13905	1 kg	8991
M 2185	<u>METHYL ORANGE</u> indicator (C.I. 13025)	547-58-0	500 ml	1206	500 gm	2403
M 3978	<u>METHYL ORANGE</u> , ACS reagent, dye content 85%	547-58-0	25 gm	153	100 gm	468
M 2186	<u>METHYL ORANGE</u> solution	547-58-0	500 gm	1791	1 kg	3429
M 2182	<u>METHYL ORANGE-XYLENE CYANOL</u> solution in water	- - - - -	25 gm	2403	100 gm	4509
M 4779	<u>METHYL PALMITATE</u> 97%	112-39-0	125 ml	108	500 ml	486
M 2187	<u>METHYL PHENYL ACETATE</u> for synthesis	101-41-7			100 ml	990
M 2194	<u>2-METHYL PHENYL ACETIC ACID</u> 98%+	644-36-0	100 gm	2880	1 kg	8991
M 2196	<u>3-METHYL PHENYL ACETIC ACID</u> 98%	621-36-3	500 gm	2880	500 gm	11007
M 2193	<u>4-METHYL PHENYL ACETIC ACID</u> 98%	622-47-9	5 gm	2079	10 gm	3708
M 2184	<u>1-(2-METHYLPHENYL PIPERAZINE)</u> 97%	70849-60-4	5 gm	1602	25 gm	4905
M 2189	<u>1-(4-METHYLPHENYL) PIPERAZINE</u> 98%	39593-08-3	100 gm	13905	100 gm	13905
M 2188	<u>3-METHYL 1-PHENYL 5-PYRAZOLONE</u> for synthesis 98%	89-25-8	5 gm	909	25 gm	POR
M 2198	<u>METHYL PHENYL SULPHONE</u> 98%	3112-85-4	500 gm	3204	5 gm	14094
M 2197	<u>METHYL PHENYL SULPHOXIDE</u> 97%	1193-82-4	5 gm	3879	100 gm	1809
M 2191	<u>1-METHYL PIPERAZINE</u> for synthesis 99%	109-01-3	500 gm	3204	5 kg	29079
M 2190	<u>4-(4-METHYL-1-PIPERAZINYL)ANILINE</u> 98%	16153-81-4	10 gm	3654	25 gm	5607
M 2192	<u>METHYL PROPIONATE</u> for synthesis 97%	554-12-1	5 gm	3879	25 gm	13995
M 2199	<u>4'-METHYLPROPIOPHENONE</u> 95%+ (End user certificate required)	5337-93-9	100 ml	747	500 ml	2889
M 2195	<u>METHYL PROPYL KETONE</u> puriss 99%+	107-87-9	100 ml	5409	5 gm	9693
M 2205	<u>METHYL PURPLE</u> (indicator)	1340-02-9	100 ml	1989	100 ml	1548
M 2207	<u>METHYL PURPLE</u> (pH indicator) solution GR	1340-02-9	250 ml	315	500 ml	4239
M 2210	<u>4-METHYL PYRIDINE</u> (r-Picoline) for synthesis 99%	108-89-4	100 ml	2196	100 ml	6003
M 2213	<u>1-METHYL-2-PYRROLECARBOXYLIC ACID</u> 97%	6973-60-0	250 ml	1989	100 ml	6003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 0482	<u>n-METHYLPYRROLIDINE</u> 97%	120-94-5	100 ml	3204	500 ml	8019
M 2215	☐ <u>1-METHYL 2-PYRROLLIDONE</u> (NMP) for synthesis 99%	872-50-4	500 ml	1188	5 lt	10602
M 2217	<u>1-METHYL 2-PYRROLLIDONE</u> (NMP) puriss GR 99%+	872-50-4			500 ml	1395
M 2218	<u>N-METHYL-2-PYRROLIDONE</u> for HPLC	872-50-4			500 ml	1989
M 2220	<u>4-METHYL QUINOLINE</u> for synthesis 98%+	491-35-0			100 gm	34092
M 2225	<u>2-METHYL RESOURCINOL</u> for synthesis 98%	608-25-3	25 gm	1602	100 gm	6219
M 2226	<u>m-METHYL RED</u>	20691-84-3	1 gm	12069	5 gm	56007
M 2227	☐ <u>METHYL RED</u> indicator GR (C.I. No.13020)	493-52-7	25 gm	279	100 gm	891
			500 gm	4302	1 kg	7929
M 2228	<u>METHYL RED</u> solution	493-52-7	125 ml	108	500 ml	468
M 2229	<u>METHYL RED SODIUM SALT</u> (water soluble)	845-10-3	25 gm	315	1 kg	9432
M 2230	☐ <u>METHYL SALICYLATE</u> for synthesis 99%	119-36-8	500 ml	990	5 lt	9405
M 2234	☐ <u>N-METHYL SUCCINIMIDE</u> 99%	1121-07-9	5 gm	2205	25 gm	7704
M 2231	<u>a-METHYL STYRENE</u> for synthesis 98%+	98-83-9	500 ml	1962	5 lt	17091
M 2232	<u>METHYL TESTOSTERONE</u> for biochemistry 97%	58-18-4	1 gm	1881	5 gm	5292
M 2235	<u>2-METHYLTETRAHYDROFURAN</u> for synthesis 98%	96-47-9	100 ml	486	500 ml	2097
					2.5 lt	9369
M 2239	<u>METHYL THIOLYCOLATE</u> extra pure	2365-48-2			500 gm	3789
M 2233	<u>s-METHYL iso-THIOURONIUM SULPHATE</u> for synthesis 98%	867-44-7	10 gm	450	25 gm	594
			100 gm	891	500 gm	3006
					1 kg	5607
M 2237	☐ <u>METHYL THYMOL BLUE</u> GR (pH indicator)	1945-77-3	5 gm	279	25 gm	1089
M 2245	☐ <u>METHYL THYMOL BLUE COMPLEXONE</u> indicator for complexometric titration	1945-77-3	1 gm	936	5 gm	3762
M 2246	<u>METHYL THYMOL BLUE SODIUM SALT</u> indicator	1945-77-3	5 gm	1494	25 gm	7308
M 2248	<u>METHYL-4-TOLUENE SULPHONATE</u> puriss 98%	80-48-8	250 gm	2169	1 kg	6408
M 2251	<u>METHYL TRI CHLORO SILANE</u> for synthesis 98%	75-79-6	250 ml	2979	1 lt	8181
M 0138	<u>METHYLTRIMETHOXSILANE</u> 98%	1185-55-3	250 ml	2934	1 lt	11799
M 2252	☐ <u>METHYLTRI[METHYLETHYL KETOXIME]SILANE</u> 95%	22984-54-9			500 gm	3996
M 2253	<u>METHYL TRIPHENYL PHOSPHONIUM BROMIDE</u> puriss 98%	1779-49-3	25 gm	531	100 gm	846
					500 gm	3429
M 2257	<u>p-METHYL UMBELLIFERON</u> GR 98%+	90-33-5	10 gm	1602	25 gm	2592
			100 gm	5589	500 gm	14499
M 2258	<u>4-METHYL UMBELLIFERYL BUTYRATE</u> puriss	17695-46-4	1 gm	2187	5 gm	10602
M 2260	<u>n-METHYL UREA</u> for synthesis 98%	598-50-5			100 gm	1143
			500 gm	4302	5 kg	34092
M 2262	☐ <u>METHYL VINYL KETONE</u> tech. 90% stab. with 0.5% hydroquinone	78-94-4	100 ml	12609	1 lt	86409
M 2263	☐ <u>METHYL VINYL KETONE</u> 95% stab. with 0.5% hydroquinone	78-94-4	100 ml	13905	1 lt	108099
M 2265	☐ <u>METHYL VIOLET</u> for microscopy (C.I.No. 42535)	8004-87-3	25 gm	180	100 gm	495
					1 kg	3087
M 3339	☐ <u>METHYL VIOLET</u> for microscopy, pH 0.1-2.0	8004-87-3	25 gm	1791	100 gm	3069
					500 gm	11043
M 2266	<u>METHYL VIOLET</u> staining solution	8004-87-3	125 ml	108	500 ml	459
M 2275	<u>METOL</u> for photographic purpose 99%	55-55-0	100 gm	1089	500 gm	4293
					5 kg	40059
M 2280	☐ <u>MICA</u> powder pract	12001-26-2	500 gm	396	5 kg	3492
M 2279	<u>MICROCOSMIC</u> salt for synthesis	13011-54-6	100 gm	1602	500 gm	3501
					1 kg	6309
M 2286	<u>MICROCRYSTALLINE WAX</u> (White)	-----			1 kg	1782

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 2281	<u>MILLER'S</u> (fluorine) reagent	-----			100 ml	909
M 2282	<u>MILLON'S</u> (protein) reagent	-----	125 ml	792	500 ml	3159
M 2283	<u>MIMOSA ABSOLUTE</u> , natural	8031-03-6	25 gm	13905	100 gm	29079
M 2285	<u>MIMOSINE</u> for biochemistry 99%	500-44-7	100 mg	9603	1 gm	69705
M 2290	<u>MINERAL OIL</u> Light	8042-47-5	500 ml	1206	5 lt	11007
M 2291	<u>MINERAL OIL</u> (Russian)	8042-47-5	100 ml	2691	500 ml	4905
M 2292 ✱	<u>MITOMYCIN C</u> from <i>Streptomyces caespitosus</i>	50-07-7			2 mg	14409
M 2295 ☐	<u>MOLECULAR SIEVES 3A</u>	1327-44-2	250 gm	693	1 kg	1899
					5 kg	8469
M 2296 ☐	<u>MOLECULAR SIEVES 4A</u>	1344-00-9	250 gm	648	1 kg	1863
					5 kg	7929
M 0102	<u>MOLECULAR SIEVES</u> , 4 Å beads, 4-8 mesh	70955-01-0	1 kg	6003	5 kg	27009
M 2298 ☐	<u>MOLECULAR SIEVES 5A</u>	1327-39-5	250 gm	639	1 kg	2079
					5 kg	8469
M 2299 ☐	<u>MOLECULAR SIEVES 13X</u>	63231-69-6	250 gm	945	1 kg	2106
					5 kg	9459
M 2300 ☐	<u>MOLISH</u> reagent	-----			125 ml	306
M 2302	<u>MOLYBDENUM</u> powder GR 99%+	7439-98-7	10 gm	1494	25 gm	1971
			100 gm	3492	500 gm	17091
M 2303	<u>MOLYBDENUM</u> powder, -250 mesh, 99.9%	7439-98-7	5 gm	1701	50 gm	2205
					250 gm	11007
M 2301	<u>MOLYBDENUM</u> powder, -325 mesh, 99.9%+	7439-98-7	250 gm	10602	50 gm	3303
					1 kg	27009
M 2305	<u>MOLYBDENUM</u> foil, 0.1 mm thick, 99.9%	7439-98-7			150 x 100 mm	39699
M 2306	<u>MOLYBDENUM</u> foil, 0.1 mm thick, 99.9%	7439-98-7			75 x 100 mm	21906
M 3003	<u>MOLYBDENUM</u> foil, 1.0 mm thick, 99.9%	7439-98-7			50 x 50 mm	8991
M 2678	<u>MOLYBDENUM</u> slug, 6.35mm (0.25in) dia x 12.7mm (0.50in) length, 99.95%	7439-98-7	25 gm	4995	100 gm	14499
M 0073	<u>MOLYBDENUM ICP STANDARD SOLUTION 1 G/L</u> <u>IN 1% HNO₃, 1% HF</u> traceable to NIST	-----	50 ml	4158	100 ml	6651
M 0688	<u>MOLYBDENUM BORIDE</u> , 325 mesh, 99.5%	12006-98-3	10 gm	6003	50 gm	24003
M 2315 ☐	<u>MOLYBDENUM DISULPHIDE</u> powder 99%	1317-33-5	100 gm	1692	500 gm	7191
M 5744	<u>MOLYBDENUM DISULPHIDE</u> , powder <2 µm, 99%	1317-33-5	100 gm	5103	500 gm	17091
M 5740	<u>MOLYBDENUM DISULPHIDE</u> , powder ~6 µm, 99%	1317-33-5	100 gm	4905	500 gm	16002
M 2325 ☐	<u>MOLYBDENUM TRIOXIDE</u> extra pure 99%	1313-27-5	100 gm	1593	500 gm	7479
M 2327 ☐	<u>MOLYBDENUM TRIOXIDE</u> GR 99%+	1313-27-5	100 gm	1791	500 gm	8469
M 2328 ☐	<u>MOLYBDENUM TRIOXIDE</u> for molecular biology, 99%+	1313-27-5			500 gm	10602
M 2329	<u>MOLYBDENUM TRIOXIDE</u> 99.5%	1313-27-5	100 gm	3897	500 gm	13005
M 1019	<u>MOLYBDENUM TRIOXIDE</u> , 99.95%	1313-27-5	100 gm	5004	500 gm	13095
					1 kg	22095
M 1018	<u>MOLYBDENUM TRIOXIDE</u> 99.99%	1313-27-5	5 gm	4302	25 gm	14004
M 2314	<u>MOLYBDENUM TRIOXIDE</u> 99.998%	1313-27-5	25 gm	16506	100 gm	49005
M 2335 ☐	<u>MOLYBDIC ACID</u> extra pure 85%	7782-91-4	100 gm	1791	500 gm	7929
M 2337 ☐	<u>MOLYBDIC ACID</u> GR 85%	7782-91-4	100 gm	1863	500 gm	8991
M 2340 ☐	<u>MONENSIN SODIUM</u> puriss 90-95%	22373-78-0	1 gm	11061	5 gm	41409
M 2345	<u>MONO THIOGLYCEROL</u> for synthesis 90%	96-27-5	100 gm	3303	500 gm	16056
					1 kg	30051
M 6557	<u>MONTMORILLONITE K -10</u>	1318-93-0	100 gm	1719	1 kg	5004
M 2357 ☐	<u>MORIN</u> GR (reagent for Al, Be, Sn, Ti, Zn)	480-16-0	1 gm	2709	5 gm	7407
M 2365 ☐	<u>MORPHOLINE</u> for synthesis 99%	110-91-8	500 ml	846	5 lt	963

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
M 2367	<u>MORPHOLINE</u> GR 99%+	110-91-8			500 ml	702
M 2375	<u>MORPHOLINO ETHANE SULPHONIC ACID</u> (MES) biological buffer 99%	145224-94-8	10 gm 100 gm	567 3249	25 gm 500 gm 1 kg	891 11403 20709
M 2380	<u>2-MORPHOLINO ETHANOL</u> for synthesis 99%	622-40-2			250 gm	3123
M 2385	<u>MORPHOLINO PROPANE SULPHONIC ACID</u> (MOPS) biological buffer 99%	1132-61-2	10 gm 100 gm	504 2169	25 gm 500 gm 1 kg	936 8919 16902
M 2391	<u>Bis-MSB</u> for scintillation 99%	13280-61-0	5 gm	8190	25 gm	14706
M 2390	<u>MOPSO</u> buffer, for biochemistry 99.5%	68399-77-9	50 gm	3708	250 gm	16902
M 2397 *	<u>M.T.T. TETRAZOLIUM</u> GR 99%+ for biochemistry	298-93-1	100 mg 500 mg	531 2196	250 mg 1 gm 5 gm	1503 3969 12996
M 2399 *	<u>M.T.T. TETRAZOLIUM</u> suitable for cell culture, 99%+	298-93-1	100 mg 1 gm	4302 16605	250 mg 5 gm	5679 60079
M 2398	<u>MUCICARMINE</u> (MAYER) staining solution	51395-97-2	100 ml	288	500 ml	1404
M 2404	<u>MYRISTALKONIUM CHLORIDE</u> for synthesis	139-08-2	5 gm	2592	25 gm 100 gm	3906 9603
M 2405	<u>MYRISTIC ACID</u> for synthesis 98%	544-63-8	500 gm	558	5 kg	5022
M 2410 *	<u>MYRISTOYLCHOLINE CHLORIDE</u> 90%+	4277-89-8	1 gm	12069	5 gm	54099
M 2411	<u>MYRISTYL ALCOHOL</u> for synthesis	112-72-1	100 ml	585	500 ml	1449
M 2415 *	<u>MYRISTYL γ-PICOLINIUM CHLORIDE</u>	2748-88-1	100 mg 5 gm	7929 76005	1 gm 50 gm	20619 170199
N 1201 *	<u>NADIC ANHYDRIDE</u> for synthesis 95%	129-64-6			25 gm	1908
N 1203 *	<u>NALIDIXIC ACID</u> for synthesis 98%	389-08-2	100 gm	7209	1 kg	65709
N 1204	<u>1-NAPHTHALDEHYDE</u> for synthesis 98%+	66-77-3	25 gm	891	100 gm	3105
N 1205	<u>NAPHTHALENE</u> for synthesis 99%	91-20-3	100 gm	3015	500 gm	12807
N 1206	<u>NAPHTHALENE</u> puriss scintillation grade 99%+	91-20-3	500 gm	441	1 kg	819
N 1207	<u>NAPHTHALENE</u> puriss GR 99%+	91-20-3	500 gm	522	5 kg	3906
N 1208	<u>2-NAPHTHALENE SULPHONIC ACID SODIUM SALT</u> for HPLC 98%	532-02-5	5 gm	558	5 kg	4608
N 1209	<u>2:7 NAPHTHALENEDIOL</u> 97%	582-17-2	5 gm	1602	25 gm	3609
N 1210	<u>NAPHAZOLINE HYDROCHLORIDE</u> 98%	550-99-2	5 gm	1206	10 gm	2007
N 1213	<u>5,12-NAPHTHCENEQUINONE</u> (Electronic Grade) 97%	1090-13-7	25 gm	2466	100 gm	4689
N 1215	<u>1-NAPHTHOL</u> for synthesis 99%	90-15-3	10 gm	1692	25 gm	3159
N 1217	<u>1-NAPHTHOL</u> GR 99%+	90-15-3	1 gm	5679	5 gm	19089
N 1225	<u>2-NAPHTHOL</u> for synthesis 99%	135-19-3	100 gm	477	500 gm	2169
N 1227	<u>2-NAPHTHOL</u> GR 99%+	135-19-3	100 gm	603	500 gm	2304
N 1230 *	<u>1-NAPHTHOL</u> GR 99%+	90-15-3	100 gm	603	500 gm	2304
N 1235	<u>2-NAPHTHOL</u> for synthesis 99%	135-19-3	250 gm	405	500 gm	738
N 1236	<u>2-NAPHTHOL</u> GR 99%+	135-19-3	100 gm	252	500 gm	936
N 1235 *	<u>NAPHTHOL AS-ACETATE</u> for microscopy 99%	1163-67-3	100 mg	1341	500 mg	4977
N 1236	<u>α-NAPHTHOL BENZEIN</u> (PH INDICATOR)	145-50-6	5 gm	783	25 gm	3249
N 1247	<u>NAPHTHOL BLACK</u> for microscopy	1064-48-8			10 gm	3492
N 1247	<u>NAPHTHOL HYDROXAMIC ACID</u> GR for calcium determination	-----	1 gm	2403	5 gm 25 gm	6309 27909
N 1255	<u>NAPHTHOL GREEN B</u> (water soluble) for microscopy (C.I.No. 10020)	19381-50-1	25 gm	288	100 gm 1 kg	783 5904

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 1260	<u>NAPHTHOL ORANGE</u> for microscopy	523-44-4			10 gm	1989
N 1265	<u>a-NAPHTHOL PHTHALEINE</u> indicator	596-01-0	1 gm	990	5 gm	2979
N 1270	<u>NAPHTHOL YELLOW S</u> for synthesis	846-70-8			25 gm	7389
N 1277	<u>β-NAPHTHOL VIOLET</u> GR indicator	76233-81-3	25 gm	432	100 gm	1602
N 1284	<u>1,4-NAPHTHOQUINONE</u> ~ 87%	130-15-4	100 gm	2196	500 gm	8379
N 1285	<u>1,4-NAPHTHOQUINONE</u> for synthesis 98%	130-15-4	100 gm	2619	500 gm	9819
N 1295	<u>1,2-NAPHTHOQUINONE-4-SULPHONIC</u> <u>ACID SODIUM SALT</u> 99%	521-24-4	5 gm	360	25 gm	1692
N 1297	<u>1,2-NAPHTHOQUINONE-4-SULPHONIC</u> <u>ACID SODIUM SALT</u> GR 99%+	521-24-4	5 gm	396	25 gm	1791
N 1305	<u>NAPHTHO RESORCINOL</u> GR 98%+	132-86-5	100 mg	1206	250 mg	2007
N 1315	<u>2-NAPHTHOXY ACETIC ACID</u> for synthesis 99%	120-23-0	1 gm	3969	5 gm	17919
N 1327	<u>1-NAPHTHYL ACETATE</u> GR 99%+	830-81-9	25 gm	720	100 gm	2079
N 1328	<u>1-NAPHTHYL ACETATE</u> GR 99%+	830-81-9	5 gm	639	10 gm	1179
N 1335	<u>1-NAPHTHYL ACETIC ACID</u> 99%	86-87-3	25 gm	225	25 gm	2790
N 1337	<u>1-NAPHTHYL ACETIC ACID</u> GR 99%+	86-87-3	100 gm	2880	1 kg	3015
N 1345	<u>1-NAPHTHYLAMINE</u> for synthesis 99%	86-87-3	25 gm	225	100 gm	666
N 1347	<u>1-NAPHTHYLAMINE</u> GR 99%+	86-87-3	500 gm	2880	1 kg	5508
N 1355	<u>1-NAPHTHYLAMINE HYDROCHLORIDE</u> for synthesis 99%	86-87-3	100 gm	693	500 gm	3006
N 1360	<u>1-NAPHTHYLAMINE 4- SULPHONIC ACID SODIUM SALT</u> for synthesis	134-32-7	500 gm	1287	5 kg	10602
N 1365	<u>1-NAPHTHYLAMINE</u> GR 99%+	134-32-7	100 gm	783	500 gm	3699
N 1367	<u>1-NAPHTHYLAMINE HYDROCHLORIDE</u> for synthesis 99%	552-46-5	25 gm	756	100 gm	1431
N 1360	<u>1-NAPHTHYLAMINE 4- SULPHONIC ACID SODIUM SALT</u> for synthesis	130-13-2	25 gm	1791	100 gm	6291
N 1365	<u>1-NAPHTHYL BUTYRATE</u> for biochemistry puriss 99%	3121-70-8	25 gm	1791	500 gm	27099
N 1367	<u>1-NAPHTHYL BUTYRATE</u> for biochemistry puriss 99%	3121-70-8	5 ml	24399	1 ml	6102
N 1367	<u>N-1- NAPHTHYL ETHYLENE DIAMINE</u> <u>DIHYDROCHLORIDE</u> GR 99%+	1465-25-4	5 ml	24399	10 ml	33039
N 1367	<u>1-NAPHTHYL PHOSPHATE SODIUM SALT</u> please see <u>SODIUM-1-NAPHTHYLPHOSPHATE</u>	1465-25-4	5 gm	720	10 gm	1287
N 1371	<u>NARINGENIN</u> 98%	67604-48-2	25 gm	2691	100 gm	9909
N 1372	<u>NARINGIN</u> 95%	10236-47-2	1 gm	1305	5 gm	3303
N 1373	<u>NATAMYCIN</u> for biochemistry 95%	7681-93-8	10 gm	4302	25 gm	7704
N 1382	<u>NEEM BARK EXTRACT</u> , aqueous propyleneglycol containing plant extract from neem bark	84696-25-3	1 gm	504	5 gm	900
N 1381	<u>NEEM OIL</u> pure	8002-65-1	25 gm	2169	100 gm	6507
N 1368	<u>NEISSER'S STAIN A</u>	122965-43-9	100 mg	10602	1 gm	15003
N 1369	<u>NEISSER'S STAIN B</u>	548-62-9	125 ml	117	500 ml	3699
N 1370	<u>NEISSER'S STAIN C</u>	532-82-1	125 ml	117	500 ml	459
N 1374	<u>NEOCUPROINE</u> 70%	484-11-7	125 ml	117	500 ml	459
N 1375	<u>NEOCUPROINE</u> 95%+	484-11-7	1 gm	603	5 gm	2601
N 1377	<u>NEOCUPROINE</u> GR 99%+	484-11-7	1 gm	765	5 gm	3600
N 1387	<u>NEOCUPROINE HYDROCHLORIDE</u> GR 99%+	41066-08-4	1 gm	1341	5 gm	5949
N 1395	<u>NEODYMIUM</u> ingot 99.9%	7440-00-8	1 gm	1494	5 gm	6939
N 1395	<u>NEODYMIUM</u> ingot 99.9%	7440-00-8	25 gm	19089	100 gm	56709

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 2045	<u>NEODYMIUM(III) ACETATE</u> hydrate 99.9%	334869-71-5	50 gm	6903	250 gm	22059
N 2050	<u>NEODYMIUM BORIDE</u> 99.5%	12008-23-0	5 gm	19809	25 gm	81099
N 2065	<u>NEODYMIUM(III) BROMIDE</u> puriss 99.99% (metals basis)	13536-80-6			5 gm	16902
N 2070	<u>NEODYMIUM(III) CARBONATE</u> hydrate 99.9%	38245-38-4	25 gm	6669	100 gm	26091
N 2082	<u>NEODYMIUM(III) CHLORIDE</u> hydrate, 99.9%	19423-78-0	50 gm	8001	250 gm	30006
N 1390 *	<u>NEODYMIUM CHLORIDE</u> hexahydrate GR 99.9%	13477-89-9	5 gm	1305	10 gm	1602
			25 gm	2466	100 gm	6201
N 2080	<u>NEODYMIUM(III) CHLORIDE</u> anhydrous 99.9%	10024-93-8	5 gm	4608	10 gm	8109
					25 gm	16029
N 2081	<u>NEODYMIUM(III) CHLORIDE</u> 99.99%	10024-93-8	5 gm	24039	25 gm	97029
N 2083	<u>NEODYMIUM(III) FLUORIDE</u> anhydrous 99.9%	13709-42-7	25 gm	10908	100 gm	40059
N 2085	<u>NEODYMIUM(III) FLUORIDE</u> anhydrous 99.99%	13709-42-7			10 gm	14049
N 2095	<u>NEODYMIUM(III) NITRATE</u> hexahydrate 99.9%	16454-60-7	25 gm	2385	100 gm	5994
					250 gm	13905
N 2100	<u>NEODYMIUM(III) NITRATE</u> hydrate 99.99%	13746-96-8	5 gm	2979	25 gm	11709
N 2105	<u>NEODYMIUM(III) NITRIDE</u> 99.9%	25764-11-8	2 gm	16902	10 gm	59409
N 1396	<u>NEODYMIUM(III) OXIDE</u> 70%	1313-97-9	100 gm	801	500 gm	4005
N 1398	<u>NEODYMIUM(III) OXIDE</u> GR 99%	1313-97-9	25 gm	936	100 gm	3204
N 1397	<u>NEODYMIUM(III) OXIDE</u> GR 99.9%	1313-97-9	10 gm	882	25 gm	1980
			100 gm	6903	500 gm	POR
N 2799	<u>NEODYMIUM(III) OXIDE</u> 99.99%	1313-97-9	25 gm	7605	100 gm	17604
N 0063	<u>NEODYMIUM(III) OXIDE</u> 99.999%	1313-97-9	25 gm	20304	100 gm	56079
N 2110	<u>NEODYMIUM(III) 2,4-PENTANEDIONATE</u> 99.9%	14589-38-9	5 gm	4005	10 gm	10908
					25 gm	21609
N 2120	<u>NEODYMIUM(III) PHOSPHATE</u> hydrate 99.999%	14298-32-9	1 gm	POR	5 gm	POR
N 2125	<u>NEODYMIUM(III) SULPHATE</u> octahydrate 99.9%	13477-91-3	25 gm	7992	100 gm	30609
N 2126	<u>NEODYMIUM(III) SULPHATE</u> octahydrate 99.99%	13477-91-3	25 gm	16902	100 gm	78093
N 2127	<u>NEODYMIUM(III) SULPHATE</u> octahydrate 99.999%	13477-91-3	1 gm	3105	10 gm	14904
N 2130	<u>NEODYMIUM(III) TITANATE</u>	12058-94-5	5 gm	16002	25 gm	76509
N 1426 *	<u>NEOHESPERIDIN</u> 90%+	13241-33-3	100 mg	7605	500 mg	28089
			1 gm	30609	5 gm	46089
N 1425 *	<u>NEOHESPERIDINE DIHYDROCHALCONE</u> 98% (NHDC)	20702-77-6	1 gm	2403	5 gm	8019
N 1405	<u>NEOMYCIN SULPHATE</u> puriss for bacteriology	1405-10-3	5 gm	135	25 gm	522
			100 gm	1854	500 gm	7425
N 1415	<u>NEOPENTYL GLYCOL</u> for synthesis 98%	126-30-7			500 gm	513
			1 kg	936	5 kg	4239
N 1427	<u>NEOTETRAZOLIUM CHLORIDE</u> GR for histochemical detection of dehydrogenase	298-95-3	1 gm	1989	5 gm	9306
N 1423	<u>NEROLI OIL</u> , Morocco	8016-38-4	25 gm	40608	100 gm	153099
					1 kg	990639
N 1428	<u>NESSLER'S</u> reagent	7783-33-7	100 ml	288	250 ml	567
N 1429	<u>NESSLER'S (KING)</u> reagent	7783-33-7	100 ml	315	500 ml	1404
N 1437	<u>NEUTRAL RED</u> indicator GR (C.I. No. 50040)	553-24-2	10 gm	549	25 gm	1143
			100 gm	3969	1 kg	29709
N 1438	<u>NEUTRAL RED</u> solution	553-24-2	125 ml	99	500 ml	405
N 1439	<u>NEUTRAL RED</u> metachromatic staining solution	-----			125 ml	117
N 1440	<u>NEUTRAL RED</u> jensen solution	-----			125 ml	153
N 1445	<u>NEW FUCHSIN</u> for microscopy (C.I. No. 42520)	3248-91-7	25 gm	225	100 gm	486
N 1450	<u>NEWMAN'S STAIN</u> (modified)	-----	100 ml	99	500 ml	486
N 1447	<u>NEW METHYLENE BLUE</u>	1934-16-3			1 gm	5139

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 1457	<u>NICKEL</u> foil, <1 mm thick, 99.9%	7440-02-0	5 gm	13095	10 gm	23409
N 3199	<u>NICKEL</u> foil, 0.25 mm thick, 99.5%	7440-02-0	50 x 50 mm	2223	250 gm	6759
N 1459	<u>NICKEL</u> pieces, 99.99%	7440-02-0	100 gm	3879	100 x 100 mm	5409
N 1455	<u>NICKEL</u> powder, 200 mesh, 99.8%	7440-02-0	100 gm	1593	100 x 500 mm	18909
N 3677	<u>NICKEL</u> powder, <150 µm, 99.99%	7440-02-0	25 gm	3807	500 gm	14004
N 1456	<u>NICKEL</u> powder, -325 mesh, typically 99.8%	7440-02-0	25 gm	1908	500 gm	6759
N 6851	<u>NICKEL</u> powder, -300mesh (45µm), 99.5%+	7440-02-0	100 gm	POR	5 kg	60039
N 4509	<u>NICKEL</u> shots 3-25 mm 99.95%+	7440-02-0	100 gm	4608	100 gm	4302
N 4102	<u>NICKEL</u> wire, diam. 0.25 mm, 99.9%	7440-02-0	5 mtr	6903	500 gm	12906
N 4141	<u>NICKEL</u> wire, 2.0 mm (0.08in) dia, 99.995%	7440-02-0	5 cm	5319	100 gm	5607
N 0050	<u>NICKEL (Ni) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 gm	15039
N 0051	<u>NICKEL (Ni) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 gm	POR
N 0052	<u>NICKEL AAS STANDARD SOLUTION 1000 MG/L Ni</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 gm	POR
N 1465	<u>NICKEL(II) ACETATE (tetrahydrate) 98%</u>	6018-89-9	250 gm	1791	250 gm	7245
N 1475	<u>NICKEL-ALUMINIUM ALLOY</u> powder (50% Ni and 50% Al)	12635-27-7	100 gm	909	25 mtr	22095
N 1478	<u>NICKEL BORATE</u>	51142-85-9	100 gm	2691	25 cm	13095
N 1480	<u>NICKEL BROMIDE</u>	13462-88-9	100 gm	5607	500 ml	6606
N 1485	<u>NICKEL CARBONATE</u> for electroplating	39430-27-8	500 gm	3393		
N 1495	<u>NICKEL CHLORIDE</u> hexahydrate, extra pure, 98%	7791-20-0	500 gm	1890		
N 1497	<u>NICKEL CHLORIDE</u> hexahydrate, GR 98%+	7791-20-0	500 gm	2394		
N 1496	<u>NICKEL CHLORIDE</u> hexahydrate, 99.9%	7791-20-0	5 gm	3501		
N 1500	<u>NICKEL FLUORIDE</u>	10028-18-9	100 gm	2559		
N 0423	<u>NICKEL(III) HYDROXIDE</u> powder	12054-48-7	250 gm	4905		
N 1505	<u>NICKEL NITRATE</u> extra pure (hexahydrate) 98%	13478-00-7	500 gm	1692		
N 1507	<u>NICKEL NITRATE</u> GR (hexahydrate) 99%+	13478-00-7	250 gm	1188		
N 1504	<u>NICKEL NITRATE</u> hexahydrate, puriss, ≥98.5%	13478-00-7	10 gm	4032		
N 6178	<u>NICKEL NITRATE</u> hexahydrate, 99.9985%	13478-00-7	5 gm	1908		
N 1510	<u>NICKEL OXALATE</u>	6018-94-6	100 gm	3069		
N 1515	<u>NICKEL OXIDE</u> black	1314-06-3	250 gm	2493		
N 1525	<u>NICKEL OXIDE</u> green	1313-99-1	250 gm	3609		
N 1524	<u>NICKEL OXIDE</u> , 325 mesh, 99%	1313-99-1	25 gm	3969		
N 1522	<u>NICKEL OXIDE</u> 99.9%	1313-99-1	5 gm	2007		
N 1526	<u>NICKEL OXIDE</u> 99.99%	1313-99-1	20 gm	10809		
N 1523	<u>NICKEL OXIDE</u> 99.995%	1313-99-1	5 gm	3807		

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 1528	<u>NICKEL OXIDE</u> , 99.998%	1313-99-1	5 gm	6606	25 gm 100 gm	14904 42093
N 1527	<u>NICKEL OXIDE</u> 99.999%	1313-99-1	5 gm 25 gm	7605 19062	10 gm 100 gm	12609 44091
N 1529	<u>NICKEL(II) PERCHLORATE</u> , hexahydrate (End user certificate required)	13520-61-1			25 gm	3996
N 1530	<u>NICKEL PHOSPHATE</u>	14396-43-1	100 gm	2205	500 gm	12069
N 1535	<u>NICKEL SULPHAMATE</u> solution (min.11% Ni)	13770-89-3	500 ml	1791	5 lt	15903
N 1545	<u>NICKEL SULPHATE</u> extra pure 98%	10101-97-0	500 gm	1692	5 kg	14409
N 1547	<u>NICKEL SULPHATE</u> GR 99%+	10101-97-0	500 gm	2259	5 kg	20079
N 1550	<u>NICKEL SULPHIDE</u>	12035-51-7	5 gm	1107	25 gm 100 gm	3006 12609
N 0636	<u>NICLOSAMIDE</u>	50-65-7	50 gm	10809	250 gm	41049
N 1555	<u>NICOTINAMIDE</u> for biochemistry 99%+ reagent & for organic elementary analysis	98-92-0	100 gm	522	500 gm 5 kg	2043 15903
N 1565 *	<u>NICOTINAMIDE ADENINE DINUCLEOTIDE</u> (NAD,DPN) for biochemistry 98%+	53-84-9	100 mg	216	1 gm 5 gm	1485 5949
N 1575 *	<u>NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE SODIUM SALT</u> (NADP,DPN) for biochemistry 98%+	24292-60-2	25 mg	837	100 mg 1 gm	1494 9459
N 1585 *	<u>NICOTINAMIDE ADENINE DINUCLEOTIDE REDUCED</u> (NADH,DPNH) for biochemistry 98%+	606-68-8	1 gm	3789	100 mg 5 gm	486 18909
N 1595 *	<u>NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE REDUCED TETRASODIUM SALT</u> (NADPH, TPNH) extra pure for biochemistry 98%	2646-71-1	25 mg	873	100 mg 1 gm	2502 21609
N 1605	<u>NICOTINIC ACID</u> for synthesis 99%	59-67-6	25 gm 500 gm	135 1386	100 gm 5 kg	342 12069
N 1615	<u>NIGROSINE</u> (alcohol soluble) (C.I. No. 50415)	8005-02-5	25 gm	144	100 gm 1 kg	441 3528
N 1616	<u>NIGROSINE</u> for microscopy (water soluble) (C.I. 50420)	8005-03-6	25 gm	144	100 gm	441
N 1617	<u>NIGROSINE</u> staining solution	8005-03-6	100 ml	78	500 ml	342
N 1625	<u>NILE BLUE CHLORIDE</u> for microscopy	2381-85-3	5 gm	360	25 gm	1188
N 1626	<u>NILE BLUE SULPHATE</u> for biochemistry	3625-57-8	10 gm	612	25 gm	1260
N 1133	<u>NILE RED</u> ≥98%	7385-67-3			10 mg	10503
N 1136	<u>NILE RED</u> for microscopy	7385-67-3	100 mg	12906	1 gm	50103
N 1627	<u>NILE RED</u> puriss	7385-67-3	100 mg	4302	1 gm	34209
N 0641 *	<u>NIMBIN</u>	5945-86-8			5 mg	56079
N 1630	<u>NIMESULIDE</u> GR	51803-78-2	1 gm 25 gm	2709 29079	5 gm 100 gm	9045 56007
N 1637	<u>NINHYDRIN</u> GR 99%+	485-47-2	5 gm 25 gm	423 1584	10 gm 100 gm 1 kg	792 4689 40059
N 1638	<u>NINHYDRIN</u> solution	485-47-2	100 ml	306	500 ml	1305
N 1645	<u>NIOBIUM</u> powder 99.5%	7440-03-1	10 gm	2007	25 gm	4203
N 1007	<u>NIOBIUM</u> powder, -325 mesh, 99.9%	7440-03-1	2.5 gm 100 gm	2880 14805	25 gm 500 gm	5508 70029
N 1008	<u>NIOBIUM</u> powder, -325 mesh, 99.99%	7440-03-1	10 gm 250 gm	7704 126099	50 gm 1 kg	26109 POR
N 0434	<u>NIOBIUM</u> wire, 1.0 mm (0.04in) dia, 99.8%	7440-03-1	1 mtr	5904	5 mtr	19089
N 0053	<u>NIOBIUM (Nb) ICP STANDARD SOLUTION 1 G/L</u> <u>IN 5% HNO₃. 1% HF</u> traceable to NIST	- - - - -	50 ml	3447	100 ml	5517

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 6825	<u>NIOBIUM BORIDE</u> , 99%	12007-29-3	25 gm	5004	100 gm	16002
N 1646	<u>NIOBIUM (V) CHLORIDE GR 99%</u>	10026-12-7			100 gm	46008
N 0891	<u>NIOBIUM DISELENIDE</u> ≥99.9%	12034-77-4	10 gm	16902	50 gm	76509
N 1648	<u>NIOBIUM PENTOXIDE</u> 99%	1313-96-8	10 gm	405	100 gm	3609
N 1647	☐ <u>NIOBIUM PENTOXIDE GR 99.9%</u>	1313-96-8	10 gm	540	25 gm	1179
			100 gm	4005	500 gm	19800
N 1641	<u>NIOBIUM PENTOXIDE</u> 99.95%	1313-96-8	25 gm	1404	100 gm	5193
N 1649	<u>NIOBIUM PENTOXIDE</u> 99.99%	1313-96-8	10 gm	2601	25 gm	4401
N 1644	<u>NIOBIUM PENTOXIDE</u> 99.9985%	1313-96-8	50 gm	13005	250 gm	48006
					1 kg	135909
N 1642	<u>NIOBIUM PENTOXIDE</u> 99.999%	1313-96-8	10 gm	3492	50 gm	15903
N 1650	<u>NITRAZINE YELLOW</u> (C. I. No. 14890) indicator	5423-07-4			1 gm	1098
			5 gm	1864	25 gm	8496
N 1655	☐ <u>NITRILO TRI ACETIC ACID</u> for synthesis 99%	139-13-9	100 gm	189	500 gm	675
					5 kg	6309
N 1657	☐ <u>NITRILO TRI ACETIC ACID GR 99%+</u> (complexometric indicator and reagent)	139-13-9	100 gm	270	250 gm	423
			500 gm	891	5 kg	8406
N 1665	☐ <u>p-NITRO ACETANILIDE</u> for synthesis 98%	104-04-1	100 gm	3996	250 gm	5679
					500 gm	8604
N 1667	<u>3-NITRO ACETOPHENONE</u> for synthesis 98%	121-89-1	100 gm	540	500 gm	2493
N 1666	☐ <u>p-NITRO ACETOPHENONE</u> for synthesis 98%	100-19-6	250 gm	1242	1 kg	4770
N 1675	☐ <u>2-NITRO ANILINE</u> for synthesis 98%	88-74-4	250 gm	774	500 gm	1395
					5 kg	12609
N 1685	<u>3-NITRO ANILINE</u> for synthesis 99%	99-09-2	250 gm	1791	500 gm	3393
					5 kg	27909
N 1695	☐ <u>4-NITRO ANILINE</u> for synthesis 99%	100-01-6	100 gm	396	250 gm	693
			500 gm	1287	5 kg	11007
N 1697	<u>4-NITRO ANILINE GR 99%+</u> for determination of phenol	100-01-6	25 gm	216	100 gm	783
					500 gm	2619
N 1698	<u>2-NITRO ANISOLE</u> for synthesis 98%	91-23-6	500 ml	765	5 lt	6219
N 1705	☐ <u>o-NITRO BENZALDEHYDE</u> for synthesis 99%	552-89-6	10 gm	279	25 gm	594
			100 gm	2169	1 kg	20007
N 1707	☐ <u>2-NITRO BENZALDEHYDE GR 99%+</u>	552-89-6	10 gm	360	25 gm	693
			100 gm	2619	1 kg	23049
N 1715	☐ <u>3-NITRO BENZALDEHYDE</u> for synthesis 98%	99-61-6	100 gm	819	500 gm	3393
N 1717	☐ <u>4-NITRO BENZALDEHYDE</u> 98%	555-16-8	100 gm	1404	500 gm	6903
N 1716	☐ <u>4-NITRO BENZALDEHYDE GR 99%+</u>	555-16-8	25 gm	576	100 gm	1503
N 1710	<u>NITRO BENZENE</u> for synthesis 99%	98-95-3	500 ml	693	5 lt	5904
N 1711	<u>NITRO BENZENE GR 99%+</u>	98-95-3	500 ml	792	5 lt	6309
N 1725 *	<u>4-NITRO BENZENE DIAZONIUM TETRAFLUORO BORATE</u> puriss 98%	456-27-9	5 gm	1161	25 gm	4689
N 1750	<u>4-NITRO BENZENE SULPHONYL CHLORIDE</u> 98%	98-74-8			25 gm	1692
N 1730	☐ <u>5-NITRO BENZIMIDAZOLE</u> puriss 99%+	94-52-0	50 gm	2169	250 gm	8991
N 1735	<u>5-NITRO BENZIMIDAZOLE NITRATE</u> for synthesis 98%	27896-84-0	25 gm	3492	100 gm	9603
N 1745	☐ <u>m-NITRO BENZENE SULPHONIC ACID SODIUM SALT</u> for synthesis 98%	127-68-4	250 gm	666	500 gm	1269
			1 kg	2313	5 kg	9603
N 1752	<u>2-NITRO BENZOIC ACID</u> 98%	552-16-9	5 gm	1989	500 gm	2403
			100 gm	5508	500 gm	19809

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 1755	<u>m-NITRO BENZOIC ACID</u> for synthesis 99%	121-92-6	100 gm	441	500 gm	1989
					5 kg	16902
N 1757	<u>m-NITRO BENZOIC ACID</u> GR 99%+	121-92-6	25 gm	387	100 gm	801
			250 gm	2007	500 gm	3501
N 1765	<u>4-NITRO BENZOIC ACID</u> for synthesis 99%	62-23-7	500 gm	945	5 kg	8505
N 1767	<u>4-NITRO BENZOIC ACID</u> GR 99%+	62-23-7	100 gm	405	500 gm	1305
N 1770	<u>6-NITROBENZOTHAIAZOLE</u> 99%	2942-06-5	5 gm	4707	50 gm	20205
N 1775	<u>4-NITRO BENZOYL CHLORIDE</u> puriss 98%	122-04-3	250 gm	2907	500 gm	5391
N 1776	<u>4-NITRO BENZYL BROMIDE</u> for synthesis 99%	100-11-8	100 gm	819	500 gm	3906
N 1777	<u>4-(4-NITRO BENZYL)PYRIDINE</u> GR 98%+	1083-48-3	5 gm	2592	25 gm	11493
N 1787	<u>NITRO B.T.</u> GR redox indicator	298-83-9			100 m	594
			250 mg	990	1 gm	2979
N 0032	<u>NITRO BLUE TETRAZOLIUM</u> tablet	298-83-9	10 tab	16902	50 tab	39069
N 1797	<u>4-NITRO CATECHOL</u> GR	3316-09-4	1 gm	1719	5 gm	3969
N 1780	<u>NITROCELLULOSE</u> powder (End user certificate required)	9004-70-0			500 gm	21069
N 1805	<u>m-NITRO CHLORO BENZENE</u> for synthesis 99%	121-73-3	250 gm	693	500 gm	1107
					5 kg	9981
N 1815	<u>o-NITRO CHLORO BENZENE</u> for synthesis 99%	88-73-3	500 gm	468	5 kg	4203
N 1817	<u>4-NITRO CINNAMALDEHYDE</u> predominantly trans 98%	49678-08-2	1 gm	3519	5 gm	12708
N 1820	<u>4-NITRO CINNAMIC ACID</u> puriss 98%	882-06-4			25 gm	7209
N 1830	<u>NITRO ETHANE</u> 99.5% (End user certificate required)	79-24-3			10 ml	13059
N 1832	<u>5-NITRO INDOLE</u> for synthesis 99%	6146-52-7	5 gm	3393	25 gm	11907
					100 gm	40491
N 1833	<u>5-NITRO ISOPHTHALIC ACID</u> for synthesis 98%	618-88-2	100 gm	1692	500 gm	5706
N 1835	<u>NITRO METHANE</u> for synthesis 98%	75-52-5			500 ml	1071
N 1837	<u>NITRO METHANE</u> GR 98%+	75-52-5	250 ml	1206	500 ml	2106
N 1836	<u>2-NITRO-4-METHOXYANILINE</u> 99%	96-96-8	100 gm	2808	500 gm	13005
N 1834	<u>4-NITRO-3-METHOXYBENZOIC ACID</u> 98%	5081-36-7	1 gm	1602	5 gm	4005
					25 gm	16902
N 1847	<u>NITRON</u> GR (reagent for nitrate)	2218-94-2	1 gm	1305	5 gm	3969
N 1855	<u>1-NITRO NAPHTHALENE</u> for synthesis 98%	86-57-7	100 gm	2196	500 gm	8919
N 1865	<u>2-NITRO PHENOL</u> for synthesis 98%	88-75-5	500 gm	1486	5 kg	12609
N 1867	<u>2-NITROPHENOL</u> indicator GR	88-75-5	25 gm	180	100 gm	684
N 1877	<u>m-NITRO PHENOL</u> indicator GR 99%+	554-84-7	5 gm	522	25 gm	1845
					100 gm	7002
N 1885	<u>p-NITRO PHENOL</u> for synthesis 98%	100-02-7	500 gm	945	5 kg	7992
N 1887	<u>p-NITRO PHENOL</u> indicator GR 99%+	100-02-7	25 gm	225	100 gm	684
					500 gm	2880
N 1895	<u>p-NITRO PHENYL ACETATE</u> extra pure	830-03-5	1 gm	396	5 gm	927
	for biochemistry 98%		25 gm	3159	100 gm	8649
N 1898	<u>p-NITRO PHENYL ACETIC ACID</u> for synthesis 98%	104-03-0	5 gm	315	25 gm	1107
					100 gm	3609
N 1890	<u>p-NITRO PHENYL ACETONITRILE</u> for synthesis 98%	555-21-5	10 gm	1989	50 gm	6003
N 1899	<u>4- NITRO-L-PHENYLALANINE</u> monohydrate	207591-86-4	5 gm	3699	25 gm	9603
N 1900	<u>L-4-NITROPHENYL ALANINE METHYL ESTER</u>	17193-40-7	1 gm	2295	5 gm	6759
	<u>HYDROCHLORIDE</u> for biochemistry 99%					
N 3396	<u>4-NITROPHENYL CHLOROFORMATE</u> 96%	7693-46-1	5 gm	1809	25 gm	6102
					100 gm	16209
N 1907	<u>4-NITRO PHENYL HYDRAZINE</u> GR 99%+	100-16-3	10 gm	963	25 gm	1593

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 1915 ✱ ☐	<u>o-NITROPHENYL β-D-GALACTOPYRANOSIDE</u> extra pure for biochemistry 98%	369-07-3	500 mg 5 gm	657 5319	1 gm 10 gm	1206 9405
N 1918 ✱ ☐	<u>2-NITROPHENYL-β-D-GLUCOSIDE</u> pure	2816-24-2			250 mg	14004
N 1920	<u>2-NITROPHENYL OCTYL ETHER</u> 99%	37682-29-4	5 gm	6219	25 gm	21807
N 1927 ✱ ☐	<u>4-NITRO PHENYL PHOSPHATE DISODIUM SALT</u> (hexahydrate) for biochemistry 99%+	4264-83-9	1 gm 25 gm	180 2349	5 gm 100 gm 250 gm	522 9108 21906
N 1929 ☐	<u>4-NITROPHENYL PIPERAZINE</u> 97%	6269-89-2	5 gm	2700	25 gm	5787
N 1928	<u>3-NITRO PHTHALIC ACID</u> puriss 98%	603-11-2	100 gm	792	500 gm	2592
N 1930	<u>4-NITRO PHTHALIC ACID</u> 98% for synthesis	610-27-5	100 gm	648	500 gm	2691
N 1931	<u>2-NITRO PROPANE</u> for synthesis 98%	79-46-9			100 ml	9909
N 1932 ✱	<u>4-NITROQUINOLINE N-OXIDE</u> 98%	56-57-5	1 gm	4392	5 gm	14803
N 1934	<u>5-NITRO SALICYALDEHYDE</u> 98%	97-51-8	5 gm	2790	25 gm 100 gm	5490 20709
N 1935 ☐	<u>1-NITROSO-2-NAPHTHOL</u> for synthesis	131-91-9	25 gm 250 gm	405 2790	100 gm 1 kg	1386 10602
N 1937 ☐	<u>1-NITROSO-2-NAPHTHOL</u> GR 99%+	131-91-9	10 gm	603	25 gm 100 gm	891 3186
N 1947 ☐	<u>2-NITROSO-1-NAPHTHOL</u> GR 98%+ (reagent for cobalt and zirconium)	132-53-6	5 gm	711	25 gm	2979
N 1957 ☐	<u>NITROSO R SALT</u> GR (sensitivity to cobalt 1:1000000)	525-05-3	25 gm	333	100 gm 1 kg	1089 9063
N 1960	<u>3-NITROTETRAZOLIUM BLUE CHLORIDE</u> puriss	127615-60-5	100 mg	11709	500 mg	43092
N 1975	<u>o-NITRO TOLUENE</u> for synthesis 98%	88-72-2	500 ml	576	5 lt	4302
N 1985	<u>m-NITRO TOLUENE</u> for synthesis 98%	99-08-1	500 ml	693	5 lt	6012
N 1995	<u>p-NITRO TOLUENE</u> for synthesis 98%	99-99-0	500 gm	477	5 kg	4203
N 2015	<u>5-NITRO URACIL</u> for biochemistry 99%	611-08-5	5 gm	2259	10 gm 25 gm	2403 5004
N 2017 ☐	<u>5-NITRO-M-XYLENE</u> 99%	99-12-7			10 gm	7605
N 2020	<u>n-NONADECANE</u> puriss 99%	629-92-5			250 ml	30609
N 2025	<u>NONANOIC ACID</u> puriss 97%	112-05-0			1 lt	6003
N 2028a	<u>n-NONANE</u> for synthesis 95%	111-84-2			250 ml	6849
N 2027a ☐	<u>n-NONANE SULPHONIC ACID SODIUM SALT</u> for HPLC 98%	35192-74-6	5 gm	3303	10 gm	6003
N 2024	<u>NONIDET P40</u> (non-ionic surfactant)	9036-19-5	100 ml	567	500 ml	2169
N 2026	<u>NONYL ALCOHOL</u> for synthesis	143-08-8	100 ml	2169	500 ml	6003
N 2027	<u>NONYL PHENOL</u> for synthesis	104-40-5	500 ml	495	5 lt	4302
N 2028	<u>NONYL PHENOL ETHOXYLATED</u> (9.5 Moles) for synthesis	- - - -	500 ml	486	5 lt	4203
N 2029 ✱	<u>DL-nor-ADRENALINE</u> puriss 99%	138-65-8			100 mg	1791
			1 gm	14301	5 gm	67005
N 2030 ✱	<u>DL-nor-ADRENALINE HYDROCHLORIDE</u> puriss 99%	55-27-6			100 mg	1602
			1 gm	10602	5 gm	49059
N 0099 ✱	<u>NS-398</u> 98%	123653-11-2	5 mg 50 mg	3609 14049	10 mg 100 mg	7992 20709
N 2034 ✱	<u>NUCIFERINE</u> 98%	475-83-2	10 mg	3006	50 mg	3249
N 2035 ✱	<u>NUCLEAR FAST RED</u> for microscopy	6409-77-4	1 gm	1593	5 gm	7497
N 2036	<u>NUTMEG OIL</u>	8008-45-5			1 kg	30609
N 2041	<u>NYLON 6</u> pellets	25038-54-4	25 gm 500 gm	4509 17091	100 gm 1 kg	9603 26001
N 2038 ☐	<u>NYLON 6/6</u> {Poly(N,N-hexamethyleneadipinediamide Poly(hexamethylene adipamide)} pellets	32131-17-2	25 gm 250 gm	2007 4905	100 gm 1 kg	3969 10908

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
N 2042	<u>NYLON 11</u> pellets	25035-04-5	100 gm	8604	250 gm	14004
N 2043	<u>NYLON 12</u> pellets	24937-16-4	100 gm	8712	250 gm	15390
N 2040 *	<u>NYSTATIN 4800 U/g</u>	1400-61-9	1 gm	4995	5 gm	12699
					10 gm	21609
O 1205	<u>n-OCTADECANE</u> for synthesis 99%	593-45-3	25 ml	2403	100 ml	4608
					500 ml	12609
O 1200	<u>1-OCTADECANETHIOL</u> , 98%	2885-00-9	25 ml	1701	100 ml	5004
O 1206	<u>1-OCTADECENE</u> for synthesis 90%	112-88-9	100 ml	1692	500 ml	7659
O 1321	<u>1-OCTADECENE</u> 95%	112-88-9	100 ml	14004	500 ml	45009
O 1215	☐ <u>1-OCTADECANOL</u> for synthesis 99%	112-92-5	500 gm	504	5 kg	4869
O 1227	☐ <u>OCTADECYLAMINE</u> (GC) 97%	124-30-1	25 gm	9639	100 gm	24093
O 1225	☐ <u>OCTADECYLAMINE</u> for synthesis 99%	124-30-1	250 gm	531	1 kg	2079
O 1235	<u>n-OCTANE</u> for synthesis 99%	111-65-9	100 ml	1234	500 ml	5679
O 1236	<u>n-OCTANE</u> puriss GR 99%+	111-65-9	100 ml	1404	500 ml	6939
O 1248	<u>1-OCTANE SULPHONIC ACID SODIUM SALT</u> (anhydrous) for HPLC 98% for ion-pair chromatography	5324-84-5	5 gm	504	25 gm	1089
			100 gm	3996	10x25 gm	10809
O 1249	☐ <u>1-OCTANE SULPHONIC ACID SODIUM SALT</u> (monohydrate) for HPLC 99%	5324-84-5	5 gm	504	25 gm	1089
			100 gm	3996	10x25 gm	10809
O 1251	☐ <u>OCTANOIC ACID</u> for synthesis 98%	124-07-2	500 ml	1305	5 lt	12069
O 1252	<u>OCTANOIC ACID</u> puriss 99%	124-07-2			1 lt	9729
O 1255	☐ <u>1-OCTANOL</u> for synthesis 98%	111-87-5	500 ml	783	5 lt	7479
O 1257	<u>1-OCTANOL</u> GR 99%+	111-87-5	100 ml	693	500 ml	1602
O 1258	<u>1-OCTANOL</u> for HPLC 99.5%	111-87-5			500 ml	1881
O 1269	<u>OCTANOYL CHLORIDE</u> 99%	111-64-8	100 ml	1602	500 ml	7002
O 1265	<u>1-OCTENE</u> 98%	111-66-0	100 ml	1287	500 ml	4869
O 1266	<u>OCTO XYLENOL</u> for synthesis	- - - - -			500 ml	2799
O 1270	<u>OCTYL ACETATE</u> for synthesis	112-14-1			500 gm	2808
O 1275	<u>n-OCTYLAMINE</u> for synthesis 99%	111-86-4			250 ml	3609
O 1277 *	☐ <u>n-OCTYL-β-D-GLUCOPYRANOSIDE</u> for biochemistry 99%	29836-26-8	1 gm	4113	5 gm	16704
O 1280	☐ <u>4-tert-OCTYL PHENOL</u> for synthesis	140-66-9	500 gm	1386	5 kg	11007
O 1284	<u>OIL RED O</u> certified (C.I.No.26125)	14288-70-1	25 gm	3249	100 gm	7506
O 1285	<u>OIL RED O</u> for electrophoresis (C.I.No.26125)	14288-70-1	10 gm	216	25 gm	441
O 1288	<u>OIL BERGAMOT</u>	8007-75-8			500 gm	4896
O 1289	<u>OIL CITRONELLA</u>	8000-29-1	250 ml	2259	500 ml	4194
O 1290	<u>OIL GERANIUM</u>	8000-46-2			500 gm	8892
O 1291	<u>OIL MENTHA</u>	8008-79-5			500 gm	7506
O 1292	<u>OIL ORANGE</u>	8008-57-9			500 gm	3879
O 1293	<u>OIL PEPPERMINT</u>	8006-90-4	100 gm	864	500 gm	3969
O 1287 *	<u>OLEANOLIC ACID</u> 98%	508-02-1	100 mg	3969	500 mg	5607
			5 gm	6489	25 gm	10790
O 1295	☐ <u>OLEIC ACID</u> extra pure	112-80-1	500 ml	639	5 lt	5004
O 0311	☐ <u>OLEIC ACID</u> technical grade, 90%	112-80-1	1 lt	3708	5 lt	12034
O 0112	☐ <u>OLEIC ACID</u> ≥99%	112-80-1	1 gm	2601	5 gm	4608
					25 gm	15039
O 1297	<u>OLEUROPEIN</u> ≥98%	32619-42-4	10 mg	13059	50 mg	52002
O 1294	<u>OLEYL ALCOHOL</u> pract	143-28-2	250 ml	1179	500 ml	2025
O 1296a	<u>OLEYLAMINE</u> for synthesis 98%+	112-90-3	250 ml	747	1 lt	2205
O 1296	☐ <u>OLIVE OIL</u> (italic origin)	8001-25-0	100 ml	639	250 ml	1143
					500 ml	2079

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
O 1298	<u>OLIVE OIL</u> puriss	8001-25-0			1 lt	10503
O 1299	<u>OLIVE OIL</u> highly refined, low acidity	8001-25-0	100 ml	7605	500 ml	10062
O 1286	<u>OLIVE OIL</u> analytical standard	8001-25-0			1 gm	7506
O 1306	<u>OPOPONAX OIL</u> natural	8021-36-1	100 gm	13005	1 kg	69039
O 1300	☐ <u>ORACET BLUE B</u> indicator	12769-16-3	500 mg	3006	1 gm	3906
					5 gm	12069
O 1301	☐ <u>ORACET BLUE 2R</u> C.I.No 61110 (indicator for titration in non aqueous solvent)	4395-65-7	500 mg	4059	1 gm	5004
					5 gm	14094
O 1305	☐ <u>ORANGE G</u> indicator for microscopy (C.I. No 16230)	1936-15-8	25 gm	279	100 gm	882
					1 kg	7002
O 1307	<u>ORANGE OIL</u> cold-pressed, Brazil origin	8008-57-9	1 kg	7398	5 kg	39006
O 1304	<u>ORANGE OIL</u> natural, cold-compressed	8008-57-9	500 gm	5193	1 kg	7605
					5 kg	13005
O 1310	<u>ORANGE OIL</u> terpenes natural	68647-72-3			1 kg	9027
O 1315	<u>ORCEIN</u> for microscopy <u>ORCEIN-ACETO</u> please see <u>ACETO-ORCEIN</u>	1400-62-0	5 gm	1773	10 gm	3303
O 1320	☐ <u>ORCINOL</u> anhydrous 99%+	504-15-4	5 gm	1449	25 gm	3708
			100 gm	9405	500 gm	42003
O 1325	☐ <u>ORCINOL</u> monohydrate, 99%+ (reagent for sugars)	6153-39-5	10 gm	873	25 gm	2106
			100 gm	6507	1 kg	50049
O 1318	<u>ORIGANUM OIL</u> FCC	8007-11-2	100 gm	7902	1 kg	27909
O 1335	☐ <u>L-ORNITHINE MONOHYDROCHLORIDE</u> for biochemistry 99%+	3184-13-2	5 gm	216	25 gm	666
			100 gm	2403	500 gm	10809
O 1336	☐ <u>ORTHO-PHOSPHORIC ACID</u> for synthesis 85%	7664-38-2	500 ml	891	5 lt	7407
O 1337	☐ <u>ORTHO-PHOSPHORIC ACID</u> GR 85%+	7664-38-2	500 ml	1089	5 lt	8379
O 1339	<u>ORTHO-PHOSPHORIC ACID</u> for HPLC 85%+	7664-38-2	250 ml	1656	1 lt	5994
O 1338	<u>ORTHO-PHOSPHORIC ACID</u> GR 88% for steel industry	7664-38-2	500 ml	990	5 lt	8604
O 1341	<u>γ-ORYZANOL</u> 98%	11042-64-1	1 gm	1035	5 gm	1899
O 4511	<u>OSMIUM</u> powder, -200 mesh, 99.8% (End user certificate required)	7440-04-2	1 gm	22509	5 gm	109089
O 1345	* <u>OSMIC ACID</u> 99.9% (fixing agent)	20816-12-0	1 gm	8181	(10 x1) gm	70902
O 1346	<u>OSMIC ACID</u> solution 2% w/v for microscopy	20816-12-0			5 ml	3159
O 1350	* <u>OSTHOLE</u> ≥95% (HPLC)	484-12-8	10 mg	12609	50 mg	43209
O 1365	<u>OXALACETIC ACID</u> crystalline 98% for biochemistry	328-42-7	1 gm	1206	5 gm	3879
O 1370	<u>OXALIC ACID</u> anhydrous, 99%+	144-62-7	50 gm	2079	100 gm	3492
			250 gm	4401	1 kg	15039
O 1375	☐ <u>OXALIC ACID</u> purified 99%	6153-56-6	500 gm	378	1 kg	594
					5 kg	2808
O 1377	☐ <u>OXALIC ACID</u> GR 99%+	6153-56-6	500 gm	450	5 kg	3690
O 1378	<u>OXALIC ACID</u> 0.1N volumetric standard solution	6153-56-6	500 ml	144	5 lt	792
O 1380	<u>OXALIC ACID</u> 0.01 mol/L (0.02N) solution	6153-56-6	500 ml	117	1 lt	216
O 1381	<u>OXALIC ACID</u> 0.5 mol/L (1N) solution	6153-56-6	500 ml	108	1 lt	198
O 1382	<u>OXALIC ACID</u> 0.05 mol/l (0.1N) Solution	6153-56-6	500 ml	117	1 lt	216
O 1385	<u>OXALIC ACID DIHYDRAZIDE</u> GR	996-98-5	10 gm	639	25 gm	819
O 1371	<u>OXALOSUCCINIC ACID BARIUM SALT</u> for synthesis	-----	1 gm	7992	5 gm	35091
O 1386	<u>OXALYL CHLORIDE</u> for synthesis 98%	79-37-8	100 gm	3996	500 gm	16929
O 1400	<u>OXAMIDE</u> for synthesis 99%	471-46-5	100 gm	2169	500 gm	9693
O 1405	☐ <u>OX-BILE</u> powder, for microbiology	-----	100 gm	1287	500 gm	5904
					1 kg	9603

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
O 1415	<u>OXGALL</u> powder, bacteriological grade	8008-63-7	100 gm	1692	500 gm	6489
O 1416	<u>OXONE</u> extra pure	70693-62-8	250 gm	540	1 kg	1890
O 1421 ✱	<u>OXYMATRINE</u> 98%	16837-52-8	10 mg	6903	100 mg	18909
			500 mg	48069	1 gm	75069
O 1422	<u>3,3'-OXYDIPROPIONITRILE</u> 98%	1656-48-0	25 ml	8289	100 ml	15605
O 1420 ✱	<u>OXYTOCIN</u> lyophilized powder ~15 IU/mg solid(Prepared from synthetic oxytocin)	50-56-6			250 lunits	4959
P 1180 ✱	<u>PACLITAXEL</u> from Taxus brevifolia ≥95% (HPLC), powder	33069-62-4	1 mg	4905	5 mg	16209
P 1188 ✱ ☐	<u>PACLITAXEL</u> for biochemistry 98%	33069-62-4	1 mg	549	10 mg	1179
			50 mg	4779	250 mg	8694
P 1189	<u>PALATINOSE</u> hydrate 99%	343336-76-5	100 mg	1602	250 mg	2403
P 4567	<u>PALLADIUM</u> granules, 99.95%	7440-05-3	1 gm	POR	5 gm	POR
P 1200 ☐	<u>PALLADIUM</u> powder, GR 99.9%	7440-05-3			1 gm	POR
P 3576	<u>PALLADIUM</u> powder, <1 µm, ≥99.9%	7440-05-3	1 gm	POR	5 gm	POR
P 0033	<u>PALLADIUM</u> powder, -60 mesh, 99.9% (metals basis)	7440-05-3	1 gm	POR	10 gm	POR
P 0189	<u>PALLADIUM</u> powder, -200 mesh, 99.95%	7440-05-3	1 gm	POR	5 gm	POR
P 0022	<u>PALLADIUM</u> wire dia 0.5mm 99.9%	7440-05-3	50 cm	POR	250 cm	POR
P 0050	<u>PALLADIUM (Pd) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	11088	500 ml	22194
P 0051	<u>PALLADIUM (Pd) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HCL</u> traceable to NIST	-----	100 ml	44307	500 ml	96903
P 0052	<u>PALLADIUM AAS STANDARD SOLUTION 1000 MG/L Pd IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4905	500 ml	9819
P 1201	<u>PALLADIUM on BARIUM-SULPHATE (5% Pd)</u> hydrogenation catalyst	-----	5 gm	POR	10 gm	POR
P 1200a	<u>PALLADIUM on CALCIUM CARBONATE (5%)</u> hydrogenation catalyst	7440-05-3	5 gm	POR	10 gm	POR
P 1199	<u>PALLADIUM ON CALCIUM CARBONATE (10%)</u> hydrogenation catalyst	7440-05-3	5 gm	POR	10 gm	POR
P 1205 ☐	<u>PALLADIUM-CHARCOAL ACTIVATED (5% Pd)</u> hydrogenation catalyst	-----	5 gm	4806	10 gm	8919
P 1215 ☐	<u>PALLADIUM-CHARCOAL ACTIVATED (10% Pd)</u> hydrogenation catalyst	-----	5 gm	7992	10 gm	14499
P 1190	<u>PALLADIUM 5% ON ALUMINA</u>	-----	5 gm	5697	10 gm	9603
P 1191	<u>PALLADIUM 5% ON ALUMINA balls</u>	-----	5 gm	5706	10 gm	9909
P 1225	<u>PALLADIUM 5% on ASBESTOS</u> extra pure	-----	5 gm	5679	10 gm	9990
P 1235	<u>PALLADIUM 10% on ASBESTOS</u> extra pure	-----	5 gm	8919	10 gm	19089
P 1240 ☐	<u>PALLADIUM ACETATE</u> puriss (app. 50% Pd)	3375-31-3	1 gm	11403	5 gm	56007
P 1242	<u>PALLADIUM BROMIDE</u> extra pure	13444-94-5			1 gm	17091
P 1245 ☐	<u>PALLADIUM CHLORIDE</u> puriss (Pd 59-60%)	7647-10-1	1 gm	11907	5 gm	55809
P 0936	<u>PALLADIUM(II) CHLORIDE</u> , ≥99.9%	7647-10-1	1 gm	15903	5 gm	76005
P 0198	<u>PALLADIUM HYDROXIDE</u> on carbon 20%	12135-22-7	1 gm	POR	5 gm	POR
P 0207	<u>PALLADIUM(II) IODIDE</u> puriss 97%+	7790-38-7			1 gm	28008
P 0935	<u>PALLADIUM(II) NITRATE</u> , dihydrate, ~40% Pd basis	32916-07-7			1 gm	11907
P 1243	<u>PALLADIUM NITRATE</u> extra pure	10102-05-3	250 mg	2691	1 gm	9909
P 1241	<u>PALLADIUM(II) NITRATE</u> hydrate, 99.8% (metals basis), Pd 39% min	207596-32-5	1 gm	9603	10 gm	92007
P 1247	<u>PALLADIUM (II) NITRATE</u> solution Pd 8.5% w/w (cont. Pd)	10102-05-3	1 gm	POR	5 gm	POR
P 1067	<u>PALLADIUM(II) NITRATE</u> solution 10 wt. % nitric acid, 99.999%	-----	10 ml	POR	50 ml	POR
P 1246	<u>PALLADIUM OXIDE (Pd 85%)</u> extra pure	1314-08-5	1 gm	15903	5 gm	78003
P 1244	<u>PALLADIUM SULPHATE</u> extra pure	13566-03-5	250 mg	3708	1 gm	13905
P 0270	<u>PALLADIUM(III) TRIFLUOROACETATE</u> 97%	42196-31-6			1 gm	12609
P 1255 ☐	<u>PALMITIC ACID</u> for synthesis 98%	57-10-3	500 gm	477	5 kg	3816

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1257	<u>PALMITIC ACID</u> GR for biochemistry 99%+	57-10-3	5 gm	171	25 gm	486
					100 gm	1791
P 8141	<u>PALMITOYL CHLORIDE</u> 98%	112-67-4	100 gm	4059	500 gm	12069
P 1265	<u>PAMOIC ACID</u> for synthesis 98%	130-85-8	25 gm	1305	100 gm	4608
					500 gm	20079
P 1277	☐ <u>PAN</u> indicator GR 99% for microscopy	85-85-8	1 gm	1089	5 gm	4509
P 1285	☒ <u>PANCREATIN</u> (from pig pancrease)	8049-47-6	100 gm	558	250 gm	1296
			500 gm	2295	1 kg	4302
P 1284	<u>PANCREATIN</u> , from porcine pancreas powder, suitable for cell culture, 4 x USP specifications	8049-47-6	25 gm	2709	100 gm	6705
P 1286	<u>PANDY'S</u> reagent	137-08-6	125 ml	117	500 ml	567
P 1290	<u>D-PANTOTHANOL</u> for synthesis	81-13-0	100 gm	2808	500 gm	11061
P 1295	<u>PAPAIN</u> purified (from papaya latex)	9001-73-4	100 gm	333	500 gm	1107
					5 kg	9603
P 1300	<u>PAPANICOLAOUS solution 1a</u>	-----	125 ml	693	500 ml	3105
P 1301	<u>PAPANICOLAOUS solution 2b</u>	-----	125 ml	252	500 ml	1107
P 1302	<u>PAPANICOLAOUS solution 3b</u>	-----	125 ml	468	500 ml	2106
P 1303	<u>PAPANICOLAOUS SOLUTION</u> EA65	-----			125 ml	360
P 1304	<u>PAPANICOLAOUS SOLUTION</u> Modified EA	-----			125 ml	360
P 1307	☐ <u>PAR</u> indicator GR 99%+ for microscopy	16593-81-0	1 gm	648	5 gm	2790
P 1308	<u>para-CRESYL ACETATE</u> for synthesis	140-39-6	25 gm	2106	500 gm	11403
P 1309	<u>para-CRESYL PHENYL ACETATE</u> for synthesis	101-94-0	25 gm	3456	500 gm	15003
P 1310	<u>para-CRESYL METHYL ETHER</u> for synthesis	104-93-8	100 gm	2403	500 gm	4059
P 1311	<u>PARAFFIN LIQUID</u> heavy	8012-95-1	500 ml	387	5 lt	2709
P 1312	<u>PARAFFIN LIQUID</u> light	8012-95-1	500 ml	513	5 lt	3609
P 1325	<u>PARAFFIN OIL</u> for IR spectroscopy	8012-95-1	100 ml	324	500 ml	891
P 1313	<u>PARAFFIN WAX</u> 52-54 °C for histology	8002-74-2			500 gm	963
P 1314	<u>PARAFFIN WAX</u> 56-58 °C for histology	8002-74-2	500 gm	594	1 kg	1089
					5 kg	4590
P 1315	<u>PARAFFIN WAX</u> (non-caking) congealing point about 58-60 °C	8002-74-2	500 gm	594	1 kg	1089
P 1316	<u>PARAFFIN WAX</u> (non-caking) congealing point about 60-62 °C	8002-74-2	500 gm	594	1 kg	1089
					5 kg	4590
P 1318	<u>PARAFFIN WAX</u> (with ceresin) congealing point about 60 °C	8002-74-2	500 gm	666	1 kg	1089
					5 kg	4869
P 1328	<u>PARAFILM M2 2" x 250'</u>	-----			1 RL	4392
P 1329	<u>PARAFILM M4 4" x 125'</u>	-----			1 RL	6939
P 1335	☐ <u>PARAFORMALDEHYDE</u> pract	30525-89-4	500 gm	342	5 kg	3015
P 1336	☐ <u>PARAFORMALDEHYDE</u> for synthesis	30525-89-4	500 gm	360	5 kg	3204
P 1338	☐ <u>PARALDEHYDE</u> for synthesis	123-63-7	500 ml	1584	5 lt	POR
P 1345	☐ <u>PARA ROSANILINE</u> (base) for microscopy (base of C.I.No.42500)	467-62-9	5 gm	549	25 gm	1287
P 1350	<u>PARLOIDIONE</u> ® strips	9004-70-0			100 gm	POR
P 1352	<u>PATCHOULI OIL</u>	8014-09-3	1 kg	56079	10 kg	420399
P 1355	☐ <u>PATENT BLUE V</u> (C.I. No. 42045)	3536-49-0	10 gm	189	25 gm	441
					100 gm	1305
P 1367	☐ <u>PATTON & READER'S REAGENT</u> GR indicator grade	3737-95-9	5 gm	279	25 gm	963
			100 gm	3249	250 gm	8001
P 1370	☒ <u>PCDTBT</u> average mol wt 20000-100000	958261-50-2	100 mg	49905	500 mg	POR
P 1371	<u>PEANUT OIL</u> , delivery vehicle for lipophilic compounds	8002-03-7	250 ml	8604	1 lt	24003
P 1372	<u>PEANUT OIL</u> , analytical standard	8002-03-7			1 gm	7605

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1373	<u>PEANUT OIL</u> , hardened	68425-36-5			500 gm	7209
P 1375	<u>PECTIN</u> pure	9000-69-5	100 gm	945	500 gm	3969
					1 kg	7479
P 1385	<u>PECTINASE</u> for biochemistry	9032-75-1	10 gm	1863	25 gm	3807
			100 gm	14094	500 gm	60903
P 1391	<u>PELARGONIC ACID</u> for synthesis 97%	112-05-0			1 lt	6939
P 1394	<u>PENICILLINASE</u> from bacillus cereus 1500-3000 units	9073-60-3			25000 units	75069
P 1393	<u>n-PENTADECANE</u> puriss 99%	629-62-9	25 ml	1107	100 ml	2907
			250 ml	4005	500 ml	7659
P 1395	<u>PENTAERYTHRITOL</u> for synthesis 99%	115-77-5	500 gm	513	5 kg	5049
P 1012	<u>PENTAERYTHRITOL TETRAACRYLATE</u>	4986-89-4	100 ml	5859	250 ml	9207
P 3456	<u>PENTAERYTHRITOL TRIACRYLATE</u> (technical grade)	3524-68-3	100 gm	6606	500 gm	8811
P 3699	<u>PENTAETHYLENE GLYCOL</u> , 98%+	4792-15-8	5 gm	3861	25 gm	16191
					250 gm	62019
P 1396	<u>PENTAETHYLENEHEXAMINE</u> 70%	4067-16-7	250 ml	13059	1 lt	24093
P 1405	<u>n-PENTANE</u> for synthesis 99%	109-66-0	500 ml	693	5 lt	5904
P 1407	<u>n-PENTANE</u> extra pure GR 99%+	109-66-0	500 ml	765	5 lt	6903
P 1409	<u>n-PENTANE</u> for HPLC 99%+	109-66-0			500 ml	1179
P 1410	<u>n-PENTANE</u> for spectroscopy 99%+	109-66-0			500 ml	1179
P 1418	<u>1-PENTANE SULPHONIC ACID SODIUM SALT</u> (anhydrous) for HPLC 98%	22767-49-3	5 gm	504	25 gm	1089
			100 gm	3996	10x25 gm	10809
P 1419	<u>1-PENTANE SULPHONIC ACID SODIUM SALT</u> (monohydrate) for HPLC 99%+	22767-49-3	5 gm	504	25 gm	1089
			100 gm	3996	10x25 gm	10809
P 1421	<u>PENTANOIC ACID</u> puriss 99%	109-52-4			500 ml	6993
P 1423	<u>1-PENTANOL</u> for synthesis 99%	71-41-0	500 ml	1287	5 lt	7902
P 1422	<u>1-PENTANOL</u> GR 99%+	71-41-0	500 ml	1494	5 lt	8604
P 1420	<u>1-PENTANOL</u> for HPLC 99%+	71-41-0			1 lt	4302
P 1429	<u>PEPPERMINT OIL</u> , purified by rectification	8006-90-4			1 kg	20079
P 1424	<u>PEPPERMINT OIL</u> , purified by triple-distillation	8006-90-4			1 kg	22095
P 1430	<u>PEPPERMINT OIL</u> , natural	8006-90-4			1 kg	23094
P 1425	<u>PEPSIN 1:3000</u> for biochemistry	9001-75-6	100 gm	2187	500 gm	9936
P 1426	<u>PEPSIN 1:10000</u> for biochemistry	9001-75-6	25 gm	1791	100 gm	7002
					500 gm	34902
P 1427	<u>PEPSIN 1:10000</u> crystalline powder for biochemistry	9001-75-6	25 gm	2079	500 gm	36909
P 1428	<u>PEPSIN</u> from porcine gastric mucosa lyophilized powder ≥2,500 units/mg protein (E1%/280)	9001-75-6	250 mg	5508	1 gm	10503
P 1434	<u>PEPTONE</u> granular	91079-40-2	500 gm	1179	5 kg	10809
P 1435	<u>PEPTONE</u> bacteriological grade	91079-40-2	500 gm	990	5 kg	9459
P 1436	<u>PEPTONE</u> bacteriological spray dried powder	91079-40-2	500 gm	1269	5 kg	11709
P 1443	<u>PERCHLORIC ACID</u> 20%	7601-90-3	500 ml	792	1 lt	1395
P 1437	<u>PERCHLORIC ACID</u> 60% GR	7601-90-3			500 ml	1899
P 1438	<u>PERCHLORIC ACID</u> 70% GR (suitable for diamond grade)	7601-90-3			500 ml	2106
P 1441	<u>PERCHLORIC ACID</u> 70% GR (trace metal analysis)	7601-90-3			500 ml	3249
P 1439	<u>PERCHLORIC ACID</u> 0.1N in glacial acetic acid	7601-90-3			500 ml	1395
P 4088	<u>PERFLUORODECALIN</u> puriss 95%	306-94-5	25 gm	3348	100 gm	10989
					500 gm	53829
P 1440	<u>PER FLUORO KEROSENE</u> spectro grade 99.9%	- - - - -			5 ml	98109
P 0612	<u>PERFLUOROOCTANOIC ACID</u> , 95%	335-67-1	5 gm	1908	25 gm	6390
P 1442	<u>1H,1H,2H,2H-PERFLUOROOCTYL TRIETHOXYSILANE</u> 97%	51851-37-7	5 gm	8991	25 gm	25902

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1445	<u>PERIODIC ACID</u> for synthesis 99%	10450-60-9	25 gm	891	100 gm	2979
			500 gm	13905	1 kg	24003
P 1447	<u>PERIODIC ACID</u> GR 99%+	10450-60-9	25 gm	1044	100 gm	3393
P 1446	<u>PERIODIC ACID</u> solution for staining of cell	-----			250 ml	1602
P 1449	<u>PERIODIC ACID</u> 1% solution for staining of cell	-----			250 ml	1791
P 1448	<u>PEROXIDASE</u> for biochemistry	9003-99-0	100 mg	12069	250 mg	26919
P 1451	<u>PETROLEUM ETHER</u> 40-60° C for synthesis	8032-32-4	500 ml	594	5 lt	4689
P 1452	<u>PETROLEUM ETHER</u> 40-60° C GR	8032-32-4	500 ml	702	5 lt	5319
P 1450	<u>PETROLEUM ETHER</u> 40-60° C for HPLC and Spectroscopy	8032-32-4	1 lt	1287	5 lt	5607
P 1453	<u>PETROLEUM ETHER</u> 60-80° C for synthesis	8032-32-4	500 ml	432	5 lt	2709
P 1454	<u>PETROLEUM ETHER</u> 60-80° C GR	8032-32-4	500 ml	486	5 lt	3105
P 1455	<u>PETROLEUM ETHER</u> 80-100° C for synthesis	8032-32-4	500 ml	432	5 lt	3519
P 1456	<u>PETROLEUM ETHER</u> 100-120° C for synthesis	8032-32-4	500 ml	513	5 lt	3807
P 1458	<u>PETROLEUM JELLY</u> white	8009-03-8	500 gm	423	5 kg	2799
P 1460	<u>PHENACYL BROMIDE</u> puriss 98%	70-11-1	100 gm	5607	500 gm	15309
P 1461	<u>PHENACYL CHLORIDE</u> puriss 98%	532-27-4			250 ml	POR
P 1465	<u>PHENANTHRENE</u> 98%+	85-01-8			25 gm	1494
			100 gm	3294	500 gm	10908
P 1464	<u>9,10-PHENANTHRENEQUINONE</u> tech 80%+	84-11-7	25 gm	1998	100 gm	9603
			500 gm	39069	1 kg	69903
P 1466	<u>9,10-PHENANTHRENEQUINONE</u> GR 99%	84-11-7	25 gm	4959	100 gm	13959
P 1467	<u>1,10-PHENANTHROLINE</u> (monohydrate)	5144-89-8	5 gm	567	25 gm	2385
	GR redox indicator 99%+				100 gm	7929
P 1477	<u>1,10-PHENANTHROLINE HYDROCHLORIDE</u> GR 99%+	18851-33-7	5 gm	792	25 gm	3249
P 1485	<u>PHENAZINE METHOSULPHATE</u> for biochemistry 99%	299-11-6	1 gm	711	5 gm	2592
					10 gm	5004
P 1495	<u>PHENAZONE</u> for synthesis 99%	60-80-0	100 gm	1179	500 gm	4905
P 1497	<u>PHENAZONE</u> GR 99%+	60-80-0	100 gm	1305	500 gm	5391
P 1500	<u>PHENETHYL ALCOHOL</u> puriss 99%	60-12-8	100 ml	891	500 ml	4806
P 1501	<u>p-PHENETIDINE</u> for synthesis 98%	156-43-4			500 gm	9072
P 1503	<u>PHENETOLE</u> 99%	103-73-1	100 ml	1782	500 ml	8091
P 1505	<u>PHENIDONE</u> 97%	92-43-3	25 gm	2502	100 gm	5202
	for photographic purpose				500 gm	18099
P 1515	<u>PHENOL</u> crystal extra pure 99%	108-95-2	500 gm	522	5 kg	4509
P 1517	<u>PHENOL</u> GR 99%+	108-95-2	500 gm	612	5 kg	5508
P 1518	<u>PHENOL</u> for molecular biology, 99.5%	108-95-2	100 gm	396	500 gm	1593
P 1525	<u>PHENOL DISULPHONIC ACID</u> 25% w/v GR	96-77-5			500 ml	1791
P 1535	<u>PHENOLPHTHALEINE</u> indicator	77-09-8	50 gm	3069	100 gm	666
			500 gm	3069	5 kg	28809
P 1537	<u>PHENOLPHTHALEIN</u> GR 99%	77-09-8	100 gm	756	500 gm	3096
					5 kg	30069
P 1538	<u>PHENOLPHTHALEIN</u> indicator solution	77-09-8	125 ml	171	500 ml	441
P 1539	<u>PHENOLPHTHALEIN</u> indicator papers	77-09-8			200 lvs	369
P 1540	<u>PHENOLPHTHALEIN COMPLEXON</u>	25296-54-2	1 gm	POR	5 gm	POR
P 1547	<u>PHENOLPHTHALEINE DIPHOSPHATE PENTASODIUM SODIUM SALT</u> GR 98%+ for biochemistry	68807-90-9	1 gm	2907	5 gm	13005
P 1541	<u>PHENOLPHTHALEIN DISODIUM SALT</u>	518-51-4	25 gm	POR	100 gm	POR
P 1555	<u>PHENOL RED</u> solution	143-74-8			125 ml	108
P 1557	<u>PHENOL RED</u> indicator GR	143-74-8	5 gm	189	25 gm	585

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1556	☐ <u>PHENOL RED SODIUM SALT</u> w/s indicator	100 34487-61-1	gm 2205 5 gm 100 gm	1 189 2259	kg 18099 25 gm 1 kg	99 585 18909
P 1558	<u>PHENOL VIOLET</u> indicator for microscopy	-----			1 gm	9909
P 1563	<u>PHENOSAFRANINE</u> indicator	81-93-6	1 gm	5607	5 gm	26919
P 1565	<u>PHENOTHIAZINE</u> extra pure 98%	92-84-2	250 gm	1395	1 kg	4806
P 1570	☐ <u>PHENOXANTHINE</u> 97%	262-20-4	5 gm	5949	25 gm	16497
P 1571	☐ <u>PHENOXAZINE</u> (electronic grade) 97%	135-67-1	1 gm	POR	5 gm	POR
P 1575	☐ <u>PHENOXY ACETIC ACID</u> for synthesis 98%	122-59-8	100 gm	495	500 gm	2169
					5 kg	19062
P 1578	☐ <u>2-PHENOXY ETHANOL</u> for synthesis 99%	122-99-6	500 ml	936	5 lt	6903
P 1581	<u>PHENOXY 2-PROPANONE</u> for synthesis 97%	621-87-4	5 gm	1701	25 gm	8505
P 1582	☐ <u>3-PHENOXY PROPIONIC ACID</u> 99%	7170-38-9	5 gm	3339	25 gm	14904
P 1583	<u>PHENYL ACETATE</u> for synthesis 98%	122-79-2	500 ml	3609	5 lt	28008
P 1585	<u>PHENYL ACETIC ACID</u> puriss 99%	103-82-2	500 gm	837	5 kg	7029
P 1590	<u>D-PHENYL ALANINE</u> for biochemistry 99%	673-06-3	5 gm	396	25 gm	1593
			100 gm	5904	500 gm	24003
P 1605	☐ <u>DL-PHENYL ALANINE</u> for biochemistry 99%+	150-30-1	5 gm	225	25 gm	639
			100 gm	2169	500 gm	10602
P 1595	☐ <u>L-PHENYL ALANINE</u> for biochemistry 99%+	63-91-2	5 gm	108	25 gm	270
			100 gm	837	500 gm	3132
P 1617	<u>n-PHENYL ANTHRANILIC ACID</u> GR 99%+ (redox indicator)	91-40-7	25 gm	1269	100 gm	4707
					500 gm	14301
P 1627	<u>PHENYL ARSONIC ACID</u> GR 99%	98-05-5	5 gm	1188	25 gm	5391
					100 gm	16902
P 1635	<u>PHENYL BENZOATE</u> for synthesis 98%	93-99-2			25 gm	1206
			100 gm	3807	500 gm	15903
P 1630	<u>n-PHENYL BENZYLAMINE</u> for synthesis 98%	103-32-2			250 gm	7290
P 6037	<u>n-PHENYL-BIS (TRIFLUOROMETHANE SULPHONIMIDE)</u> 99%	37595-74-7	1 gm 25 gm	495 4959	5 gm 100 gm	1242 18405
P 1636	☐ <u>PHENYL BORONIC ACID</u> for synthesis 97%+	98-80-6	5 gm	531	25 gm	990
			100 gm	3789	500 gm	14490
P 1640	<u>PHENYL BUTAZONE</u> puriss	50-33-9	10 gm	1602	25 gm	3996
P 1641	<u>2-PHENYL BUTYRIC ACID</u> puriss 98%	90-27-7	100 gm	1899	500 gm	7992
P 1642	<u>4-PHENYL BUTYRIC ACID</u> for synthesis 98%	1821-12-1			100 gm	11079
P 1643	☐ <u>1,2 PHENYLENE DIACETIC ACID</u> 99%	7500-53-0	1 gm	1800	5 gm	4491
					25 gm	20709
P 1645	☐ <u>o-PHENYLENE DIAMINE</u> for synthesis 98%	95-54-5	100 gm	351	250 gm	765
					500 gm	1431
P 1646	☐ <u>m-PHENYLENE DIAMINE</u> for synthesis 98%	108-45-2	250 gm	1305	500 gm	2493
P 1648	☐ <u>p-PHENYLENE DIAMINE</u> for synthesis 98%	106-50-3	250 gm	954	500 gm	1791
					5 kg	15903
P 1650	☐ <u>o-PHENYLENE DIAMINE DIHYDROCHLORIDE</u> for synthesis 98%	615-28-1	5 gm 25 gm	2403 3069	10 gm 100 gm	2709 12006
P 1647	<u>m-PHENYLENE DIAMINE DIHYDROCHLORIDE</u> puriss 99%	541-69-5	100 gm	10404	250 gm	20601
P 1649	<u>p-PHENYLENE DIAMINE DIHYDROCHLORIDE</u> puriss 99%	624-18-0			25 gm	1980
			100 gm	4005	250 gm	6903
P 1655	☐ <u>2-PHENYL ETHANOL</u> for synthesis 98%	60-12-8	500 ml	3690	5 lt	32049
P 1657	<u>2-PHENYL ETHANOL</u> GR 99%+	60-12-8	1 lt	8208	2.5 lt	18099
P 1656	<u>PHENYL ETHYL ACETATE</u> for synthesis 98%	103-45-7	500 gm	3501	5 lt	30069

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1658	<u>PHENYL ETHYL ALCOHOL</u> for synthesis 98%	60-12-8	500 ml	3690	5 lt	32049
P 1660a	<u>PHENYL ETHYL ALCOHOL</u> puriss 98%	60-12-8			1 lt	8208
P 1689	<u>β-PHENYLETHYLAMINE</u> (2-Phenylethylamine) 99%	64-04-0	500 ml	2619	2.5 lt	11061
P 1690 * ☐	<u>R-PHENYLETHYLAMINE</u> puriss 99%	3886-69-9	25 gm	936	100 gm	3339
			500 gm	9891	1 kg	18090
P 1691 * ☐	<u>S-PHENYLETHYLAMINE</u> puriss 99%	2627-86-3	25 gm	936	100 gm	3339
			500 gm	9891	1 kg	18090
P 1659	<u>PHENYL ETHYL BENZOATE</u> for synthesis	94-47-3			500 gm	2979
P 1660	<u>PHENYL ETHYL BUTYRATE</u> for synthesis	103-52-6			500 gm	3105
P 1661	<u>PHENYL ETHYL CINNAMATE</u> for synthesis	103-53-7			500 gm	5193
P 1662	<u>PHENYL ETHYL FORMATE</u> for synthesis	104-62-1			500 gm	4959
P 1663	<u>PHENYL ETHYL METHYL ETHER</u> for synthesis	3558-60-9			500 gm	9603
P 1664	<u>PHENYL ETHYL ISOBUTYRATE</u> for synthesis	103-48-0	100 gm	2169	500 gm	7929
P 1665	<u>PHENYL ETHYL PHENYL ACETATE</u> for synthesis	102-20-5	100 gm	2691	500 gm	8991
P 1666	<u>PHENYL ETHYL PROPIONATE</u> for synthesis	122-70-3			500 gm	2979
P 1668a	<u>PHENYL ETHYL SALICYLATE</u> for synthesis	87-22-9	100 gm	3204	500 gm	6939
P 1667	<u>PHENYL FLUORONE</u> GR reagent for germanium 99%	975-17-7	1 gm	693	5 gm	2691
P 1668 ☐	<u>DL-PHENYL GLYCINE</u> GR 99%+	2835-06-5	25 gm	1908	100 gm	4302
					500 gm	11691
P 1671 ☐	<u>PHENYL HYDRAZINE</u> for synthesis 98%	100-63-0	250 ml	1386	500 ml	2691
					5 lt	22005
P 1672	<u>PHENYL HYDRAZINE</u> GR 99%+	100-63-0	100 ml	1179	500 ml	5490
P 1670	<u>PHENYL HYDRAZINE</u> puriss 99%	100-63-0			500 gm	4806
P 1675 ☐	<u>PHENYL HYDRAZINE HYDROCHLORIDE</u> for synthesis 99%	59-88-1	100 gm	1143	250 gm	2295
			500 gm	4392	5 kg	35019
P 1677 ☐	<u>PHENYL HYDRAZINE HYDROCHLORIDE</u> GR 99%+	59-88-1	100 gm	1269	250 gm	2691
			500 gm	5013	5 kg	43092
P 1678 ☐	<u>2-PHENYL IMIDAZOLE</u> 98%	670-96-2	25 gm	1602	100 gm	5409
P 1680	<u>PHENYL ISOTHIOCYANATE</u> for synthesis 95%	103-72-0	25 ml	1656	100 ml	5004
					500 ml	22005
P 1706	<u>PHENYLMAGNESIUM BROMIDE</u> solution 1.0 M in THF	100-58-3	100 ml	5607	500 ml	16029
P 1708	<u>PHENYLMAGNESIUM CHLORIDE</u> solution 2.0 M in THF	100-59-4	100 ml	5607	500 ml	16029
P 1683 ☐	<u>PHENYLMALEIC ANHYDRIDE</u> 99%	36122-35-7	1 gm	1809	10 gm	12006
P 1681	<u>PHENYL MERCAPTAN</u> for synthesis 98%	108-98-5			250 ml	3996
P 1682	<u>1-PHENYL 5-MERCAPTO TETRAZOLE</u> puriss 99%	86-93-1	25 gm	2295	100 gm	5679
					500 gm	24903
P 1685	<u>PHENYL MERCURY ACETATE</u> for synthesis 99%	62-38-4	25 gm	3492	50 gm	6759
					100 gm	12969
P 1686	<u>PHENYL MERCURIC BORATE</u> for synthesis	102-98-7	5 gm	8991	25 gm	43092
P 1695 ☐	<u>PHENYL MERCURY NITRATE</u> (basic) for synthesis 99%	8003-05-2	25 gm	10809	50 gm	19404
			100 gm	37809	500 gm	POR
P 1698	<u>PHENYL MERCURIC OLEATE</u> for synthesis	104-60-9			5 gm	10602
P 1692	<u>PHENYL METHYL SILOXANE</u> pure	- - - -	100 gm	1962	500 gm	8307
P 1694	<u>PHENYL METHYL SULPHONYL CHLORIDE</u> for biochemistry 99%	1939-99-7	5 gm	1503	25 gm	5013
P 1702	<u>PHENYL METHYL SULPHONYL FLUORIDE</u> (PMSF)	329-98-6	1 gm	513	5 gm	1944
	extrapure, 99%				25 gm	7047
P 1696	<u>PHENYL METHYL SULPHONYL FLUORIDE</u> (PMSF)	329-98-6	1 gm	648	5 gm	2547

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1703	for biochemistry 99% <u>PHENYL METHYL SULPHONYL FLUORIDE (PMSF)</u>	329-98-6	25 gm 1 gm	11979 819	100 gm 5 gm	39969 3519
P 1693	for molecular biology, 99% <u>PHENYL METHYL SULPHONYL FLUORIDE (PMSF)</u>	329-98-6	1 gm	5607	25 gm 5 gm	14508 7704
P 1697	99% (HPLC) <u>PHENYL METHYL SULPHONYL FLUORIDE (PMSF)</u>	329-98-6	250 mg 5 gm	2142 6093	25 gm 1 gm 25 gm	30402 2259 24039
P 1700	<u>n-PHENYL-1-NAPHTHYLAMINE</u> puriss 98%	90-30-2			100 gm 100 gm	80199 1385
P 1699	<u>n-PHENYL-1,2-PHENYLENEDIAMINE</u> 98% (n-Phenyl-o-phenylenediamine)	534-85-0	5 gm 25 gm	3096 8793	10 gm 100 gm	5607 30609
P 1701	<u>n-PHENYL-p-PHENYLENE DIAMINE</u> , crystalline, 98%	101-54-2	250 gm	3906	1 kg	6606
P 1705	<u>PHENYL PHOSPHATE DISODIUM SALT GR 99%+</u>	3279-54-7	10 gm	1296	25 gm 100 gm	2187 7479
P 1062	<u>PHENYLPHOSPHONIC DICHLORIDE</u> technical grade, 90%	824-72-6	100 ml	16902	500 ml	84006
P 1707	<u>n-PHENYL PIPERAZINE</u> for synthesis 99%	92-54-6	100 gm	4806	500 gm	21609
P 1710	<u>PHENYL SALICYLATE GR 99%+</u>	118-55-8	100 gm	972	500 gm	3699
P 1709	<u>PHENYLSELENENYL BROMIDE</u> 98%	34837-55-3	5 gm	5895	25 gm	27909
P 1715	<u>n-PHENYLSEMICARBAZIDE GR 99%+</u>	103-03-7	1 gm	1305	5 gm 25 gm	3402 12006
P 1711	<u>n-PHENYL THIOUREA</u> for synthesis 98%	103-85-5	100 gm	4059	250 gm	9639
P 1712	<u>PHENYL TRIMETHYL AMMONIUM CHLORIDE</u> for synthesis 99%	138-24-9	100 gm	765	500 gm	3690
P 1718	<u>PHENYLTRIMETHYLAMMONIUM HYDROXIDE</u> 0.1 M in Methanol	1899-02-1			100 ml	7929
P 1713	<u>PHENYL VINYL SULPHONE</u> 99%	5535-48-8	1 gm	1818	5 gm	5103
P 1716	<u>PHLORETIN</u> 99%	60-82-2	25 mg	2304	100 mg	7407
P 1714	<u>PHLORIDZIN</u> dihydrate 99%	7061-54-3	500 mg 100 mg	20079 4869	1 gm 500 mg	30699 6309
P 1717	<u>PHLOROGLUCINOL GR 99%+</u>	108-73-6	1 gm 10 gm 100 gm	10701 693 5040	5 gm 25 gm 500 gm	21006 1386 22005
P 1725	<u>PHLOXIN</u> for microscopy (C.I.No.45410)	18472-87-2	10 gm	297	25 gm 100 gm	432 1485
P 1726	<u>PHOSPHATASE ALKALINE</u> for biochemistry	9001-78-9			100 mg	9639
P 7149	<u>PHOSPHATE BUFFERED SALINE</u>	-----	50 tablets	7992	100 tablets	14904
P 1731	<u>L-a-PHOSPHATIDYLCHOLINE</u> from fresh frozen egg yolk	8002-43-5			10 gm	9603
P 1730	<u>3-sn-PHOSPHATIDYLETHANOLAMINE</u> from bovine brain	90989-93-8			1 mg	7785
P 1727	<u>O-PHOSPHO-DL-SERINE</u> 97%	17885-08-4			5 gm	3609
P 1737	<u>PHOSPHO MOLYBDIC ACID GR</u>	51429-74-4	25 gm	1044	100 gm 500 gm	3492 10899
P 1738	<u>PHOSPHOMOLYBDIC ACID</u> 20 wt% in ethanol	-----			100 ml	1188
P 1745	<u>m-PHOSPHORIC ACID</u> glacial stick	37267-86-0	500 gm	3492	5 kg	30609
P 1747	<u>m-PHOSPHORIC ACID GR</u> glacial stick	37267-86-0	100 gm	3456	500 gm	11889
P 1750	<u>PHOSPHOROUS ACID</u> crystalline for synthesis 98%	13598-36-2	500 gm	846	5 kg	7209
P 1755	<u>PHOSPHOROUS OXYCHLORIDE</u> for synthesis 98%	10025-87-3			500 ml	2790
P 1765	<u>PHOSPHOROUS PENTACHLORIDE</u> for synthesis 98%	10026-13-8			500 gm	2979
P 1775	<u>PHOSPHOROUS PENTOXIDE</u> extra pure 98%	1314-56-3	500 gm	1791	5 kg	16002
P 1777	<u>PHOSPHOROUS PENTOXIDE GR 98%+</u>	1314-56-3			500 gm	1989
P 0752	<u>PHOSPHOROUS PENTOXIDE</u> 99%	1314-56-3	100 gm	4608	500 gm	8703
P 7512	<u>PHOSPHOROUS PENTOXIDE</u> 99.99%	1314-56-3	50 gm	7605	250 gm	26901

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 1785	<u>PHOSPHOROUS PENTASULPHIDE</u> puriss 98%	1314-80-3			500 gm	1890
P 0271	<u>PHOSPHOROUS PENTASULPHIDE</u> , 99%	1314-80-3	5 gm	3708	100 gm	7605
P 0455	<u>PHOSPHORUS</u> powder, -100 mesh, red amorphous, 98.9%	7723-14-0	100 gm	4401	500 gm	20079
P 1786	<u>PHOSPHOROUS RED</u> puriss 98%	7723-14-0	100 gm	783	500 gm	3906
	(End user certificate required)				1 kg	7209
P 1795	<u>PHOSPHOROUS TRIBROMIDE</u> puriss 98%	7789-60-8			100 ml	3402
P 1796	<u>PHOSPHOROUS TRICHLORIDE</u> puriss 99%	7719-12-2			500 ml	3303
P 1805	<u>PHOSPHOTUNGSTIC ACID</u> extra pure 98%	12501-23-4	25 gm	693	100 gm	2286
					500 gm	10494
P 1807	<u>PHOSPHOTUNGSTIC ACID</u> GR 98%+	12501-23-4	25 gm	891	100 gm	3285
	reagent for microscopy				500 gm	12069
P 1817	<u>o-PHTHALDEHYDE</u> GR 99%+	643-79-8	1 gm	270	5 gm	585
	for fluorometry		25 gm	2385	100 gm	9306
P 1825	<u>PHTHALAMIDE</u> for synthesis	88-96-0	100 gm	666	500 gm	3105
P 1835	<u>o-PHTHALIC ACID</u> for synthesis 98%	88-99-3	500 gm	666	5 kg	5490
P 1837	<u>o-PHTHALIC ACID</u> GR 99.5%	88-99-3	500 gm	693	5 kg	5679
P 1845	<u>PHTHALIC ANHYDRIDE</u> for synthesis 99%	85-44-9	500 gm	513	5 kg	4329
P 1850	<u>PHTHALIDE</u> for synthesis 98%	87-41-2	100 gm	540	500 gm	2349
P 1855	<u>PHTHALIMIDE</u> for synthesis 98%	85-41-6	500 gm	486	5 kg	4302
P 1857	<u>PHTHALIMIDE</u> GR 98%+	85-41-6	500 gm	603	5 kg	5409
P 1860	<u>PHYTOL</u> 97%	7541-49-3			100 gm	28809
P 1859	<u>a-PICOLINE</u> for synthesis 98%	109-06-8	500 ml	1998	5 lt	POR
P 1858	<u>b-PICOLINE</u> for synthesis 98%	108-99-6	500 ml	1404	5 lt	POR
P 1863	<u>g-PICOLINE</u> puriss 99%	108-89-4	500 ml	1791	5 lt	POR
P 1872	<u>a-PICOLINE OXIDE</u> 96%+	931-19-1	100 gm	8892	500 gm	40095
P 1873	<u>b-PICOLINE OXIDE</u> 98%	1003-73-2	25 gm	9603	100 gm	24003
P 1874	<u>g-PICOLINE OXIDE</u> 98%	1003-67-4	25 gm	3906	100 gm	11709
P 1861	<u>2-PICOLINIC ACID</u> for synthesis 98%	98-98-6	100 gm	1242	500 gm	4779
P 1862	<u>PICROLONIC ACID</u> for synthesis 98%+	550-74-3	10 mg	4005	100 mg	40059
	(End user certificate required)		500 mg	96039	1 gm	160029
P 1865	<u>PICRIC ACID</u> extra pure 99%	88-89-1	500 gm	1188	5 kg	9504
P 1867	<u>PICRIC ACID</u> GR 99.5%	88-89-1	100 gm	441	500 gm	1485
P 1868	<u>PICRIC ACID</u> saturated solution	88-89-1	100 ml	216	500 ml	693
P 1869	<u>PICRIC ACID</u> solution GR	88-89-1	100 ml	216	500 ml	684
P 1871	<u>PICRYLSULPHONIC ACID</u> solution 5% (w/v) in H ₂ O	2508-19-2	10 ml	17919	5 x 10 ml	60039
P 1877	<u>PIMENTA LEAF OIL</u>	8006-77-7	100 gm	9603	1 kg	21609
P 1864	<u>a-PINENE</u> puriss 95%	80-56-8	100 ml	7002	500 ml	16092
P 1876	<u>PINE NEEDLE OIL</u> , natural	8021-29-2	250 gm	13509	1 kg	37008
P 1870	<u>PINE OIL</u>	8006-64-2	500 ml	693	5 lt	6003
P 1875	<u>PIPERAZINE</u> puriss (anhydrous) 98%	110-85-0	250 gm	963	1 kg	3402
P 1880	<u>2-(1-PIPERAZINYL) PYRIDINE</u> 98%	34803-66-2	5 gm	3609	25 gm	18909
P 1885	<u>PIPES</u> (buffer) 99%+ for biochemistry	5625-37-6	5 gm	387	10 gm	603
			25 gm	936	100 gm	2943
P 1895	<u>PIPERIDINE</u> puriss 99% for biochemistry (End user certificate required)	110-89-4	500 ml	2106	1 lt	3609
P 1897	<u>PIPERIDINE</u> GR 99%+ (End user certificate required)	110-89-4	100 ml	1305	500 ml	5607
P 1900	<u>1-PIPERIDINO ETHANOL</u> for synthesis 99%	3040-44-6			100 gm	10602
	(End user certificate required)					
P 1905	<u>PIPERONYL BUTOXIDE</u> puriss 90%+	51-03-6	25 gm	2097	100 gm	6003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	(End user certificate required)				500 gm	9729
P 1908	<u>PIROXICAM B-CYCLODEXTRIN</u> 98%	96684-39-8	1 gm	1107	5 gm	3807
			10 gm	4194	100 gm	POR
P 1915	<u>PIVALIC ACID</u> for synthesis 98%	75-98-9	100 gm	1080	250 gm	1809
					1 kg	6309
P 1920	<u>PIVALONITRILE</u> 97%	630-18-2	25 gm	3879	100 gm	13905
P 1925	<u>PIVALOYL CHLORIDE</u> for synthesis 98%	3282-30-2	250 ml	1692	500 ml	3402
P 1930	<u>PLASTER of PARIS 'BEST'</u>	10034-76-1	500 gm	270	5 kg	2169
P 1933	<u>PLASTICINE</u> pure	39457-54-0			500 gm	1269
P 3795	<u>PLATINUM</u> foil, 1.0 mm, thick, 99.95%	7440-06-4			25 x 25 mm	POR
P 1934	<u>PLATINUM</u> powder 99.9%	7440-06-4	1 gm	16902	5 gm	76005
P 0933	<u>PLATINUM</u> powder, -325 mesh, 99.9%+ (metals basis)	7440-06-4			100 mg	3906
			1 gm	24039	5 gm	69705
P 7066	<u>PLATINUM</u> rod, 1.5 mm dia, 99.99% (12 cm)	7440-06-4			1 pc	46089
P 7166	<u>PLATINUM</u> shot, 0.1-3 mm (0.004-0.1in), 99.9%	7440-06-4	1 gm	14706	5 gm	79209
P 1935	<u>PLATINUM</u> wire, 0.3 mm dia, 99%	7440-06-4	1 gm	18909	5 gm	POR
P 0016	<u>PLATINUM</u> wire, 0.3 mm dia, 99.95%+	7440-06-4	25 cm	16002	100 mg	50013
P 0017	<u>PLATINUM</u> wire, 0.4 mm dia, 99.95%+	7440-06-4	25 cm	18009	100 mg	POR
P 3790	<u>PLATINUM</u> wire, 1.0 mm dia, 99.95%+	7440-06-4	5 cm	22005	25 cm	81009
P 3792	<u>PLATINUM</u> wire, 1.25 mm dia, 99.95%+	7440-06-4			50 mm	13059
P 1931	<u>PLATINUM (5%) ON CHARCOAL</u>	7440-06-4			1 gm	1602
			5 gm	6642	10 gm	12006
P 1932	<u>PLATINUM (10%) ON CHARCOAL</u>	7440-06-4			1 gm	2106
			5 gm	11079	10 gm	19008
P 1940	<u>PLATINUM ACETYL ACETONATE</u> 97%	15170-57-7	1 gm	20601	5 gm	60507
P 1945	<u>PLATINUM CHLORIDE</u> (about 40% Pt.)	18497-13-7	1 gm	7929	5 gm	35919
P 1943	<u>PLATINUM CHLORIDE</u> (about 73% Pt.)	10025-65-7	1 gm	17109	5 gm	76005
P 0673	<u>PLATINUM CHLORIDE</u> 99.9%	10025-65-7	1 gm	28089	5 gm	88092
P 1955	<u>PLATINUM OXIDE</u> (hydrate) (80% pt) hydrogenation catalyst	52785-06-5	1 gm	12294	5 gm	53190
P 4813	<u>PLUMBAGIN</u> , from plumbago indica	481-42-5	100 mg	2304	250 mg	4608
					1 gm	12708
P 2089	<u>POLYACETAL(COPLOYMER)</u>	- - - -	100 gm	3204	500 gm	POR
P 1960	<u>POLYACRYLAMIDE</u> (mw app. 5,000,000)	9003-05-8	100 gm	2007	250 gm	3204
					1 kg	9306
P 1964	<u>POLYACRYLIC ACID</u> for synthesis	9003-01-4	100 ml	6003	500 ml	20403
P 8649	<u>POLYACRYLIC ACID</u> average Mn 100,000	9003-01-4	100 gm	10602	500 gm	19089
P 4835	<u>POLYACRYLONITRILE</u> , pract	25014-41-9	5 gm	5004	50 gm	9603
					100 gm	16092
P 4095	<u>POLYACRYLONITRILE</u> , average Mw 150,000	25014-41-9	50 gm	16056	100 gm	24003
P 1959	<u>POLY(ACRYLIC ACID)SODIUM SALT</u> 99%	9003-04-7	100 gm	2799	500 gm	9909
P 0496	<u>POLY(ACRYLIC ACID)SODIUM SALT</u>	9003-04-7	100 ml	6003	500 ml	16092
	solution, average Mw ~1,200, 45 wt.% in H ₂ O					
P 0500	<u>POLY(ACRYLIC ACID)SODIUM SALT</u>	9003-04-7	100 ml	5319	500 ml	15804
	solution, average Mw ~8,000, 45 wt.% in H ₂ O					
P 0501	<u>POLY(ACRYLIC ACID)SODIUM SALT</u>	9003-04-7	100 ml	5202	500 ml	14004
	solution, average Mw ~15,000, 35 wt.% in H ₂ O					
P 6911	<u>POLY(ALLYLAMINE HYDROCHLORIDE)</u>	71550-12-4	1 gm	2889	5 gm	6003
	average Mw ~15,000		25 gm	12006	100 gm	60039
P 6912	<u>POLY(ALLYLAMINE HYDROCHLORIDE)</u>	71550-12-4	1 gm	3501	5 gm	12069

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	average Mw ~50,000				25 gm	43209
P 1958	<u>POLYAMIDE</u> for chromatography	63428-83-1	100 gm	14094	250 gm	33039
P 1958	<u>POLYAMIDE</u> for chromatography 6	63428-83-1	100 gm	17091	250 gm	35091
P 1957	<u>POLY(1,4-BUTYLENE TEREPHTHALATE)</u> pure	24968-12-5	5 gm	4401	250 gm	13005
P 1953	<u>POLYCAPROLACTONE</u> (pract grade)	24980-41-4	100 gm	2889	500 gm	11709
P 1967	<u>POLYCAPROLACTONE</u> average Mn 45,000	24980-41-4			5 gm	4608
			250 gm	16002	500 gm	30159
P 1968	<u>POLYCAPROLACTONE</u> average Mw ~14,000	24980-41-4			5 gm	5202
	average Mn ~10,000 by GPC		250 gm	15309	500 gm	19008
P 1966	<u>POLYCAPROLACTONE</u> Mn 70,000-90,000	24980-41-4	5 gm	4806	100 gm	7929
			250 gm	12906	500 gm	20169
P 1972	<u>POLYCARBONATE</u> clear beads	24936-68-3	25 gm	3309	100 gm	9729
P 1970	<u>POLYCARBONATE</u> for synthesis	24936-68-3	25 gm	2403	100 gm	7659
P 1973	<u>POLYDATIN</u> ≥95% (HPLC)	65914-17-2	1 gm	1899	5 gm	7605
			25 gm	15003	100 gm	49005
P 0205	<u>POLYETHERETHERKETONE</u>	29658-26-2	100 gm	16902	1 kg	144049
P 0206	<u>POLYETHERETHERKETONE</u> , powder 50 µm	29658-26-2	50 gm	16002	100 gm	19809
P 2086	<u>POLYETHERIMIDE</u>	61128-46-9	250 gm	7605	1 kg	21609
P 1961	<u>POLYETHYLENE</u> for synthesis	9002-88-4	500 gm	2106	5 kg	18009
P 1961b	<u>POLYETHYLENE</u> (HDPE) for synthesis	9002-88-4	500 gm	3105	1 kg	4779
P 1961a	<u>POLYETHYLENE</u> (LDPE) for synthesis	9002-88-4	250 gm	3339	1 kg	9603
P 0072	<u>POLYETHYLENE</u> average Mw ~4,000	9002-88-4	250 gm	3699	1 kg	8919
P 0073	<u>POLYETHYLENE</u> average Mw ~35,000	9002-88-4	250 gm	4302	1 kg	5904
P 4970	<u>POLY(ETHYLENE-CO-VINYL ACETATE) VINYL ACETATE</u> 10 wt. %	24937-78-8	250 gm	6507	1 kg	22005
P 4971	<u>POLY(ETHYLENE-CO-VINYL ACETATE) VINYL ACETATE</u> 25 wt. %	24937-78-8	250 gm	7308	1 kg	21006
P 4972	<u>POLY(ETHYLENE-CO-VINYL ACETATE) VINYL ACETATE</u> 40 wt. %	24937-78-8	250 gm	9504	1 kg	26019
P 2087	<u>POLY(ETHYLENE-CO-TETRAFLUOROETHYLENE)</u>	25038-71-5	50 gm	4203	100 gm	7002
P 1962	<u>POLYETHYLENE GLYCOL 200</u> for synthesis	25322-68-3	500 ml	576	5 lt	4491
P 1963	<u>POLYETHYLENE GLYCOL 300</u> for synthesis	25322-68-3	500 ml	666	5 lt	5490
P 1965	<u>POLYETHYLENE GLYCOL 400</u> for synthesis	25322-68-3	500 ml	612	5 lt	4302
P 1975	<u>POLYETHYLENE GLYCOL 600</u> for synthesis	25322-68-3	500 ml	675	5 lt	5103
P 1980	<u>POLYETHYLENE GLYCOL 1500</u> for synthesis	25322-68-3	500 gm	540	5 kg	5004
P 1985	<u>POLYETHYLENE GLYCOL 4000</u> for synthesis	25322-68-3	500 gm	567	5 kg	5139
P 1995	<u>POLYETHYLENE GLYCOL 6000</u> for synthesis	25322-68-3	500 gm	693	5 kg	4995
P 0093	<u>POLYETHYLENE GLYCOL 8000</u> for synthesis	25322-68-3	100 gm	1395	500 gm	5796
P 2005	<u>POLYETHYLENE GLYCOL 20000</u> for synthesis	25322-68-3	100 gm	1206	500 gm	5607
					1 kg	9603
P 0966	<u>POLY(ETHYLENE GLYCOL) 2-MERCAPTOETHYL ETHER ACETIC ACID</u> average Mn 2,100	165729-81-7			500 mg	42003
P 0550	<u>POLY(ETHYLENE GLYCOL) METHYL ETHER THIOL</u> avg Mn 2,000	-----	1 gm	25092	5 gm	67005
P 0554	<u>POLY(ETHYLENE GLYCOL) METHYL ETHER THIOL</u> avg Mn 6,000	-----	1 gm	25002	5 gm	67005
P 2007	<u>POLYETHYLENE OXIDE</u> for synthesis (Mw 100,000)	25322-68-3	25 gm	2304	100 gm	5058
			250 gm	12006	500 gm	17001
P 2011	<u>POLY (ETHYLENE SUCCINATE)</u>	25569-53-3	25 gm	13005	100 gm	49005
P 2012	<u>POLY (ETHYLENE TEREPHTHALATE)</u>	25038-59-9	100 gm	4392	500 gm	15903
P 4008	<u>POLY(3-HEXYLTHIOPHENE-2,5-DIYL)</u> electronic grade	104934-50-1	250 mg	29997	1 gm	117099
	99.995% trace metals basis, average Mn 15,000-45,000					
P 2006	<u>POLYIMIDE</u> sealing resin	-----	25 gm	7209	100 gm	22905
					500 gm	65007

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2001	<u>POLY-L-GLUTAMIC ACID</u> 30%	25513-46-6	25 mg	2403	100 mg	6399
			500 mg	10602	1 gm	13509
P 2002	<u>POLYLACTIC ACID</u> Mw ~60,000	26100-51-6	1 gm	10404	5 gm	35019
P 2009	<u>POLY METHYL HYDROSILOXANE (PMHS)</u>	63148-57-2	100 ml	2691	500 ml	6003
P 2010	<u>POLYMETHYL METHACRYLATE</u> for synthesis	9011-14-7			250 gm	999
			500 gm	1602	5 kg	13509
P 6001	<u>POLY(METHYL METHACRYLATE)</u> average Mw ~15,000	9011-14-7	50 gm	14607	100 gm	19503
P 6020	<u>POLY(METHYL METHACRYLATE)</u> for GPC, average Mw 97,000	9011-14-7			25 gm	14409
P 6002	<u>POLY(METHYL METHACRYLATE)</u> average Mw ~120,000	9011-14-7	25 gm	5904	500 gm	15039
					1 kg	23409
P 6003	<u>POLY(METHYL METHACRYLATE)</u> average Mw ~350,000	9011-14-7	25 gm	6102	500 gm	22005
					1 kg	36909
P 6004	<u>POLY(METHYL METHACRYLATE)</u> average Mw ~996,000	9011-14-7	25 gm	5859	500 gm	27909
					1 kg	42903
P 6070	<u>POLY(METHYL METHACRYLATE)</u> isotactic >80% isotactic	25188-98-1	1 gm	11034	25 gm	POR
P 2013 *	<u>POLYMYXIN B SULPHATE</u> 1 million units	1405-20-5	1 vial	1179	10 vials	11079
P 4018	<u>POLY(3-OCTYLTHIOPHENE-2,5-DIYL)</u> electronic grade, 99.995%	104934-51-2			250 mg	76005
P 2090	<u>POLY(p-PHENYLENE OXIDE)</u>	25134-01-4	100 gm	4095	500 gm	17091
P 2087a	<u>POLYPHENYLENE SULPHIDE</u> (brown)	25212-74-2	100 gm	3105	500 gm	13059
P 2088	<u>POLYPHENYLENE SULPHIDE</u> (black)	25212-74-2	100 gm	2808	500 gm	11709
P 2015	<u>POLYPHOSPHORIC ACID</u> for synthesis	8017-16-1	500 gm	1287	2.5 kg	5949
					5 kg	10602
P 2017	<u>POLYPHOSPHORIC ACID GR</u>	8017-16-1	500 ml	3303	5 lt	POR
P 2018	<u>POLYPROPYLENE</u> for synthesis	9003-07-0	500 gm	2691	5 kg	22905
P 3975	<u>POLYPROPYLENE</u> isotactic, average Mw ~12,000, average Mn ~5,000	9003-07-0	250 gm	5391	1 kg	9405
P 3980	<u>POLYPROPYLENE</u> isotactic, average Mw ~250,000, average Mn ~67,000	9003-07-0	250 gm	2808	1 kg	4761
P 3990	<u>POLYPROPYLENE</u> isotactic, average Mw ~340,000, average Mn ~97,000	9003-07-0	250 gm	2808	1 kg	4761
P 6606	<u>POLYPROPYLENE</u> (PP), rod, diam. 32 mm	9003-07-0	300 mm	8604	1000 mm	19062
P 2021	<u>POLYPROPYLENE GLYCOL 1000</u> for synthesis	25322-69-4	500 ml	1791	5 lt	13905
P 2020	<u>POLYPROPYLENE GLYCOL 2000</u> for synthesis	25322-69-4	500 ml	1791	5 lt	13905
P 6900	<u>POLY(SODIUM 4-STYRENESULPHONATE)</u>	25704-18-1	5 gm	4203	100 gm	7002
	average Mw ~70,000				500 gm	20709
P 6909	<u>POLY(SODIUM 4-STYRENESULPHONATE)</u>	25704-18-1	5 gm	4401	100 gm	7308
	average Mw ~100,000				500 gm	21006
P 2025	<u>POLYSORBATE 20</u> (POLYOXYETHYLENE SORBITON MONOLAUATE)	9005-64-5	100 gm	243	500 gm	774
					5 kg	6804
P 2035	<u>POLYSORBATE 40</u> (POLYOXYETHYLENE SORBITON MONOPALMITATE)	9005-66-7	100 gm	288	500 gm	963
					5 kg	8109
P 2045	<u>POLYSORBATE 60</u> (POLYOXYETHYLENE SORBITON MONOSTEARATE)	9005-67-8	100 gm	261	500 gm	639
					5 kg	5490
P 2055	<u>POLYSORBATE 80</u> (POLYOXYETHYLENE SORBITON MONOLEATE)	9005-65-6	100 gm	180	500 gm	747
					5 kg	6309
P 2056	<u>POLYSTYRENE</u> for synthesis	9003-53-6	500 gm	2709	1 kg	4302
P 2054	<u>POLYSTYRENE</u> analytical standard for GPC 2,000	9003-53-6	1 gm	14706	5 gm	62019
P 0045	<u>POLYSTYRENE</u> average Mw 35,000	9003-53-6	25 gm	4401	500 gm	13203
P 0046	<u>POLYSTYRENE</u> average Mw 280,000	9003-53-6	25 gm	4302	500 gm	9603
					1 kg	15309
P 0047	<u>POLYSTYRENE</u> average Mw ~350,000, average Mn ~170,000	9003-53-6	500 gm	3015	1 kg	5904
P 2051	<u>POLYSULPHONE</u> (pract)	25135-51-7	5 gm	2403	25 gm	5004

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2057	<u>POLYSULPHONE</u> pellets	25135-51-7	100 gm 5 gm	12069 3204	500 gm 25 gm	20007 6939
P 2058	<u>POLY TETRA FLUORO ETHYLENE</u> for synthesis	9002-84-0	100 gm	15399	500 gm	26109
P 5716	<u>POLY(TETRAFLUOROETHYLENE)</u> powder, 35 µm particle size	9002-84-0	100 gm	3006	500 gm	13005
P 2053	<u>POLYTETRAFLUOROETHYLENE</u> , beads	9002-84-0	5 gm	5508	100 gm	20079
P 3106	<u>POLYTETRAFLUOROETHYLENE</u> 60 wt% dispersion in H ₂ O	9002-84-0	50 gm	8379	100 gm	13005
P 2059	<u>POLYURETHANE</u> beads	9009-54-5	100 ml	6705	500 ml	22005
P 2061	<u>POLY VINYL ACETATE</u> granulated lumps	9003-20-7	5 gm	7839	25 gm	31005
P 2062	<u>POLY VINYL ACETATE</u> spezial (crystalline beads)	9003-20-7	500 gm	1656	5 kg	9909
P 2060	<u>POLY VINYL ACETATE</u> (very fine crystalline beads)	9003-20-7	500 gm	2295	5 kg	20601
P 0068	<u>POLY VINYL ACETATE</u> average Mw ~100,000	9003-20-7	250 gm	3708	500 gm	6903
P 0069	<u>POLY VINYL ACETATE</u> average Mw ~140,000	9003-20-7	25 gm	6102	500 gm	10089
P 0070	<u>POLY VINYL ACETATE</u> average Mw ~500,000	9003-20-7	100 gm	6705	500 gm	15903
P 2064	<u>POLY VINYL ALCOHOL</u> MW 14,000	9002-89-5	100 gm	5607	500 gm	12006
P 2065	<u>POLY VINYL ALCOHOL</u> MW 1,25,000	9002-89-5	500 gm	621	5 kg	5589
P 0698	<u>POLY(VINYL ALCOHOL)</u> average Mw 13,000-23,000 98% hydrolyzed	9002-89-5	500 gm	621	5 kg	5589
P 0697	<u>POLY(VINYL ALCOHOL)</u> Mw 85,000-124,000 (99+% hydrolyzed)	9002-89-5	25 gm	4401	500 gm	13005
P 0160	<u>POLY(VINYL ALCOHOL)</u> Mw 146,000-186,000, 99% hydrolyzed	9002-89-5	25 gm	5391	500 gm	15003
P 2063	<u>POLY VINYL BUTYRAL</u>	63148-65-2	25 gm	5908	1 kg	19008
P 2066	<u>POLY VINYL CHLORIDE</u> for synthesis	9002-86-2	100 gm	2295	500 gm	10602
P 0006	<u>POLY(VINYL CHLORIDE)</u> average Mw ~43,000	9002-86-2	500 gm	1503	5 kg	11079
P 0007	<u>POLY(VINYL CHLORIDE)</u> average Mw ~80,000	9002-86-2	100 gm	1602	500 gm	4509
P 0008	<u>POLY(VINYL CHLORIDE)</u> average Mw ~233,000	9002-86-2	100 gm	1602	500 gm	4509
P 2067	<u>POLY(VINYLDENE FLUORIDE)</u> Mn ~71,000, pellets	24937-79-9	25 gm	3906	500 gm	6903
P 7119	<u>POLY(VINYLDENE FLUORIDE)</u> average Mw ~180,000	24937-79-9	100 gm	8307	500 gm	31005
P 7118	<u>POLY(VINYLDENE FLUORIDE)</u> average Mw ~275,000	24937-79-9	25 gm	3506	100 gm	11907
P 7120	<u>POLY(VINYLDENE FLUORIDE)</u> average Mw ~530,000 pellets	24937-79-9	25 gm	4005	100 gm	11934
P 7121	<u>POLY(VINYLDENE FLUORIDE)</u> average Mw ~534,000 by GPC	24937-79-9	25 gm	3105	100 gm	10305
P 7129	<u>POLY(VINYLDENE FLUORIDE-CO-HEXAFLUOROPROPYLENE)</u> average Mw ~400,000, average Mn ~130,000, pellets	9011-17-0	5 gm	5409	100 gm	16902
P 8814	<u>POLY(VINYLDENE FLUORIDE-CO-TRIFLUOROETHYLENE)</u>	-----	250 gm	29709	100 gm	5805
P 2076	<u>POLY VINYL POLYPYRROLIDONE</u>	25249-54-1	10 gm	19602	100 gm	96003
P 2075	<u>POLY VINYL PYRROLIDONE (PVP)</u> (MW app.40,000)	9003-39-8	100 gm	5229	500 gm	19062
P 4612	<u>POLY VINYL PYRROLIDONE</u> average Mw ~1,300,000	9003-39-8	100 gm	432	500 gm	1783
P 2070	<u>POLY VINYL PYRROLIDONE (PVP K-12)</u>	9003-39-8	500 gm	17019	1 kg	21006
P 2071	<u>POLY VINYL PYRROLIDONE (PVP K-17)</u>	9003-39-8	100 gm	2709	1 kg	18909
P 2072	<u>POLY VINYL PYRROLIDONE (PVP K-25)</u>	9003-39-8	100 gm	3096	1 kg	26091
P 2073	<u>POLY VINYL PYRROLIDONE (PVP K-30)</u>	9003-39-8	500 gm	2880	5 kg	23004
P 2074	<u>POLY VINYL PYRROLIDONE (PVP K-90)</u>	9003-39-8	100 gm	639	500 gm	2592
P 2069	<u>POLY(VINYLPYRROLIDONE)-IODINE COMPLEX</u> puriss	25655-41-8	100 gm	756	500 gm	3195
P 1971	<u>POLY (VINYL SULPHATE) POTASSIUM SALT</u> Mw 170000	26182-60-5	100 gm	11907	500 gm	41004
			1 gm	7308	5 gm	24003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2085	☐ <u>PONCEAU S</u> for electrophoresis (C.I.No. 27195)	6226-79-5	25 gm	666	100 gm	2349
					1 kg	21006
P 2081	<u>PONCEAU XYLIDINE</u> (Xylidine ponceau 2R)	3761-53-3	5 gm	3006	25 gm	7605
P 2095	☐ <u>POPOP</u> scintillation grade 99%+	1806-34-4	5 gm	3492	25 gm	14994
					100 gm	57969
P 2098	☐ <u>POPSO BUFFER</u> for biochemistry 99% [Piperazine-1,4-bis(2-hydroxypropane sulfonic acid) dihydrate]	68189-43-5	50 gm	6939	100 gm	12402
P 2100	☐ <u>POTASSIUM</u> (metal) for synthesis 98%	7440-09-7	25 gm	2691	100 gm	6903
					500 gm	28809
P 0053	<u>POTASSIUM (K) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
P 0054	<u>POTASSIUM (K) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN WATER</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
P 0055	<u>POTASSIUM (K) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
P 0056	<u>POTASSIUM (K) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN WATER</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
P 0057	<u>POTASSIUM AAS STANDARD SOLUTION 1000 MG/L K</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
P 0058	<u>POTASSIUM AAS STANDARD SOLUTION 1000 MG/L K</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
P 2105	☐ <u>POTASSIUM ACETATE</u> extra pure 99%	127-08-2	500 gm	675	5 kg	5949
P 2107	<u>POTASSIUM ACETATE</u> GR 99%+	127-08-2	500 gm	1188	5 kg	9504
P 2108	<u>POTASSIUM ACETATE</u> for molecular biology 99%	127-08-2			500 gm	1296
P 2111	<u>POTASSIUM ACETYLACETONATE</u> 97%+	57402-46-7			25 gm	12006
P 2109	<u>POTASSIUM ALGINATE</u> pure	9005-36-1	100 gm	6399	500 gm	20709
P 6905	<u>POTASSIUM ARSENATE</u>	7784-41-0			100 gm	4302
P 2110	<u>POTASSIUM BENZOATE</u> for synthesis 98%+	582-25-2	250 gm	2007	500 gm	3015
P 2115	☐ <u>POTASSIUM BICARBONATE</u> extra pure 99%+	298-14-6	500 gm	513	1 kg	873
					5 kg	6903
P 2118	☐ <u>POTASSIUM BIFLUORIDE</u> extra pure 98%	7789-29-9	500 gm	1008	5 kg	9063
P 2120	<u>POTASSIUM BORATE</u>	1332-77-0	500 gm	1359	5 kg	11079
P 2140	<u>POTASSIUM BOROHYDRIDE</u> 98% for synthesis	13762-51-1			25 gm	1431
			100 gm	5391	500 gm	18900
P 2125	☐ <u>POTASSIUM BROMATE</u> extra pure 99%	7758-01-2	500 gm	1188	5 kg	9693
P 2127	☐ <u>POTASSIUM BROMATE</u> GR 99%+	7758-01-2	500 gm	1449	5 kg	11502
P 2138	<u>POTASSIUM BROMIDE</u> for spectroscopy 99%+	7758-02-3			100 gm	4392
P 2135	☐ <u>POTASSIUM BROMIDE</u> extra pure 99%	7758-02-3	500 gm	1008	5 kg	8550
P 2137	<u>POTASSIUM BROMIDE</u> GR 99%+	7758-02-3	500 gm	1593	5 kg	12609
P 2139	<u>POTASSIUM BROMIDE</u> 99.9%	7758-02-3	25 gm	6903	100 gm	15003
					500 gm	59004
P 2145	<u>POTASSIUM-tert-BUTOXIDE</u> puriss 98%	865-47-4			100 gm	1494
			250 gm	2619	500 gm	4995
P 2155	☐ <u>POTASSIUM CARBONATE</u> 99%	584-08-7	500 gm	450	5 kg	3429
P 2157	☐ <u>POTASSIUM CARBONATE</u> anhydrous GR 99%+	584-08-7	500 gm	513	5 kg	4104
P 2158	☐ <u>POTASSIUM CARBONATE</u> anhydrous, free-flowing ≥99%	584-08-7	100 gm	4806	500 gm	8307
			1 kg	12807	2.5 kg	20601
P 0037	<u>POTASSIUM CARBONATE</u> 99.8%	584-08-7	25 gm	1107	100 gm	2439
P 1039	<u>POTASSIUM CARBONATE</u> 99.997%	584-08-7	5 gm	2169	25 gm	9909

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2165	<u>POTASSIUM CHLORIDE</u> 99%	7447-40-7	500 gm	225	100 gm	30708
P 2167	<u>POTASSIUM CHLORIDE</u> GR 99%+	7447-40-7	500 gm	432	5 kg	1539
P 2168	<u>POTASSIUM CHLORIDE</u> for molecular biology 99.5%	7447-40-7			500 gm	936
P 2169	<u>POTASSIUM CHLORIDE</u> ≥99.5%	7447-40-7			250 gm	2502
			1 kg	4509	5 x 1 kg	14904
P 2175	<u>POTASSIUM CHLORO PLATINATE</u> (40% Pt)	16921-30-5	250 mg	2088	1 gm	6795
			5 gm	32409	(10x1) gm	61002
P 2176	<u>POTASSIUM CHLORO PLATINITE</u> 98%+	10025-99-7	250 mg	2592	1 gm	7929
					5 gm	37809
P 2185	<u>POTASSIUM CHROMATE</u> purified 99%	7789-00-6	500 gm	1206	5 kg	9603
P 2187	<u>POTASSIUM CHROMATE</u> GR 99%+	7789-00-6	500 gm	1386	5 kg	11007
P 2186	<u>POTASSIUM CHROMATE</u> solution 5% w/v	7789-00-6			500 ml	396
P 2195	<u>tri-POTASSIUM CITRATE</u> extra pure 99%	6100-05-6	500 gm	711	5 kg	5607
P 2197	<u>tri-POTASSIUM CITRATE</u> GR 99%+	6100-05-6	500 gm	792	5 kg	6309
P 2198	<u>POTASSIUM CYANATE</u> for synthesis 98%	590-28-3	500 gm	1287	5 kg	9603
P 2199	<u>POTASSIUM CYCLOHEXANEBUTYRATE</u> pure	62638-03-3			5 gm	30609
P 2252	<u>POTASSIUM D-GLUCONATE</u> 99%	299-27-4	25 gm	1791	50 gm	2403
			100 gm	3006	500 gm	5679
P 2205	<u>POTASSIUM DICHROMATE</u> extra pure 99%	7778-50-9	500 gm	1143	5 kg	9603
P 2207	<u>POTASSIUM DICHROMATE</u> GR 99%+	7778-50-9	500 gm	1287	5 kg	10305
P 2208	<u>POTASSIUM DICHROMATE</u> ≥99.8%	7778-50-9			250 gm	6003
P 2204	<u>POTASSIUM DICHROMATE</u> 0.25N solution	7778-50-9			500 ml	126
P 2215	<u>POTASSIUM DIHYDROGEN ortho-PHOSPHATE</u>	7778-77-0	500 gm	846	5 kg	7749
	(anhydrous) extra pure 98%					
P 2217	<u>POTASSIUM DIHYDROGEN ortho-PHOSPHATE</u>	7778-77-0	500 gm	945	5 kg	8712
	(anhydrous) GR 99%+					
P 2218	<u>POTASSIUM DIHYDROGEN ortho-PHOSPHATE</u>	7778-77-0	100 gm	1089	500 gm	2394
	for molecular biology 99.5%					
P 2219	<u>POTASSIUM DIHYDROGEN ortho-PHOSPHATE</u> for HPLC 99.5%	7778-77-0			500 gm	1494
P 2221	<u>POTASSIUM ETHYL XANTHATE</u> for synthesis	140-89-6	100 gm	936	500 gm	3591
P 2225	<u>POTASSIUM FERRICYANIDE</u> 99%	13746-66-2	100 gm	513	500 gm	1764
					5 kg	15003
P 2227	<u>POTASSIUM FERRICYANIDE</u> GR 99%+	13746-66-2	500 gm	1980	5 kg	17109
P 2235	<u>POTASSIUM FERROCYANIDE</u> 99%	14459-95-1	500 gm	918	5 kg	8109
P 2237	<u>POTASSIUM FERROCYANIDE</u> GR 99%+ (reagent for iron)	14459-95-1	500 gm	1089	5 kg	9207
P 2239	<u>POTASSIUM FLUOBORATE</u> for synthesis 97%+	14075-53-7			250 gm	486
			1 kg	1305	5 kg	6003
P 2250	<u>POTASSIUM FLUOBORATE</u> puriss 98%+	14075-53-7	500 gm	2709	1 kg	5004
P 2245	<u>POTASSIUM FLUORIDE</u> (anhydrous) 98%	7789-23-3	500 gm	1143	5 kg	9108
P 2247	<u>POTASSIUM FLUORIDE</u> GR 99%+	7789-23-3	100 gm	603	500 gm	1593
					5 kg	12906
P 2249	<u>POTASSIUM FORMATE</u> for synthesis 98%+	590-29-4	100 gm	216	500 gm	783
					5 kg	7002
P 2248	<u>POTASSIUM FORMATE</u> GR 99%+	590-29-4	500 gm	990	5 kg	8604
P 2200	<u>POTASSIUM GOLD(III) CHLORIDE</u> 98%	13682-61-6	1 gm	9009	5 gm	57069
P 2249a	<u>POTASSIUM GOLD CYANIDE</u> (app. 68% gold)	13967-50-5	1 gm	13707	5 gm	64008
P 0336	<u>POTASSIUM GOLD CYANIDE</u> 99.96%	13967-50-5	1 gm	18306	5 gm	81099
P 0024	<u>POTASSIUM HEXAFLUOROPHOSPHATE</u> , 98%	17084-13-8			25 gm	738

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 0027	<u>POTASSIUM HEXAFLUOROPHOSPHATE</u> , 99%	17084-13-8	50 gm	1404	250 gm	4005
			50 gm	3006	250 gm	4302
			500 gm	9207	1 kg	16029
P 2251	<u>POTASSIUM HUMATE</u>	68514-28-3	500 gm	855	5 kg	8001
P 2255	<u>POTASSIUM HYDROGEN DI-IODATE</u> pure 99%	13455-24-8			100 gm	27099
P 2257	<u>POTASSIUM HYDROGEN DI-IODATE</u> GR 99.5%	13455-24-8			25 gm	6903
P 2265	<u>POTASSIUM HYDROGEN PHTHALATE</u> extra pure 99%	877-24-7	500 gm	675	5 kg	5607
P 2267	<u>POTASSIUM HYDROGEN PHTHALATE</u> GR 99%+	877-24-7	500 gm	792	5 kg	6399
P 2268	<u>POTASSIUM HYDROGEN PHTHALATE</u> for HPLC 99%+	877-24-7	250 gm	603	500 gm	945
P 2269	<u>POTASSIUM HYDROGEN PHTHALATE</u> 0.1N standardized solution	877-24-7			1 lt	936
P 2275	<u>POTASSIUM HYDROGEN SULPHATE</u> extra pure 99%	7646-93-7	500 gm	612	5 kg	4995
P 2277	<u>POTASSIUM HYDROGEN SULPHATE</u> GR 99%+	7646-93-7	500 gm	738	5 kg	6219
P 2285	<u>POTASSIUM HYDROGEN TARTRATE</u> extra pure 99%	868-14-4	500 gm	1512	5 kg	13095
P 2295	<u>POTASSIUM HYDROXIDE</u> flakes, extra pure, 85%	1310-58-3	500 gm	423	5 kg	2637
P 2305	<u>POTASSIUM HYDROXIDE</u> pellets, extra pure, 85%	1310-58-3	500 gm	522	5 kg	3969
P 2307	<u>POTASSIUM HYDROXIDE</u> pellets, GR 85%+	1310-58-3	500 gm	612	5 kg	4392
P 2306	<u>POTASSIUM HYDROXIDE</u> powder, 85%	1310-58-3	500 gm	693	5 kg	6003
P 2315	<u>POTASSIUM IODATE</u> 99%	7758-05-6	100 gm	1593	250 gm	3492
			1 kg	13005	5 kg	64809
P 2325	<u>POTASSIUM IODATE</u> GR 99%+	7758-05-6	100 gm	1890	250 gm	3789
			1 kg	16902	5 kg	67509
P 2335	<u>POTASSIUM IODIDE</u> 99%	7681-11-0	100 gm	1791	250 gm	4293
			500 gm	6489	5 kg	55809
P 2337	<u>POTASSIUM IODIDE</u> GR 99%+	7681-11-0	100 gm	1989	250 gm	4491
			500 gm	6939	1 kg	12906
					5 kg	57609
P 2339	<u>POTASSIUM IODIDE</u> bioultra, 99.5% (AT)	7681-11-0	100 gm	10602	500 gm	39069
P 2338	<u>POTASSIUM IODIDE</u> 0.1M solution	7681-11-0	500 ml	657	1 lt	1233
P 3002	<u>POTASSIUM IODIDE</u> 1M solution	7681-11-0	500 ml	1260	1 lt	2403
P 3003	<u>POTASSIUM IODIDE</u> 3M solution	7681-11-0	500 ml	4302	1 lt	8019
P 3004	<u>POTASSIUM IODIDE</u> 0.1M standardized solution	7681-11-0			1 lt	1206
P 3005	<u>POTASSIUM IODIDE</u> 1M standardized solution	7681-11-0			1 lt	4302
P 3006	<u>POTASSIUM IODIDE</u> 3M standardized solution	7681-11-0			1 lt	7659
P 2345	<u>POTASSIUM IODO BISMUTHATE</u>	- - - -	25 gm	8604	100 gm	30609
					500 gm	139509
P 2355	<u>POTASSIUM IODO PLATINATE</u> puriss 99.9%	16905-14-9	250 mg	1791	1 gm	4590
					5 gm	22005
P 2360	<u>POTASSIUM LACTATE</u> 50% solution	996-31-6			500 ml	1881
P 2365	<u>POTASSIUM meta-BISULPHITE</u> pure 95%	16731-55-8	500 gm	513	5 kg	4239
P 2367	<u>POTASSIUM meta-BISULPHITE</u> GR 98%+	16731-55-8	500 gm	693	5 kg	6003
P 2375	<u>POTASSIUM meta-PERIODATE</u> extra pure 99%	7790-21-8	100 gm	1989	500 gm	9459
P 2377	<u>POTASSIUM meta-PERIODATE</u> GR 99%+	7790-21-8	100 gm	2241	500 gm	10449
P 2378	<u>POTASSIUM METAVANADATE</u> 98%	13769-43-2	100 gm	1287	500 gm	5463
P 2380	<u>POTASSIUM MERCURIC IODIDE</u> pure	7783-33-7	25 gm	3600	100 gm	13005
P 2381	<u>POTASSIUM MERCURIC IODIDE</u> solution	7783-33-7	500 ml	1701	5 lt	9981
P 2385	<u>POTASSIUM NITRATE</u> 99% purified	7757-79-1	500 gm	423	5 kg	3186
P 2387	<u>POTASSIUM NITRATE</u> GR 99%+	7757-79-1	500 gm	540	5 kg	4806
P 2388	<u>POTASSIUM NITRATE</u> 99.995%	7757-79-1	5 gm	3906	50 gm	12609
					250 gm	43002

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2391	<u>POTASSIUM NITRATE</u> , 99.999%	7757-79-1	10 gm	5409	50 gm	14004
P 2389	<u>POTASSIUM NITRITE</u> extra pure 96%	7758-09-0	500 gm	2196	5 kg	17604
P 2390	<u>POTASSIUM NITRITE</u> crystals GR 98%+	7758-09-0			250 gm	2349
P 2392	<u>POTASSIUM OLEATE</u> for synthesis	143-18-0	250 gm	2619	500 gm	3600
					1 kg	6003
P 2393	<u>POTASSIUM OLEATE</u> paste	143-18-0	250 gm	2007	500 gm	3006
					1 kg	5805
P 2394	<u>POTASSIUM OSMATE</u> dihydrate	10022-66-9	1 gm	7929	5 gm	35091
P 2395	<u>POTASSIUM OXALATE</u> extra pure 99%	6487-48-5	500 gm	693	5 kg	5607
P 2397	<u>POTASSIUM OXALATE</u> GR 99%+	6487-48-5	500 gm	774	5 kg	6192
P 2407	<u>POTASSIUM PERCHLORATE</u> GR 99%+ (End user certificate required)	7778-74-7	250 gm	4491	500 gm	7929
P 2415	<u>POTASSIUM PERMANGANATE</u> 99%	7722-64-7	500 gm	684	5 kg	6102
P 2417	<u>POTASSIUM PERMANGANATE</u> GR 99%+	7722-64-7	500 gm	756	5 kg	6804
P 2418	<u>POTASSIUM PERMANGANATE</u> 1.0 N solution	7722-64-7	500 ml	234	5 lt	1404
P 2425	<u>POTASSIUM PERSULPHATE</u> extra pure 98%	7727-21-1	500 gm	657	5 kg	5049
P 2427	<u>POTASSIUM PERSULPHATE</u> GR 98%+	7727-21-1	500 gm	720	5 kg	6003
P 2435	<u>POTASSIUM PHOSPHATE</u> dibasic, anhydrous, extra pure, 99%	7758-11-4	500 gm	945	5 kg	7506
P 2437	<u>POTASSIUM PHOSPHATE</u> dibasic, anhydrous, GR 99%+	7758-11-4	500 gm	1089	5 kg	8919
P 2439	<u>POTASSIUM PHOSPHATE</u> dibasic, for HPLC 99%+	7758-11-4			500 gm	1494
P 2441	<u>POTASSIUM PHOSPHATE</u> dibasic, for molecular biology 99%+	7758-11-4	250 gm	1486	500 gm	2880
P 2436	<u>tri-POTASSIUM PHOSPHATE</u> extra pure 98%	7778-53-2	500 gm	963	5 kg	8604
P 2438	<u>tri-POTASSIUM PHOSPHATE</u> GR 98%+	7778-53-2	250 gm	1206	1 kg	4005
P 2434	<u>tri-POTASSIUM PHOSPHATE</u> anhydrous, ≥98%	7778-53-2			500 gm	5004
			1 kg	7506	2.5 kg	14004
P 2444	<u>POTASSIUM PHTHALIMIDE</u> pract	1074-82-4	500 gm	810	5 kg	6903
P 2445	<u>POTASSIUM PHTHALIMIDE</u> for synthesis 98%	1074-82-4	100 gm	405	500 gm	945
					5 kg	8505
P 2455	<u>POTASSIUM PYROANTIMONATE</u> 98%	12208-13-8	100 gm	1179	500 gm	5769
					5 kg	50904
P 2457	<u>POTASSIUM PYROANTIMONATE</u> GR 99%+	12208-13-8	100 gm	1584	500 gm	7479
					5 kg	67059
P 2465	<u>tetra-POTASSIUM PYROPHOSPHATE</u> puriss	7320-34-5	500 gm	792	5 kg	7002
P 2475	<u>POTASSIUM PYROSULPHATE</u> 98%	7790-62-7	100 gm	1503	500 gm	7002
					5 kg	60309
P 2477	<u>POTASSIUM PYROSULPHATE</u> GR 99%+	7790-62-7	100 gm	2106	500 gm	7929
P 2478	<u>POTASSIUM SILICATE</u> solution	1312-76-1	500 gm	792	5 kg	7092
P 2479	<u>POTASSIUM SILICOFLUORIDE</u>	16871-90-2	500 gm	396	5 kg	3105
P 2485	<u>POTASSIUM SODIUM TARTRATE</u> extra pure 99%	6381-59-5	500 gm	1089	5 kg	8919
P 2487	<u>POTASSIUM SODIUM TARTRATE</u> GR 99%+	6381-59-5	500 gm	1242	5 kg	9909
P 2495	<u>POTASSIUM SORBATE</u> puriss 99%	24634-61-5	250 gm	864	500 gm	1503
			1 kg	2493	10 kg	22905
P 2498	<u>POTASSIUM STANNATE</u> for synthesis	12142-33-5	250 gm	4509	500 gm	8109
P 2500	<u>POTASSIUM STEARATE</u> for synthesis	593-29-3	500 gm	630	5 kg	6003
P 2505	<u>POTASSIUM SULPHATE</u> extra pure 99%	7778-80-5	500 gm	441	5 kg	3519
P 2507	<u>POTASSIUM SULPHATE</u> GR 99%+	7778-80-5	500 gm	594	5 kg	4707
P 2515	<u>POTASSIUM SULPHIDE</u>	1312-73-8	500 gm	1395	5 kg	11709
P 2516	<u>POTASSIUM SULPHITE</u>	10117-38-1	500 gm	1404	5 kg	11007
P 2517	<u>POTASSIUM SULPHITE</u> GR 90%	10117-38-1			1 kg	10602
P 2521	<u>POTASSIUM TARTRATE</u> extra pure 98%	921-53-9	500 gm	1404	5 kg	11709

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2522	<u>POTASSIUM TARTRATE</u> GR 98%+	921-53-9			250 gm	3006
P 2528	<u>POTASSIUM TELLURATE</u> (hydrate)	314041-10-6	25 gm	10107	100 gm	38709
P 2525	<u>POTASSIUM TELLURITE</u> for microbiology (culture media additive)	123333-66-4	25 gm	2592	100 gm	9270
P 8221	<u>POTASSIUM TETRACHLOROPALLADATE(II)</u> 98%	10025-98-6	1 gm	7605	5 gm	28089
P 2524	<u>POTASSIUM TETRACHLORO PLATINATE</u> ≥99.9%	10025-99-7	1 gm	12303	5 gm	49869
P 2526	<u>POTASSIUM TETRAOXALATE</u> pure	6100-20-5	500 gm	693	5 kg	6093
P 2527	<u>POTASSIUM TETRAOXALATE</u> GR 99%+	6100-20-5			100 gm	2610
P 2535	<u>POTASSIUM THIOCYANATE</u> 98%	333-20-0	500 gm	1089	5 kg	9603
P 2537	<u>POTASSIUM THIOCYANATE</u> GR 99%+	333-20-0	500 gm	1467	5 kg	11709
P 2537	<u>POTASSIUM THIOCYANATE</u> ≥99.0%	333-20-0	100 gm	3708	500 gm	8604
					2.5 kg	13905
P 2539	<u>POTASSIUM THIOSULPHATE</u> practical grade 95%	10294-66-3	100 gm	8307	500 gm	20907
P 2539a	<u>POTASSIUM THIOSULPHATE</u> 75% solution	10294-66-3			500 ml	16902
P 2540	<u>POTASSIUM TITANATE</u>	12030-97-6	100 gm	1602	500 gm	7803
P 2545	<u>POTASSIUM TITANIUM FLUORIDE</u> 98%	16919-27-0			100 gm	1053
			500 gm	2304	5 kg	8379
P 2547	<u>POTASSIUM TITANIUM FLUORIDE</u> GR 98%+	16919-27-0	100 gm	1404	500 gm	7002
P 2556	<u>POTASSIUM TITANIUM OXALATE</u> 90%	14402-67-6	500 gm	3339	5 kg	POR
P 2557	<u>POTASSIUM TITANIUM OXALATE</u> GR 99%	14402-67-6	100 gm	1602	250 gm	3906
P 2565	<u>P P O (DIPHENYL OXAZOLE)</u> scintillation grade 99%+	92-71-7	10 gm	909	25 gm	1242
			100 gm	4446	500 gm	20502
P 2568	<u>PRASEODYMIUM</u> ingot 99.90%	7440-10-0	10 gm	6102	50 gm	21069
P 2900	<u>PRASEODYMIUM(III) ACETATE</u> hydrate 99.9%	6192-12-7	25 gm	6003	100 gm	19809
P 2905	<u>PRASEODYMIUM(III) BROMIDE</u> puriss 99.99%	13536-53-3	2 gm	49905	10 gm	POR
P 2576	<u>PRASEODYMIUM CARBONATE</u> , octahydrate, 99.9%	14948-62-0	25 gm	6309	100 gm	23706
P 2910	<u>PRASEODYMIUM(III) CARBONATE</u> octahydrate 99.99%	14948-62-0	5 gm	4905	25 gm	13806
P 2569	<u>PRASEODYMIUM CHLORIDE</u> , 99.9%	17272-46-7	25 gm	4491	100 gm	15489
P 2575	<u>PRASEODYMIUM CHLORIDE</u> puriss, 99.9%	10361-79-2	1 gm	2007	10 gm	6705
					50 gm	20502
P 2570	<u>PRASEODYMIUM CHLORIDE</u> puriss 99.99%	10361-79-2	1 gm	5004	5 gm	14508
					25 gm	59319
P 2915	<u>PRASEODYMIUM CHLORIDE</u> hydrate 99.9%	19423-77-9			10 gm	4005
			25 gm	5751	100 gm	9603
P 2573	<u>PRASEODYMIUM(III) FLUORIDE</u> anhydrous 99.9%	13709-46-1	25 gm	12708	100 gm	43002
P 2925	<u>PRASEODYMIUM(III) FLUORIDE</u> anhydrous 99.995%	13709-46-1	5 gm	9306	10 gm	13806
P 2930	<u>PRASEODYMIUM(III) HEXAFLUORO-2,4-PENTANEDIONATE</u>	47814-20-0	1 gm	11079	5 gm	43002
P 2935	<u>PRASEODYMIUM(III) IODIDE</u> puriss 99.9+%	13813-23-5	1 gm	30069	5 gm	102069
P 2940	<u>PRASEODYMIUM(III) ISOPROPOXIDE</u>	19236-14-7	1 gm	POR	5 gm	POR
P 2946	<u>PRASEODYMIUM(III) NITRATE</u> hexahydrate 99.9%	15878-77-0	10 gm	2403	25 gm	3195
					100 gm	10998
P 2945	<u>PRASEODYMIUM(III) NITRATE</u> hexahydrate 99.99%	15878-77-0	10 gm	7902	25 gm	15003
					100 gm	39006
P 2950	<u>PRASEODYMIUM(III) NITRIDE</u> 99.9% (metals basis)	25764-09-4	1 gm	POR	5 gm	POR
P 2577a	<u>PRASEODYMIUM(III, IV) OXIDE</u> ceramic grade	12037-29-5			1 kg	18009
P 2577	<u>PRASEODYMIUM(III, IV) OXIDE</u> GR 99.9%	12037-29-5	10 gm	441	100 gm	3969
P 3931	<u>PRASEODYMIUM(III, IV) OXIDE</u> 99.99%	12037-29-5	25 gm	10404	100 gm	37089
P 9391	<u>PRASEODYMIUM(III, IV) OXIDE</u> 99.995%	12037-29-5	5 gm	6319	25 gm	16002
P 9012	<u>PRASEODYMIUM(III, IV) OXIDE</u> 99.996%	12037-29-5	5 gm	7002	25 gm	17307
P 2963	<u>PRASEODYMIUM(III) SULPHATE</u> octahydrate 99.9%	13510-41-3	25 gm	4203	100 gm	10305

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2960	<u>PRASEODYMIUM(III) SULPHATE</u> octahydrate 99.99%	13510-41-3	25 gm	6606	100 gm	19908
P 2581	<u>4-PREGNENE-17a 20 a,21-triol-3,11-dione</u>	116-59-6			5 mg	34002
P 2580	<u>PROFLAVIN HEMISULPHATE</u> (dihydrate)	1811-28-5	5 gm	3969	10 gm	6363
P 2583	<u>D-PROLINE</u> puriss 99%	344-25-2	1 gm	495	5 gm	1143
					25 gm	4437
P 2585	<u>L-PROLINE</u> for biochemistry 99%+	147-85-3	5 gm	81	25 gm	288
			100 gm	945	500 gm	4302
P 2589	<u>1,3-PROPANEDIOL</u> for synthesis 98%	504-63-2	500 ml	2403	5 lt	20709
P 2588	<u>1,2-PROPANE DITHIOL</u> for synthesis	814-67-5	5 ml	14004	10 ml	27009
P 2590	<u>2-PROPANE-SULPHONIC ACID SODIUM SALT</u>	5399-58-6	5 gm	432	25 gm	1692
	for HPLC 99%+				10x25 gm	18909
P 2591	<u>PROPANE SULPHONIC ACID SODIUM SALT</u>	14533-63-2	5 gm	387	25 gm	1557
	for HPLC 99%+				10x25 gm	16902
P 2595	<u>n-PROPANOL</u> for synthesis 99%	71-23-8	500 ml	423	5 lt	3690
P 2597	<u>n-PROPANOL</u> GR 99%+	71-23-8	500 ml	540	5 lt	3969
P 2598	<u>n-PROPYL ALCOHOL</u> for HPLC 99.9%	71-23-8	1 lt	2781	500 ml	1539
P 2596	<u>n-PROPYL ALCOHOL</u> anhydrous, 99.7%	71-23-8	100 ml	4005	1 lt	5229
P 2600	<u>PROPARGYL ALCOHOL</u> for synthesis 98%	107-19-7	500 ml	2709	5 lt	24003
P 4336	<u>PROPIDIUM IODIDE</u> suitable for cell culture, 94%	25535-16-4	10 mg	2205	25 mg	4059
			100 mg	10008	250 mg	24003
			500 mg	46008	1 gm	90909
P 4337	<u>PROPIDIUM IODIDE</u> solution (1.0 mg/ml in water)	25535-16-4			10 ml	5895
P 2602	<u>PROPIONALDEHYDE</u> for synthesis 98%	123-38-6	500 ml	756	5 lt	5679
P 2605	<u>PROPIONIC ACID</u> for synthesis 99%	79-09-4	500 ml	585	5 lt	5031
P 2607	<u>PROPIONIC ACID</u> GR 99%+	79-09-4	500 ml	693	5 lt	5607
P 2610	<u>PROPIONIC ANHYDRIDE</u> for synthesis 97%	123-62-6	500 ml	1593	5 lt	13905
P 2611	<u>PROPIONIC ANHYDRIDE</u> puriss 97%+	123-62-6	500 ml	2502	1 lt	4905
P 2613	<u>PROPIONITRILE</u> puriss 99%	107-12-0	100 ml	1305	1 lt	9009
P 2615	<u>PROPIONYL CHLORIDE</u> for synthesis 99%	79-03-8	100 ml	603	500 ml	1791
P 2625	<u>PROPIOPHENONE</u> for synthesis 99% (End user certificate required)	93-55-0	500 gm	POR	5 lt	POR
P 2628	<u>n-PROPYL ACETATE</u> for synthesis 98%	109-60-4	500 ml	423	5 lt	1908
P 2630	<u>n-PROPYLAMINE</u> for synthesis 98%	107-10-8			500 ml	891
P 2631	<u>n-PROPYLAMINE</u> GR 99%	107-10-8			500 ml	1305
P 2634	<u>2-PROPYLANILINE</u> 97%	1821-39-2			5 gm	9603
P 2633	<u>4-PROPYLANILINE</u> 98%	2696-84-6	1 gm	3996	5 gm	12069
P 2629	<u>n-PROPYL BENZENE</u> 98%	103-65-1			100 ml	3996
P 2635	<u>n-PROPYL BROMIDE</u> for synthesis 99%	106-94-5	500 ml	1989	5 lt	18099
P 2637	<u>n-PROPYL BROMIDE</u> puriss 99%+	106-94-5	250 ml	1692	1 lt	6390
P 2638	<u>PROPYLENE CARBONATE</u> for synthesis 99%	108-32-7	500 ml	891	5 lt	8001
P 2641	<u>PROPYLENE CARBONATE</u> puriss 99%+	108-32-7	500 ml	3402	1 lt	5679
P 2639	<u>PROPYLENE CARBONATE</u> , for HPLC, 99.7%	108-32-7			1 lt	5904
P 2642	<u>PROPYLENE DIAMINE</u> for synthesis 98%	78-90-0			250 ml	5679
P 2644	<u>PROPYLENE GLYCOL</u> for synthesis 99%	57-55-6	500 ml	864	5 lt	7308
P 2645	<u>PROPYLENE GLYCOL</u> GR 99%+	57-55-6	500 ml	927	5 lt	7839
P 2657	<u>PROPYLENE OXIDE</u> puriss GR 99%+	75-56-9	100 ml	3249	1 lt	9459
P 2665	<u>PROPYL GALLATE</u> for synthesis 98%	121-79-9	100 gm	999	250 gm	2106
			500 gm	3897	5 kg	37089
P 2675	<u>PROPYL-4-HYDROXY BENZOATE</u> for synthesis 99%	94-13-3	500 gm	1791	5 kg	14904
P 2676	<u>PROPYL-4-HYDROXY BENZOATE SODIUM</u> for synthesis 99%	35285-69-9	500 gm	2080	5 kg	18909

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2685	<u>n-PROPYL IODIDE</u> (1-iodopropane) for synthesis 99%	107-08-4	50 ml	2493	100 ml	3897
P 2584	<u>PROPYL ISOVALERATE</u> , natural $\geq 98\%$	557-00-6	100 gm	7992	500 gm	27009
					1 kg	37503
P 2695	<u>iso-PROPYL MYRISTATE</u> for synthesis 99%	110-27-0	500 ml	666	5 lt	5859
P 2695a	<u>PROTAMINE SULPHATE</u> puriss	9009-65-8	1 gm	3069	5 gm	12069
P 2696	<u>PROTEOSE PEPTONE</u> culture media ingredient	100209-45-8	500 gm	1485	5 kg	12906
P 2700	<u>PROTocatechuic ACID</u> for synthesis 98%	99-50-3	10 gm	1269	25 gm	2205
	(3,4-DIHYDROXYBENZOIC ACID)		100 gm	7749	500 gm	34002
P 2701	<u>PRUSSIAN BLUE</u> for microscopy	14038-43-8	10 gm	1305	25 gm	1818
P 2702 *	<u>PTEROSTILBENE</u> 97%	537-42-8	10 mg	3006	100 mg	13905
			1 gm	27909	5 gm	63099
P 5969 *	<u>PTEROSTILBENE</u> , 99%	537-42-8	10 mg	24003	1 gm	80919
P 8525	<u>PT(II) meso-TETRA(PENTAFLUOROPHENYL)PORPHINE</u> 98%	109781-47-7	250 mg	39069	1 gm	150939
P 2704	<u>PUMICE STONE</u> powder 250-300 mesh	1332-09-8	500 gm	207	5 kg	1980
P 2705	<u>PUMICE STONE</u> for elementary analysis	1332-09-8	500 gm	1305	5 kg	10602
P 2707	<u>PURINE</u> 98%	120-73-0	100 mg	3402	1 gm	18909
			5 gm	63009	10 gm	96039
P 2706 *	<u>PUROMYCINE DIHYDROCHLORIDE</u> from Streptomyces alboniger	58-58-2			10 mg	4806
P 2708	<u>PYBO</u> GR 99%	128625-52-5	1 gm	648	5 gm	1980
					25 gm	8991
P 2715	<u>PYRIDINE</u> for synthesis 98%	110-86-1	500 ml	747	5 lt	6903
P 2717	<u>PYRIDINE</u> GR 99%+	110-86-1	500 ml	846	5 lt	7659
P 2718	<u>PYRIDINE</u> for HPLC 99%+	110-86-1	500 ml	1089	5 lt	9819
P 2719	<u>PYRIDINE</u> anhydrous, 99.8%	110-86-1	100 ml	5067	250 ml	17505
					1 lt	19035
P 2721	<u>PYRIDINE 2:6 DICARBOXYLIC ACID</u> for synthesis 98%	499-83-2	100 gm	2808	500 gm	9972
P 9321	<u>2,6-PYRIDINEDICARBONITRILE</u> , 97%+	2893-33-6	1 gm	4608	5 gm	15309
P 2733	<u>PYRIDINE-N-OXIDE</u> for synthesis 95%+	694-59-7			100 gm	5904
P 2730	<u>PYRIDINIUM CHLOROCHROMATE</u> 98% for synthesis	26299-14-9	100 gm	1242	500 gm	5193
P 2731	<u>PYRIDINIUM DICHROMATE</u> puriss 98%	20039-37-6	25 gm	567	100 gm	1782
P 2732	<u>PYRIDINIUM p-TOLUENE SULPHONATE</u> for synthesis 98%+	24057-28-1	25 gm	450	100 gm	1494
P 2722	<u>PYRIDOXAL HYDROCHLORIDE</u> for biochemistry 99%+	65-22-5	1 gm	1602	5 gm	3402
P 2726	<u>PYRIDOXAL 5-PHOSPHATE</u> for biochemistry 99%+	54-47-7	1 gm	6093	5 gm	19809
P 2728	<u>PYRIDOXAL 5'-PHOSPHATE</u> monohydrate 98%+	41468-25-1			1 gm	963
			5 gm	4401	25 gm	14004
P 2723	<u>PYRIDOXAMINE HYDROCHLORIDE</u> for biochemistry 99%+	524-36-7	1 gm	2088	5 gm	4194
					25 gm	12699
P 2724 *	<u>PYRIDOXOL HYDROCHLORIDE</u> for biochemistry 99%+	- - - -			5 gm	1602
P 2725 *	<u>PYRIDOXINE HYDROCHLORIDE</u> for biochemistry 99%+	58-56-0	10 gm	216	25 gm	486
					100 gm	1782
P 2737	<u>3-(2-PYRIDYL)-5-6-DIPHENYL-1,2,4-TRIAZINE</u> GR 99%	1046-56-6	1 gm	2592	5 gm	12492
P 2747	<u>3-(2-PYRIDYL)-5-6-DIPHENYL-1,2,4-TRIAZINE</u> , <u>4,4, DISULPHONIC ACID DI SODIUM SALT</u> GR 99%+ (reagent for iron) (PDT Sulphonate)	28048-33-1	1 gm	4194	5 gm	18891
P 2729 *	<u>4(3H)-PYRIMIDNONE</u> 98%	4562-27-0	1 gm	1701	5 gm	5805
P 2755	<u>PYROCATECHOL</u> for synthesis 99%	120-80-9	100 gm	432	500 gm	1188
					5 kg	9603
P 2757	<u>PYROCATECHOL</u> GR 99%+	120-80-9	25 gm	297	100 gm	837
			500 gm	3969	5 kg	33039
P 2767	<u>PYROCATECHOL VIOLET</u> GR indicator	115-41-3	1 gm	990	5 gm	3969

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
P 2775	<u>PYROGALLOL</u> for synthesis 99%	87-66-1	100 gm	1809	500 gm 5 kg	8793 79029
P 2777	<u>PYROGALLOL</u> GR 99%+	87-66-1	100 gm	1971	500 gm 1 kg	9459 18009
P 2787	<u>PYROGALLOL RED</u> GR metal indicator	32638-88-3	1 gm	918	5 gm	4005
P 2790	<u>L-PYROGLUTAMIC ACID</u> for biochemistry 99%	98-79-3	25 gm 500 gm	486 6012	100 gm 1 kg	1341 10602
P 2795	<u>PYROMELLITIC DIANHYDRIDE</u> for synthesis 98%	89-32-7	100 gm	1242	500 gm	5994
P 2805	<u>PYRONINE-B</u> (C.I. No. 45010) for microscopy	2150-48-3			5 gm	1638
P 2815	<u>PYRONIN G(Y)</u> (C.I. No 45005) for microscopy	92-32-0			5 gm	2196
P 2825	<u>PYRROLE</u> for synthesis 99%	109-97-7	25 ml	1494	100 ml 500 ml	5094 17919
P 2830	<u>PYRROLE-2-CARBOXYLIC ACID</u> 97%	634-97-9	5 gm	3195	25 gm 100 gm	11979 48609
P 2837	<u>PYRROLIDINE</u> GR 99%+	123-75-1	100 ml	990	500 ml	3069
P 2840	<u>2-PYRROLIDINO ETHANOL</u> for synthesis 99%	2955-88-6			250 gm	6399
P 2842	<u>2-PYRROLIDINONE</u> puriss 98%	616-45-5	500 ml	1701	5 lt	15065
P 2845	<u>PYRUVIC ACID</u> for synthesis 99%	127-17-3	100 ml	3501	500 ml	15003
Q 1205	<u>QUARTZ</u> powder	14808-60-7	500 gm	702	1 kg	1179
Q 1207	<u>QUARTZ</u> fine granular GR	14808-60-7	250 gm	585	1 kg	2169
Q 1208a	<u>QUARTZ</u> very fine granular GR	14808-60-7	250 gm	891	1 kg	2709
Q 1208	<u>QUERCETIN</u> for synthesis 98% (dihydrate)	6151-25-3	1 gm 10 gm 100 gm	144 1008 4491	5 gm 25 gm 500 gm	603 1188 19908
Q 1209	<u>QUINALDINE</u> for synthesis 90%	91-63-4	100 ml	1719	500 ml	7902
Q 1210	<u>QUINALDINE RED</u> GR indicator	117-92-0	1 gm	1323	5 gm	5193
Q 2711	<u>QUINALDINIC ACID</u> GR 98%+	93-10-7	1 gm 10 gm	1008 2790	5 gm 25 gm	2007 5994
Q 1218	<u>QUINALIZARIN</u> pract grade	81-61-8	1 gm 10 gm	3708 15903	5 gm 25 gm	8199 34902
Q 1217	<u>QUINALIZARIN</u> for microscopy GR 90%	81-61-8	1 gm	18099	5 gm	27099
Q 1216	<u>QUINALIZARIN</u> , ≥95% (HPLC)	81-61-8	5 mg	12006	25 mg	45090
Q 1220	<u>QUINACRINE HYDROCHLORIDE</u> 90%	69-05-6	25 gm	12006	5 gm 100 gm	3969 33003
Q 1219	<u>QUINACRINE HYDROCHLORIDE</u> for synthesis 99%	69-05-6	5 gm	5904	25 gm	11079
Q 1227	<u>QUINHYDRONE</u> GR	106-34-3	25 gm	891	100 gm 500 gm	1287 5994
Q 1235	<u>QUINIC ACID</u> for synthesis 99%	77-95-2	5 gm	1791	25 gm	5805
Q 1247	<u>QUININE SULPHATE</u> GR 99%+	207671-44-1	25 gm	1188	100 gm	4509
Q 1250	<u>QUINIZARINE</u> for synthesis	81-64-1	25 gm	1206	100 gm	3105
Q 1255	<u>QUINOLINE</u> for synthesis 97%	91-22-5	500 ml	1890	5 lt	17919
Q 1256	<u>QUINOLINE</u> puriss 98%+	91-22-5			1 lt	10602
Q 1254	<u>QUINOLINE-4-CARBOXYLIC ACID</u> for synthesis	486-74-8	1 gm	3240	5 gm	11907
Q 1257	<u>QUINOLINE YELLOW</u> for microscopy (C.I.No.47005)	8004-92-0	25 gm	792	100 gm	3069
Q 1265	<u>QUINOLINIC ACID</u> for synthesis	89-00-9	5 gm 100 gm	405 1791	25 gm 500 gm	990 7191
Q 0162	<u>QUINUCLIDINE</u> , 97%	100-76-5	1 gm	7659	5 gm	29403
R 0639	<u>RADA-16 PEPTIDE</u>	-----	100 mg	144099	1 gm	430922
R 1205	<u>RAFFINOSE</u> for biochemistry 99%+	17629-30-0	5 gm	405	10 gm	684

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
			25 gm	1539	100 gm	5769
					500 gm	24309
R 1210 ✱	<u>RAPAMYCIN</u> from <u>Streptomyces hygroscopicus</u>	53123-88-9	1 mg	33039	5 mg	130059
R 1211	<u>RAPESEED OIL</u> , from <u>Brassica rapa natural</u>	8002-13-9	100 ml	2709	500 ml	7002
R 1227 ☐	<u>RESAZURIN GR indicator</u>	62758-13-8	1 gm	1341	5 gm	5949
R 1237 ☐	<u>RESAZURIN SODIUM SALT GR indicator</u>	62758-13-8	1 gm	1341	5 gm	5949
R 1238	<u>RESAZURIN tablets</u>	- - - -	10 tabs	2601	100 tabs	19089
R 1245	<u>RESERPINE puriss 99%</u>	50-55-5	1 gm	3294	5 gm	15939
R 1250	<u>β-RESOURCYLALDEHYDE</u> for synthesis 98%	95-01-2			25 gm	4005
R 1255 ☐	<u>RESORCINOL</u> for synthesis 99%	108-46-3	250 gm	2385	500 gm	4590
R 1257 ☐	<u>RESORCINOL GR 99%+</u>	108-46-3	100 gm	1089	500 gm	5193
R 1256	<u>RESORCINOL DIMETHYL ETHER</u> for synthesis 98%	151-10-0			100 gm	1692
R 1259 ✱	<u>RESVERATROL</u> , 98%+	501-36-0	1 gm	4095	5 gm	9603
					25 gm	24003
R 1258 ✱	<u>RESVERATROL</u> for biochemistry 99%+	501-36-0	100 mg	2403	500 mg	3006
			1 gm	4302	5 gm	12006
			25 gm	32004	100 gm	60903
R 4303 ✱	<u>RETINOIC ACID 93%</u>	302-79-4	1 gm	8892	5 gm	19089
R 4331 ✱	<u>RETINOIC ACID 98%+</u>	302-79-4	100 mg	3069	500 mg	9603
R 0594	<u>RHENIUM</u> foil, 0.1 mm thick, 99.98%	7440-15-5	25 x 25 mm	35091	50 x 50 mm	96003
R 1260	<u>RHENIUM</u> foil, 0.25 mm, thick 99.97% (metals basis)	7440-15-5	25 x 25 mm	76005	50 x 50 mm	216009
R 0603	<u>RHENIUM</u> rod, 1.5 mm dia, 99.98%	7440-15-5			15 mm	81009
R 0612	<u>RHENIUM</u> rod, 3 mm dia, 99.98%	7440-15-5			15 mm	97029
R 0099	<u>RHENIUM</u> powder -22 mesh 99.999%	7440-15-5	1 gm	7992	5 gm	30906
R 1036	<u>RHENIUM</u> powder, -100 mesh, 99.9%	7440-15-5	1 gm	6804	5 gm	21006
					25 gm	59049
R 0096	<u>RHENIUM</u> powder, -200 mesh, 99.95%	7440-15-5	1 gm	6399	5 gm	28089
R 1261	<u>RHENIUM (V)CHLORIDE puriss 99.9%</u>	13596-35-5	1 gm	22005	2 gm	41004
R 3012	<u>RHENIUM(VII) OXIDE</u> , ≥99.9%	1314-68-7	1 gm	11601	5 gm	39006
R 1265 ☐	<u>L-RHAMNOSE</u> for biochemistry 99%	10030-85-0	5 gm	486	25 gm	2007
					100 gm	7659
R 1267 ☐	<u>RHODAMINE B GR</u> for biochemistry (C.I. No. 45170)	81-88-9	25 gm	288	100 gm	891
					1 kg	7308
R 3062 ☐	<u>RHODAMINE B ≥95% (HPLC)</u>	81-88-9	25 gm	2403	100 gm	3204
					500 gm	12707
R 3068 ☐	<u>RHODAMINE B</u> for fluorescence	81-88-9			1 gm	5409
R 1264	<u>RHODAMINE C</u>	- - - -			25 gm	1989
R 1275 ☐	<u>RHODAMINE 6G</u> (C.I. No. 45160)	989-38-8	5 gm	396	25 gm	1143
			100 gm	2979	1 kg	25092
R 3087 ☐	<u>RHODAMINE 6G</u> dye content, 99%	989-38-8	250 mg	3303	1 gm	9504
R 1276 ✱	<u>RHODAMINE B iso-THIOCYANATE</u> for biochemistry & microscopy	36877-69-7	100 mg	10908	1 gm	52002
R 1278	<u>RHODINOL</u> for synthesis	6812-78-8			500 gm	3969
R 1279	<u>RHODINYL ACETATE</u> for synthesis	5503-41-3			500 gm	13905
R 1280	<u>RHODINYL BUTYRATE</u> for synthesis	141-15-1			500 gm	11079
R 1281	<u>RHODINYL FORMATE</u> for synthesis	141-09-3			500 gm	13005
R 1282	<u>RHODINYL PHENYL ACETATE</u> for synthesis	10486-14-3			500 gm	12069
R 8916	<u>RHODIUM</u> ingots, 99.99%	7440-16-6	500 mg	240039	1 gm	340929
R 1284	<u>RHODIUM</u> powder, 99%+	7440-16-6			1 gm	315009
R 0474	<u>RHODIUM</u> powder, -325 mesh, 99.95% (metals basis)	7440-16-6	500 mg	198009	1 gm	350919

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
R 0169	<u>RHODIUM ON ACTIVATED ALUMINA</u> , 5%	7440-16-6	1 gm	24003	5 gm	130509
R 0080	<u>RHODIUM ON CARBON</u> 5% for synthesis	7440-16-6	1 gm	21402	5 gm	107001
R 0912	<u>RHODIUM(III) NITRATE</u> , hydrate, ~36% rhodium (Rh) basis	10139-58-9			1 gm	117009
R 6936	<u>RHODIUM(III) OXIDE</u> , anhydrous, 99.9%	12036-35-0	500 mg	86409	1 gm	159039
R 1285	<u>RHODIUM TRICHLORIDE</u> puriss (app. 40% Rh)	20765-98-4	250 mg	13005	1 gm	50409
R 0162	<u>RHODIUM TRICHLORIDE</u> (hydrate) crystalline, 99.9%	20765-98-4	250 mg	17109	1 gm	72009
R 1295	<u>RIBOFLAVIN</u> for biochemistry 99%	83-88-5	5 gm	216	10 gm	306
			25 gm	711	100 gm	2709
					500 gm	12807
R 1305	<u>RIBOFLAVINE-5'-PHOSPHATE DISODIUM SALT</u> for biochemistry	130-40-5	5 gm	180	25 gm	621
R 1307	<u>β-D-RIBOFURANOSE 1,2,3,5-TETRAACETATE</u> 98%	13035-61-5	5 gm	2403	25 gm	8199
R 1315	<u>RIBONUCLEIC ACID</u> for biochemistry (RNA)	63231-63-0	10 gm	981	25 gm	1656
					100 gm	6399
R 1317	<u>RIBONUCLEIC ACID</u> spezial, for biochemistry, GR	63231-63-0	10 gm	1395	25 gm	2709
R 1316	<u>RIBONUCLEIC ACID</u> from baker's yeast (<i>S. cerevisiae</i>) Type III	63231-63-0			100 mg	12006
R 1318	<u>RIBONUCLEIC ACID SODIUM SALT</u> for biochemistry	66082-38-0	10 gm	1809	25 gm	4095
					100 gm	13905
R 1325	<u>D-RIBOSE</u> for biochemistry 99%	50-69-1	5 gm	288	25 gm	504
			100 gm	1404	500 gm	6003
R 1330	<u>L-RIBOSE</u> for biochemistry 98%	24259-59-4	1 gm	3879	5 gm	9639
					25 gm	16092
R 1335	<u>RICE STARCH</u>	9005-25-8	500 gm	198	5 kg	1791
R 1340	<u>RIFAMPICIN</u> for biochemistry 99%	13292-46-1	1 gm	675	5 gm	3105
R 1341	<u>RINGER's solution</u>	-----	100 ml	243	500 ml	1071
R 2018	<u>RIPA Buffer</u>	-----	50 ml	6219	500 ml	53109
R 1343	<u>ROBERT's solution</u>	-----	125 ml	342	250 ml	540
R 0681	<u>ROCKPHOS</u> 98%	1262046-34-3	250 mg	58805	1 gm	135099
R 1345	<u>ROSANILINE HYDROCHORIDE</u> for microscopy (C.I. 42510)	569-61-9	10 gm	720	25 gm	1089
					100 gm	3969
R 1346	<u>ROSE ABSOLUTE</u> , Moroccan	8007-01-0	25 gm	27909	100 gm	86049
R 1348	<u>ROSE CRYSTALS</u> pure	-----			500 gm	1305
R 1357	<u>ROSE BENGAL</u> GR indicator (C.I.45440)	632-69-9	5 gm	387	25 gm	1395
			100 gm	4959	500 gm	21609
R 3554	<u>ROSE BENGAL</u> dye content, 95 %	632-69-9			1 gm	5706
R 0921	<u>ROSEMARY OIL</u>	8000-25-7	100 gm	5067	1 kg	11808
R 1349	<u>ROSE OIL</u> , Turkish	8007-01-0			25 gm	7659
R 1358	<u>p-ROSOLIC ACID</u> for microscopy (C.I.No 43800)	603-45-2	25 gm	783	100 gm	2943
R 1367	<u>ROTUNDINE</u> 99%	10097-84-4	100 mg	2619	1 gm	5679
R 1362	<u>RUBIDIUM BROMIDE</u> GR 99%+	7789-39-1	5 gm	3969	25 gm	13878
R 1359	<u>RUBIDIUM CARBONATE</u> 99%	584-09-8			5 gm	2608
			10 gm	4419	50 gm	20709
R 1399	<u>RUBIDIUM CARBONATE</u> 99.98%	584-09-8			1 gm	2691
			5 gm	9909	25 gm	35199
R 1360	<u>RUBIDIUM CHLORIDE</u> GR 99.5%	7791-11-9	5 gm	3366	25 gm	11601
R 1363	<u>RUBIDIUM IODIDE</u> GR 99%+	7790-29-6	5 gm	5949	25 gm	POR
R 0121	<u>RUBIDIUM NITRATE</u> , 99.8%	13126-12-0	10 gm	7407	50 gm	25605
R 1364	<u>RUBIDIUM SULPHATE</u> GR 99%+	7488-54-2	5 gm	2493	25 gm	10989
RS8001	<u>RUBY SPHERE</u> dia 3.50 mm	1344-28-1	5 pcs	7902	25 pcs	31005
					100 pcs	96003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
RS8010	<u>RUBY SPHERE</u> dia 1.00 mm	1344-28-1	5 pcs	4302	25 pcs 100 pcs	16902 43002
RS8019	<u>RUBY SPHERE</u> dia 0.75 mm	1344-28-1	5 pcs	3204	25 pcs 100 pcs	13905 22905
RS8027	<u>RUBY SPHERE</u> dia 3.00 mm	1344-28-1	5 pcs	5004	25 pcs 100 pcs	30069 98019
RS8036	<u>RUBY SPHERE</u> dia 1.25 mm	1344-28-1	5 pcs	3402	25 pcs 100 pcs	12609 39006
RS8045	<u>RUBY SPHERE</u> dia 4.00 mm	1344-28-1	2 pcs	5103	10 pcs 50 pcs	17001 69003
RS8054	<u>RUBY SPHERE</u> dia 3.18 mm (1/8in)	1344-28-1	5 pcs	4392	25 pcs 100 pcs	16902 53019
RS8063	<u>RUBY SPHERE</u> dia 2.38 mm (3/32in)	1344-28-1	5 pcs	4608	25 pcs 100 pcs	16902 53019
RS8072	<u>RUBY SPHERE</u> dia 1.75 mm	1344-28-1	5 pcs	4689	25 pcs 100 pcs	16902 50607
RS8081	<u>RUBY SPHERE</u> dia 2.50 mm	1344-28-1	5 pcs	7002	25 pcs 100 pcs	23904 77094
RS8090	<u>RUBY SPHERE</u> dia 0.50 mm	1344-28-1	5 pcs	6003	25 pcs 100 pcs	21609 60039
RS8091	<u>RUBY SPHERE</u> dia 4.76 mm (3/16in)	1344-28-1	2 pcs	6516	10 pcs 50 pcs	26199 96003
RS8092	<u>RUBY SPHERE</u> dia 1.59 mm (1/16in)	1344-28-1	5 pcs	4419	25 pcs 100 pcs	19809 56007
RS8100	<u>RUBY SPHERE</u> dia 1.50 mm	1344-28-1	5 pcs	4707	25 pcs 100 pcs	17649 53001
RS8109	<u>RUBY SPHERE</u> dia 2.00 mm	1344-28-1	5 pcs	6003	25 pcs 100 pcs	23004 61606
RS8118	<u>RUBY SPHERE</u> dia 5.00 mm	1344-28-1	2 pcs	8802	10 pcs 50 pcs	26199 102069
RS8127	<u>RUBY SPHERE</u> dia 0.25 mm	1344-28-1	25 pcs	13608	100 pcs	43902
RS8136	<u>RUBY SPHERE</u> dia 1.19 mm (3/64 in)	1344-28-1	5 pcs	4509	25 pcs 100 pcs	20601 59004
RS8711	<u>RUBY, SYNTHETIC</u> , 99+% (incl. ~0.5% Cr) dia < 0.4 mm	1344-28-1	10 pc	7929	50 pc	39069
RS8712	<u>RUBY, SYNTHETIC</u> , 99+% (incl. ~0.5% Cr) dia 1.5 mm	1344-28-1	10 pc	8604	50 pc	38079
R 1377 ✱	<u>RUTAECARPINE</u> 98%	84-26-4	5 mg	11709	25 mg	46008
R 1366 ✱	<u>RUTHENIUM</u> powder 99.9%	7440-18-8			1 gm	7902
R 1035	<u>RUTHENIUM</u> powder, -325 mesh, 99.9%	7440-18-8	1 gm	8604	10 gm	70605
R 0270	<u>RUTHENIUM</u> 5% on activated charcoal	-----	1 gm	1305	5 gm	5004
R 0036	<u>RUTHENIUM</u> 10% on activated charcoal	-----	1 gm	1971	5 gm	7605
R 1361	<u>RUTHENIUM DIOXIDE</u> anhydrous 99%	12036-10-1	1 gm	4302	5 gm	15039
R 0027	<u>RUTHENIUM DIOXIDE</u> anhydrous 99.9%	12036-10-1	1 gm	5409	5 gm	24039
R 1370	<u>RUTHENIUM (III) NITROSYL NITRATE</u> solution Ru 1.5% w/v	34513-98-9	25 ml 250 ml	10503 68049	50 ml 1 lt	17001 220059
R 1365 ✱ ☐	<u>RUTHENIUM RED</u> for microscopy 99%	11103-72-3	1 gm	3789	5 gm 100 mg	17919 1008
R 1375 ✱	<u>RUTHENIUM TRICHLORIDE</u> puriss (39%Ru)	13815-94-6	1 gm	3096	10 gm	27909
R 1380	<u>RUTIN</u> for biochemistry	250249-75-3	25 gm	684	100 gm	2592
S 1204 ☐	<u>SACCHARINE INSOLUBLE</u> for synthesis 99%	81-07-2	500 gm	2682	5 kg	24003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1205	<u>SACCHARIN SODIUM</u> for synthesis 98%	82385-42-0	500 gm	2583	5 kg	22905
S 1210	<u>SAFFLOWER SEED OIL</u> , from Carthamus tinctorius seed	8001-23-8	500 ml	17001	1 lt	18504
S 1215	<u>SAFRANINE</u> for microscopy (C.I. No. 50240)	477-73-6	25 gm	657	100 gm	2349
					1 kg	22905
S 1216	<u>SAFRANINE</u> solution for microscopical staining	477-73-6	125 ml	171	500 ml	639
S 1217	<u>SAFRANINE</u> aqueous solution 0.1%	477-73-6	125 ml	81	250 ml	162
S 1225	<u>SALICIN</u> for microbiology 99%	138-52-3	1 gm	531	5 gm	1483
			10 gm	2709	25 gm	6003
			100 gm	22095	500 gm	POR
S 1235	<u>SALICYLALDEHYDE</u> for synthesis 99%	90-02-8	100 ml	693	250 ml	1584
					500 ml	3006
S 1237	<u>SALICYLALDEHYDE</u> GR 99%+	90-02-8	100 ml	891	250 ml	2106
S 1240	<u>SALICYLALDEHYDE AZINE</u> 97%	959-36-4	1 gm	756	5 gm	1602
			10 gm	3006	25 gm	4419
			100 gm	13059	500 gm	50049
S 1247	<u>SALICYLALDOXIME</u> GR 98%+	94-67-7	5 gm	396	25 gm	1791
					100 gm	7002
S 1255	<u>SALICYLAMIDE</u> for synthesis 99%	65-45-2	500 gm	1692	5 kg	13905
S 1260	<u>SALICYLHYDRAZIDE</u> puriss 99%	936-02-7			25 gm	2889
S 1265	<u>SALICYLIC ACID</u> for synthesis 99%	69-72-7	500 gm	873	5 kg	8469
S 1267	<u>SALICYLIC ACID</u> GR 99%+	69-72-7	250 gm	486	500 gm	792
					5 kg	7929
S 1268	<u>SALMINE SULPHATE</u> for biochemistry	53597-25-4	1 gm	2403	5 gm	6669
					25 gm	18018
S 0634	<u>SALANNIN</u> 98%	992-20-1			5 mg	153909
S 1270	<u>SAMARIUM</u> pieces 99.9%	7440-19-9	10 gm	7803	50 gm	17019
S 1150	<u>SAMARIUM(III) ACETATE</u> hydrate 99.9%	17829-86-6	25 gm	6012	100 gm	23004
S 1155	<u>SAMARIUM BORIDE</u> 99.9%	12008-30-9	5 gm	POR	25 gm	POR
S 1163	<u>SAMARIUM(III) BROMIDE</u> hexahydrate 99.9%	13517-12-9	25 gm	7929	100 gm	23805
S 1165	<u>SAMARIUM(III) BROMIDE</u> hexahydrate 99.99%	13517-12-9	10 gm	4905	50 gm	18603
S 1170	<u>SAMARIUM(III) CARBONATE</u> hydrate 99.99%	38245-37-3	5 gm	1305	25 gm	5301
S 1166	<u>SAMARIUM(III) CHLORIDE</u> , hexahydrate, ≥99.95%	13465-55-9	10 gm	6102	50 gm	18099
S 1172	<u>SAMARIUM(III) CHLORIDE</u> hydrate, 99.9%	10361-82-7	25 gm	4104	100 gm	18909
S 1175	<u>SAMARIUM(III) CHLORIDE</u> puriss 99.99%	10361-82-7	5 gm	3609	25 gm	14049
					100 gm	38808
S 1173	<u>SAMARIUM(III) CHLORIDE</u> anhydrous, beads, -10 mesh, 99.99%	10361-82-7			5 gm	21006
S 1179	<u>SAMARIUM(III) FLUORIDE</u> anhydrous 99.9%	13765-24-7	25 gm	14049	100 gm	44001
S 1180	<u>SAMARIUM(III) FLUORIDE</u> anhydrous 99.99%	13765-24-7	5 gm	6903	25 gm	25002
S 1185	<u>SAMARIUM(III) HYDROXIDE</u> hydrate 99%	20403-06-9	5 gm	4905	25 gm	14004
S 0931	<u>SAMARIUM(II) IODIDE</u> , anhydrous, powder, ≥99.9%	32248-43-4	1 gm	34002	5 gm	98199
S 1188	<u>SAMARIUM(III) NITRATE</u> hexahydrate, 99.9%	13759-83-6	5 gm	1602	25 gm	4806
					100 gm	16506
S 1189	<u>SAMARIUM(III) NITRATE</u> , hexahydrate, 99.95%	13759-83-6	25 gm	5319	5 gm	1791
					100 gm	16902
S 1195	<u>SAMARIUM(III) NITRATE</u> hexahydrate, 99.99%	13759-83-6	25 gm	9207	5 gm	4203
					100 gm	36099
S 1200	<u>SAMARIUM(III) OXALATE</u> decahydrate 99.97%	14175-03-2	25 gm	10106	100 gm	37089
S 1276	<u>SAMARIUM OXIDE</u> 99%	12060-58-1	5 gm	450	10 gm	738
S 1277	<u>SAMARIUM OXIDE</u> GR 99.9%	12060-58-1	5 gm	594	10 gm	936
			25 gm	1701	500 gm	27009

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1272	<u>SAMARIUM OXIDE</u> 99.95%	12060-58-1	25 gm	1791	100 gm	6993
S 1278	<u>SAMARIUM OXIDE</u> 99.99%	12060-58-1	5 gm	1899	25 gm	8919
S 1279	<u>SAMARIUM OXIDE</u> 99.998%	12060-58-1	5 gm	5004	25 gm	17208
S 1201	<u>SAMARIUM(III) PHOSPHATE</u> hydrate 99.9%	13465-57-1	5 gm	16002	10 gm	23094
S 1202	<u>SAMARIUM(III) SULPHATE</u> octahydrate 99.9%	13465-58-2	25 gm	3456	100 gm	13059
S 1203	<u>SANDALWOOD OIL</u> , natural	8006-87-9	25 gm	26019	100 gm	86004
S 3687	<u>SANGUINARINE CHLORIDE</u> , hydrate, ≥98% (HPLC)	5578-73-4	5 mg	15903	25 mg	52506
					100 mg	160902
S 1285	<u>SAPONIN</u> purified	8047-15-2	100 gm	1783	500 gm	7182
S 1290	<u>SARCOSINE</u> for biochemistry 99%	107-97-1	100 gm	990	500 gm	4869
S 1291	<u>SCANDIUM</u> metal 99.9%	7440-20-2	250 mg	11007	1 gm	16092
S 4526	<u>SCANDIUM</u> pieces, ≤10 mm, 99.9%	7440-20-2	1 gm	18009	5 gm	67059
S 0010	<u>SCANDIUM (Sc) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN 2% HNO₃</u> traceable to NIST	- - - - -	50 ml	3447	100 ml	5517
S 1294	<u>SCANDIUM ACETATE</u> 99.99%	3804-23-7	1 gm	POR	5 gm	POR
S 1296	<u>SCANDIUM(III) CHLORIDE</u> hexahydrate 99.99%	20662-14-0	1 gm	18063	5 gm	69039
S 1289	<u>SCANDIUM(III) NITRATE</u> hydrate 99.9%	107552-14-7	1 gm	7506	5 gm	37008
S 1300	<u>SCANDIUM(III) NITRATE</u> hydrate 99.999%	107552-14-7	1 gm	13005	5 gm	56709
S 1292	<u>SCANDIUM(III) NITRATE</u> hydrate 99.99%	13465-60-6	1 gm	10062	5 gm	28008
S 1287	<u>SCANDIUM(III) NITRATE</u> hydrate 99.999%	13465-60-6	1 gm	15201	5 gm	56079
S 1288	<u>SCANDIUM OXIDE</u> 99.9%	12060-08-1	1 gm	2304	5 gm	7002
S 1293	<u>SCANDIUM OXIDE</u> GR 99.99%	12060-08-1	1 gm	2493	5 gm	7902
S 1299	<u>SCANDIUM OXIDE</u> 99.999%	12060-08-1	1 gm	9603	5 gm	32004
S 1295	<u>SCHIFF'S REAGENT</u> for detection of aldehydes	- - - - -			500 ml	423
S 1301	<u>SCLAREOL</u> 98%	515-03-7	1 gm	6705	5 gm	30006
S 3356	<u>SCOPOLETIN</u> , ≥99%	92-61-5	50 mg	9603	100 mg	16506
			500 mg	65907	1 gm	95004
S 1305	<u>SEA SAND</u> purified	7631-86-9	1 kg	1989	5 kg	9009
S 1307	<u>SEA SAND</u> GR purified by acid and calcined	7631-86-9	250 gm	1008	500 gm	1602
					1 kg	2979
S 1311	<u>SEBACIC ACID</u> for synthesis 98%	111-20-6	500 gm	1449	5 kg	11502
S 1312	<u>SELENIC ACID</u> for synthesis 98%	7783-08-6	25 ml	8307	100 ml	17019
S 1325	<u>SELENIUM</u> pellets 99.999% (electronic grade)	7782-49-2	25 gm	2088	100 gm	7191
S 1315	<u>SELENIUM</u> powder 99%	7782-49-2	100 gm	2979	500 gm	12906
S 1317	<u>SELENIUM</u> powder black GR 99%+	7782-49-2	25 gm	837	100 gm	3159
					500 gm	14004
S 3930	<u>SELENIUM</u> powder 99.5%	7782-49-2	5 gm	1008	50 gm	1908
					250 gm	7407
S 3501	<u>SELENIUM</u> powder, -200mesh, 99.999% (metals basis)	7782-49-2	50 gm	12402	250 gm	31401
S 0342	<u>SELENIUM</u> shot, 2-6 mm, 99.999%	7782-49-2	50 gm	7704	250 gm	30807
					1 kg	96039
S 1335	<u>SELENIUM DIOXIDE</u> (sublimed) for synthesis 99%	7446-08-4	100 gm	2979	500 gm	13492
					1 kg	25092
S 3671	<u>SELENIUM DIOXIDE</u> ≥99.9% trace metals basis	7446-08-4	5 gm	3006	25 gm	5904
S 1345	<u>SELENOUS ACID</u> for synthesis 98%	7783-00-8	25 gm	1062	100 gm	2979
					500 gm	13905
S 1350	<u>SELENIUM SULPHIDE</u> for synthesis	7488-56-4	100 gm	3006	250 gm	6903
S 1353	<u>SELIWANOFF'S</u> reagent	- - - - -			125 ml	189
S 1356	<u>SEMICARBAZIDE HYDROCHLORIDE</u> for synthesis 98%	563-41-7	100 gm	585	500 gm	2790
					5 kg	24003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1357	<u>SEMICARBAZIDE HYDROCHLORIDE</u> GR 99%+	563-41-7	100 gm	666	500 gm	2907
					5 kg	27009
S 1364	<u>D-SERINE</u> for biochemistry 99%	312-84-5	1 gm	288	5 gm	693
					25 gm	1989
S 1366	<u>DL-SERINE</u> for biochemistry 99%+	302-84-1	5 gm	306	25 gm	891
			100 gm	2979	1 kg	27009
S 1365	<u>L-SERINE</u> for biochemistry 99%+	56-45-1	5 gm	144	25 gm	540
			100 gm	1791	500 gm	8001
S 1367a	<u>L-SERINE METHYL ESTER HYDROCHLORIDE</u> for biochemistry 99%	5680-80-8	5 gm	891	25 gm	3942
					100 gm	10701
S 0256	<u>SEROTONIN</u> , 98%	50-67-9			25 mg	8289
S 1368	<u>SEROTININE CREATININE SULPHATE</u> for biochemistry	971-74-4			1 gm	13509
S 1361	<u>SESAMIN</u> ≥95%, crystalline	607-80-7	10 mg	4005	50 mg	9063
			100 mg	12006	1 gm	96003
S 1362	<u>SESAME OIL</u> , delivery vehicle for fat-soluble compounds	8008-74-0	250 ml	12006	1 lt	20079
S 1363	<u>SESAME OIL</u> , from Sesamum indicum	8008-74-0	250 ml	9909	1 lt	12609
S 1367	<u>SHELLAC</u> flakes	9000-59-3	500 gm	1836	5 kg	15903
S 1372	<u>SHIKIMIC ACID</u> 98% for biochemistry	138-59-0	250 mg	1989	1 gm	6903
			5 gm	16002	100 gm	60903
S 1369	<u>SHORR'S</u> staining solution	-----	125 ml	153	500 ml	531
S 1370	<u>SESAMOL</u> for synthesis 98%	533-31-3	5 gm	1602	10 gm	3006
			50 gm	11079	250 gm	36099
S 1371	<u>SILIBININ</u> ≥98% (HPLC)	22888-70-6			1 gm	2007
			10 gm	7002	25 gm	9171
S 1373	<u>SILICA</u> fumed fine powder	-----	500 gm	459	5 kg	4032
S 1374	<u>SILICA</u> powder precipitated	-----	500 gm	405	5 kg	3303
S 1375	<u>SILICA GEL SELF-INDICATING</u> (coarse) blue (5-8-mesh)	112926-00-8			500 gm	414
			1 kg	783	5 kg	3789
S 1376	<u>SILICA GEL SELF-INDICATING</u> (6-20-mesh) blue	112926-00-8			500 gm	405
			1 kg	738	5 kg	3519
S 1378	<u>SILICA GEL</u> white	112926-00-8	500 gm	396	5 kg	3492
S 1385	<u>SILICA GEL 60-120 MESH</u> for column chromatography	112926-00-8	500 gm	576	5 kg	5013
S 1386	<u>SILICA GEL 100-200 MESH</u> for general chromatographic use	112926-00-8	500 gm	612	5 kg	5508
S 1388	<u>SILICA GEL 60-200 MESH</u> for column chromaography	112926-00-8	500 gm	711	5 kg	6390
S 1389	<u>SILICA GEL 200-400 MESH</u> for column chromatography	112926-00-8	500 gm	756	5 kg	6804
S 1391	<u>SILICA GEL 230-400 MESH</u> for flash chromatography	112926-00-8	500 gm	594	5 kg	5724
S 1390	<u>SILICA GEL 400-700 MESH</u> for column chromatography	112926-00-8	500 gm	783	5 kg	6912
S 1395	<u>SILICA GEL G</u> for TLC	112926-00-8	250 gm	360	500 gm	639
			1 kg	1179	5 kg	4959
S 1396	<u>SILICA GEL GF-254</u> for TLC	112926-00-8	500 gm	3690	5 kg	30609
S 1405	<u>SILICA GEL H</u> for TLC	112926-00-8	500 gm	594	5 kg	5103
S 1415	<u>SILICA GEL HF-254</u> for TLC	112926-00-8	500 gm	3591	5 kg	30906
S 1420	<u>SILICA GEL ORANGE</u> particle size 2-5 mm	112926-00-8	500 gm	2808	1 kg	5013
S 1425	<u>SILICIC ACID</u> precipitated dried	1343-98-2	500 gm	423	5 kg	3807
S 1435	<u>SILICIC ACID</u> 100-200 MESH for LIPID CHROMATOGRAPHY	1343-98-2			500 gm	1989
S 1436	<u>SILICIC ACID</u> for use in LIPID CHROMATOGRAPHY (NARROW RANGE BELOW 325)	1343-98-2	250 gm	1188	500 gm	2169
S 1446	<u>SILICON</u> , chips 3 -10 mm, 99.9%+	7440-21-3	25 gm	2907	100 gm	9459

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1450	<u>SILICON</u> pieces 99.999%	7440-21-3	5 gm	1305	500 gm	29709
			25 gm	3609	10 gm	1989
S 1445	<u>SILICON</u> powder 98.5%	7440-21-3	100 gm	315	100 gm	9639
					5 kg	1395
S 6716	<u>SILICON</u> powder, -325 mesh, 99.999%	7440-21-3	10 gm	6003	50 gm	12906
S 1451	<u>SILICON GRANULAR VIRGIN POLY FINES</u> 99.999%	7440-21-3	25 gm	2808	100 gm	8406
	~1/4 inch and down (form chunks to powder)		500 gm	33093	1 kg	60012
S 1455	<u>SILICON ANTIFOAMING AGENT</u> (non ionic)	-----	100 ml	594	500 ml	2169
			2.5 lt	4806	5 lt	8901
S 1480	<u>SILICON SPRAY</u> (heavy duty)	-----			550 ml	3006
S 1460	<u>SILICONE CARBIDE</u> 220 mesh	409-21-2	250 gm	702	1 kg	1818
S 1461	<u>SILICONE CARBIDE</u> 400 mesh	409-21-2	250 gm	837	1 kg	2106
S 1465	<u>SILICON HIGH VACUUM GREASE</u> (LAB)	-----	50 gm	423	250 gm	1809
			1 kg	4095	5 kg	17909
S 1470	<u>SILICON DIOXIDE</u> , acid washed and calcined	14808-60-7	500 gm	5805	1 kg	9009
					5 kg	34902
S 1466	<u>SILICON DIOXIDE</u> for synthesis 98%	14808-60-7	500 gm	837	1 kg	1494
					5 kg	7308
S 1469	<u>SILICON DIOXIDE</u> , 99%	14808-60-7			100 gm	6309
			500 gm	7389	1 kg	11079
S 1463	<u>SILICON DIOXIDE</u> , -325 mesh, 99.5%	14808-60-7			100 gm	7407
			250 gm	9603	1 kg	29007
S 1464	<u>SILICON DIOXIDE</u> , ≥99.9%	14808-60-7			100 gm	13005
S 1467	<u>SILICON DIOXIDE</u> 99.999%	14808-60-7	5 gm	5409	10 gm	6903
			25 gm	13905	100 gm	24003
S 1475	<u>SILICON OIL</u> for oil baths upto 250 °C	63148-62-9	100 ml	459	250 ml	1089
			1 lt	4005	2.5 lt	9459
S 1066	<u>SILICON OIL</u> (-40 to 200 °C)	63148-62-9	100 ml	1864	250 ml	2889
			1 lt	12609	5 lt	25902
S 1485	<u>SILICOTUNGSTIC ACID</u> extra pure 99%	12027-43-9	25 gm	693	100 gm	2592
			250 gm	6579	1 kg	19008
S 1487	<u>SILICOTUNGSTIC ACID</u> GR 99%+	12027-43-9	25 gm	891	100 gm	3195
					1 kg	28089
S 0477	<u>SILVER</u> (conductive paste)	7440-22-4			25 gm	29403
S 1498	<u>SILVER</u> estimation paper	7440-22-4			200 lvs	2619
S 1495	<u>SILVER</u> powder 99.9%	7440-22-4	25 gm	10349	100 gm	35919
S 1490	<u>SILVER</u> powder, spherical, -500 mesh, 99.9%	7440-22-4	10 gm	8307	50 gm	32409
					250 gm	110079
S 1496	<u>SILVER</u> wire, <1 mm thick, 99.99%	7440-22-4	5 gm	2007	25 gm	5994
S 1497	<u>SILVER WOOL</u> 'MAR' grade	7440-22-4			10 gm	17919
S 0011	<u>SILVER (Ag) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	10998	500 ml	25092
	<u>IN DILUTED HNO3</u> traceable to NIST					
S 0012	<u>SILVER (Ag) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	5490	500 ml	10908
	<u>IN DILUTED HNO3</u> traceable to NIST					
S 0013	<u>SILVER AAS STANDARD SOLUTION 1000 MG/L Ag</u>	-----	100 ml	1719	500 ml	2871
	<u>IN DILUTED HNO3</u> traceable to NIST					
S 1500	<u>SILVER ACETATE</u> extra pure 98%	563-63-3	25 gm	6939	100 gm	22905
S 1499	<u>SILVER BENZOATE</u> 99%	532-31-0	5 gm	990	10 gm	1701

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1501	<u>SILVER BROMIDE</u> extra pure 98%	7785-23-1	25 gm	7929	50 gm	7929
S 1505	<u>SILVER CARBONATE</u> extra pure 99%	534-16-7	25 gm	6903	100 gm	27009
S 1515	<u>SILVER CHLORIDE</u> extra pure 99%	7783-90-6	25 gm	6759	100 gm	25002
S 1516	<u>SILVER CHLORIDE</u> , 99.999% trace metals basis	7783-90-6	1 gm	2889	100 gm	21906
S 1520	<u>SILVER CHROMATE</u> 98%	7784-01-2	25 gm	6606	5 gm	6705
S 1527	<u>SILVER DIETHYL DITHIO CARBAMATE</u> GR 99%+	1470-61-7	25 gm	100 gm	21006	
S 1530	<u>SILVER FLUORIDE</u> GR 98%+	7775-41-9	5 gm	1395	25 gm	6408
S 1535	<u>SILVER IODATE</u> extra pure 99%	7783-97-3	5 gm	5490	25 gm	20601
			10 gm	3609	25 gm	4959
					100 gm	18909
S 1540	<u>SILVER IODIDE</u> extra pure 99%	7783-96-2	25 gm	5409	100 gm	18604
S 1571	<u>SILVER METAVANADATE</u> for synthesis 99%	13497-94-4	5 gm	2889	25 gm	9603
					100 gm	34902
S 1543	<u>SILVER NITRATE</u> technical	7761-88-8	25 gm	3969	100 gm	14904
S 1545	<u>SILVER NITRATE</u> extra pure 99%	7761-88-8	10 gm	1899	25 gm	4401
			100 gm	16902	500 gm	79002
S 1547	<u>SILVER NITRATE</u> GR 99%+	7761-88-8	10 gm	2052	25 gm	4608
			100 gm	17901	500 gm	82008
S 1549	<u>SILVER NITRATE</u> sticks	7761-88-8	10 gm	3969	25 gm	8604
S 1546	<u>SILVER NITRATE</u> N/50 for volumetric solution	7761-88-8			500 ml	846
S 1548	<u>SILVER NITRATE</u> 0.10 NORMAL (N/10) volumetric solution	7761-88-8	500 ml	2295	1 lt	4176
S 2900	<u>SILVER NITRATE</u> 0.0141 N solution	7761-88-8	500 ml	639	1 lt	1269
S 2905	<u>SILVER NITRATE</u> 0.0171 N solution	7761-88-8	500 ml	666	1 lt	1206
S 2910	<u>SILVER NITRATE</u> 0.0192 N solution	7761-88-8	500 ml	693	1 lt	1305
S 2915	<u>SILVER NITRATE</u> 0.020 N solution	7761-88-8	500 ml	792	1 lt	1494
S 2920	<u>SILVER NITRATE</u> 0.025 N solution	7761-88-8	500 ml	1107	1 lt	1692
S 2925	<u>SILVER NITRATE</u> 0.0282 N solution	7761-88-8	500 ml	1206	1 lt	1791
S 2930	<u>SILVER NITRATE</u> 0.045 N solution	7761-88-8	500 ml	1305	1 lt	1809
S 2935	<u>SILVER NITRATE</u> 0.050 N solution	7761-88-8	500 ml	936	1 lt	1791
S 2945	<u>SILVER NITRATE</u> 0.141 N solution	7761-88-8	500 ml	1395	1 lt	2403
S 2950	<u>SILVER NITRATE</u> 0.153 N solution	7761-88-8	500 ml	1602	1 lt	3249
S 2955	<u>SILVER NITRATE</u> 0.2 N solution	7761-88-8	500 ml	3204	1 lt	6003
S 2960	<u>SILVER NITRATE</u> 0.25 N solution	7761-88-8	500 ml	4302	1 lt	8505
S 1550	<u>SILVER NITRATE</u> 0.282 N solution	7761-88-8	500 ml	4491	1 lt	8604
S 2965	<u>SILVER NITRATE</u> 0.5 N solution	7761-88-8	500 ml	6759	1 lt	13402
S 2970	<u>SILVER NITRATE</u> 1.0 N solution	7761-88-8	500 ml	13905	1 lt	23409
S 2975	<u>SILVER NITRATE</u> 2.0 N solution	7761-88-8	500 ml	29007	1 lt	POR
S 2980	<u>SILVER NITRATE</u> 3.0 N solution	7761-88-8	500 ml	69039	1 lt	POR
S 2985	<u>SILVER NITRATE</u> 4.0 N solution	7761-88-8	500 ml	79002	1 lt	POR
S 1544	<u>SILVER NITRITE</u> GR 99%	7783-99-5			10 gm	4293
			25 gm	10404	100 gm	38799
S 1559	<u>SILVER NITRITE</u> , 99.98%	7783-99-5	5 gm	8901	25 gm	26919
S 1555	<u>SILVER OXIDE</u> extra pure 98%	20667-12-3	25 gm	6939	100 gm	25002
					500 gm	96003
S 1553	<u>SILVER OXIDE</u> GR 98%	20667-12-3			25 gm	7407
S 1552	<u>SILVER OXIDE</u> ≥99%	20667-12-3	10 gm	6903	50 gm	24003
S 0133	<u>SILVER OXIDE</u> 99.99%	20667-12-3			1 gm	1864
			5 gm	7605	25 gm	28089
S 1554	<u>SILVER PERCHLORATE</u> pure (End user certificate required)	7783-93-9	5 gm	5004	25 gm	16002

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1556	<u>SILVER PHOSPHATE</u> extra pure 99%	7784-09-0	5 gm	2106	25 gm	5706
S 1557	<u>SILVER PHOSPHATE</u> GR 99%+	7784-09-0			5 gm	3303
S 1558	<u>SILVER PROTEINATE</u> 'spazial' for histology	9008-42-8	5 gm	2808	25 gm	10404
S 1565	<u>SILVER SULPHATE</u> extra pure 99%	10294-26-5	10 gm	2169	25 gm	4770
			100 gm	16092	250 gm	44901
S 1567	<u>SILVER SULPHATE</u> GR 99%+	10294-26-5	5 gm	1359	10 gm	2259
			25 gm	4959	100 gm	18909
S 1570	<u>SILVER SULPHIDE</u> 98%	21548-73-2			5 gm	5040
			25 gm	23004	100 gm	54009
S 1578	<u>SILVER(I) TELLURIDE</u> pure	12002-99-2			5 gm	15804
S 1576 *	<u>SILYMARIN</u> flavonolignans	-----	10 gm	3303	50 gm	13509
S 1574	<u>SKIM MILK</u> for bacteriology	-----	500 gm	1080	5 kg	8604
S 1572	<u>SMITH's</u> reagent	-----			250 ml	144
S 1573	<u>SOAP</u> (white) powder	-----	1 kg	522	10 kg	4905
S 1574a	<u>SOAP</u> solution (for water hardness determination)	-----			1 lt	423
S 1575	<u>SODA ASBESTOS</u> for elementary analysis 14-25 mesh	-----			100 gm	POR
S 1585	<u>SODA-LIME</u> granular	8006-28-8	500 gm	288	5 kg	2691
S 1587	<u>SODA-LIME</u> with indicator GR	8006-28-8	500 gm	306	1 kg	585
	for absorbing carbon dioxide				5 kg	2790
S 1588	<u>SODAMIDE</u> for synthesis 98%	7782-92-5	100 gm	1809	500 gm	8109
S 1595	<u>SODIUM</u> pieces 99%	7440-23-5	250 gm	819	500 gm	1395
S 1597	<u>SODIUM</u> pieces GR 99%+	7440-23-5	250 gm	927	500 gm	1593
S 6579	<u>SODIUM (Na) STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTED HNO3</u> traceable to NIST					
S 0015	<u>SODIUM (Na) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN WATER</u> traceable to NIST					
S 0016	<u>SODIUM (Na) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12592	500 ml	37809
	<u>IN DILUTED HNO3</u> traceable to NIST					
S 0017	<u>SODIUM (Na) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12592	500 ml	37809
	<u>IN WATER</u> traceable to NIST					
S 0018	<u>SODIUM AAS STANDARD SOLUTION 1000 MG/L Na</u>	-----	100 ml	1818	500 ml	3015
	<u>IN DILUTED HCL</u> traceable to NIST					
S 0019	<u>SODIUM AAS STANDARD SOLUTION 1000 MG/L Na</u>	-----	100 ml	1818	500 ml	3015
	<u>IN DILUTED HNO3</u> traceable to NIST					
S 1605	<u>SODIUM ACETATE</u> anhydrous, extra pure 99%	127-09-3	500 gm	450	5 kg	3564
S 1607	<u>SODIUM ACETATE</u> anhydrous, GR 99%+	127-09-3			250 gm	396
			500 gm	648	5 kg	4590
S 1606	<u>SODIUM ACETATE</u> anhydrous,	127-09-3			100 gm	342
	for molecular biology, 99%+		250 gm	594	500 gm	1008
S 1616	<u>SODIUM ACETATE</u> anhydrous, for HPLC, 99%	127-09-3			500 gm	1350
S 1615	<u>SODIUM ACETATE</u> trihydrate, extra pure, 99%	6131-90-4	500 gm	288	1 kg	540
					5 kg	1971
S 1617	<u>SODIUM ACETATE</u> trihydrate, GR 99%+	6131-90-4	500 gm	342	5 kg	2619
S 1620	<u>SODIUM ACETATE</u> trihydrate, for HPLC 99%+	6131-90-4			500 gm	594
S 1621	<u>SODIUM ACETATE</u> trihydrate, for molecular biology 99%+	6131-90-4			250 gm	549
S 1625	<u>SODIUM ALGINATE</u> 'standard'	9005-38-3	250 gm	1062	500 gm	1944
					5 kg	17919
S 1626	<u>SODIUM ALGINATE</u> 'spezial' low w/v	9005-38-3	500 gm	1782	5 kg	16902
S 1628	<u>SODIUM ALUMINATE</u> for synthesis	11138-49-1	500 gm	1179	5 kg	10062
S 1630	<u>SODIUM ALUMINIUM FLUORIDE</u> purified	15096-52-3	500 gm	414	5 kg	3996

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1637	<u>SODIUM ARSENATE</u> GR 98%+	10048-95-0	25 gm	468	100 gm	1089
			250 gm	2484	500 gm	4779
S 1647	<u>SODIUM m-ARSENITE</u> GR 98%+	7784-46-5	25 gm	702	100 gm	1791
			250 gm	4293	500 gm	7497
S 1648	<u>SODIUM m-ARSENITE</u> solution GR N/10	7784-46-5	500 ml	648	5 lt	4104
S 1638	<u>SODIUM ARSENITE</u> 0.05M (0.1N) standardized solution	-----	500 ml	441	1 lt	855
S 1639	<u>SODIUM ARSENITE</u> 0.005M (0.01N) standardized solution	-----	500 ml	441	1 lt	855
S 1655	☐ <u>SODIUM L(+)ASCORBATE</u> pure 99%	134-03-2	100 gm	585	500 gm	2709
			1 kg	5202	5 kg	24309
S 1657	<u>SODIUM ASBESTOS</u> GR	-----			100 gm	POR
S 1665	☐ <u>SODIUM AZIDE</u> for synthesis 99%	26628-22-8	100 gm	711	500 gm	2790
					5 kg	25092
S 1667	☐ <u>SODIUM AZIDE</u> GR 99%	26628-22-8	100 gm	792	500 gm	2979
	(reagent for sulphides & thiocyanates)				5 kg	26109
S 1668	<u>SODIUM AZIDE</u> ≥99.5%	26628-22-8	5 gm	1818	25 gm	4104
			100 gm	4608	500 gm	21006
S 1675	☐ <u>SODIUM BENZOATE</u> 99%	532-32-1	500 gm	468	5 kg	3969
S 1677	☐ <u>SODIUM BENZOATE</u> GR 99%+	532-32-1	500 gm	576	5 kg	5103
S 1678	☐ <u>SODIUM BIFLUORIDE</u> extra pure 98%	1333-83-1	500 gm	1341	5 kg	11079
S 1685	☐ <u>SODIUM BISELENITE</u> 98% (culture media additive)	7782-82-3	25 gm	963	100 gm	3384
			500 gm	16902	1 kg	31905
S 1695	☐ <u>SODIUM BISMUTHATE</u> 80% extra pure	12232-99-4	25 gm	567	100 gm	1746
					1 kg	15903
S 1707	☐ <u>SODIUM BISMUTHATE</u> GR 80%+	12232-99-4	25 gm	612	100 gm	1890
					1 kg	18099
S 1715	☐ <u>SODIUM BISULPHATE</u> extra pure 99%	10034-88-5	500 gm	396	5 kg	3204
S 1717	☐ <u>SODIUM BISULPHATE</u> GR 99%+	10034-88-5	500 gm	468	5 kg	3708
S 1725	☐ <u>SODIUM BISULPHITE</u> extra pure	7631-90-5	500 gm	333	5 kg	2493
S 1727	☐ <u>SODIUM BISULPHITE</u> GR	7631-90-5	500 gm	540	5 kg	4869
S 1730	<u>SODIUM BISULPHITE</u> 39% solution in water	-----			500 ml	585
S 1728	☐ <u>SODIUM BITARTRATE</u> extra pure 98%	526-94-3	500 gm	765	5 kg	6507
S 1729	<u>SODIUM BITARTRATE</u> GR 98%	526-94-3	500 gm	1206	5 kg	8991
S 1735	☐ <u>SODIUM meta-BORATE</u> (tetrahydrate) for synthesis 98%	10555-76-7	500 gm	396	1 kg	783
					5 kg	3204
S 1745	☐ <u>SODIUM BOROHYDRIDE</u> for synthesis 97%	16940-66-2	25 gm	765	100 gm	1494
			500 gm	7929	5 kg	63009
S 1747	<u>SODIUM BOROHYDRIDE</u> , ≥98%	16940-66-2	5 gm	4005	25 gm	4806
			100 gm	5409	500 gm	12906
S 1746	<u>SODIUM BOROHYDRIDE</u> , granular, 99.99%	16940-66-2	25 gm	14094	100 gm	35019
S 1755	☐ <u>SODIUM BROMATE</u> extra pure 99%	7789-38-0	250 gm	846	500 gm	1512
					5 kg	12906
S 1765	☐ <u>SODIUM BROMIDE</u> extra pure 99%	7647-15-6	500 gm	1044	5 kg	8604
S 1767	☐ <u>SODIUM BROMIDE</u> GR 99%+	7647-15-6	500 gm	1188	5 kg	9504
S 1768	<u>SODIUM BROMIDE</u> , 99.99%	7647-15-6	5 gm	4302	25 gm	14094
S 1770	<u>SODIUM tert-BUTOXIDE</u> for synthesis 98%	865-48-5	100 gm	693	500 gm	2790
S 1775	☐ <u>SODIUM CACODYLATE</u> for biochemistry 97%	124-65-2	25 gm	5508	100 gm	17019
	<u>SODIUM CAPRYLATE</u> please see CAPRYLIC ACID SODIUM SALT					
S 1785	☐ <u>SODIUM CARBONATE</u> (anhydrous) 99%	497-19-8	500 gm	306	5 kg	2088
S 1787	☐ <u>SODIUM CARBONATE</u> (anhydrous) GR 99%+	497-19-8	500 gm	432	5 kg	2592

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 0702	<u>SODIUM CARBONATE</u> , ACS, anhydrous, 99.5%	497-19-8	500 gm	5301	1 kg	9108
					5 x 1 kg	34029
S 0716	<u>SODIUM CARBONATE</u> , ACS, anhydrous, 99.95%	497-19-8	100 gm	1656	500 gm	7605
S 4038	<u>SODIUM CARBONATE</u> , anhydrous, 99.997%	497-19-8	5 gm	4302	25 gm	18900
			100 gm	42039	500 gm	198009
S 4035	<u>SODIUM CARBONATE</u> , anhydrous, 99.999%	497-19-8	5 gm	5058	25 gm	14004
S 1790	<u>SODIUM CARBONATE</u> monohydrate, 99%	5968-11-6	500 gm	306	5 kg	2259
S 1791	<u>SODIUM CARBONATE</u> monohydrate, GR 99%+	5968-11-6	500 gm	396	5 kg	3669
S 1792	<u>SODIUM CARBONATE</u> 0.05mol/litre solution	5968-11-6			500 ml	126
S 5774	<u>SODIUM CARBOXYMETHYL CELLULOSE</u> average Mw ~90,000	9004-32-4	100 gm	5805	1 kg	12402
S 1795	<u>SODIUM CASEINATE</u> for biochemistry	9005-46-3	100 gm	1395	500 gm	5202
S 1805	<u>SODIUM CHLORIDE</u> extra pure 99%	7647-14-5	500 gm	225	1 kg	387
					5 kg	972
S 1807	<u>SODIUM CHLORIDE</u> GR 99%+	7647-14-5	500 gm	261	5 kg	1089
S 1809	<u>SODIUM CHLORIDE</u> for molecular biology 99.5%	7647-14-5	500 gm	675	5 kg	4905
S 1809a	<u>SODIUM CHLORIDE</u> for HPLC 99%+	7647-14-5			500 gm	441
S 1804	<u>SODIUM CHLORIDE</u> bioextra, ≥99.5% (AT)	7647-14-5	250 gm	4608	1 kg	9729
					5 x 1 kg	25002
S 1806	<u>SODIUM CHLORIDE</u> 99.998%	7647-14-5	25 gm	6399	100 gm	15903
					500 gm	60903
S 1802	<u>SODIUM CHLORIDE</u> , 99.999%	7647-14-5	25 gm	7902	100 gm	19089
					500 gm	63099
S 1808	<u>SODIUM CHLORITE</u> for synthesis 80%	7758-19-2	500 gm	963	5 kg	8604
S 1810	<u>SODIUM (mono) CHLORO ACETATE</u> for synthesis	3926-62-3	500 gm	432	5 kg	3969
S 1811	<u>SODIUM HEXACHLOROIRIDATE</u> 99.999%	123334-23-6	1 gm	30402	5 gm	76059
S 1815	<u>SODIUM CHOLATE</u> for biochemistry 99%	361-09-1	25 gm	1989	100 gm	6939
S 1825	<u>SODIUM CHROMATE</u> tetrahydrate, extrapure, 99%	10034-82-9	500 gm	666	5 kg	6003
S 1827	<u>SODIUM CHROMATE</u> tetrahydrate, GR 99%+	10034-82-9	500 gm	729	5 kg	6903
S 1835	<u>tri-SODIUM CITRATE</u> extra pure 99%	6132-04-3	500 gm	585	5 kg	4302
S 1837	<u>tri-SODIUM CITRATE</u> GR 99%+	6132-04-3	500 gm	1188	5 kg	4779
S 1839	<u>tri-SODIUM CITRATE</u> for molecular biology 99%	6132-04-3	250 gm	693	500 gm	1287
S 1838	<u>SODIUM CITRATE</u> solution 3.8% w/v	6132-04-3			500 ml	162
S 1845	<u>SODIUM COBALTI NITRITE</u> extra pure	13600-98-1	100 gm	2259	500 gm	10602
S 1847	<u>SODIUM COBALTI NITRITE</u> GR	13600-98-1	100 gm	2466	500 gm	11079
S 1848	<u>SODIUM CYANATE</u> for synthesis 98%	917-61-3	500 gm	441	5 kg	3960
S 1848a	<u>SODIUM CYANOBOROHYDRIDE</u> for synthesis 97%	25895-60-7	25 gm	2979	100 gm	9495
S 1855	<u>SODIUM DEOXYCHOLATE</u> (culture media additive)	302-95-4	25 gm	2880	100 gm	10809
					500 gm	51903
S 1858	<u>SODIUM 3,5-DICHLORO-2-HYDROXY BENZENE SULPHONATE</u> 98%	54970-72-8	5 gm	6957	25 gm	16902
S 1865	<u>SODIUM DICHROMATE</u> extra pure 99%	7789-12-0	500 gm	864	5 kg	7605
S 1867	<u>SODIUM DICHROMATE</u> GR 99%+	7789-12-0	500 gm	1089	5 kg	8712
S 1875	<u>SODIUM DIETHYL DITHIOCARBAMATE</u> 98%	20624-25-3	100 gm	504	500 gm	2187
					5 kg	18099
S 1877	<u>SODIUM DIETHYL DITHIOCARBAMATE</u> GR 99%+	20624-25-3	100 gm	567	500 gm	2331
					5 kg	20079
S 1880	<u>SODIUM DIHYDRIDO-BIS- (2-METHOXYETHOXY) ALUMINATE</u> ~ 70% IN TOLUENE puriss	22722-98-1	100 gm	2997	500 gm	9603
S 1885	<u>SODIUM DIHYDROGEN ORTHOPHOSPHATE</u>	13472-35-0	500 gm	594	5 kg	4491

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 1887	(dihydrate) extra pure 99% SODIUM DIHYDROGEN ORTHOPHOSPHATE	13472-35-0	500 gm	675	5 kg	4779
S 1889	(dihydrate) GR 99%+ SODIUM DIHYDROGEN ORTHOPHOSPHATE (dihydrate) for molecular biology, 99.5%	13472-35-0	500 gm	990	5 kg	7902
S 1905	☐ SODIUM DITHIONITE purified 87%	7775-14-6	500 gm	783	5 kg	7047
S 1906	SODIUM ETHOXIDE ~ 96%	141-52-6	250 gm	2205	1 kg	6705
S 6990	SODIUM FERROCYANIDE , decahydrate, ≥99%	14434-22-1	500 gm	3006	1 kg	5067
S 1915	☐ SODIUM FLUORIDE extra pure 99%	7681-49-4	500 gm	639	5 kg	5409
S 1917	☐ SODIUM FLUORIDE GR 99%+	7681-49-4	500 gm	1071	5 kg	9306
S 1919	SODIUM FLUORIDE , 99.99%	7681-49-4	5 gm	3510	25 gm 100 gm	7206 20709
S 1918	SODIUM FLUOBORATE for synthesis 97%	13755-29-8	500 gm	873	5 kg	7605
S 0265	SODIUM FLUOBORATE 98%	13755-29-8	25 gm	2106	500 gm	2808
S 5519	SODIUM FLUOROPHOSPHATE , 95%	10163-15-2	250 gm	2205	500 gm	4005
S 2377	SODIUM FLUOROSILICATE puriss 99%	16893-85-9	500 gm	810	5 kg	7605
S 1924	SODIUM FORMALDEHYDE BISULPHITE for synthesis	870-72-4	500 gm	342	5 kg	2979
S 1925	SODIUM FORMALDEHYDE SULPHOXYLATE for synthesis	6035-47-8	250 gm	585	500 gm	963
S 1935	☐ SODIUM FORMATE for synthesis 99%	141-53-7	500 gm	306	5 kg	2790
S 1937	SODIUM FORMATE GR 99%+	141-53-7	500 gm	387	5 kg	3402
S 1946	SODIUM FUMARATE for synthesis 98%	17013-01-3	500 gm	1503	5 kg	13005
S 1947	SODIUM FUMARATE GR 99%+	17013-01-3	100 gm	567	1 kg	4005
S 1955	☐ SODIUM GLUCONATE for synthesis 98%	527-07-1	500 gm	279	5 kg	2232
S 1967	SODIUM-β-GLYCEROPHOSPHATE GR 99%+ (substrate for the assay phosphatase)	13408-09-8	25 gm 500 gm	360 5467	100 gm 1 kg	1188 9963
S 1975	SODIUM HEXAMETAPHOSPHATE pract	68915-31-1	500 gm	603	5 kg	4806
S 1976	SODIUM HEXAMETAPHOSPHATE for synthesis	68915-31-1	500 gm	639	5 kg	5103
S 1978	SODIUM HEXAMETAPHOSPHATE , crystalline, +200 mesh, 96%	68915-31-1	25 gm	4509	1 kg 5 kg	6408 15003
S 1985	SODIUM HYDRIDE 55-60% suspension in mineral oil	7646-69-7	100 gm	576	500 gm 5 kg	2394 22005
S 1995	SODIUM HYDROGEN CARBONATE purified 99%	144-55-8	500 gm	270	1 kg 5 kg	441 1593
S 1997	SODIUM HYDROGEN CARBONATE GR 99%+	144-55-8	500 gm	297	1 kg 5 kg	504 1890
S 1998	SODIUM HYDROGEN CARBONATE for molecular biology 99.7%	144-55-8			500 gm	792
S 1999	SODIUM HYDROGEN CARBONATE for HPLC 99%	144-55-8			500 gm	549
S 8974	SODIUM HYDROGEN CARBONATE 99.5%	144-55-8			500 gm	2007
S 2005	☐ d,l-SODIUM HYDROGEN CITRATE 99%	144-33-2	500 gm	693	5 kg	5607
S 2010	SODIUM HYDROSULPHIDE 30% (sodium hydrogen sulphide)	16721-80-5			5 lt	5607
S 2015	☐ SODIUM HYDROXIDE flakes 98%	1310-73-2	500 gm	270	1 kg 5 kg	495 1692
S 2025	☐ SODIUM HYDROXIDE pellets extra pure 98%	1310-73-2	500 gm	333	1 kg 5 kg	639 2169
S 2027	☐ SODIUM HYDROXIDE pellets GR 99%+	1310-73-2	500 gm	396	5 kg	2691
S 2028	SODIUM HYDROXIDE solution N/10	1310-73-2	500 ml	153	5 lt	747
S 3002	SODIUM HYDROXIDE 0.02 mol/L (0.02N) solution	1310-73-2	500 ml	216	1 lt	369

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 3003	<u>SODIUM HYDROXIDE</u> 0.2 mol/L (0.2N) solution	1310-73-2	500 ml	135	1 lt	207
S 3004	<u>SODIUM HYDROXIDE</u> 0.25 mol/L (0.25N) solution	1310-73-2	500 ml	153	1 lt	261
S 3005	<u>SODIUM HYDROXIDE</u> 0.33 mol/L (0.33N) solution	1310-73-2	500 ml	216	1 lt	369
S 3006	<u>SODIUM HYDROXIDE</u> 0.5 mol/L (0.5N) solution	1310-73-2	500 ml	153	1 lt	216
S 3007	<u>SODIUM HYDROXIDE</u> 2 mol/L (2N) solution	1310-73-2	500 ml	180	1 lt	342
S 3008	<u>SODIUM HYDROXIDE</u> 4 mol/L (4N) solution	1310-73-2	500 ml	216	1 lt	405
S 3009	<u>SODIUM HYDROXIDE</u> 5M (5N) solution	1310-73-2	500 ml	234	1 lt	432
S 3010	<u>SODIUM HYDROXIDE</u> 6M (6N) solution	1310-73-2	500 ml	243	1 lt	459
S 3011	<u>SODIUM HYDROXIDE</u> 8M (8N) solution	1310-73-2	500 ml	270	1 lt	513
S 3012	<u>SODIUM HYDROXIDE</u> 10M (10N) solution	1310-73-2	500 ml	297	1 lt	567
S 3013	<u>SODIUM HYDROXIDE</u> 1M (1N) solution	1310-73-2	500 ml	135	1 lt	261
S 3014	<u>SODIUM HYDROXIDE</u> 0.357M (1/2.8N) solution	1310-73-2	500 ml	252	1 lt	459
S 2029	<u>SODIUM p-HYDROXY BENZOATE</u> puriss 99%	114-63-6	100 gm	3600	500 gm	17604
S 2031	<u>SODIUM HYPOBROMIDE</u> for synthesis	-----			500 gm	1359
S 2030	<u>SODIUM HYPOCHLORITE</u> solution	7681-52-9	500 ml	225	1 lt	396
					5 lt	990
S 2035	<u>SODIUM HYPOPHOSPHITE</u> 99% (as reagent for arsenic and iodates)	10039-56-2	500 gm	1692	5 kg	13905
S 2037	<u>SODIUM HYPOPHOSPHITE</u> GR 99%+	10039-56-2	500 gm	1881	5 kg	15003
S 2045	<u>SODIUM IODATE</u> 99% (suitable for examination of milk)	7681-55-2	100 gm	2043	1 kg	16902
S 2047	<u>SODIUM IODATE</u> GR 99%+ (suitable for examination of milk)	7681-55-2	100 gm	2196	1 kg	17901
S 2055	<u>SODIUM IODIDE</u> extra pure 99%	7681-82-5	100 gm	2196	250 gm	4590
S 2057	<u>SODIUM IODIDE</u> GR 99%+	7681-82-5	100 gm	2493	250 gm	4869
S 2065	<u>SODIUM LACTATE</u> 60% solution for synthesis	72-17-3	500 gm	468	5 kg	3996
S 2074	<u>SODIUM LAURYL ETHER SULPHATE</u> (SLES)	9004-82-4	500 gm	486	5 kg	1593
S 2075	<u>SODIUM LAURYL SULPHATE</u> (needles) for synthesis	151-21-3	500 gm	747	5 kg	6489
S 2076	<u>SODIUM LAURYL SULPHATE</u> (powder) for synthesis	151-21-3	500 gm	792	5 kg	6939
S 2077	<u>SODIUM LAURYL SULPHATE</u> GR 99%+	151-21-3	100 gm	1791	250 gm	3690
S 2080	<u>SODIUM LAURYL SULPHATE</u> for HPLC 99%+	151-21-3	10 gm	603	25 gm	1188
S 2081	<u>SODIUM LAURYL SULPHATE</u> for molecular biology 99.5%	151-21-3	100 gm	1602	250 gm	3609
S 2085	<u>SODIUM MALONATE</u> puriss 99%	141-95-7	25 gm	396	100 gm	1386
			500 gm	5949	5 kg	47007
S 2095	<u>SODIUM METABISULPHITE</u> extra pure 98%	7681-57-4	500 gm	315	1 kg	486
					5 kg	1791
S 2097	<u>SODIUM METABISULPHITE</u> GR 98%+	7681-57-4	500 gm	324	1 kg	594
					5 kg	2169
S 2006	<u>SODIUM meta-BORATE</u> 99%	10555-76-7	500 gm	387	5 kg	3402
S 2007	<u>SODIUM meta-BORATE</u> GR 99%+	10555-76-7	500 gm	2502	5 kg	21006
S 2115	<u>SODIUM METHOXIDE</u> for synthesis 98%	124-41-4	500 gm	810	5 kg	5949
					10 kg	11709
S 2116	<u>SODIUM METHOXIDE</u> 30% solution in methanol	124-41-4	500 ml	POR	2.5 lt	POR
S 2125	<u>SODIUM MOLYBDATE</u> extra pure 98%	10102-40-6	100 gm	1152	250 gm	2592
					500 gm	4779
S 2127	<u>SODIUM MOLYBDATE</u> GR 99%+ (reagent for alkaloids)	10102-40-6	100 gm	1305	250 gm	2790
					500 gm	5193
S 2128	<u>SODIUM NAPHTHIONATE</u>	130-13-2	1 kg	1449	10 kg	POR
S 2137 *	<u>SODIUM 1-NAPHTHYL PHOSPHATE</u> GR 99%+	1136-89-6	1 gm	864	5 gm	2493

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	(substrate for phosphatase, naphthol free)					
S 2147 ✱	<u>SODIUM 2-NAPHTHYL PHOSPHATE</u> for biochemistry GR 99%+	14463-68-4	1 gm	10755	5 gm	35208
S 2155	<u>SODIUM NITRATE</u> extra pure 98%	7631-99-4	500 gm	342	5 kg	2736
S 2157	<u>SODIUM NITRATE</u> GR 99%+	7631-99-4	500 gm	405	5 kg	2880
S 3996	<u>SODIUM NITRATE</u> ACS reagent, ≥99%	7631-99-4	500 gm	3105	2.5 kg	11403
S 2158	<u>SODIUM NITRATE</u> 99.995%	7631-99-4	10 gm	11007	100 gm	44001
S 2165	<u>SODIUM NITRITE</u> extra pure 97%	7632-00-0	500 gm	423	5 kg	3690
S 2167	<u>SODIUM NITRITE</u> GR 98%+	7632-00-0	500 gm	486	5 kg	4203
S 2168	<u>SODIUM NITRITE</u> , 99.999%	7632-00-0	25 gm	11007	100 gm	26044
S 2185	<u>SODIUM NITROPRUSSIDE</u> extra pure 98%	13755-38-9	100 gm	873	500 gm	3879
					5 kg	31005
S 2187	<u>SODIUM NITROPRUSSIDE</u> GR 99%+	13755-38-9	100 gm	945	500 gm	4095
S 2190	<u>SODIUM NUCLEINATE</u> for biochemistry	9010-05-3	25 gm	4392	100 gm	15003
S 2170	<u>SODIUM OCTYL SULPHATE</u> GR 99%	142-31-4	1 gm	702	5 gm	2124
			25 gm	9045	100 gm	34002
S 2175	<u>SODIUM OLEATE</u> paste	143-19-1	500 gm	765	5 kg	7029
S 2176	<u>SODIUM OLEATE</u> powder	143-19-1	500 gm	765	1 kg	1593
					5 kg	7605
S 2180	<u>SODIUM ORTHOBORATE NEUTRAL</u> 98% for plant & soil deficiency	- - - -	1 kg	POR	5 kg	POR
S 2195	<u>tri-SODIUM ORTHOPHOSPHATE</u> (dodecahydrate) extra pure 98%	10101-89-0	500 gm	567	5 kg	4590
S 2197	<u>tri-SODIUM ORTHOPHOSPHATE</u> (dodecahydrate) GR 98%+	10101-89-0	500 gm	639	5 kg	5139
S 4256	<u>SODIUM ORTHOVANADATE</u> , 99.5%	13721-39-6	10 gm	3204	50 gm	9702
S 2205	<u>SODIUM OXALATE</u> extra pure 99%	62-76-0	500 gm	522	5 kg	4185
S 2207	<u>SODIUM OXALATE</u> GR 99%+	62-76-0	500 gm	594	5 kg	4779
S 2210	<u>SODIUM OXIDE</u> 80%	1313-59-3	50 gm	18099	100 gm	49005
S 2211	<u>SODIUM PANTOTHENATE</u> for biochemistry	867-81-2			10 gm	POR
S 2215	<u>SODIUM PENTACHLORPHENATE</u> for synthesis	131-52-2	500 gm	387	5 kg	3096
S 2225	<u>SODIUM PERBORATE</u> tetrahydrate, 98%	10486-00-7	500 gm	306	5 kg	2592
S 2227	<u>SODIUM PERBORATE</u> tetrahydrate, GR 99%	10486-00-7	1 kg	1305	5 kg	5805
S 2230	<u>SODIUM PERCARBONATE</u> extra pure	15630-89-4	500 gm	225	5 kg	1962
S 2237	<u>SODIUM PERCHLORATE</u> monohydrate, GR 99%+	7791-07-3	250 gm	4095	500 gm	7749
	(End user certificate required)					
S 2238	<u>SODIUM PERCHLORATE</u> monohydrate,	7791-07-3	100 gm	5607	250 gm	13005
	for molecular biology 99%+ (End user certificate required)					
S 2246	<u>SODIUM meta-PERIODATE</u> 99%	7790-28-5	100 gm	2007	500 gm	8505
S 2247	<u>SODIUM meta-PERIODATE</u> GR 99%+	7790-28-5	100 gm	2169	500 gm	9189
	(for the colorimetric determination of tri-glycerides)					
S 2256	<u>SODIUM PEROXIDE</u> for synthesis 90%+	1313-60-6	100 gm	3969	500 gm	18099
S 2258	<u>SODIUM PEROXIDE</u> granules GR 95%	1313-60-6	100 gm	4149	500 gm	19809
S 2261	<u>SODIUM PERSULPHATE</u> for synthesis 98%	7775-27-1	500 gm	648	5 kg	5103
S 2263	<u>SODIUM PERSULPHATE</u> GR 99%+	7775-27-1	500 gm	720	5 kg	5769
S 3209	<u>SODIUM PHENOXIDE</u> , 98%	139-02-6	50 gm	8604	250 gm	43902
S 2265	<u>SODIUM PHOSPHATE</u> dibasic, anhydrous, 99%	7558-79-4	500 gm	711	5 kg	5165
S 2267	<u>SODIUM PHOSPHATE</u> dibasic, anhydrous, GR 99%+	7558-79-4	500 gm	873	5 kg	6903
S 2270	<u>SODIUM PHOSPHATE</u> dibasic, anhydrous,	7558-79-4			500 gm	1494
	for molecular biology 99.5%					
S 2271	<u>SODIUM PHOSPHATE</u> dibasic, anhydrous, for HPLC 99.5%	7558-79-4			500 gm	891
S 1884	<u>SODIUM DIHYDROGEN ORTHOPHOSPHATE</u> monohydrate, GR 99%	10049-21-5			500 gm	891
S 2268	<u>SODIUM DIHYDROGEN ORTHOPHOSPHATE</u> monohydrate,	10049-21-5			250 gm	891

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 2269	for molecular biology 99.5% SODIUM DIHYDROGEN ORTHOPHOSPHATE monohydrate, for HPLC 99.5%	10049-21-5			500 gm	882
S 2275	☐ SODIUM PHOSPHATE dibasic, dihydrate, 97%	10028-24-7	500 gm	558	5 kg	5165
S 2277	☐ SODIUM PHOSPHATE dibasic, dihydrate, GR 99%+	10028-24-7	500 gm	666	5 kg	5409
S 2272	SODIUM PHOSPHATE dibasic, dihydrate, for molecular biology 99.5%	10028-24-7			500 gm	1287
S 2285	SODIUM PHOSPHATE dibasic, dodecahydrate, extra pure 99%	10039-32-4	500 gm	495	5 kg	4302
S 2287	SODIUM PHOSPHATE dibasic, dodecahydrate, GR 99%+	10039-32-4	500 gm	612	5 kg	5391
S 2290	☐ SODIUM PHOSPHATE tribasic, extra pure 98%	10101-89-0	500 gm	252	5 kg	1989
S 2291	☐ SODIUM PHOSPHATE tribasic, GR 99%	10101-89-0	500 gm	306	5 kg	2592
S 2298	☐ SODIUM POLYACRYLATE 40% solution	9003-04-7			100 ml	1719
			500 ml	3807	5 lt	31059
S 2299	SODIUM POLYACRYLATE 99%	9003-04-7	100 gm	2619	500 gm	9603
S 2297	☐ SODIUM POLYANETHOLE SULPHONATE GR	55963-78-5	1 gm	637	5 gm	2484
S 2301	☐ SODIUM PROPIONATE extra pure 98%	137-40-6	500 gm	855	5 kg	6804
S 2302	SODIUM PYROANTIMONIATE for synthesis	12507-68-5	100 gm	3402	500 gm	14004
S 2305	☐ tetra-SODIUM PYROPHOSPHATE anhydrous, extra pure, 98%	7722-88-5	500 gm	693	5 kg	5508
S 2307	☐ tetra-SODIUM PYROPHOSPHATE decahydrate, GR 99%+	13472-36-1	500 gm	1089	5 kg	8712
S 2317	SODIUM PYROSULPHATE GR	13870-29-6			250 gm	6309
S 2327	☐ SODIUM PYRUVATE for biochemistry 99%	113-24-6	25 gm	522	100 gm	1575
			500 gm	4563	1 kg	8199
S 3877	☐ SODIUM PYRUVATE suitable for cell culture, 99%	113-24-6	25 gm	6507	100 gm	18702
					500 gm	70029
S 2337	☐ SODIUM RHODIZONATE GR 99%+	523-21-7	1 gm	522	5 gm	1305
			10 gm	2403	100 gm	21609
S 2345	☐ SODIUM SALICYLATE pure 99%	54-21-7	500 gm	1287	5 kg	10206
S 2347	☐ SODIUM SALICYLATE GR 99%+	54-21-7	100 gm	1359	250 gm	2488
					500 gm	3996
S 2357	SODIUM SELENATE GR 99%+	13410-01-0	25 gm	1269	100 gm	3294
			500 gm	14049	1 kg	27009
S 2360	SODIUM SELENITE anhydrous 98%	10102-18-8	100 gm	2367	1 kg	21609
S 2361	SODIUM SELENITE anhydrous GR 99%	10102-18-8	25 gm	630	100 gm	2403
S 2365	SODIUM SELENITE pentahydrate, 99%	26970-82-1	100 gm	2565	500 gm	12609
					1 kg	23409
S 2367	SODIUM SELENITE pentahydrate, GR 99%+	26970-82-1	25 gm	837	100 gm	3069
					1 kg	26109
S 0744	SODIUM meta-SILICATE (SiO ₂ 50-53%)	6834-92-0			1 kg	2709
S 0658	SODIUM meta-SILICATE pentahydrate, ≥95%	6834-92-0	250 gm	1602	1 kg	3339
S 2372	SODIUM meta-SILICATE nonahydrate, ≥98%	13517-24-3	250 gm	7308	1 kg	16803
S 2375	SODIUM SILICATE powder (meta)	13517-24-3	500 gm	288	1 kg	450
					5 kg	2079
S 2376	SODIUM SILICATE solution extra pure	1344-09-8			5 lt	1044
S 2380	SODIUM SILICOFLOURIDE for synthesis 98%	16893-85-9	500 gm	342	1 kg	594
					5 kg	2619
S 2385	SODIUM STANNATE extra pure	12209-98-2	500 gm	3879	5 kg	31005
S 2391	SODIUM STARCH GLYCOLLATE	9063-38-1	500 gm	585	5 kg	5607
S 2392	☐ SODIUM STEARATE for synthesis	822-16-2	500 gm	567	5 kg	5004
S 2395	☐ SODIUM SUCCINATE 99%	6106-21-4	100 gm	351	500 gm	972
					5 kg	7776

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 2397	☐ <u>SODIUM SUCCINATE</u> for biochemistry GR 99%+	6106-21-4	100 gm	351	500 gm	1404
					5 kg	12006
S 2405	☐ <u>SODIUM SULPHATE</u> anhydrous, 99%	7757-82-6	500 gm	225	1 kg	369
					5 kg	1386
S 2407	☐ <u>SODIUM SULPHATE</u> anhydrous, GR 99%+	7757-82-6	500 gm	306	1 kg	540
					5 kg	2304
S 2408	<u>SODIUM SULPHATE</u> for HPLC 99%+	7757-82-6	250 gm	1989	1 kg	7659
S 2404	<u>SODIUM SULPHATE</u> ACS reagent, ≥99%	7757-82-6	500 gm	3807	1 kg	9819
S 2406	<u>SODIUM SULPHATE</u> , 99.99%	7757-82-6	10 gm	14409	100 gm	31005
S 2415	☐ <u>SODIUM SULPHIDE</u> flakes extra pure (iron free)	27610-45-3	500 gm	360	5 kg	2808
S 2417	☐ <u>SODIUM SULPHIDE</u> GR	27610-45-3	250 gm	486	500 gm	594
S 2425	☐ <u>SODIUM SULPHITE</u> anhydrous extra pure 98%	7757-83-7	500 gm	315	1 kg	540
					5 kg	2259
S 2427	☐ <u>SODIUM SULPHITE</u> anhydrous, GR 98%+	7757-83-7	500 gm	378	5 kg	3402
S 2434	<u>SODIUM DL-TARTRATE</u> anhydrous, 99%+	868-18-8	500 gm	963	5 kg	9306
S 2435	<u>di-SODIUM TARTRATE</u> 99%	6106-24-7	500 gm	1287	5 kg	10602
S 2437	<u>di-SODIUM TARTRATE</u> GR 99%+	6106-24-7	100 gm	432	250 gm	846
			500 gm	1449	5 kg	11502
S 2445	☐ <u>SODIUM TAUROCHOLATE</u> for bacteriology	145-42-6	100 gm	1593	500 gm	5994
					1 kg	9504
S 2455	☐ <u>SODIUM TELLURITE</u> extra pure 98%	10102-20-2	25 gm	2592	100 gm	5949
S 2465	☐ <u>di-SODIUM TETRABORATE</u> decahydrate, extra pure, 99%	1303-96-4	500 gm	297	5 kg	2304
S 2467	☐ <u>di-SODIUM TETRABORATE</u> decahydrate, GR 99%+	1303-96-4	500 gm	522	5 kg	3690
S 7113	<u>SODIUM TETRACHLOROAUROATE(III)</u> dihydrate 99%	13874-02-7	1 gm	11448	5 gm	41049
S 0139	<u>SODIUM TETRACHLOROPALLADATE(II)</u> , 98%	13820-53-6	1 gm	3591	5 gm	11907
					25 gm	50805
	<u>SODIUM TETRAPHENYL BORON</u> please see <u>KALIGNOST</u>					
S 2470	☐ <u>SODIUM THIOCYANATE</u> extra pure 99%	540-72-7	500 gm	738	5 kg	5004
S 2469	☐ <u>SODIUM THIOCYANATE</u> GR 99%+	540-72-7	500 gm	936	5 kg	8001
S 2471	☐ <u>SODIUM THIOGLYCOLLATE</u> for biochemistry 99%+	367-51-1	100 gm	936	250 gm	2079
					500 gm	3897
S 2472	☐ <u>SODIUM THIOSULPHATE</u> pentahydrate, 99%	10102-17-7	500 gm	171	1 kg	288
					5 kg	1305
S 2473	☐ <u>SODIUM THIOSULPHATE</u> pentahydrate, GR 99%+	10102-17-7	500 gm	288	5 kg	2088
S 2474a	<u>SODIUM THIOSULPHATE</u> anhydrous, 97%	7772-98-7	1 kg	333	5 kg	1404
S 2474	<u>SODIUM THIOSULPHATE</u> anhydrous, GR 98%	7772-98-7	1 kg	414	5 kg	1989
S 2466	<u>SODIUM THIOSULPHATE</u> N/10 solution	- - - -			500 ml	153
S 2466a	<u>SODIUMTRIACETOXY BOROHYDRIDE</u> puriss 95% (An excellent reducing agent)	56553-60-7	25 gm	1260	100 gm	4509
					500 gm	20709
S 2475	☐ <u>SODIUM tri-POLYPHOSPHATE</u> anhydrous, purified	7758-29-4	1 kg	513	5 kg	2502
S 2468	<u>SODIUM TRICHLORO ACETATE</u> for synthesis 98%	650-51-1	500 gm	1089	5 kg	9729
S 6992	<u>SODIUM TRIFLUOROACETATE</u> , 98%	2923-18-4			25 gm	1242
S 2476	☐ <u>SODIUM TUNGSTATE</u> dihydrate, 98%	10213-10-2	100 gm	1287	250 gm	2790
			1 kg	10602	5 kg	48006
S 2477	☐ <u>SODIUM TUNGSTATE</u> dihydrate, GR 99%+ (reagent for determination of uric acid)	10213-10-2	100 gm	1503	250 gm	3006
					500 gm	5598
S 2477a	<u>SODIUM TUNGSTATE</u> solution 10%w/v	10213-10-2	100 ml	216	500 ml	612
S 2479	<u>SODIUM METAVANADATE</u> for synthesis 98%	13718-26-8	100 gm	2259	500 gm	10404
S 2480a	<u>SODIUM VINYL SULPHONATE</u> solution	3039-83-6	250 ml	2403	500 ml	3609
S 2478	☐ <u>SOLOCHROME DARK BLUE</u>	2538-85-4	5 gm	306	25 gm	864

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	(CALCON) (C.I. No. 15705) indicator		100 gm	3024	1 kg	27099
S 2481	☐ <u>SORBIC ACID</u> puriss 99%+	110-44-1	500 gm	1485	5 kg	12609
S 2482	☐ <u>D-SORBITOL</u> for microbiology 99%	50-70-4	250 gm	495	500 gm	936
			1 kg	1593	5 kg	7002
S 2483a	☐ <u>D-SORBITOL</u> for molecular biology 99%	50-70-4			250 gm	783
S 2485	<u>SORBITOL</u> (liquid) app. 70%	50-70-4	500 ml	333	5 lt	2709
S 2480	☐ <u>L-SORBOSE</u> for biochemistry 99%	87-79-6	25 gm	2088	100 gm	8001
S 2483	☐ <u>SOYA BEAN MEAL</u> (deffated)	68513-95-1	500 gm	216	5 kg	1962
S 2509	<u>SOYBEAN OIL</u>	8001-22-7	250 ml	5904	1 lt	14004
					2.5 lt	29007
S 2510	<u>SOYBEAN OIL</u> , analytical standard	8001-22-7			1 gm	10062
S 2501	<u>SOYA LECITHIN</u> powder 97%	8002-43-5	25 gm	1602	100 gm	2403
			500 gm	6003	5 kg	56007
S 2486	☐ <u>SOYA LECITHIN</u> liquid	8002-43-5			500 gm	765
S 2484	<u>SOYA PEPTONE</u> (SOYATONE) for bacteriology	68513-95-1	500 gm	1044	5 kg	9603
S 2487	☐ <u>S.P.A.D.N.S.</u> GR (a complexometric indicator for zirconium, thorium and fluoride)	23647-14-5	1 gm	324	5 gm	1188
					25 gm	3609
S 2489	<u>S.P.A.D.N.S.</u> extra spezial GR	23647-14-5			25 gm	3708
S 2490	<u>QPAN 20</u>	1338-39-2	500 gm	783	5 kg	6219
S 2488	<u>QPAN 40</u>	26266-57-9	500 gm	702	5 kg	5904
S 2491	<u>QPAN 60</u>	1338-41-6	500 gm	693	5 kg	5679
S 2492	<u>QPAN 80</u>	1338-43-8	500 gm	720	5 kg	5886
S 2493	<u>QPAN 85</u>	26266-58-0	500 gm	945	5 kg	7893
S 2496	<u>SPEARMINT OIL</u> , rectified	8008-79-5			1 kg	16002
S 2506	<u>SQUALANE</u> for synthesis 98%+	111-01-3	100 ml	5004	500 ml	13005
					1 lt	24903
S 2507	<u>SQUALENE</u> for synthesis 98%	111-02-4	25 ml	1791	100 ml	2979
			500 ml	9504	1 lt	16902
S 2508	<u>SQUARIC ACID</u> 98%	2892-51-5	5 gm	2592	25 gm	10791
					100 gm	26919
S 6093	<u>STACHYOSE</u> hydrate, from stachys tubrifera $\geq 98\%$	54261-98-2	10 mg	2619	100 mg	6705
			500 mg	20907	1 gm	24003
S 2500	<u>STAINLESS STEEL</u> powder	65997-19-5	500 gm	POR	1 kg	POR
S 9665	<u>STAINLESS STEEL</u> - AISI 316L, foil, Fe/Cr18%/Ni 10%/Mo 3%, thickness 1.2 mm, size 25 x 25 mm, temper annealed	- - - - -			1 pc	40059
S 2494	<u>STANNIC CHLORIDE</u> anhydrous 99%	7646-78-8			250 ml	POR
S 2495	☐ <u>STANNIC CHLORIDE</u> hydrate for synthesis 98%	10026-06-9	500 gm	3069	5 kg	27009
S 2505	☐ <u>STANNIC OXIDE</u> extra pure 99%	18282-10-5	250 gm	4995	500 gm	8649
S 2517	<u>STANNIC OXIDE</u> GR 99%+	18282-10-5	100 gm	2205	250 gm	4779
S 6841	<u>STANNIC OXIDE</u> 99.9%	18282-10-5	100 gm	2403	500 gm	6939
					1 kg	19089
S 2520	<u>STANNIC SULPHIDE</u>	1315-01-1	1 gm	16092	10 gm	26919
					50 gm	120609
S 2525	☐ <u>STANNOUS CHLORIDE</u> 97%	10025-69-1	100 gm	945	250 gm	2196
			1 kg	8100	5 kg	38007
S 2527	☐ <u>STANNOUS CHLORIDE</u> GR 98%+	10025-69-1	100 gm	1188	250 gm	2403
	(reagent for amino acid & peptide analysis reagent for tungstate)				500 gm	4788
S 2999	<u>STANNOUS CHLORIDE</u> , 98%	7772-99-8	100 gm	2403	500 gm	5769
S 2528	<u>STANNOUS OCTOATE</u> 98%	301-10-0	100 gm	2043	500 gm	7929

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 2529	<u>STANNOUS OXALATE</u> extra pure 98%+	814-94-8	100 gm	1818	500 gm	4554
S 2530	<u>STANNOUS OXIDE</u> extra pure	21651-19-4	500 gm	7659	5 kg	63099
S 2533	<u>STANNOUS PYROPHOSPHATE</u>	15578-26-4	10 gm	3969	50 gm	7605
					250 gm	30051
S 2535	<u>STANNOUS SULPHATE</u> extra pure	7488-55-3	500 gm	4239	5 kg	39006
S 2537	<u>STANNOUS SULPHATE GR</u>	7488-55-3	250 gm	2997	1 kg	9603
S 2540	<u>STARCH CORN</u> (maize)	9005-25-8	500 gm	189	5 kg	1764
S 2545	<u>STARCH HYDROLYSED</u> for gel electrophoresis	-----	100 gm	936	500 gm	4689
S 2555	<u>STARCH IODIDE PAPER</u>	-----			200 lvs	396
S 2565	<u>STARCH POTATO</u>	9005-84-9	500 gm	315	5 kg	2979
S 2566	<u>STARCH RICE</u> (insoluble)	9005-25-8	100 gm	243	500 gm	693
					5 kg	6201
S 2575	<u>STARCH SOLUBLE</u>	9005-84-9	500 gm	954	5 kg	8109
S 2577	<u>STARCH SOLUBLE GR</u>	9005-84-9	500 gm	1089	5 kg	8505
S 2578	<u>STARCH WHEAT</u> (insoluble)	9005-25-8	100 gm	270	500 gm	765
					5 kg	6561
S 6846	<u>STEARIC ACID</u> (reference material)	57-11-4			100 mg	7407
S 2585	<u>STEARIC ACID</u> for biochemistry 99%	57-11-4	5 gm	288	25 gm	1188
S 2595	<u>STEARIC ACID</u> for synthesis 98%	57-11-4	500 gm	477	5 kg	3807
S 2598	<u>STEARIC ANHYDRIDE</u> for synthesis	638-08-4	5 gm	756	25 gm	1107
			100 gm	4005	250 gm	7605
S 2610	<u>STEARYL ALCOHOL</u> for synthesis 96%	112-92-5	500 gm	666	5 kg	5319
S 2611	<u>STEARYL ALCOHOL</u> puriss 99%	112-92-5			1 kg	2889
S 2608	<u>STEARYLKONIUM CHLORIDE</u> for synthesis	122-19-0			25 gm	1305
	<u>STERILE</u> solution please see G 1368					
S 2616	<u>STEVIA LEAVES</u> (self life is 6 months)	-----	100 gm	2007	500 gm	6903
S 2617	<u>STEVIA REBAUDIANA BERTONI LEAVES</u>	-----	100 gm	5004	500 gm	12006
S 2619	<u>STEVIOSIDE</u> hydrate, 90%	57817-89-7	100 mg	7092	500 mg	16029
			1 gm	20709	5 gm	30609
S 2620	<u>STEVIOSIDE</u> hydrate, 98%	57817-89-7	10 mg	11007	50 mg	44091
			1 gm	63009	5 gm	81009
S 2621	<u>trans-STILBENE</u> 96%	103-30-0	25 gm	3492	100 gm	8919
					250 gm	21609
S 2609	<u>STIGMASTEROL</u> for biochemistry 95%	83-48-7	1 gm	1107	5 gm	5031
			10 gm	9819	25 gm	17208
S 2612	<u>STOPCOCK GREASE</u> (LAB)	-----	250 gm	522	1 kg	1818
					5 kg	7929
S 5157	<u>STREPTAVIDIN</u> , from Streptomyces avidinii essentially salt-free, lyophilized powder, ≥ 13 units/mg protein	9013-20-1			1 mg	19107
S 2600	<u>STREPTOZOTOCIN</u> for biochemistry 98%	18883-66-4	100 mg	1791	1 gm	14994
					5 gm	62497
S 0014	<u>STRONTIUM</u> granular 99.99%	7440-24-6	1 gm	12609	5 gm	40059
					25 gm	160029
S 2602	<u>STRONTIUM</u> pieces 99%	7440-24-6	5 gm	3402	25 gm	14706
					100 gm	65709
S 2601	<u>STRONTIUM</u> 99.9%	7440-24-6	5 gm	6993	25 gm	24003
S 0020	<u>STRONTIUM (Sr) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTED HCL</u> traceable to NIST					
S 6609	<u>STRONTIUM (Sr) ICP STANDARD SOLUTION 1 GM/L</u>	-----	100 ml	4149	500 ml	6606
	<u>IN DILUTED HNO3</u> traceable to NIST					

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 0022	<u>STRONTIUM (Sr) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
S 0023	<u>STRONTIUM (Sr) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
S 0024	<u>STRONTIUM AAS STANDARD SOLUTION 1000 MG/L Sr</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
S 0025	<u>STRONTIUM AAS STANDARD SOLUTION 1000 MG/L Sr</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
S 2603	<u>STRONTIUM ACETATE</u>	543-94-2	500 gm	2169	5 kg	18909
S 2604	<u>STRONTIUM BORATE</u>	71786-49-7	500 gm	1692	5 kg	14904
S 2604a	<u>STRONTIUM BROMIDE 98%</u>	10476-81-0	500 gm	3402	5 kg	30069
S 2605	<u>STRONTIUM BROMIDE GR 99%+</u>	10476-81-0			500 gm	5004
S 2615	<u>STRONTIUM CARBONATE</u> extra pure 99%	1633-05-2	250 gm	477	500 gm	693
					5 kg	5607
S 2613	<u>STRONTIUM CARBONATE</u> 99.9%	1633-05-2	100 gm	6102	500 gm	20043
S 0654	<u>STRONTIUM CARBONATE</u> 99.99%	1633-05-2	25 gm	11007	100 gm	31401
S 3669	<u>STRONTIUM CARBONATE</u> , 99.994% (metals basis)	1633-05-2	25 gm	8991	100 gm	28809
					500 gm	90099
S 3698	<u>STRONTIUM CARBONATE</u> 99.995%	1633-05-2			5 gm	4491
			25 gm	11079	100 gm	30015
S 4566	<u>STRONTIUM CHLORIDE</u> , anhydrous, 99.5%	10476-85-4	25 gm	7803	100 gm	18009
S 2625	<u>STRONTIUM CHLORIDE</u> extra pure 99%	10025-70-4	500 gm	495	5 kg	3906
S 2627	<u>STRONTIUM CHLORIDE GR 99%+</u>	10025-70-4	500 gm	612	5 kg	4779
S 6688	<u>STRONTIUM CHLORIDE</u> 99.995%	10025-70-4	5 gm	6012	25 gm	24003
S 2628	<u>STRONTIUM CHROMATE</u>	7789-06-2	100 gm	1179	500 gm	5607
S 2626	<u>STRONTIUM FLUORIDE</u> for synthesis 98%	7783-48-4	500 gm	2808	5 kg	22005
S 2629	<u>STRONTIUM HYDROXIDE</u> 95%	1311-10-0	500 gm	531	5 kg	4203
S 6615	<u>STRONTIUM IODIDE</u> , anhydrous, 99.995%	10476-86-5			5 gm	15903
			25 gm	41508	100 gm	126099
S 2635	<u>STRONTIUM NITRATE</u> extra pure 99%	10042-76-9	500 gm	549	5 kg	4302
S 2643	<u>STRONTIUM NITRATE</u> GR 99%	10042-76-9			500 gm	891
S 4637	<u>STRONTIUM NITRATE</u> ACS grade, 99%	10042-76-9	100 gm	5508	500 gm	13509
S 0125	<u>STRONTIUM NITRATE</u> ≥99.0%	10042-76-9			250 gm	5607
S 4746	<u>STRONTIUM NITRATE</u> , 99.97%	10042-76-9	25 gm	6309	100 gm	20007
S 4547	<u>STRONTIUM NITRATE</u> , 99.9965%	10042-76-9	5 gm	3708	25 gm	12069
					100 gm	38007
S 2636	<u>STRONTIUM OXALATE</u>	814-95-9	500 gm	675	5 kg	6003
S 2641	<u>STRONTIUM OXIDE</u> pure 98%+	1314-11-0	100 gm	4797	250 gm	11007
S 2644	<u>STRONTIUM OXIDE</u> 99.5%	1314-11-0	10 gm	3969	50 gm	13005
S 2642	<u>STRONTIUM OXIDE</u> 99.9%	1314-11-0	10 gm	4806	50 gm	15003
S 2637a	<u>STRONTIUM PHOSPHATE</u>	7446-28-8	500 gm	1899	5 kg	15003
S 2639	<u>STRONTIUM SULPHATE</u>	7759-02-6	500 gm	441	5 kg	3591
S 2637	<u>STRONTIUM SULPHIDE</u> GR	1314-96-1	500 gm	3906	5 kg	31059
S 2638	<u>STRYALLYL ACETATE</u> for synthesis	93-92-5			500 gm	3969
S 2639a	<u>STRYALLYL PROPIONATE</u> for synthesis	120-45-6			500 gm	3699
S 2640	<u>STYRAX RESINOID</u> for synthesis	-----			500 gm	3006
S 2645	<u>STYRENE</u> (monomer-stabilised) for synthesis 99%	100-42-5	500 ml	864	5 lt	7092
S 2650	<u>SUBERIC ACID</u> puriss 98%	505-48-6	100 gm	2394	500 gm	9891
S 2676	<u>SUCCINAMIDE</u> pure	110-14-5	100 gm	1305	500 gm	4095

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 2655	<u>SUCCINIC ACID</u> for synthesis 99%	110-15-6	500 gm	891	5 kg	7002
S 2657	<u>SUCCINIC ACID</u> GR 99%+	110-15-6	100 gm	594	500 gm	2349
					5 kg	18702
S 2660 ✱	<u>SUCCINIC ACID 2:2 DIMETHYL HYDRAZIDE</u> 99%	1596-84-5	1 gm	396	5 gm	1791
S 2665	<u>SUCCINIC ANHYDRIDE</u> for synthesis 99% (for succinylation of proteins)	108-30-5	100 gm	441	500 gm	1584
					5 kg	13905
S 2675	<u>SUCCINIMIDE</u> for synthesis 99%	123-56-8	100 gm	576	500 gm	2349
					5 kg	20601
S 2695	<u>SUCCINYL CHOLINE CHLORIDE</u> for biochemistry 99%	71-27-2	10 gm	12069	25 gm	27009
S 2705 ☐	<u>SUCROSE</u> extra pure 99%	57-50-1	500 gm	252	1 kg	441
					5 kg	1656
S 2707 ☐	<u>SUCROSE</u> GR 99%+	57-50-1	500 gm	387	5 kg	3249
S 2710 ☐	<u>SUCROSE</u> for molecular biology, 99.5%	57-50-1	500 gm	522	1 kg	936
S 2714	<u>SUDAN I</u> for microscopy (C.I. 20557)	842-07-9	10 gm	162	100 gm	1359
			25 gm	405	1 kg	10809
S 2715 ☐	<u>SUDAN III</u> for microscopy (C.I. No. 26100)	85-86-9	10 gm	153	25 gm	225
			100 gm	495	1 kg	4392
S 2716	<u>SUDAN III</u> solution	85-86-9	100 ml	153	500 ml	396
S 2725 ☐	<u>SUDAN IV</u> for microscopy (C.I. No. 26105)	85-83-6	10 gm	90	25 gm	198
			100 gm	540	1 kg	4608
S 2726	<u>SUDAN IV</u> solution	85-83-6	100 ml	387	500 ml	1602
S 2735 ☐	<u>SUDAN BLACK B</u> for microscopy (C.I. No. 26150)	4197-25-5	10 gm	792	25 gm	1593
			100 gm	5994	1 kg	52209
S 2736	<u>SUDAN YELLOW</u> for microscopy	2481-94-9			5 gm	207
			25 gm	828	500 gm	9909
S 2745 ☐	<u>SULPHAMIC ACID</u> for synthesis 99%	5329-14-6	500 gm	459	5 kg	3429
S 2747 ☐	<u>SULPHAMIC ACID</u> GR 99%+	5329-14-6	100 gm	324	500 gm	1287
					5 kg	11079
S 2743 ☐	<u>SULPHAMIC ACID</u> 99.3%	5329-14-6	100 gm	2808	500 gm	9306
S 2756	<u>SULPHANILAMIDE</u> extra pure 99%	63-74-1	100 gm	639	500 gm	2808
S 2757 ☐	<u>SULPHANILAMIDE</u> GR 99%+	63-74-1	25 gm	270	100 gm	846
					500 gm	3402
S 2765 ☐	<u>SULPHANILIC ACID</u> for synthesis 99%	121-57-3	100 gm	189	500 gm	585
					5 kg	4608
S 2767 ☐	<u>SULPHANILIC ACID</u> GR 99%+	121-57-3	100 gm	252	500 gm	1071
					5 kg	8505
	<u>SULPHOBROMOPHTHALEIN</u> please see <u>BROMSULPHALEIN</u>					
S 2775 ☐	<u>SULPHOLANE</u> for synthesis 99%	126-33-0	500 ml	693	5 lt	6201
S 2777 ☐	<u>SULPHOLANE</u> puriss 99% GR	126-33-0	100 ml	306	500 ml	1017
			1 lt	1359	5 lt	9603
S 2778	<u>SULPHONAZO</u> III GR indicator	68504-35-8	1 gm	4203	5 gm	18702
S 2785 ☐	<u>5-SULPHO SALICYLIC ACID</u> extra pure 99%	5965-83-3	100 gm	288	250 gm	630
			500 gm	1134	5 kg	10026
S 2787 ☐	<u>5-SULPHO SALICYLIC ACID</u> GR 99%+ (reagent for iron, aluminium & titanium)	5965-83-3	100 gm	405	250 gm	684
					500 gm	1287
S 2786	<u>5-SULPHO SALICYLIC ACID</u> 20% solution	5965-83-3			250 ml	171
S 0081 ☐	<u>SULPHUR</u> pellets, 12-13 mm dia, 1.85-1.88 mm thick, 99.99%	7704-34-9	1 pc	9603	5 pc	32049
S 0090 ☐	<u>SULPHUR</u> pellets, 18-25 mm dia, 3 -5 mm thick, 99.99%	7704-34-9	1 pc	12609	5 pc	40905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
S 2795	<u>SULPHUR</u> powder extra pure 98%	7704-34-9	500 gm	189	5 kg	1701
S 2797	<u>SULPHUR</u> powder GR 99%+	7704-34-9	500 gm	414	5 kg	3708
S 2929	<u>SULPHUR</u> powder 99.5%	7704-34-9			1 kg	1908
S 2791	<u>SULPHUR</u> powder, 99.98%	7704-34-9	50 gm	7902	250 gm	21204
S 2796	<u>SULPHUR</u> powder "spectroscopically pure" 99.99%	7704-34-9			10 gm	6003
S 2798	<u>SULPHUR</u> powder 99.999%	7704-34-9	10 gm	2619	50 gm	8604
S 0026	<u>SULPHUR (S) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN WATER</u> traceable to NIST	- - - -	100 ml	4149	500 ml	6606
S 0027	<u>SULPHUR (S) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN WATER</u> traceable to NIST	- - - -	100 ml	12592	500 ml	37809
S 2800	<u>SULPHUR MONOCHLORIDE</u> puriss 98%	10025-67-9			500 ml	4005
S 2799	<u>SULPHURYL CHLORIDE</u> puriss 98%	7791-25-5			500 ml	3969
S 2807	<u>SULPHUROUS ACID</u> GR solution app. 5.6%	7782-99-2			500 ml	495
S 2810	<u>SUNSET YELLOW</u>	2783-94-0	25 gm	396	100 gm	1179
S 2809	<u>SUNFLOWER OIL</u> Certified grade	8001-21-6	250 ml	3402	1 kg	7992
					5 kg	35919
S 2817	<u>SUNFLOWER SEED OIL</u> , from Helianthus annuus	8001-21-6	250 ml	6507	1 lt	17910
S 2808	<u>SUNFLOWER SEED OIL</u> , analytical standard	8001-21-6			1 gm	6903
S 2801 *	<u>(±)-SYNEPHRINE</u> 98%	94-07-5			5 gm	6210
S 2811 *	<u>SYRINGICALDEHYDE</u> for synthesis 98%	134-96-3	5 gm	594	25 gm	1701
S 2812 *	<u>SYRINGALDAZINE</u> for synthesis 98%	14414-32-5	500 mg	1656	1 gm	3204
S 2813	<u>SYRINGIC ACID</u> for synthesis 98%	530-57-4	5 gm	1269	25 gm	3249
T 1206	<u>TAGETE OIL</u> , natural	8016-84-0	100 gm	13509	500 gm	40059
T 1201	<u>TALC</u> fine powder extra pure	14807-96-6	500 gm	126	5 kg	1089
T 1205	<u>TANNIC ACID</u> powder	1401-55-4	100 gm	972	250 gm	2088
			500 gm	3969	5 kg	33906
T 1207	<u>TANNIC ACID</u> GR	1401-55-4	100 gm	1089	250 gm	2259
			500 gm	4149	5 kg	38097
T 1215	<u>TANTALUM</u> foil, 0.1 mm thick, 99.9%	7440-25-7	40 x 50 mm	15003	40 x 100 mm	18999
T 1218	<u>TANTALUM</u> foil, 0.25 mm thick, 99.9%	7440-25-7			40 x 50 mm	13005
T 1218a	<u>TANTALUM</u> foil 0.025 mm thick 99.99%	7440-25-7			25 x 25 mm	24903
T 1219	<u>TANTALUM</u> foil, 0.05mm thick, 99.9%	7440-25-7	25 x 25 mm	20016	50 x 50 mm	53001
T 9107	<u>TANTALUM</u> slug, 3.175mm (0.125in) dia x 3.175mm (0.125in) length, 99.95%	7440-25-7	10 gm	13059	50 gm	49905
T 0028	<u>TANTALUM (TA) ICP STANDARD SOLUTION 1 G/L</u> <u>IN 5% HNO₃, 1% HF</u> traceable to NIST	- - - -	50 ml	4104	100 ml	6606
T 1220	<u>TANTALUM(V) CHLORIDE</u> 99.9%	7721-01-9	5 gm	2403	25 gm	8208
					100 gm	29007
T 0657	<u>TANTALUM(V) CHLORIDE</u> anhydrous, powder, 99.99%	7721-01-9	5 gm	3105	25 gm	9612
T 0648	<u>TANTALUM(V) CHLORIDE</u> anhydrous, powder, 99.999%	7721-01-9			5 gm	5202
			25 gm	15003	100 gm	49059
T 1222	<u>TANTALUM OXIDE</u> 99%	1314-61-0	10 gm	2304	50 gm	9603
T 1212	<u>TANTALUM OXIDE</u> -60 mesh, 99.5%	1314-61-0	10 gm	2799	50 gm	9827
T 1221	<u>TANTALUM OXIDE</u> GR 99.99%	1314-61-0	5 gm	2079	10 gm	4302
			25 gm	11079	50 gm	15039
T 1209	<u>TANTALUM OXIDE</u> puriss, 99.993%	1314-61-0	10 gm	14409	100 gm	46089
					500 gm	169029
T 1203	<u>TANTALUM OXIDE</u> 99.995%	1314-61-0	10 gm	4329	50 gm	17109
T 1204	<u>TANTALUM OXIDE</u> 99.999%	1314-61-0	10 gm	4491	50 gm	19899
T 1223	<u>TAPS</u> puriss 98%+	29915-38-6	25 gm	1296	100 gm	4905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1224	<u>D-TARTARIC ACID</u> puriss 99%+	147-71-7	250 gm	1233	100 gm	504
T 1226	<u>DL-TARTARIC ACID</u> (synthetic) 99%	133-37-9	500 gm	648	500 gm	2169
T 1225	<u>L-TARTARIC ACID</u> extra pure 99%	87-69-4	500 gm	945	5 kg	5103
T 1227	<u>L-TARTARIC ACID</u> GR 99%+	87-69-4	500 gm	1071	5 kg	7929
T 1235	<u>TARTRAZINE</u> GR for microscopy	1934-21-0	25 gm	225	5 kg	8919
T 1245	<u>TAURINE</u> for biochemistry 99%	107-35-7	25 gm	414	100 gm	594
T 1252	<u>TAXIFOLIN</u> 98%+	480-18-2	250 gm	2205	1 kg	4419
T 1250	<u>TBTU</u> puriss 99% (O-(1H-Benzotriazol-1-yl)-N,N,N',N'-teramethyluroniumtetra fluoroborate)	125700-67-6	10 mg	3609	50 mg	1287
T 1266	<u>TEA TREE OIL</u>	68647-73-4	50 mg	7929	100 mg	5202
T 0225	<u>TELLURIUM</u> pieces, 99.999%	13494-80-9	100 mg	15605	25 gm	1494
T 0721	<u>TELLURIUM</u> powder, 99.8%	13494-80-9	1 kg	20061	100 gm	5607
T 1255	<u>TELLURIUM</u> powder 99.9%	13494-80-9	50 gm	23049	1 kg	20061
T 0723	<u>TELLURIUM</u> powder, -60 mesh, 99.999% (metals basis)	13494-80-9	50 gm	96003	250 gm	18099
T 3069	<u>TELLURIUM</u> powder, -100 mesh, 99.99%	13494-80-9	100 gm	7659	100 gm	7929
T 1041	<u>TELLURIUM</u> shot, 2-5 mm (0.08-0.20in) dia, 99.9999%	13494-80-9	50 gm	11807	250 gm	50904
T 0029	<u>TELLURIUM (Te) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	25 gm	14004	50 gm	18099
T 0030	<u>TELLURIUM (Te) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	6903	500 ml	39069
T 0031	<u>TELLURIUM AAS STANDARD SOLUTION 1000 MG/L Te</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	3105	500 ml	3105
T 0033	<u>TELLURIUM AAS STANDARD SOLUTION 1000 MG/L Te</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	3105	500 ml	3105
T 1251	<u>TELLURIUM OXIDE</u> ≥97%	7446-07-3	10 gm	4005	10 gm	4005
T 1256	<u>TELLURIUM OXIDE</u> 99%+ (Tellurium(IV) oxide)	7446-07-3	50 gm	40203	250 gm	40203
T 1253	<u>TELLURIUM OXIDE</u> 99.99%	7446-07-3	10 gm	3204	5 gm	3204
T 1254	<u>TELLURIUM OXIDE</u> 99.9995% (Tellurium(IV) oxide)	7446-07-3	25 gm	7292	25 gm	7292
T 3176	<u>TELLURIUM TETRACHLORIDE</u> , 99%	10026-07-0	25 gm	3609	5 gm	3609
T 1257	<u>TELLURIC ACID</u> puriss 99% +	7803-68-1	25 gm	22059	100 gm	22059
T 1258	<u>TEMPO</u> puriss 98%	2564-83-2	1 gm	225	5 gm	666
T 1259	<u>TERBIUM</u> chips 99.9%	7440-27-9	25 gm	9036	100 gm	9036
T 0149	<u>TERBIUM</u> pieces, 99.9%	7440-27-9	1 gm	19602	5 gm	19602
T 1115	<u>TERBIUM(III) ACETATE</u> hydrate, 99.9%	100587-92-6	1 gm	29007	5 gm	29007
T 1120	<u>TERBIUM(III) ACETATE</u> hydrate, 99.99%	100587-92-6	10 gm	22707	50 gm	22707
T 1125	<u>TERBIUM(III) BROMIDE</u> puriss 99.99%	14456-47-4	5 gm	10602	10 gm	10602
T 1130	<u>TERBIUM(III) CARBONATE</u> hydrate 99.9%	100587-96-0	1 gm	POR	5 gm	POR
			10 gm	89091	50 gm	89091

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1133	<u>TERBIUM(III) CHLORIDE</u> 99.9%	13798-24-8	10 gm	8055	25 gm	26109
					50 gm	40059
T 1134	<u>TERBIUM(III) CHLORIDE</u> 99.99%	13798-24-8	10 gm	9306	50 gm	44001
T 1135	<u>TERBIUM(III) CHLORIDE</u> hexahydrate 99.999%	13798-24-8	5 gm	9108	10 gm	16002
T 1140	<u>TERBIUM(III) CHLORIDE</u> puriss 99.99%	10042-88-3	1 gm	8190	10 gm	91008
T 1150	<u>TERBIUM(III) FLUORIDE</u> anhydrous 99.99%	13708-63-9	1 gm	2403	5 gm	13005
					25 gm	40905
T 1155	<u>TERBIUM(III) IODIDE</u> puriss 99.99%	13813-40-6	1 gm	24003	5 gm	76509
T 1160	<u>TERBIUM(III) NITRATE</u> 99.99%	13451-19-9			1 gm	2007
			2 gm	3789	10 gm	13905
T 1164	<u>TERBIUM (III) NITRATE</u> pentahydrate 99.9%	57584-27-7	5 gm	3969	25 gm	17451
T 1165	<u>TERBIUM(III) OXALATE</u> decahydrate 99.9%	24670-06-2	1 gm	4563	10 gm	26919
T 1262	<u>TERBIUM OXIDE</u> 99%	12037-01-3	1 gm	1629	5 gm	8001
T 1261	<u>TERBIUM OXIDE</u> 99.9%	12037-01-3	1 gm	2601	5 gm	8604
T 1260	<u>TERBIUM OXIDE</u> GR 99.99%	12037-01-3	1 gm	3492	5 gm	9729
			10 gm	16209	25 gm	38709
T 1263	<u>TERBIUM OXIDE</u> 99.998%	12037-01-3	1 gm	5409	5 gm	24606
T 1264	<u>TERBIUM OXIDE</u> 99.999%	12037-01-3	1 gm	7605	5 gm	31599
T 1170	<u>TERBIUM(III) 2,4-PENTANEDIONATE</u> 99.9%	14284-95-8	1 gm	7389	10 gm	56709
T 1172	<u>TERBIUM(III) SULPHATE</u> 99.9%	13842-67-6	1 gm	3807	10 gm	13005
T 1175	<u>TERBIUM(III) SULPHATE</u> octahydrate 99.995% (metals basis)	13842-67-6	1 gm	4608	10 gm	25002
T 1265	<u>TEREPHTHALIC ACID</u> for synthesis 99%	100-21-0	500 gm	459	5 kg	3618
T 1267	<u>TEREPHTHALALDEHYDE</u> for synthesis 98%	623-27-8	25 gm	2205	100 gm	3519
					500 gm	11889
T 1268	<u>p-TERPHENYL</u> for synthesis 99%	92-94-4			25 gm	2493
			100 gm	6939	500 gm	23904
T 1275a	<u>TERPHTHALOYL CHLORIDE</u> for synthesis 98%	100-20-9	100 gm	1305	500 gm	6507
T 1270	<u>TERPINEOL</u> for synthesis	8006-39-1	500 ml	945	5 lt	9036
T 1271	<u>TERPINYL ACETATE</u> for synthesis	80-26-2			500 gm	2169
T 1272	<u>TES BUFFER</u> for biochemistry 99%+ (N-tris (hydroxymethyl) methyl-2-aminoethane sulphonic acid)	7365-44-8	5 gm	396	25 gm	1395
					100 gm	4995
T 1275	<u>TETRA BROMO PHTHALIC ANHYDRIDE</u> for synthesis 98%	632-79-1	100 gm	2205	250 gm	4509
T 1285	<u>TETRA BUTYL AMMONIUM BROMIDE</u> for synthesis 98%	1643-19-2	100 gm	396	250 gm	783
					1 kg	2790
T 1287	<u>TETRA BUTYL AMMONIUM BROMIDE</u> GR 99%+ & HPLC (phase transfer catalyst)	1643-19-2	25 gm	243	100 gm	522
					500 gm	2295
T 4615	<u>TETRABUTYLAMMONIUM CHLORIDE</u> , 50% H ₂ O	1112-67-0	250 gm	3906	1 kg	7902
T 1290	<u>TETRA BUTYL AMMONIUM CHLORIDE</u> for synthesis 98%	1112-67-0	10 gm	3906	25 gm	6003
			100 gm	20709	500 gm	76005
T 1291	<u>TETRA BUTYL AMMONIUM FLUORIDE</u> for synthesis 98%	87749-50-6	25 gm	1593	100 gm	4869
T 1292	<u>TETRA BUTYL AMMONIUM FLUORIDE</u> ~75% in water puriss	429-41-4			100 gm	6003
T 1293	<u>TETRA BUTYL AMMONIUM FLUORIDE</u> 1M in THF	429-41-4	100 ml	2619	500 ml	8604
T 4778	<u>TETRABUTYLAMMONIUM HEXAFLUOROPHOSPHATE</u> puriss 98%	3109-63-5	5 gm	1449	25 gm	3069
			100 gm	11007	250 gm	15399
T 1295	<u>TETRA BUTYL AMMONIUM HYDROGEN SULPHATE</u> for synthesis 98%	32503-27-8			100 gm	693
			500 gm	2592	5 kg	22005
T 1297	<u>TETRA BUTYL AMMONIUM HYDROGEN SULPHATE</u> for HPLC 99%+ & GR	32503-27-8	25 gm	567	100 gm	1587
					1 kg	14409
T 1305	<u>TETRA-n-BUTYL AMMONIUM HYDROXIDE</u> solution 20% in water	2052-49-5	100 ml	1647	500 ml	6489
T 1301	<u>TETRA BUTYL AMMONIUM HYDROXIDE</u> 30% aqueous solution	2052-49-5			100 ml	3690

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1304	<u>TETRABUTYL AMMONIUM HYDROXIDE</u> 40% in water	2052-49-5			100 ml	3186
T 1308	<u>TETRA BUTYL AMMONIUM HYDROXIDE</u> 10% in methanol	2052-49-5			100 ml	1602
T 1302	<u>TETRA BUTYL AMMONIUM HYDROXIDE</u> 12.5% in methanol	2052-49-5			100 ml	1449
T 1306	<u>TETRA BUTYL AMMONIUM HYDROXIDE</u> 25% in methanol	2052-49-5	100 ml	1593	250 ml	3582
T 1300	<u>TETRA BUTYL AMMONIUM HYDROXIDE</u> 40% in methanol GR	2052-49-5			100 ml	2889
T 1307	<u>TETRA-n-BUTYL AMMONIUM HYDROXIDE</u> 0.1N in toluene/methanol GR (for non-aqueous titration)	2052-49-5			500 ml	1593
T 1317	<u>TETRA-n-BUTYL AMMONIUM HYDROXIDE</u> 0.1N in aqueous medium GR	2052-49-5			500 ml	1692
T 1325	<u>TETRA-n-BUTYL AMMONIUM HYDROXIDE</u> 0.1N in isopropanol GR	2052-49-5			500 ml	1791
T 1337	<u>TETRABUTYL AMMONIUM IODIDE</u> GR 99%+	311-28-4	25 gm	495	100 gm	1791
T 8586	<u>TETRABUTYLAMMONIUM NITRATE</u> 97%	1941-27-1	5 gm	3042	25 gm	7506
					100 gm	20304
T 1339 ✱	<u>TETRA BUTYL AMMONIUM PERCHLORATE</u> GR 99% (End user certificate required)	1923-70-2	25 gm	3492	100 gm	11160
					500 gm	20907
T 1341 ✱	<u>TETRA BUTYL AMMONIUM PHOSPHATE</u> for synthesis 98%	5574-97-0	5 gm	2691	25 gm	8892
					100 gm	32004
T 1340 ✱ ☐	<u>TETRA BUTYL AMMONIUM PHOSPHATE</u> for HPLC 99%	5574-97-0	5 gm	2979	25 gm	10989
					100 gm	38007
T 0342	<u>TETRA BUTYL AMMONIUM PHOSPHATE</u> monobasic solution 1.0 M in H ₂ O	5574-97-0	100 ml	11079	500 ml	31509
T 1342	<u>TETRA BUTYL TITANATE</u> 97%+	5593-70-4			500 ml	4302
T 1350	<u>TETRACHLOROCATECHOL</u> 95%	1198-55-6	1 gm	4779	5 gm	16704
T 1345	<u>1,1,2,2-TETRA CHLORO ETHANE</u> for synthesis 98%	79-34-5	500 ml	2403	5 lt	21906
T 1347	<u>1,1,2,2-TETRA CHLORO ETHANE</u> GR 99%+	79-34-5	500 ml	2592	5 lt	24003
T 1355	<u>TETRA CHLORO ETHYLENE</u> puriss 99%+	127-18-4	500 ml	936	5 lt	7308
T 1357	<u>TETRA CHLORO ETHYLENE</u> GR 99%+	127-18-4	500 ml	1089	5 lt	8712
T 1358	<u>TETRA CHLORO ETHYLENE</u> for spectroscopy 99.9%	127-18-4	500 ml	1188	5 lt	9504
T 1359	<u>TETRA CHLORO METHANE</u> puriss 99.5%	56-23-5	500 ml	1998	5 lt	POR
T 1360 ☐	<u>TETRA CHLORO PHTHALIC ANHYDRIDE</u> puriss 96%	117-08-8	500 gm	2403	1 kg	3969
					5 kg	18009
T 1363	<u>TETRACYANOETHYLENE</u> puriss 98%	670-54-2	5 gm	4806	25 gm	19008
T 1365	<u>7,7,8,8-TETRACYANOQUINO DIMETHANE</u> 98%	1518-16-7	1 gm	1503	5 gm	5679
			10 gm	7605	25 gm	15399
T 0881	<u>TETRACYCLINE HYDROCHLORIDE</u> for biochemistry 98%	64-75-5	5 gm	405	25 gm	2043
T 0097	<u>TETRACYCLINE HYDROCHLORIDE</u> suitable for cell culture, 99%	64-75-5	5 gm	990	25 gm	3708
T 1371	<u>TETRADECANE</u> 99%	629-59-4	25 ml	891	100 ml	2394
			500 ml	10989	5 lt	POR
T 1372	<u>TETRADECANE</u> puriss 99%+	629-59-4	25 ml	945	100 ml	2691
			500 ml	12069	5 lt	POR
T 1374	<u>TETRA DECYL AMMONIUM BROMIDE</u> GR for HPLC 99%+	14937-42-9	5 gm	2979	10 gm	6291
			25 gm	13500	50 gm	POR
T 1376 ☐	<u>TETRA ETHOXY SILANE</u> for synthesis 98%	78-10-4	250 ml	1629	500 ml	3159
T 1375 ☐	<u>TETRA ETHYL AMMONIUM BROMIDE</u> for synthesis 99% (phase transfer catalyst)	71-91-0	100 gm	396	250 gm	891
			500 gm	1692	1 kg	3195
T 1377	<u>TETRAETHYLAMMONIUM BROMIDE</u> ≥99.5%	71-91-0	50 gm	1864	250 gm	2493
T 1385	<u>TETRA ETHYL AMMONIUM CHLORIDE</u> ≥98%	56-34-8	25 gm	1800	100 gm	3699
					500 gm	8991
T 1390	<u>TETRAETHYL AMMONIUM HYDROGEN SULPHATE</u> for HPLC 99%	16873-13-5	25 gm	846	100 gm	2880

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1395	<u>TETRA ETHYL AMMONIUM HYDROXIDE</u> 20% in water	77-98-5	100 ml	2007	500 ml	9099
T 1394	<u>TETRA ETHYL AMMONIUM HYDROXIDE</u> 25% in water	77-98-5	100 ml	2187	500 ml	9450
T 1405	<u>TETRA ETHYL AMMONIUM IODIDE</u> extra pure 98%	68-05-3	100 gm	2394	500 gm	10908
T 1411	<u>TETRA ETHYLENE GLYCOL</u> for synthesis 99%	112-60-7			1 lt	5103
T 1410	<u>TETRA ETHYLENE GLYCOL DIMETHYL ETHER</u> 99%	143-24-8			100 ml	2592
T 1412	<u>TETRA ETHYL ORTHO-SILICATE</u> for synthesis 98%	78-10-4	250 ml	1269	500 ml	1864
					1 lt	2799
T 1400	<u>TETRAETHYL ORTHOSILICATE</u> , 99%	78-10-4	250 ml	2772	1 lt	7101
T 1413	<u>TETRA ETHYL ORTHO-SILICATE</u> 99.999%	78-10-4	25 ml	3996	100 ml	13905
T 8951	<u>TETRAFLUOROSUCCINYL CHLORIDE</u> , 95%	356-15-0	1 gm	97902	5 gm	495095
T 1414	<u>TETRA HEPTYL AMMONIUM BROMIDE</u> puriss GR for HPLC 99%+	4368-51-8	25 gm	9459	100 gm	34902
					500 gm	POR
TI 0070	<u>TETRA HEPTYL AMMONIUM BROMIDE</u> for biochemistry ≥99%	4368-51-8	25 gm	11007	100 gm	39006
T 1415	<u>TETRAHYDROFURAN</u> for synthesis 99%	109-99-9	500 ml	945	5 lt	8505
T 1417	<u>TETRAHYDROFURAN</u> (stabilised) extra pure GR 99%+	109-99-9	500 ml	1044	5 lt	8892
T 1419	<u>TETRAHYDROFURAN</u> for HPLC 99.8%	109-99-9			500 ml	1188
T 1420	<u>TETRAHYDROFURAN</u> for UV-spectroscopy 99.8%	109-99-9			500 ml	1188
T 1416	<u>TETRAHYDROFURAN</u> anhydrous, ≥99.9%	109-99-9			500 ml	1188
T 7141	<u>2(3)-(TETRAHYDROFURFURYLOXY)TETRAHYDROPYRAN</u> , 98%	710-14-5			100 gm	34092
	<u>1,2,5,8 TETRAHYDROXYANTHRAQUINONE</u> GR please see <u>QUINALIZARINE</u> GR					
T 1429	<u>TETRA HYDRO PHTHALIC ANHYDRIDE</u> for synthesis 95%	935-79-5	250 gm	1809	500 gm	2619
T 0542	<u>cis-1,2,3,6-TETRAHYDROPHthalimide</u> 96%	1469-48-3	100 gm	3303	250 gm	6993
T 1425	<u>TETRAHYDROXY-p-BENZOQUINONE</u> (indicator for sulphate titration) 99%+	319-89-1	1 gm	792	5 gm	3492
					25 gm	16902
T 0913	<u>5,10,15,20-TETRAKIS(4-HYDROXYPHENYL)-21H,</u> <u>23H-PORPHINE</u> , 95%	51094-17-8	100 mg	5589	250 mg	8505
					1 gm	27702
T 1433	<u>TETRALINE</u> for synthesis 99%	119-64-2	500 ml	1422	5 lt	12906
T 1434	<u>TETRALINE</u> puriss 99%+	119-64-2	500 ml	2106	5 lt	18063
T 1435	<u>1-TETRALONE</u> for synthesis 97%+	529-34-0	100 ml	3996	500 ml	17901
T 1436	<u>β-TETRALONE</u> 98%	530-93-8	5 gm	6219	25 gm	25029
T 1440	<u>TETRAKIS (TRIPHENYLPHOSPHINE) PALLADIUM(O)</u> (Reduction catalyst) puriss 99%	14221-01-3	1 gm	3294	5 gm	15903
					25 gm	77904
T 1445	<u>TETRA METHYL AMMONIUM BROMIDE</u> for synthesis 98%	64-20-0	100 gm	1188	500 gm	5494
T 1455	<u>TETRA METHYL AMMONIUM CHLORIDE</u> for synthesis 98%	75-57-0	100 gm	396	500 gm	1791
T 1460a	<u>TETRAMETHYLAMMONIUM HYDROXIDE</u> pentahydrate puriss 98%	10424-65-4	25 gm	1287	100 gm	4491
T 1460	<u>TETRA METHYL AMMONIUM HYDROGEN SULPHATE</u> for synthesis 98%	80526-82-5	100 gm	2691	500 gm	9765
T 1461	<u>TETRA METHYL AMMONIUM HYDROGEN</u> <u>SULPHATE</u> for HPLC 99%	80526-82-5	5 gm	693	25 gm	2979
					100 gm	10809
T 1463	<u>TETRAMETHYL AMMONIUM HYDROXIDE</u> 0.1 N in isopropanol / methanol	75-59-2	250 ml	1692	500 ml	2907
T 1465	<u>TETRA METHYL AMMONIUM HYDROXIDE</u> 10% for polarography	75-59-2	50 ml	864	250 ml	3195
T 1475	<u>TETRA METHYL AMMONIUM HYDROXIDE</u> 25% in water	75-59-2	100 ml	2575	250 ml	5467
T 1476	<u>TETRA METHYL AMMONIUM HYDROXIDE</u> 25% in methanol	75-59-2	100 ml	2790	250 ml	4959
T 1477	<u>TETRA METHYL AMMONIUM HYDROXIDE</u> 1M solution in methanol	75-59-2	100 ml	1197	250 ml	2799
T 1478	<u>TETRA METHYL AMMONIUM HYDROXIDE</u> 1M solution in water	75-59-2	100 ml	1116	250 ml	2592
T 1485	<u>TETRA METHYL AMMONIUM IODIDE</u> extra pure 99%	75-58-1	100 gm	1296	500 gm	5949

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1489 * ☐	<u>3,3,5,5 TETRA METHYL BENZIDINE</u> puriss 99%	54827-17-7	100 mg	909	1 gm	1188
			5 gm	4905	25 gm	23904
T 5866	<u>3,3',5,5'-TETRAMETHYLBENZIDINE</u> (TMB) Liquid Substrate System for ELISA	- - - - -	100 ml	6129	1 lt	53199
T 1488 * ☐	<u>N,N,N,N' TETRA METHYL BENZIDINE</u> puriss $\geq 95\%$ (HPLC)	366-29-0	100 mg	1305	1 gm	4005
			5 gm	9306	25 gm	31059
T 1490 ☐	<u>N,N,N,N' TETRA METHYL DIAMINO DIPHENYL METHANE</u> for synthesis	101-61-1	5 gm	3501	100 gm	14049
					500 gm	56007
T 1495 ☐	<u>N,N,N,N'-TETRAMETHYL ETHYLENEDIAMINE</u> (TEMED) for synthesis 98%	110-18-9	100 ml	792	250 ml	1386
					2.5 lt	11889
T 1497 ☐	<u>N,N,N,N'-TETRAMETHYL ETHYLENEDIAMINE</u> (TEMED) GR 99%+ (catalyst for cyanogum and acrylamide polymerisation)	110-18-9	100 ml	891	250 ml	1575
T 1498	<u>N,N,N,N'-TETRAMETHYL ETHYLENEDIAMINE</u> (TEMED) for electrophoresis & molecular biology 99%+	110-18-9			100 ml	1584
T 1500 ☐	<u>1,1,3,3-TETRAMETHYL GUANIDINE</u> puriss 98%	80-70-6	100 gm	2997	500 gm	14004
T 8774	<u>TETRAMETHYL ORTHOSILICATE</u> , 98%	681-84-5	25 gm	1818	100 gm	4509
					500 gm	14904
T 2241	<u>TETRAMETHYLUREA</u> 99%	632-22-4	5 gm	1008	100 gm	2880
T 1505 * ☐	<u>TETRA METHYL p-PHENYLENE DIAMINE</u> <u>DIHYDROCHLORIDE</u> for synthesis 99%	637-01-4	1 gm	387	5 gm	1584
			25 gm	6939	100 gm	21609
T 1511	<u>TETRA METHYL THIURAM DISULPHIDE</u> puriss 97%	137-26-8	5 gm	1692	100 gm	2601
			500 gm	5139	2.5 kg	23409
T 1517 *	<u>TETRA NITRO BLUE TETRAZOLIUM CHLORIDE</u> GR $\geq 85\%$ for microscopy	1184-43-6	100 mg	2142	250 mg	4329
T 1519 *	<u>TETRA OCTYL AMMONIUM BROMIDE</u> puriss 99%	14866-33-2	10 gm	1692	25 gm	2394
					100 gm	7794
T 0612	<u>TETRAPHENYLARSONIUM(V) CHLORIDE</u> , hydrate 97%	507-28-8	2.5 gm	13059	10 gm	43002
T 1521 ☐	<u>TETRA PHENYL PHOSPHONIUM BROMIDE</u> for synthesis 99%	2751-90-8	25 gm	1188	100 gm	3789
T 1522	<u>TETRA PHENYL PHOSPHONIUM CHLORIDE</u> for synthesis 99%	2001-45-8	5 gm	2997	25 gm	7407
T 1523	<u>TETRA PHENYL PHOSPHONIUM IODIDE</u> for synthesis 99%	2065-67-0			10 gm	6669
T 1524 ☐	<u>TETRA PROPYL AMMONIUM BROMIDE</u> for synthesis 99%	1941-30-6	100 gm	792	500 gm	3492
T 1520	<u>TETRA PROPYL AMMONIUM HYDROXIDE</u> 10% aqueous solution	4499-86-9	100 ml	1188	500 ml	5796
T 1518	<u>TETRA PROPYL AMMONIUM HYDROXIDE</u> 20% aqueous solution	4499-86-9	100 ml	1593	500 ml	6939
T 1516	<u>TETRA PROPYL AMMONIUM HYDROXIDE</u> 40% aqueous solution	4499-86-9	100 ml	3186	500 ml	13005
T 2600	<u>5,10,15,20-TETRAPHENYL-21H, 23H-PORPHINE ZINC</u> pure	14074-80-7	100 mg	3423	500 mg	11691
T 2605	<u>5,10,15,20-TETRAPHENYL-21H,23H-PORPHINE</u> <u>IRON(III)CHLORIDE</u> pure	16456-81-8	200 mg	3879	500 mg	9702
					1 gm	15399
	<u>TETRAZOLIUM BLUE</u> GR for microscopy please see <u>BLUE TETRAZOLIUM</u> GR for microscopy					
T 1525 ☐	<u>1H-TETRAZOLE</u> for synthesis 99%	288-94-8	1 gm	270	5 gm	1269
					25 gm	4806
T 1526	<u>TETRAZOLE</u> 3 to 4 Wt.% solution in acetonitrile	288-94-8	100 ml	9171	500 ml	36099
T 1527 ☐	<u>TETRAZOLIUM SALT</u> GR (TTC) 99%+	298-96-4	5 gm	963	10 gm	1692
			25 gm	4167	100 gm	14004
T 1537	<u>TETRAZOLIUM VIOLET</u> GR for microscopy	1719-71-7			1 gm	2709
T 1541	<u>THALLIUM</u> powder 99.999% (End user certificate required)	7440-28-0			25 gm	28008
T 0034	<u>THALLIUM (TL) ICP STANDARD SOLUTION 1 G/L</u> IN 2% HNO ₃ traceable to NIST	- - - - -	50 ml	4131	100 ml	6606
T 1545	<u>THALLIUM (I) CHLORIDE</u> 98% (End user certificate required)	7791-12-0			25 gm	16002
T 1555	<u>THALLOUS FORMATE</u> 99%+ (End user certificate required)	992-98-3			25 gm	16002

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1577	☐ <u>2-THENOYL TRIFLUOROACETONE</u> GR 99%+	326-91-0	5 gm 25 gm	891 2790	10 gm 100 gm	1188 9729
T 1578	<u>THEOBROMINE</u> for synthesis 98% (End user certificate required)	83-67-0	100 gm	6192	25 gm 500 gm	3303 17091
T 1580	<u>THEOPHYLLINE</u> anhydrous puriss 99%	58-55-9			100 gm	756
T 1585	☐ <u>THIAMINE HYDROCHLORIDE</u> for biochemistry 99%+	67-03-8	10 gm 100 gm	387 2619	25 gm 250 gm	792 6939
T 1590	<u>1-(2-THIAZOLYLAZO)-2-NAPHTHOL</u> puriss <u>THIAZOLYL BLUE</u> GR please see <u>M.T.T. TETRAZOLIUM</u> GR	1147-56-4			1 gm	6903
T 1595	☐ <u>THIOACETAMIDE</u> for synthesis 99%	62-55-5	100 gm	1584	500 gm	7497
T 1597	☐ <u>THIOACETAMIDE</u> GR 99%+	62-55-5	25 gm	576	100 gm 500 gm	1989 8793
T 1600	<u>THIOACETIC ACID</u> for synthesis 98%	507-09-5	100 ml	1305	500 ml	3996
T 1607	☐ <u>THIOBARBITURIC ACID</u> GR 99%+ (reagent for sorbic acid)	504-17-6	25 gm	1188	100 gm	4437
T 1604	☐ <u>THIOBENZAMIDE</u> 98%	2227-79-4	25 gm	3708	100 gm	9603
T 1610	* <u>THIOBENZOIC ACID</u> 98%	98-91-9			100 gm	4302
T 1609	* ☐ <u>2-THIOCTIC ACID</u> for synthesis 99%	1077-28-7	1 gm 25 gm	657 9603	5 gm 100 gm	2403 31005
T 1608	<u>2,2-THIO DIETHANOL</u> for synthesis 98%	111-48-8			500 ml	4104
T 1612	☐ <u>THIOFLAVIN T</u> puriss	2390-54-7	5 gm	990	25 gm	2295
T 1616	☐ <u>1-THIOGLYCEROL</u> 98% for synthesis	96-27-5	100 gm	3393	500 gm	16407
T 1615	☐ <u>THIOGLYCOLLIC ACID</u> extra pure 80%	68-11-1	500 ml	1794	5 lt	15606
T 1617	<u>THIOGLYCOLLIC ACID</u> GR 99%+	68-11-1	100 ml	2205	250 ml 500 ml	2799 3996
T 1618	<u>THIOGLYCOLLIC ACID</u> puriss 99%+ <u>THIOGLYCOLLIC ACID SODIUM SALT</u> please see <u>SODIUM THIOGLYCOLLATE</u>	68-11-1			1 lt	24039
T 1625	<u>THIOMALIC ACID</u> for synthesis 99%	70-49-5	100 gm	1791	500 gm 1 kg	8406 16902
T 1635	<u>THIOMERSAL</u> 97%	54-64-8	10 gm 100 gm	5994 54949	25 gm 1 kg	14499 POR
T 1645	☐ <u>THIONIN</u> for microscopy (C.I. No. 52000)	78338-22-4	5 gm	1791	25 gm	7488
T 1648	<u>THIONYL CHLORIDE</u> puriss 99%	7719-09-7			500 ml	1908
T 1649	<u>THIOPHENE</u> puriss 99%	110-02-1	100 ml	810	500 ml	3654
T 1650	<u>THIOPHENE-2-CARBOXYALDEHYDE</u> for synthesis 98%	98-03-3	100 gm	2205	500 gm	8919
T 1651	<u>THIOPHENOL</u> for synthesis 98%	108-98-5	250 ml	3996	1 lt	13059
T 1652	<u>THIOPHOSPHORYL CHLORIDE</u> for synthesis 98% <u>THIOSALICYLIC ACID</u> please see <u>2-MERCAPTO BENZOIC ACID</u>	3982-91-0			250 ml	19809
T 1656	☐ <u>THIOSEMICARBAZIDE</u> for synthesis 98%	79-19-6	25 gm 250 gm	396 2214	100 gm 1 kg	1188 9171
T 1657	☐ <u>THIOSEMICARBAZIDE</u> GR 99%+	79-19-6	25 gm	522	100 gm 1 kg	1565 11079
T 1655	<u>2-THIOURACIL</u> for synthesis	141-90-2	25 gm	990	100 gm 500 gm	3681 16002
T 1664	☐ <u>THIOUREA</u> pract 98%	62-56-6	500 gm	765	5 kg	7308
T 1665	☐ <u>THIOUREA</u> for synthesis 99%	62-56-6	500 gm	855	5 kg	6903
T 1667	<u>THIOUREA</u> GR 99%+	62-56-6	500 gm	1089	250 gm 5 kg	657 8919
T 1677	<u>THORIN</u> indicator GR	3688-92-4	1 gm	2106	5 gm	7002
T 1687	* <u>THORIUM NITRATE</u> GR 99%+ (End user certificate required)	14767-04-5	25 gm	1602	100 gm	6003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
	(as a reagent for determination of fluorine)				1 kg	54009
T 1690	<u>THORIUM OXIDE</u> 99% (End user certificate required)	1314-20-1	1 gm	19008	5 gm	67005
	<u>THORON</u> indicator GR please see <u>THORIN</u> indicator GR					
T 1695	☐ <u>L-THREONINE</u> for biochemistry 99%+	72-19-5	5 gm	90	25 gm	288
			100 gm	1008	500 gm	3906
T 1696	☐ <u>DL-THREONINE</u> for biochemistry 99%+	80-68-2	25 gm	2889	100 gm	10809
T 1697	<u>THULLIUM</u> powder 99.9%	7440-30-4	1 gm	21609	5 gm	87039
T 0095	<u>THULIUM(III) ACETATE</u> hydrate 99.9%	207738-11-2	1 gm	2808	5 gm	12006
T 0105	<u>THULIUM(III) BROMIDE</u> 99.99%	14456-51-0	1 gm	14904	5 gm	75609
T 0110	<u>THULIUM(III) CARBONATE</u> hydrate 99.99%	87198-17-2	1 gm	14301	5 gm	64089
T 0115	<u>THULIUM(III) CHLORIDE</u> 99.99%	13537-18-3	1 gm	11205	5 gm	25002
T 0120	<u>THULIUM(III) CHLORIDE</u> hexahydrate 99.99%	1331-74-4	1 gm	12807	5 gm	28008
T 0125	<u>THULIUM(II) IODIDE</u> 99.9%	60864-26-8	1 gm	POR	5 gm	POR
T 0130	<u>THULIUM(II) IODIDE</u> 99.99%	13813-43-9	1 gm	16902	5 gm	76005
T 0135	<u>THULIUM(III) NITRATE</u> pentahydrate 99.9%	36548-87-5	1 gm	3609	5 gm	13005
T 0136	<u>THULIUM(III) NITRATE</u> pentahydrate 99.99%	36548-87-5	1 gm	4995	5 gm	24309
T 0140	<u>THULIUM(III) OXALATE</u> 99.9%	3269-17-8	1 gm	6606	10 gm	48006
T 0073	<u>THULIUM(III) OXIDE</u> 99.9%	12036-44-1	1 gm	5805	10 gm	41004
T 0150	<u>THULIUM(III) OXIDE</u> 99.99%	12036-44-1	1 gm	6057	10 gm	41805
T 0155	<u>THULIUM(III) OXIDE</u> 99.997%	12036-44-1	1 gm	8919	5 gm	31905
T 0160	<u>THULIUM(III) SULPHATE</u> 99.99%	20731-62-8			1 gm	POR
T 0165	<u>THULIUM(III) SULPHATE</u> octahydrate 99.9%	13778-40-0	1 gm	4239	5 gm	14094
T 0170	<u>THULIUM(III) TRIFLUOROMETHANESULPHONATE</u> 98%	141478-68-4	1 gm	4104	10 gm	22707
T 1719	<u>THYME OIL</u> , red	8007-46-3			1 kg	32409
T 1718	<u>THYME OIL</u> , white	8007-46-3			1 kg	14301
T 1705	☐ <u>THYMIDINE</u> for biochemistry 99%+	50-89-5	1 gm	360	5 gm	1440
					25 gm	5895
T 1715	☐ <u>THYMINE</u> for biochemistry 99%+	65-71-4	10 gm	594	25 gm	1242
					100 gm	3807
T 1725	<u>THYMOL</u> crystal puriss 99%+	89-83-8	100 gm	846	250 gm	1863
T 1737	☐ <u>THYMOL BLUE</u> GR indicator	76-61-9	5 gm	360	25 gm	1287
					500 gm	16902
T 1736	<u>THYMOL BLUE</u> indicator solution	76-61-9	125 ml	126	500 ml	504
T 1738	<u>THYMOL BLUE SODIUM SALT</u> w/s	62625-21-2	5 gm	342	25 gm	1503
T 1747	☐ <u>THYMOLPHTHALEINE COMPLEXON</u>	1913-93-5	1 gm	1980	5 gm	7479
	GR complexometric indicator for Ba,Ca,Sr.					
T 1757	<u>THYMOLPHTHALEIN</u> GR indicator	125-20-2	5 gm	270	25 gm	945
			1 kg	POR	100 gm	3402
T 1758	<u>THYMOLPHTHALEIN</u> indicator solution	125-20-2	125 ml	90	500 ml	315
T 1759	<u>THYMOL VIOLET</u> indicator	- - - - -	5 gm	324	25 gm	1179
T 6609	<u>THYROGLOBULIN</u> , from bovine thyroid powder, $\geq 90\%$ (agarose gel electrophoresis)	9010-34-8	50 mg	9603	100 gm	15903
			500 mg	48006	1 gm	80802
T 1765	<u>TIN</u> foil, 99%+	7440-31-5			250 gm	2691
T 1775	<u>TIN</u> granular 99%	7440-31-5	100 gm	1881	500 gm	8469
T 1777	<u>TIN</u> granular GR 99%+	7440-31-5	100 gm	2196	500 gm	9549
T 1767	<u>TIN</u> powder, 325 mesh, GR 99.9%	7440-31-5	100 gm	1881	250 gm	4491
					500 gm	8001
T 1779	<u>TIN</u> powder, size -45 to +20 μm , $\geq 99.5\%$	7440-31-5	100 gm	3105	500 gm	15903
T 1072	<u>TIN</u> shots, 99.99%	7440-31-5	100 gm	14094	500 gm	39069
T 0411	<u>TIN</u> shot, 3mm (0.1in), 99.99%+	7440-31-5	5 gm	4905	25 gm	13905

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1778	<u>TIN</u> wire, 2.0 mm dia, 99.999%	7440-31-5	5 gm	7308	25 gm	31005
T 0038	<u>TIN (Sn) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	100 ml	6606
T 0039	<u>TIN (Sn) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
T 0040	<u>TIN AAS STANDARD SOLUTION 1000 MG/L Sn</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	1818	500 ml	3015
T 1780	<u>TIN FLUOBORATE</u> 50% electroplating grade	13814-97-6	500 gm	3249	5 kg	26919
T 1785	<u>TIN OXIDE</u> , ≥99.99%	18282-10-5	5 gm	9603	25 gm	39069
T 1781	<u>TIN TELLURIDE</u> 99.999%	12040-02-7	10 gm	10107	50 gm	40806
T 1787	<u>TIRON</u> GR indicator	149-45-1	5 gm 25 gm	270 783	10 gm 100 gm	342 3006
T 1797	<u>TITAN YELLOW</u> GR indicator (C.I. No. 19540)	1829-00-1	10 gm	315	25 gm 50 gm	675 1188
T 1798	<u>TITAN YELLOW</u> solution	1829-00-1	100 ml	234	500 ml	981
T 0917	<u>TITANIUM</u> foil 0.0127 mm thick, 99.8%	7440-32-6	90x100 mm	10602	90x500 mm	39069
T 1800	<u>TITANIUM</u> foil 0.05 mm thick, 99.6%	7440-32-6			50x50 mm	7659
T 1801	<u>TITANIUM</u> foil 0.127 mm thick, 99.99%	7440-32-6			50x50 mm	12807
T 1809	<u>TITANIUM</u> foil 2.0 mm thick, 99.7%	7440-32-6	50x50 mm	6993	100x100 mm 150x150 mm	12609 27909
T 1803	<u>TITANIUM</u> granular 99%+	7440-32-6	25 gm	2619	100 gm	5706
T 1804	<u>TITANIUM</u> powder 99%+	7440-32-6	25 gm	2889	100 gm 250 gm	6993 12699
T 0911	<u>TITANIUM</u> powder, -325 mesh, 99.5%	7440-32-6			10 gm	1809
T 0864	<u>TITANIUM</u> powder, -325 mesh, 99.9%	7440-32-6	100 gm	8604	250 gm	15903
T 0199	<u>TITANIUM</u> powder, dehydrided, -325 mesh, 99.99%	7440-32-6	10 gm	4995	100 gm	19998
T 0152	<u>TITANIUM</u> rod, 6.35mm (0.25in) dia, 99.99%	7440-32-6	25 gm	7605	100 gm	30006
T 1066	<u>TITANIUM</u> rod, 6.35mm (0.25in) dia, 99.99%	7440-32-6	5 cm	9819	25 cm	35919
T 1066	<u>TITANIUM</u> slug, 3.175mm (0.125in) dia x 6.35mm (0.25in) length, 99.98%	7440-32-6	10 gm	5994	50 gm	21699
T 5921	<u>TITANIUM-ALUMINUM-VANADIUM ALLOY</u> foil, 2.0mm thick	-----			150x150 mm	43002
T 0498	<u>TITANIUM CARBIDE</u> 45-150 µm, 99%	12070-08-5	25 gm	5103	100 gm	16002
T 1805	<u>TITANIUM DIOXIDE</u> for synthesis 99%	13463-67-7	500 gm	639	1 kg 5 kg	1188 5607
T 1807	<u>TITANIUM DIOXIDE</u> GR 99%+	13463-67-7	500 gm	1593	5 kg	12906
T 1793	<u>TITANIUM DIOXIDE</u> anatase, powder, 99.8%	13463-67-7	100 gm	5904	500 gm	20601
T 1799	<u>TITANIUM DIOXIDE</u> , 99.9%	13463-67-7	25 gm	4806	100 gm	14004
T 1807a	<u>TITANIUM DIOXIDE</u> 99.99%	13463-67-7	10 gm	7308	50 gm	20079
T 0682	<u>TITANIUM DIOXIDE</u> rutile, 90%	1317-80-2	500 gm	684	1 kg	1179
T 0685	<u>TITANIUM DIOXIDE</u> rutile, 99.9%	1317-80-2	25 gm	6903	100 gm 500 gm	10107 24309
T 0581	<u>TITANIUM(IV) OXYACETYLACETONATE</u> 90%	14024-64-7	10 gm	3204	50 gm	16408
T 1819	<u>TITANIUM TETRAISOPROPOXIDE</u> 97%	546-68-9			500 ml	1386
T 1820	<u>TITANIUM TETRAISOPROPOXIDE</u> puriss 98%	546-68-9	500 ml	2403	2500 ml	9603
T 1818	<u>TITANIUM TETRAISOPROPOXIDE</u> puriss 99.995%	546-68-9	5 gm	4770	25 gm 100 gm	13005 60093
T 1821	<u>TITANIUM TETRAISOPROPOXIDE</u> puriss 99.999%	546-68-9	5 ml	5904	25 ml 100 ml	13509 49005
T 1810	<u>TITANYL SULPHATE</u> for synthesis 99%	13825-74-6	100 gm	2502	250 gm	7101
T 1814	<u>TITANIUM TETRACHLORIDE</u> puriss 99%	7550-45-0	500 gm 250 ml	8802 3699	1 kg 1 lt	12906 15003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1026	<u>TITANIUM TETRACHLORIDE</u> , 99.9%	7550-45-0	250 ml	4995	1 lt	19908
T 1018	<u>TITANIUM TETRACHLORIDE</u> solution 1.0 M in methylene chloride	7550-45-0			100 ml	4509
T 1019	<u>TITANIUM TETRACHLORIDE</u> solution 1.0 M in toluene	7550-45-0			100 ml	3807
T 1815	<u>TITANIUM TRICHLORIDE</u> 12% solution for synthesis	7705-07-9	500 ml	3969	1 lt	6390
T 1825	☐ <u>DL-a-TOCOPHEROL ACETATE</u> for biochemistry 99%	7695-91-2	50 gm	792	1 kg	12330
T 1830	<u>D-a-TOCOPHEROL SUCCINATE</u> for biochemistry	4345-03-3			100 mg	14049
T 1835	<u>o-TOLIDINE</u> reagent for chloride	119-93-7	500 ml	288	5 lt	2304
T 1836	☐ <u>o-TOLIDINE</u> for synthesis 98%	119-93-7	100 gm	1853	500 gm	3708
T 1837	☐ <u>o-TOLIDINE</u> GR 99%+ (reagent for the halogens and gold)	119-93-7	25 gm	594	100 gm	2106
T 1847	☐ <u>o-TOLIDINE HYDROCHORIDE</u> GR 95%+	612-82-8	25 gm	639	100 gm	2403
T 1850	<u>TOLLEN's</u> reagent	- - - -	100 ml	2439	500 ml	9603
T 1856	☐ <u>TOLUENE</u> for synthesis 99%	108-88-3	500 ml	342	5 lt	2169
T 1857	<u>TOLUENE</u> puriss GR 99%+	108-88-3	500 ml	423	5 lt	2403
T 1856a	<u>TOLUENE</u> scintillation grade 99%+	108-88-3			500 ml	459
T 1859	<u>TOLUENE</u> for HPLC 99%+	108-88-3			500 ml	459
T 1860	<u>TOLUENE</u> for spectroscopy 99.8%	108-88-3			500 ml	459
T 1867	<u>TOLUENE 3,4-DITHIOL</u> GR (reagent for tin) 99%+	496-74-2	1 ml	6165	5 ml	27909
T 1875	<u>TOLUENE 3,4-DITHIOL ZINC</u> derivative	123333-86-8	1 gm	5193	5 gm	24093
T 1884	<u>o-TOLUENE SULPHONAMIDE</u> for synthesis 98%	88-19-7	25 gm	1791	100 gm	3006
			500 gm	6903	5 kg	50706
T 1885	☐ <u>p-TOLUENE SULPHONAMIDE</u> for synthesis 98%	70-55-3	500 gm	1287	5 kg	11403
T 1895	☐ <u>p-TOLUENE SULPHONIC ACID</u> for synthesis 98%	6192-52-5	500 gm	468	5 kg	3789
T 1897	☐ <u>p-TOLUENE SULPHONIC ACID</u> GR 99%+	6192-52-5	100 gm	189	500 gm	891
					5 kg	8019
T 6095	<u>p-TOLUENE SULPHONIC ACID</u> , monohydrate, 99.5%	6192-52-5			5 gm	3105
			100 gm	3519	500 gm	9207
T 1900	<u>p-TOLUENE SULPHONIC ACID SODIUM SALT</u> 95%	657-84-1			500 gm	1692
T 1905	☐ <u>p-TOLUENE SULPHONYL CHLORIDE</u> for synthesis 98%	98-59-9	500 gm	1044	5 kg	8919
T 1915	☐ <u>2-TOLUIC ACID</u> for synthesis 99%	118-90-1	250 gm	648	500 gm	1232
	(2-methyl benzoic acid)					
T 1925	☐ <u>3-TOLUIC ACID</u> for synthesis 99%	99-04-7	250 gm	864	500 gm	1602
	(3-methyl benzoic acid)					
T 1935	☐ <u>4-TOLUIC ACID</u> for synthesis 99%	99-94-5	250 gm	612	500 gm	1143
	(4-methyl benzoic acid)				5 kg	10287
T 1940	<u>p-TOLUIC ACID METHYL ESTER</u> 99%	99-75-2	100 gm	2169	250 gm	4302
T 1945	☐ <u>m-TOLUIDINE</u> for synthesis 98%	108-44-1	500 ml	603	5 lt	5607
T 1947	<u>m-TOLUIDINE</u> GR 99%+	108-44-1			500 ml	1107
T 1956	<u>o-TOLUIDINE</u> reagent grade	95-53-4	500 ml	513	5 lt	4896
T 1955	☐ <u>o-TOLUIDINE</u> for synthesis 98%	95-53-4	500 ml	666	5 lt	6066
T 1957	☐ <u>o-TOLUIDINE</u> GR 99%+	95-53-4	500 ml	810	5 lt	6507
T 1958	<u>o-TOLUIDINE HYDROCHLORIDE</u> for synthesis 98%	636-21-5	100 mg	3006	1 gm	5202
					5 gm	9603
T 1959	☐ <u>p-TOLUIDINE</u> for synthesis 99%	106-49-0	500 gm	846	5 kg	7308
T 1967	<u>p-TOLUIDINE</u> GR 99%+	106-49-0	100 gm	909	500 gm	3906
T 1968	<u>p-TOLUIDINE HYDROCHLORIDE</u> for synthesis 99%	540-23-8	100 gm	792	250 gm	1782
T 1960	☐ <u>TOLUIDINE BLUE</u> for microscopy (C.I. No. 52040)	92-31-9	25 gm	720	50 gm	1296
			100 gm	2592	1 kg	22509
T 1961	<u>TOLUIDINE BLUE</u> solution	92-31-9	100 ml	270	500 ml	792
	<u>TOLYLENE RED</u> please see <u>NEUTRAL RED</u>					

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 1966	<u>TOMMERS</u> reagent	-----			500 ml	603
T 2619	<u>TONKA BEAN ABSOLUTE</u> , natural	8046-22-8	25 gm	23607	100 gm	69003
T 1962	<u>TOPFER'S</u> reagent	-----	100 ml	171	500 ml	810
T 1965 ✱	<u>Na-p-TOSYL-L-ARGININE METHYL ESTER</u> <u>HYDROCHLORIDE</u> 98%	1784-03-8			1 gm	2205
T 1975	<u>TOTAL HARDNESS INDICATOR</u> tablets	-----			100 tabs	603
T 1985 ☐	<u>TREHALOSE</u> for biochemistry 99%+	6138-23-4	5 gm	333	10 gm	603
			25 gm	1152	100 gm	3888
					1 kg	22700
T 1990 ☐	<u>1,2,4-TRIAZOLE</u> for synthesis 99%	288-88-0	100 gm	594	500 gm	2790
					5 kg	26001
T 1992 ☐	<u>1,2,4-TRIAZOLE SODIUM SALT</u> for synthesis 90%	4253-21-8	25 gm	396	100 gm	1701
T 1995	<u>TRIBENZYLAMINE</u> for synthesis 99%	620-40-6			100 gm	3501
T 2005 ☐	<u>2,4,6-TRI BROMOPHENOL</u> for synthesis 98%	118-79-6	100 gm	2016	500 gm	5904
T 2014 ☐	<u>TRI BUTYLAMINE</u> for synthesis 99%	102-82-9	500 ml	729	5 lt	5994
T 2017	<u>TRI BUTYLAMINE</u> puriss GR 99%+	102-82-9	500 ml	963	5 lt	9063
T 2020	<u>TRI BUTYL CITRATE</u> for synthesis 97%	77-94-1	100 ml	4608	500 ml	22005
T 2025 ☐	<u>TRI BUTYL PHOSPHATE</u> for synthesis 99%	126-73-8	500 ml	1791	5 lt	14004
T 2026	<u>TRI BUTYL PHOSPHATE</u> puriss 99%+	126-73-8			1 lt	7002
T 2027	<u>TRI BUTYL PHOSPHATE</u> GR for extraction analysis 99%+	126-73-8			500 ml	2907
T 0012	<u>TRIBUTYLPHOSPHINE</u> , 97%	998-40-3	25 gm	4302	100 gm	15309
T 2053 ☐	<u>bis-TRI BUTYL TIN OXIDE</u> for synthesis 98%	56-35-9	100 ml	1404	500 ml	5904
T 2054	<u>TRI BUTYL TIN CHLORIDE</u> for synthesis 99%	1461-22-9			250 ml	3807
T 4731	<u>TRIBUTYL (VINYL) TIN</u> 97%	7486-35-3	1 gm	5679	5 gm	26001
T 2391	<u>Tri-tert-BUTYL 1,4,7,10-TETRAAZACYCLODODECANE</u> <u>-1,4,7-TRIACETATE</u> 97%	122555-91-3	100 mg	16002	250 m	30609
			1 gm	43002	5 gm	96003
	<u>TRIBUTYRIN</u> please see <u>GLYCEROL TRIBUTYRATE</u>					
T 2035 ☐	<u>TRI CHLORO ACETIC ACID</u> for synthesis 98%	76-03-9	100 gm	270	500 gm	846
					5 kg	7308
T 2037 ☐	<u>TRI CHLORO ACETIC ACID</u> GR 99%+	76-03-9	100 gm	351	500 gm	1071
T 2038	<u>TRI CHLORO ACETIC ACID</u> GR 20% w/v	76-03-9			500 ml	513
T 2039 ☐	<u>2',2',4'- TRICHLORO ACETOPHENONE</u> 98%	4252-78-2			25 gm	3006
T 2040 ☐	<u>2-(TRICHLOROACETYL)PYRROLE</u> 99%	35302-72-8	10 gm	6039	50 gm	35019
T 2041	<u>1,2,3-TRICHLORO BENZENE</u> puriss 99%	87-61-6			1 kg	5508
T 2042a ☐	<u>1,2,4-TRICHLORO BENZENE</u> for synthesis 98%	120-82-1	500 ml	693	5 lt	6507
T 2042	<u>1,2,4-TRICHLORO BENZENE</u> puriss 99%	120-82-1			1 lt	5607
T 2043	<u>1,1,1-TRICHLORO ETHANE</u> for synthesis 98%+	71-55-6	5 ml	13509	25 ml	49905
					100 ml	139095
T 2044	<u>1,1,1-TRICHLORO ETHANE</u> puriss 99%+	71-55-6	1 ml	5004	5 ml	23004
T 2045 ☐	<u>TRICHLORO ETHYLENE</u> purified 99%	79-01-6	500 ml	891	5 lt	8001
T 2047	<u>TRICHLORO ETHYLENE</u> GR 99%+	79-01-6	500 ml	1089	5 lt	8892
T 2046	<u>TRICHLORO ETHYLENE</u> electronic grade 99%+	79-01-6	500 ml	945	5 lt	7605
T 2055 ☐	<u>2,4,6-TRICHLORO PHENOL</u> for synthesis 97%	88-06-2			500 gm	10602
T 2057	<u>1,1,2-TRICHLORO TRIFLUORO ETHANE</u> GR 99%+	76-13-1			1000 ml	POR
T 2058	<u>1,1,2-TRICHLOROTRIFLUORO- ETHANE</u> for HPLC	76-13-1			1000 ml	POR
T 2065 ☐	<u>TRICINE</u> 99% (biological buffer)	5704-04-1	10 gm	783	25 gm	1242
				100	gm 4590	
T 2068 ☐	<u>TRICLOSANE</u> for synthesis 99%	3380-34-5	100 gm	1962	1 kg	16902
T 2070 ☐	<u>TRICRESYL PHOSPHATE</u> for synthesis	1330-78-5	500 ml	1287	5 lt	10602

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 2071	<u>TRIDECANE</u> puriss 98%+	629-50-5	25 ml	1602	100 ml	3807
					250 ml	9603
T 2075a	<u>1-TRIDECENE</u> for synthesis 96%	2437-56-1	5 gm	3519	25 gm	11007
T 4318	<u>TRIS(DIBENZYLIDENEACETONE) DIPALLADIUM(0)</u> 97%	51364-51-3	500 mg	3969	1 gm	5994
			5 gm	28908	25 gm	139059
T 2076	☐ <u>TRIETHANOLAMINE</u> pract	102-71-6	500 ml	396	5 lt	3492
T 2075	☐ <u>TRIETHANOLAMINE</u> for synthesis 98%	102-71-6	500 ml	639	5 lt	5103
T 2077	<u>TRIETHANOLAMINE</u> GR 99%+ (suitable for metal titration)	102-71-6	500 ml	765	250 ml	2790
T 2087	☐ <u>TRIETHANOLAMINE HYDROCHLORIDE</u> GR 99%+ (buffer component)	637-39-8			100 gm	396
			500 gm	1449	5 kg	11502
T 2088	☐ <u>TRIETHANOLAMINE LAURYL SULPHATE</u>	139-96-8	1 lt	963	5 lt	4302
T 2113	<u>TRIETHOXYVINYLSILANE</u> 97%	78-08-0	100 gm	3996	500 gm	17091
T 2111	<u>3-(TRIETHOXSILYL)PROPYL ISOCYANATE</u> 95%	24801-88-5	25 gm	5004	500 gm	49905
T 2095	☐ <u>TRIETHYLAMINE</u> for synthesis 99%	121-44-8	500 ml	792	5 lt	7002
T 2097	<u>TRIETHYLAMINE</u> GR 99%+	121-44-8	500 ml	846	5 lt	7560
T 2096	<u>TRIETHYLAMINE</u> for HPLC 99.5%	121-44-8	500 ml	1944	1 lt	33393
T 2099	<u>TRIETHYLAMINE</u> for DNA & PEPTIDE SYNTHESIS 99%+	121-44-8			500 ml	2169
T 2098	☐ <u>TRIETHYLAMINE HYDROCHLORIDE</u> for synthesis 99%	554-68-7	100 gm	1008	250 gm	2007
					500 gm	3195
T 2101	<u>TRIETHYLENE GLYCOL</u> for synthesis 98%	112-27-6	500 ml	486	5 lt	3906
T 2105	<u>TRIETHYLENE TETRAMINE</u> for synthesis 97%	112-24-3	500 ml	846	5 lt	8109
T 2103	☐ <u>TRIETHYL 1,1,2-ETHANETRICARBOXYLATE</u> 99%	7459-46-3	5 gm	1890	25 gm	5094
					100 gm	17001
T 2115	<u>TRIETHYL ORTHOFORMATE</u> for synthesis 98%	122-51-0	500 ml	1980	5 lt	17919
T 2120	<u>TRIETHYL PHOSPHATE</u> for synthesis 98%	78-40-0	250 ml	1395	500 ml	2403
T 2125	<u>TRIETHYL PHOSPHITE</u> puriss 98%	122-52-1	250 ml	2691	500 ml	5103
T 2127	<u>TRIETHYL PHOSPHONO ACETATE</u> puriss 97%	867-13-0	25 gm	720	100 gm	1998
					500 gm	5994
T 2132	<u>2,2,2-TRIFLUOROACETAMIDE</u> 97%+	354-38-1			25 gm	1647
			100 gm	5949	500 gm	23904
T 2134	☐ <u>TRI FLUORO ACETIC ACID</u> for synthesis 99%	76-05-1	100 ml	1404	500 ml	6003
T 2135	<u>TRI FLUORO ACETIC ACID</u> puriss 99%+	76-05-1	100 ml	2790	500 ml	9603
T 2137	<u>TRI FLUORO ACETIC ACID</u> for biochemistry 99%+	76-05-1			100 ml	4599
T 2145	☐ <u>TRI FLUORO ACETIC ANHYDRIDE</u> puriss 99%	407-25-0	100 gm	3402	500 gm	9909
T 2151	☐ <u>2,3,4 TRIFLUORO ANILINE</u> 98%	3862-73-5	5 gm	1809	25 gm	4095
					100 gm	14004
T 2150	☐ <u>1,3,5 TRIFLUORO BENZENE</u> 99%	372-38-3	1 gm	1809	5 gm	4707
					25 gm	18099
T 2155	☐ <u>2,2,2-TRI FLUORO ETHANOL</u> puriss 99%	75-89-8	100 ml	1305	500 ml	6309
T 2165	☐ <u>TRI FLUORO METHANE SULPHONIC ACID</u> for synthesis 99%	1493-13-6			100 gm	7605
T 2167	<u>1-(3-TRIFLUOROMETHYLPHENYL)PIPERAZINE</u> 98%	15532-75-9	5 gm	12069	25 gm	53019
T 2169	<u>(3,3,3-TRIFLUOROPROPYL)TRIMETHOXSILANE</u> 97%	429-60-7	5 gm	10602	25 gm	56007
T 2170	☐ <u>3,4,5-TRIHYDROXYBENZALDEHYDE</u> 98%	207742-88-9	1 gm	8307	5 gm	26901
T 2175	☐ <u>2,3,5-TRI IODO BENZOIC ACID</u> (TIBA) for biochemistry GR 99%+	88-82-4	1 gm	405	5 gm	891
					10 gm	1692
T 0956	<u>TRIISOBUTYLENE</u>	7756-94-7	25 ml	2880	500 ml	9603
T 2195	<u>TRI-iso-OCTYLAMINE</u> for synthesis	25549-16-0			100 gm	4401
T 2200	☐ <u>TRIMETHOPRIM</u> puriss	738-70-5	5 gm	711	25 gm	2808

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 2205	<u>3,4,5-TRI METHOXY BENZALDEHYDE</u> for synthesis 98%	86-81-7	25 gm	1890	100 gm	4491
T 2207	<u>3,4,5-TRIMETHOXYBENZYL ALCOHOL</u> 98%	3840-31-1	10 gm	3195	50 gm	8109
T 2112	<u>TRIMETHOXY(3-ISOCYANOTOPROPYL)SILANE</u> 95%+	15396-00-6	100 gm	13905	500 gm	60309
T 0877	<u>3-(TRIMETHOXYSILYL)PROPYL METHACRYLATE</u> , 98%	2530-85-0	25 ml	1791	500 ml	10503
T 2215	<u>TRIMETHYLAMINE</u> (30% aq.solution) for synthesis	75-50-3	500 ml	225	5 lt	2007
T 2216	<u>TRIMETHYL AMMONIUM CHLORIDE</u> for synthesis 98%	593 81-7	500 gm	945	5 kg	8001
T 2225	<u>TRIMETHYL CHLORO SILANE</u> for synthesis 98%	75-77-4	250 ml	2106	1 lt	7092
T 3811	<u>TRIMETHYLHYDROQUINONE</u> 98%	700-13-0	25 gm	1395	100 gm	2781
			500 gm	9891	5 kg	87039
T 2229	<u>2,3,6-TRIMETHYLNAPHTHALENE</u> pure	829-26-5			1 gm	9972
			5 gm	43092	10 gm	81909
T 2230	<u>TRIMETHYLOL PROPANE</u> 98%	77-99-6	500 gm	774	5 kg	6903
T 0551	<u>TRIMETHYLOLPROPANE PROPOXYLATE TRIACRYLATE</u> average Mn ~644	53879-54-2			100 ml	8001
T 2231	<u>TRIMETHYLOLPROPANE TRIACRYLATE</u> technical grade	15625-89-5	100 gm	3591	500 gm	6309
T 0251	<u>TRIMETHYLOLPROPANE TRIMETHACRYLATE</u>	3290-92-4	100 gm	3708	500 gm	6579
T 2235	<u>TRIMETHYL ORTHOFORMATE</u> for synthesis 98%	149-73-5			250 ml	1764
			500 ml	2619	5 lt	22095
T 2236	<u>TRIMETHYL ORTHOVALERATE</u> for synthesis 97%	13820-09-2			25 ml	6309
T 2237	<u>TRIMETHYL PHOSPHITE</u> puriss 99%	121-45-9			500 ml	1692
T 2238	<u>TRIMETHYL PHOSPHONO ACETATE</u> puriss 98%	5927-18-4	25 gm	1539	100 gm	4995
T 5844	<u>TRIMETHYLSILANOL</u> 98%	1066-40-6	10 ml	5193	50 ml	20502
T 2239	<u>TRIMETHYL SILYL TRIFLATE</u> puriss 99% (TMS-OTf, Trimethylsilyl-trifluoro-methanesulphonate)	27607-77-8	100 gm	8604	500 gm	24003
T 2242	<u>TRIMETHYL SULPHONIUM BROMIDE</u> 97%	3084-53-5	5 gm	945	25 gm	3969
T 2240	<u>TRIMETHYL SULPHOXONIUM IODIDE</u> for synthesis 98%	1774-47-6	100 gm	1287	500 gm	4779
T 2255	<u>TRIOCTYLAMINE</u> for synthesis 95%	1116-76-3	25 ml	1809	100 ml	3060
T 2222	<u>TRIOCTYLPHOSPHINE OXIDE</u> (technical grade, 90%)	78-50-2	100 gm	7929	500 gm	28089
T 2267	<u>TRIOCTYLPHOSPHINE OXIDE</u> GR 99%+ (for extraction analysis)	78-50-2	10 gm	1989	25 gm	6003
					100 gm	17919
T 2275	<u>TRIOLEIN</u> for biochemistry 99%+	122-32-7			1 gm	7191
T 2280	<u>1,3,5-TRIOXAN</u> for synthesis 99%	110-88-3	100 gm	1305	500 gm	5193
T 2284	<u>TRIPALMITIN</u> for synthesis ≥85%	555-44-2	25 gm	6291	100 gm	12006
					250 gm	19503
T 2285	<u>TRIPALMITIN</u> ≥99%	555-44-2	1 gm	5319	5 gm	13905
T 2295	<u>TRIPHENYL AMINE</u> for synthesis 98%	603-34-9	10 gm	2403	25 gm	3609
T 2305	<u>TRIPHENYL ARSINE OXIDE</u> for synthesis 98%	1153-05-5			1 gm	3609
T 2306	<u>1,3,5-TRIPHENYLBENZENE</u> 97%	612-71-5	5 gm	3204	25 gm	6939
					100 gm	11403
T 2307	<u>TRI PHENYL CARBINOL</u> GR 99%	76-84-6	25 gm	1071	100 gm	3105
T 2310	<u>TRIPHENYL METHANE</u> for synthesis 99%	519-73-3	100 gm	1791	500 gm	6759
T 2315	<u>TRIPHENYL PHOSPHATE</u> for synthesis 99%	115-86-6	500 gm	1539	5 kg	12906
T 2325	<u>TRIPHENYL PHOSPHINE</u> for synthesis 98%	603-35-0	100 gm	747	250 gm	1449
			1 kg	5094	5 kg	21006
T 2330	<u>TRIPHENYLPHOSPHINE OXIDE</u> 98%	791-28-6	25 gm	774	100 gm	1692
			500 gm	5490	1 kg	10008
T 2335	<u>TRIPHENYL PHOSPHITE</u> for synthesis 97%	101-02-0	250 ml	1296	500 ml	2106
					5 lt	17091
T 2347	<u>2,3,5-TRIPHENYL TETRAZOLIUM BROMIDE</u> GR 99%+	1096-80-6	1 gm	1791	5 gm	8919

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
T 2350	<u>TRIPHOSGENE</u> for synthesis 98%	32315-10-9	100 gm	1197	500 gm	3609
T 2355	<u>TRIPROPYLAMINE</u> for synthesis 98%	102-69-2			100 ml	891
T 2367	<u>2,4,6-TRI-(2-PYRIDYL) 1,3,5-TRIAZINE</u> GR 99%+ (for the determination of iron in water & serum)	3682-35-7	1 gm	2088	5 gm	9459
T 0846	<u>TRI REAGENTT</u> - for DNA, RNA and protein isolation	- - - - -	25 ml	8919	100 ml	28809
T 2370	<u>TRIS ACETATE</u> for biochemistry 99%	6850-28-8	100 gm	1791	500 gm	8469
T 2371	<u>TRIS (BATHOPHENANTHROLINE DISULPHONATE)</u> <u>RUTHENIUM(II) SODIUM SALT 1uM SOLUTION</u> (Ruthenium (II)-tris-bathophenanthroline—disulfonate) sodium salt)	301206-84-8	10 ml	POR	100 ml	POR
T 2375	<u>TRIS BUFFER</u> 99% (suitable for preparative purpose)	77-86-1	100 gm	810	500 gm	3690
T 2377	<u>TRIS BUFFER</u> GR 99%+ (biological buffer)	77-86-1	1 kg	6939	5 kg	29707
			500 gm	4041	1 kg	8001
					5 kg	36009
T 2380	<u>TRIS BUFFER</u> for molecular biology 99.9%	77-86-1	100 gm	1089	500 gm	4302
T 2382	<u>TRIS(2-CARBOXYETHYL)PHOSPHINE HYDROCHLORIDE</u> (TCEP) 98%+ (A superior reducing agent than DTT)	51805-45-9	1 gm	2880	5 gm	14202
			10 gm	26001	25 gm	46701
T 3248	<u>TRIS(DIBENZYLIDENEACETONE)DIPALLADIUM(0)</u> puriss	51364-51-3	1 gm	5994	5 gm	28809
T 2381	<u>TRIS(DIMETHYLAMINO) METHANE</u> 96%+	5762-56-1			5 gm	20709
T 2385	<u>TRIS-HYDROCHLORIDE</u> 98%+	1185-53-1	100 gm	1188	500 gm	5409
					5 kg	28089
T 2387	<u>TRIS-HYDROCHLORIDE</u> GR 99%+	1185-53-1	100 gm	1332	500 gm	5904
T 2389	<u>TRIS HYDROCHLORIDE</u> for molecular biology 99%+	1185-53-1	100 gm	1593	500 gm	6939
T 2390	<u>TRISTEARIN</u> for synthesis	555-43-1	100 gm	3789	250 gm	7506
T 2395	<u>BRITON X 100</u>	9002-93-1	500 ml	738	5 lt	6003
T 2396	<u>BRITON X-100</u> scintillation grade	9002-93-1	500 ml	846	5 lt	6795
T 2397	<u>BRITON X-100</u> molecular biology	9002-93-1	250 ml	693	500 ml	1179
T 2405	<u>TRITYL CHLORIDE</u> for synthesis 99%	76-83-5	100 gm	891	500 gm	3699
T 0198	<u>TRODAT</u> , 95%	189950-11-6	1 mg	POR	10 mg	POR
T 2411	<u>TROPEOLIN O</u> indicator (C.I. 14270)	547-57-9	25 gm	594	100 gm	2079
T 2412	<u>TROPEOLIN OO</u> indicator (C.I. 13080)	554-73-4	25 gm	756	100 gm	2691
T 2413	<u>TROPEOLIN OOO</u> indicator (C.I. 15510)	633-96-5	25 gm	225	100 gm	621
T 2417	<u>DL-TROPIC ACID</u> GR for biochemistry 99%	529-64-6	1 gm	549	5 gm	2439
T 7723	<u>TROLOX</u> for biochemistry 97%	53188-07-1	100 mg	2799	1 gm	7605
			5 gm	27108	100 gm	POR
T 2420	<u>TROXERUTIN</u> 95%+	7085-55-4	5 gm	4905	25 gm	21609
T 2425	<u>TRYPAN BLUE</u> for microscopy (C.I. No. 23850)	72-57-1	25 gm	900	100 gm	3384
					1 kg	30402
T 2435	<u>TRYPSIN</u> 2000 U/G	9002-07-7	100 gm	990	500 gm	4491
					1 kg	8604
T 2445	<u>TRYPSIN</u> 1:250 (excellent for tissue culture work)	9002-07-7	25 gm	2493	100 gm	7992
T 2456	<u>TRYPTAMINE</u> 99%	61-54-1			250 mg	1404
T 2455	<u>TRYPTAMINE HYDROCHLORIDE</u> for biochemistry 99%	343-94-2	1 gm	567	5 gm	2619
T 2465	<u>TRYPTONE</u> bacteriological	91079-40-2	500 gm	1683	1 kg	3204
					5 kg	14004
T 2466	<u>TRYPTONE T</u>	91079-40-2	500 gm	3699	5 kg	29709
T 3678	<u>TRYPTONE</u> (Certified grade)	91079-40-2			500 gm	5409
T 2475	<u>TRYPTOSE</u> bacteriological	- - - - -	500 gm	1864	1 kg	3609
T 2480	<u>D-TRYPTOPHAN</u> puriss 99%	153-94-6	5 gm	1494	10 gm	2808

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
			25 gm	6606	100 gm	19008
T 2495	<u>DL-TRYPTOPHANE</u> for biochemistry 99%+	54-12-6	5 gm	387	25 gm	1791
					100 gm	6705
T 2485	<u>L-TRYPTOPHANE</u> for biochemistry 99%+	73-22-3	5 gm	207	25 gm	801
			100 gm	2502	500 gm	12006
T 2509	<u>TUNGSTEN</u> chips 99.99%	7440-33-7	10 gm	3906	50 gm	15093
T 8691	<u>TUNGSTEN</u> foil, 0.05mm (0.002in) thick, 99.95%	7440-33-7			300 x 150 mm	16092
T 2508	<u>TUNGSTEN</u> pieces, 99.95%	7440-33-7	25 gm	7659	100 gm	14494
T 2505	<u>TUNGSTEN</u> powder, 325 mesh, 99.9%	7440-33-7	100 gm	2493	500 gm	11493
T 2507	<u>TUNGSTEN</u> powder 99.95%	7440-33-7	50 gm	6003	100 gm	11079
T 0183	<u>TUNGSTEN</u> powder, $\leq 10\mu\text{m}$, 99.99%	7440-33-7	10 gm	12069	100 gm	96039
T 0108	<u>TUNGSTEN</u> powder, 325 mesh, 99.95%	7440-33-7	100 gm	4905	500 gm	16209
T 0945	<u>TUNGSTEN</u> rod, 5.0 mm dia, 99%+	7440-33-7	10 cm	8604	50 cm	29007
T 1015	<u>TUNGSTEN</u> slug, 3.175mm (0.125in) dia x 3.175mm (0.125in) length, 99.97%	7440-33-7	10 gm	4509	50 gm	16902
TW 018	<u>TUNGSTEN</u> wire, 0.25mm (0.01in) dia, 99.95%	7440-33-7	10 mtr	5454	50 mtr	17019
TW 013	<u>TUNGSTEN</u> wire 0.5mm (0.02in) dia, 99.95%	7440-33-7	5 mtr	6705	25 mtr	24064
TW 020	<u>TUNGSTEN</u> wire 1.0mm dia, 99.95%	7440-33-7	1 mtr	7695	5 mtr	23409
T 0681	<u>TUNGSTEN BORIDE</u> , 325 mesh, 99%	12007-09-9	25 gm	12006	100 gm	41004
T 0405	<u>TUNGSTEN CARBIDE</u> , 99%	12070-12-1	50 gm	4608	250 gm	16209
T 6693	<u>TUNGSTEN CARBIDE</u> , 45 - 75 μm , 99.98%	12070-12-1	50 gm	8649	250 gm	32049
T 6579	<u>TUNGSTEN CARBIDE</u> , 0.1-5 μm , 99.5%	12070-12-1			50 gm	16092
T 6099	<u>TUNGSTEN CARBIDE</u> , 0.1-5 μm , 99.99%	12070-12-1			50 gm	34902
T 2525	<u>TUNGSTEN(VI) OXIDE</u> extra pure 99%	1314-35-8	100 gm	1692	250 gm	3969
T 7111	<u>TUNGSTEN(IV) SULPHIDE</u> 99%	12138-09-9	50 gm	7902	250 gm	27009
T 2516	<u>TUNGSTIC ACID</u> extra pure 97%	7783-03-1	100 gm	702	500 gm	2565
T 2517	<u>TUNGSTIC ACID</u> GR 99%+	7783-03-1	25 gm	495	100 gm	1188
			250 gm	2502	1 kg	8703
T 2535	<u>QUIN 20</u>	9005-64-5	500 gm	882	5 lt	7695
T 2536	<u>QUIN 20</u> for molecular biology	9005-64-5	100 ml	1287	500 ml	2061
T 2538	<u>QUIN 40</u>	9005-66-7	500 gm	999	5 lt	8694
T 2540	<u>QUIN 60</u>	9005-67-8	100 gm	405	500 gm	1089
					5 lt	9099
T 2545	<u>QUIN 80</u>	9005-65-6			100 ml	243
			500 ml	891	5 lt	8109
T 2546	<u>QUIN 80</u> for molecular biology	9005-65-6			100 ml	891
T 2547	<u>QUIN 80</u> HIPURE	9005-65-6	500 ml	999	5 lt	8604
T 2548	<u>TURK'S SOLUTION</u> for hematology	-----			250 ml	117
T 2550	<u>TURMERIC</u> paper	-----			100 lvs	171
T 2551	<u>TURPENTINE OIL</u> pure	8006-64-2	500 ml	486	5 lt	3789
T 2555	<u>TYRAMINE HYDROCHLORIDE</u> for biochemistry 99%	60-19-5	1 gm	594	5 gm	1692
T 2568	<u>DL-m-TYROSINE</u> 98%	775-06-4	100 mg	1989	500 mg	6939
			1 gm	10503	5 gm	39609
T 2260	<u>D-TYROSINE</u> puriss 99%	556-02-5	1 gm	666	5 gm	2394
					25 gm	11007
T 2565	<u>DL-TYROSINE</u> for biochemistry 99%+	556-03-6	1 gm	288	5 gm	936
T 2575	<u>L-TYROSINE</u> for biochemistry 99%+	60-18-4	25 gm	288	100 gm	936
			500 gm	4185	5 kg	37089
U 1245	<u>n-UNDECANE</u> 95%+	1120-21-4	250 ml	2538	500 ml	5004

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
U 1247	<u>n-UNDECANE</u> GR 99%	1120-21-4	25 ml	945	100 ml	3204
U 1248	<u>1-UNDECANE SULPHONIC ACID SODIUM SALT</u> for HPLC 98%	5838-34-6			5 gm	7605
U 1249	<u>1-UNDECANOL</u> for synthesis 99%	112-42-5			100 ml	6705
U 1251	<u>n-UNDECENE</u> for synthesis 97%	821-95-4			100 ml	POR
U 1250	<u>UNDECYLENIC ACID</u> for synthesis 96%	112-38-9	100 ml	1602	500 ml	4806
U 1205	<u>UNIVERSAL INDICATOR</u> solution pH 1-10	-----	100 ml	144	500 ml	252
U 1215	<u>UNIVERSAL INDICATOR</u> solution pH 4-11	-----	100 ml	144	500 ml	252
U 1224	<u>UNIVERSAL INDICATOR PAPER</u> pH 1-10 including colour scale	-----			10 bks	702
U 1225	<u>UNIVERSAL INDICATOR PAPER</u> pH 1-10 including colour scale accurate to 1 pH unit in plastic dispenser	-----			1 Roll	1602
U 1235	<u>UNIVERSAL INDICATOR PAPER REFILL</u> pH 1-10 without colour scale (box of 6 refill)	-----	1 box	414	6 box	2106
U 1255	<u>URACIL</u> for biochemistry 99%	66-22-8	5 gm	162	25 gm	396
			100 gm	1404	1 kg	13509
U 1267	<u>URANYL ACETATE</u> GR (End user certificate required)	541-09-3	5 gm	13905	25 gm	66069
U 1275	<u>URANYL MAGNESIUM ACETATE</u> (End user certificate required)	20596-93-4	5 gm	14409	25 gm	63909
U 1287	<u>URANYL NITRATE</u> GR (End user certificate required)	13520-83-7	5 gm	14904	25 gm	62109
U 1290	<u>URANYL OXIDE</u> orange (End user certificate required)	1344-58-7	1 gm	22005	5 gm	97002
U 1295	<u>URANYL ZINC ACETATE</u> (End user certificate required)	10138-94-0	5 gm	15903	25 gm	76005
U 1305	<u>UREA</u> extra pure 99%	57-13-6	500 gm	342	5 kg	2169
U 1307	<u>UREA</u> GR 99%+	57-13-6	500 gm	477	5 kg	3807
U 1300	<u>UREA</u> for molecular biology 99.5%	57-13-6			500 gm	810
U 1308	<u>UREA PHOSPHATE</u> extra pure 98%	4861-19-2	500 gm	594	5 kg	4707
U 1310	<u>UREA PHOSPHATE</u> crystalline 98%	4861-19-2	500 gm	711	5 kg	6003
U 1325	<u>UREASE ACTIVE MEAL</u> for microbiology	-----	10 gm	279	100 gm	2403
U 1335	<u>URIC ACID</u> 99%	69-93-2	25 gm	2691	100 gm	10062
U 1337	<u>URIC ACID</u> GR 99%+	69-93-2	25 gm	2844	100 gm	10899
U 1338	<u>URIC ACID</u> reagent	69-93-2			100 ml	162
U 1345	<u>URIDINE</u> for biochemistry 99%	58-96-8	1 gm	270	5 gm	891
					25 gm	3429
U 1303	<u>UREA FORMALDEHYDE</u> pure	9011-05-6			500 gm	1602
U 1350	<u>URSOLIC ACID</u> 90%	77-52-1			100 mg	5220
			1 gm	22005	5 gm	70029
U 1360	<u>USNIC ACID</u> for synthesis 95%	7562-61-0	1 gm	2403	5 gm	5607
V 1201	<u>VALERIC ACID</u> for synthesis 99%	109-52-4	500 ml	1692	5 lt	14904
V 1203	<u>n-VALERALDEHYDE</u> puriss 99%	110-62-3			500 ml	2601
V 1203a	<u>VALERONITRILE</u> for synthesis 98%	110-59-8	100 ml	963	500 ml	3402
V 1204	<u>D-VALINE</u> for biochemistry 99%	640-68-6	1 gm	207	5 gm	810
V 1215	<u>DL-VALINE</u> for biochemistry 99%+	516-06-3	25 gm	792	100 gm	2979
					500 gm	13005
V 1205	<u>L-VALINE</u> for biochemistry 99%+	72-18-4	5 gm	90	25 gm	189
			100 gm	729	500 gm	2997
V 1210	<u>L-VALINE METHYL ESTER HYDROCHLORIDE</u> for biochemistry 99%	6306-52-1	1 gm	243	5 gm	441
					25 gm	1791
V 1220	<u>VANADIUM</u> powder, 100 mesh, 98%	7440-62-2	10 gm	5679	25 gm	17901
V 2241	<u>VANADIUM</u> powder, 45 to 106 µm, 99%+	7440-62-2	1 gm	1467	10 gm	4995
V 1222	<u>VANADIUM</u> powder, -325 mesh, 99.5% (metals basis)	7440-62-2	1 gm	2799	10 gm	9603

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
V 8081	<u>VANADIUM</u> slug, 3.175mm (0.125in) dia x 3.175mm (0.125in) length, 99.8%	7440-62-2	50 gm	36009	250 gm	98019
V 3060	<u>VANADIUM</u> slug, 6.35mm (0.25in) dia x 12.7mm (0.50in) length, 99.8%	7440-62-2	5 gm	13005	25 gm	49059
V 0092	<u>VANADIUM (V) ICP STANDARD SOLUTION 1 GM/L IN DILUTED HNO₃</u> traceable to NIST	-----	10 gm	18009	50 gm	69003
V 0093	<u>VANADIUM (V) ICP STANDARD SOLUTION 10 GM/L IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	4329	500 ml	6957
V 0097	<u>VANADIUM AAS STANDARD SOLUTION 1000 MG/L V IN DILUTED HNO₃</u> traceable to NIST	-----	100 ml	13104	500 ml	39519
V 0098	<u>VANADIUM AAS STANDARD SOLUTION 1000 MG/L V IN DILUTED H₂SO₄</u> traceable to NIST	-----	100 ml	1881	500 ml	3105
V 1225	<u>VANADIUM PENTOXIDE</u> extra pure 99%	1314-62-1	100 ml	1881	500 ml	3105
V 1227	<u>VANADIUM PENTOXIDE</u> GR 99%+	1314-62-1	100 gm	1287	500 gm	5949
V 5342	<u>VANADIUM PENTOXIDE</u> 99.6%	1314-62-1	100 gm	1494	500 gm	6939
V 0666	<u>VANADIUM PENTOXIDE</u> 99.7%	1314-62-1	100 gm		100 gm	4707
V 5340	<u>VANADIUM PENTOXIDE</u> 99.99% (metals basis)	1314-62-1	10 gm	4797	100 gm	13905
V 1221	<u>VANADYL ACETYL ACETONATE</u> puriss 99%	3153-26-2	1 gm	3996	5 gm	7902
			10 gm	14409	50 gm	58005
V 1230	<u>VAN GIESON II SOLUTION</u> for microscopy	-----	5 gm	603	25 gm	1089
V 1235	<u>VANADYL SULPHATE</u> for synthesis 97%+	27774-13-6			250 gm	6903
V 1240	<u>VANILLIC ACID</u> for synthesis 98%	121-34-6			100 ml	207
V 1242	<u>o-VANILLIN</u> for biochemistry 99%	148-53-8	100 gm	4005	500 gm	18009
V 1245	<u>VANILINE</u> for synthesis 99%	121-33-5	100 gm	2979	500 gm	9459
V 1247	<u>VANILINE</u> GR 99%+	121-33-5	100 gm	954	500 gm	4194
V 1255	<u>VANILLYL MANDELIC ACID (VMA)</u> for biochemistry 99% (dl-4-hydroxy-3-methoxy mandelicacid)	55-10-7	25 gm	342	100 gm	1089
V 1260	<u>VEEGUM</u> for synthesis	1327-43-1	500 gm	4905	1 kg	9603
V 1261	<u>VEEGUM K</u>	1327-43-1	500 gm		100 mg	3402
V 1265	<u>VERATRALDEHYDE</u> for synthesis 98%	120-14-9	250 mg	5202	1 gm	15309
V 1266	<u>VERATRIC ACID</u> for synthesis 98%	93-07-2	100 gm	1692	5 kg	14409
V 1275	<u>VERATROLE</u> for synthesis 98%	91-16-7	100 ml	2016	5 kg	18009
V 1280	<u>VESUVIN</u> please see <u>BISMARCK BROWN</u>					
V 1281	<u>VETACETONE</u> for synthesis	-----				
V 1282	<u>VETIVEROL</u> for synthesis	68129-81-7				
V 1285	<u>VETIVEROL ACETATE</u> for synthesis	62563-80-8				
V 1290	<u>VICTORIA BLUE</u> for microscopy (C.I. No.44045)	2580-56-5	25 gm	189	100 gm	594
V 1289	<u>VINYL ACETATE</u> (monomer) puriss 99%	108-05-4	500 ml	648	1 lt	1233
V 1288	<u>4-VINYL-1-CYCLOHEXENE</u> for synthesis	100-40-3	100 ml		5 lt	3969
V 1292	<u>VINYL MAGNESIUM BROMIDE</u> 1M IN THF	1826-67-1				
V 1291	<u>2-VINYL MESITYLENE</u> for synthesis	-----				
V 1293	<u>2-VINYL NAPHTHALENE</u> for synthesis 98%	827-54-3	2.5 gm	3105	5 gm	4203
V 1295	<u>2-VINYL PYRIDINE</u> for synthesis 97%	100-69-6				
V 1200	<u>VITAMINE A ACETATE</u> for biochemistry	127-47-9	25 gm	2088	100 gm	7929
	<u>VITAMIN K₃</u> please see <u>MENADIONE</u>					
	<u>WAGNER's reagent solution</u>	-----	100 ml	207	500 ml	891

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
W 1203	<u>WANG RESIN 1%</u> crosslinked 0.8 - 1 mmol/g, 200-400 mesh	201058-08-4	5 gm	3042	25 gm	11907
					100 gm	40059
W 1201	<u>WANKLY'S solution</u>	-----	500 ml	378	5 lt	3195
W 1202	<u>W.B.C. diluting fluid</u>	-----			500 ml	189
W 1207	<u>WATER</u> (DISTILLED) for synthesis	7732-18-5			5 lt	423
W 1208	<u>WATER</u> GRADIENT GRADE Chromatography (HPLC)	7732-18-5			1 lt	504
W 1209	<u>WATER</u> for HPLC	7732-18-5	500 ml	243	5 lt	1593
W 1215	<u>WIJ's solution</u>	-----			500 ml	1656
W 1216	<u>WINTERGREEN OIL</u>	90045-28-6			1 kg	21906
W 1217	<u>WOOD'S metal GR</u>	76093-98-6	100 gm	792	250 gm	1864
W 1225	<u>WRIGHT'S STAIN</u> for microscopical staining	68988-92-1	25 gm	738	100 gm	2619
W 1226	<u>WRIGHT'S staining solution</u>	68988-92-1	100 ml	126	250 ml	189
X 1205	<u>XANTHINE</u> for biochemistry 98%	69-89-6	5 gm	783	25 gm	3249
X 9230	<u>XPHOS</u> puriss 97%+ (2-Dicyclohexylphosphino-2',4',6'-triisopropylbiphenyl)	564483-18-7	250 mg	306	1 gm	891
			5 gm	2691	10 gm	10899
X 5745	<u>XTT SODIUM SALT</u> , suitable for cell culture	111072-31-2	25 mg	6489	100 mg	23904
					500 mg	76005
X 1206	<u>XYLAN</u> for biochemistry (from beechwood)	9014-63-5	10 gm	6507	5 gm	3393
			10 gm	1305	25 gm	15201
X 1207	<u>XYLAN</u> (from corn cob)	9014-63-5	100 gm	9504	25 gm	3609
			500 gm	27009		
X 1216	<u>XYLENE</u> sulphur free 99%	1330-20-7	500 ml	441	5 lt	3105
X 1217	<u>XYLENE</u> puriss GR 99%+	1330-20-7	500 ml	459	5 lt	3249
X 1222	<u>o-XYLENE</u> for synthesis 99%	95-47-6	500 ml	324	5 lt	2493
X 1221	<u>m-XYLENE</u> for synthesis 99%	108-38-3	500 ml	738	5 lt	6003
X 1220	<u>m-XYLENE</u> puriss 99%+	108-38-3	500 ml	765	5 lt	6939
X 1225	<u>p-XYLENE</u> for synthesis 99%	106-42-3	500 ml	594	5 lt	5103
X 1235	<u>XYLENE CYANOL FF</u> indicator (C.I.No. 42135)	2650-17-1	5 gm	1296	10 gm	2385
					25 gm	4995
X 1247	<u>p-XYLENOL BLUE</u> indicator GR	125-31-5	1 gm	594	5 gm	2493
X 1257	<u>XYLENOL ORANGE GR</u> suitable for use in edta-zinc titration	3618-43-7	1 gm	216	5 gm	594
			10 gm	1089	25 gm	2439
X 1259	<u>XYLENOL ORANGE TETRASODIUM SALT</u> ACS reagent	3618-43-7	1 gm	2106	5 gm	6804
					25 gm	27009
X 1258	<u>XYLENE ORANGE</u> solution	3618-43-7	100 ml	261	500 ml	1044
X 1260	<u>2.4 XYLIDINE</u> 98%	95-68-1	250 ml	585	5 lt	7191
X 1262	<u>2.6 XYLIDINE</u> 98%	87-62-7	250 ml	846	5 lt	15903
X 1264	<u>3.5-XYLIDINE</u> 97%+	108-69-0	100 ml	4806	500 ml	16002
X 1265	<u>XYLIDINE PONCEAU</u> for microscopy (C.I. No. 62255)	3761-53-3	25 gm	144	100 gm	504
X 1277	<u>XYLIDYL BLUE II</u> extra pure GR	14936-97-1			1 gm	1962
X 1285	<u>XYLITOL</u> for biochemistry 99%+	87-99-0	5 gm	135	25 gm	198
			100 gm	684	500 gm	3186
X 1295	<u>D-XYLOSE</u> puriss 99% for biochemistry	58-86-6	25 gm	171	100 gm	387
			250 gm	1107	500 gm	1692
X 1296	<u>L-XYLOSE</u> for biochemistry 99%	609-06-3	1 gm	1602	5 gm	2601
					25 gm	11709
Y 1205	<u>YEAST AUTOLYSATE</u> bacteriological grade	8013-01-2			500 gm	2106
Y 1215	<u>YEAST</u> extract powder for bacteriology	8013-01-2	500 gm	1071	5 kg	9504
Y 0918	<u>YEAST</u> extract powder Certified	8013-01-2			500 gm	6003

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
Y 1216	<u>YEAST</u> extract spazial for bacteriology	8013-01-2	500 gm	1179	5 kg	10152
Y 1225	<u>YEAST</u> extract paste for bacteriology	8013-01-2	500 gm	756	5 kg	6003
Y 1226	<u>YEAST</u> powder (LAB)	8013-01-2	500 gm	747	5 kg	5976
Y 1241	<u>YLANG-YLANG OIL</u> , extra, blend	8006-81-3	1 kg	41508	5 kg	179099
Y 1242	<u>YLANG-YLANG OIL</u>	8006-81-3	1 kg	41049	5 kg	179109
Y 1230	<u>YLANG YLANG</u> for synthesis	8006-81-3	500 gm	3969	5 kg	34002
Y 1229	<u>YOHIMBINE HYDROCHLORIDE</u> for biochemistry $\geq 98\%$	65-19-0	1 gm	8307	5 gm	12699
Y 1233	<u>YTTERBIUM</u> pieces 99.9%	7440-64-4	1 gm	3996	5 gm	10404
					25 gm	36009
Y 1107	<u>YTTERBIUM</u> powder 99.9%	7440-64-4	1 gm	5004	10 gm	32004
					50 gm	120609
Y 1130	<u>YTTERBIUM(III) ACETATE</u> hydrate 99.9%	15280-58-7	10 gm	4401	50 gm	19809
Y 1135	<u>YTTERBIUM(III) BROMIDE</u> hydrate 99.99%	15163-03-8	10 gm	8703	50 gm	36009
Y 1140	<u>YTTERBIUM(III) BROMIDE</u> puriss 99.9%	13759-89-2	1 gm	26109	5 gm	POR
Y 1146	<u>YTTERBIUM(III) CHLORIDE</u> hexahydrate, 99.9%	10035-01-5	10 gm	4995	50 gm	9405
Y 1144	<u>YTTERBIUM(III) CHLORIDE</u> hydrate 99.9%	19423-87-1	10 gm	4203	50 gm	18189
Y 1145	<u>YTTERBIUM(III) CHLORIDE</u> hydrate 99.99%	19423-87-1	10 gm	8208	50 gm	30303
Y 1150	<u>YTTERBIUM(III) CHLORIDE</u> puriss 99.99%	10361-91-8	5 gm	14409	25 gm	POR
Y 1155	<u>YTTERBIUM(III) FLUORIDE</u> anhydrous 99.99%	13760-80-0	1 gm	3906	10 gm	10908
Y 1160	<u>YTTERBIUM FLUORIDE OXIDE</u> 99.99%	15587-02-7	1 gm	4005	10 gm	26091
Y 1165	<u>YTTERBIUM(III) NITRATE</u> hydrate, 99.9%	- - - -	10 gm	3996	50 gm	14904
Y 1231	<u>YTTERBIUM NITRATE</u> pentahydrate, 99.9%	35725-34-9	10 gm	7806	50 gm	29007
Y 1166	<u>YTTERBIUM NITRATE</u> pentahydrate, 99.999%	35725-34-9	5 gm	9108	25 gm	30906
Y 1170	<u>YTTERBIUM(III) OXALATE</u> hydrate 99.9%	58176-74-2	10 gm	6705	50 gm	29007
Y 1175	<u>YTTERBIUM(III) OXALATE</u> decahydrate 99.99%	51373-68-3	10 gm	8991	50 gm	36009
Y 1198	<u>YTTERBIUM OXIDE</u> 99%+	1314-37-0	5 gm	1593	10 gm	3195
Y 1232	<u>YTTERBIUM OXIDE</u> 99.9%+	1314-37-0	5 gm	1791	10 gm	4095
			25 gm	5679	100 gm	15003
Y 1234	<u>YTTERBIUM OXIDE</u> 99.99%	1314-37-0	1 gm	1305	5 gm	4905
			10 gm	8604	50 gm	22005
Y 1201	<u>YTTERBIUM OXIDE</u> 99.998%	1314-37-0	5 gm	6174	25 gm	23409
Y 1185	<u>YTTERBIUM(III) 2,4-PENTANEDIONATE</u> 99.9%	14284-98-1	5 gm	31059	10 gm	60903
Y 1190	<u>YTTERBIUM SILICIDE</u> 99.9%	12039-89-3	1 gm	POR	5 gm	POR
Y 1195	<u>YTTERBIUM(III) SULPHATE</u> octahydrate 99.9%	10034-98-7	10 gm	7299	50 gm	32004
Y 1044	<u>YTTRIUM</u> chips, 99.9%+	7440-65-5	1 gm	3006	5 gm	6903
Y 1400	<u>YTTRIUM</u> ingots 95%+	7440-65-5	10 gm	18064	50 gm	43002
Y 0729	<u>YTTRIUM</u> powder, -40 mesh, 99.6%	7440-65-5	5 gm	13005	25 gm	33309
Y 0063	<u>YTTRIUM (Y) ICP STANDARD SOLUTION 1 G/L</u>	- - - -	50 ml	4131	100 ml	6606
	<u>IN 2% HNO₃</u> traceable to NIST					
Y 1404	<u>YTTRIUM(III) ACETATE</u> , tetrahydrate, 99.9%	85949-60-6	50 gm	5301	250 gm	12006
Y 1405	<u>YTTRIUM(III) ACETATE</u> tetrahydrate 99.99%	85949-60-6	25 gm	10107	100 gm	30303
Y 1407	<u>YTTRIUM ALUMINUM OXIDE</u> 99.9%	12005-21-9	25 gm	12708	100 gm	43002
Y 1410	<u>YTTRIUM ALUMINUM OXIDE</u> 99.99% (metals basis)	12005-21-9	5 gm	3996	10 gm	7092
			25 gm	13905	100 gm	56007
Y 1415	<u>YTTRIUM BARIUM COPPER OXIDE</u> (1-2-3), 99.9%	107539-20-8	10 gm	16902	50 gm	POR
Y 1420	<u>YTTRIUM(III) BROMIDE</u> puriss 99.9%	13469-98-2	2 gm	16029	5 gm	POR
Y 1421	<u>YTTRIUM(III) CARBONATE</u> hydrate 99.9%	38245-39-5	50 gm	5508	250 gm	30303
Y 1425	<u>YTTRIUM(III) CARBONATE</u> hydrate 99.99%	38245-39-5	25 gm	5409	100 gm	21024
Y 1435	<u>YTTRIUM(III) CHLORIDE</u> hexahydrate, 99.99%	10025-94-2	5 gm	1098	25 gm	2259

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
Y 1430	<u>YTTRIUM(III) CHLORIDE</u> hydrate, 99.99%	12741-05-8	100 gm	5301		
			5 gm	1656		
			25 gm	4302	100 gm	14301
Y 6381	<u>YTTRIUM(III) CHLORIDE</u> 99.9%	10361-92-9	10 gm	3006	25 gm	4995
Y 1440	<u>YTTRIUM(III) CHLORIDE</u> puriss 99.99%	10361-92-9	10 gm	3780	25 gm	5679
Y 1445	<u>YTTRIUM(III) FLUORIDE</u> anhydrous 99.99%	13709-49-4	10 gm	3708	100 gm	11403
Y 1450	<u>YTTRIUM(III) HEXAFLUORO-2,4-PENTANEDIONATE</u>	18911-76-7	1 gm	5103	5 gm	11799
Y 1455	<u>YTTRIUM(III) IODIDE</u> puriss 99.9%	13470-38-7	1 gm	23004	5 gm	106092
Y 1470	<u>YTTRIUM(III) NEODECANOATE</u> Y 12-16%	68683-17-0	10 gm	9603	50 gm	49905
Y 1475	<u>YTTRIUM(III) NITRATE</u> hydrate 99.99%	140191-40-8	5 gm	2700	10 gm	4509
			25 gm	10404	100 gm	21609
Y 1478	<u>YTTRIUM NITRATE</u> 99.9%	13494-98-9	25 gm	1188	100 gm	3249
					500 gm	16002
Y 1235	<u>YTTRIUM NITRATE</u> GR 99.99%	13494-98-9	10 gm	1503	25 gm	2619
			100 gm	6903	500 gm	21006
Y 1479	<u>YTTRIUM NITRATE</u> 99.998%	13494-98-9	5 gm	1809	25 gm	7929
Y 1480	<u>YTTRIUM(III) OXALATE</u> nonahydrate 99.9%	13266-82-5	50 gm	20601	100 gm	39609
Y 1236	<u>YTTRIUM OXIDE</u> 99%	1314-36-9	10 gm	504	25 gm	990
					100 gm	4005
Y 1237	<u>YTTRIUM OXIDE</u> GR 99.9%	1314-36-9	10 gm	495	25 gm	1089
					100 gm	4302
Y 1238	<u>YTTRIUM OXIDE</u> 99.99%	1314-36-9	10 gm	3006	25 gm	6075
			100 gm	10602	500 gm	43002
Y 3987	<u>YTTRIUM OXIDE</u> 99.999%	1314-36-9	25 gm	9549	100 gm	19602
Y 1490	<u>YTTRIUM(III) 2,4-PENTANEDIONATE</u> hydrate 99.9%	207801-29-4	25 gm	28809	100 gm	89901
Y 1500	<u>YTTRIUM(III) PHOSPHATE</u> hydrate 99.99%	34054-55-2	5 gm	16092	10 gm	28089
Y 1505	<u>YTTRIUM(III) SULPHATE</u> octahydrate 99.9%	7446-33-5	50 gm	9459	250 gm	30069
Y 1510	<u>YTTRIUM(III) SULPHATE</u> hydrate 99.99%	-----	25 gm	10809	100 gm	23409
Y 1515	<u>YTTRIUM(III) SULPHIDE</u> 99.9%	12039-19-9	1 gm	13905	5 gm	52092
Z 1200	<u>ZEATIN</u> (mixed isomers)	13114-27-7	5 mg	765	10 mg	1899
			25 mg	2772	100 mg	7929
Z 1201	<u>ZEAXANTHIN</u> 1% (HPLC)	144-68-3	10 mg	3906	100 mg	20106
			1 gm	32049	5 gm	POR
Z 1202	<u>ZENKER'S FIXING</u> for microscopy	-----			100 ml	585
Z 1205	<u>ZEROLITE 225 (Na)</u> 14-52 mesh standard grade	-----			500 gm	1962
Z 1215	<u>ZINC</u> dust 98%	7440-66-6	500 gm	846	5 kg	7605
Z 1217	<u>ZINC</u> dust GR 99.9%	7440-66-6	500 gm	945	5 kg	8307
Z 3039	<u>ZINC</u> flake, -325 mesh, 99.9%	7440-66-6	250 gm	4401	1 kg	11709
Z 1216	<u>ZINC</u> foil 99.5%	7440-66-6	100 gm	1449	250 gm	1989
Z 1225	<u>ZINC</u> granular, 99%	7440-66-6	500 gm	1287	5 kg	10908
Z 1227	<u>ZINC</u> granular, GR 99%+	7440-66-6	500 gm	1404	5 kg	11709
Z 1228	<u>ZINC</u> wire, 1.0 mm dia approx, 99.5%	7440-66-6			100 gm	531
Z 1229	<u>ZINC</u> wire, 1.0 mm dia approx, GR 99.99%	7440-66-6	25 gm	360	100 gm	981
Z 0015	<u>ZINC (ZN) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
Z 0016	<u>ZINC (ZN) ICP STANDARD SOLUTION 1 GM/L</u> <u>IN DILUTED HNO3</u> traceable to NIST	-----	100 ml	4149	500 ml	6606
Z 0017	<u>ZINC (ZN) ICP STANDARD SOLUTION 10 GM/L</u> <u>IN DILUTED HCL</u> traceable to NIST	-----	100 ml	12592	500 ml	37809
Z 0018	<u>ZINC (ZN) ICP STANDARD SOLUTION 10 GM/L</u>	-----	100 ml	12592	500 ml	37809

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
Z 0019	<u>IN DILUTED HNO₃</u> traceable to NIST <u>ZINC AAS STANDARD SOLUTION 1000 MG/L ZN</u> <u>IN DILUTED HCL</u> traceable to NIST	- - - - -	100 ml	1818	500 ml	3015
Z 0020	<u>ZINC AAS STANDARD SOLUTION 1000 MG/L ZN</u> <u>IN DILUTED HNO₃</u> traceable to NIST	- - - - -	100 ml	1818	500 ml	3015
Z 1235	☐ <u>ZINC ACETATE</u> extra pure 99%	5970-45-6	500 gm	711	5 kg	6705
Z 1237	☐ <u>ZINC ACETATE</u> GR 99%+	5970-45-6	500 gm	801	5 kg	7092
Z 1220	<u>ZINC AMMONIUM PHOSPHATE</u> pure	- - - - -	100 gm	1359	500 gm	2799
Z 1238	☐ <u>ZINC BORATE</u>	10361-94-1	500 gm	1188	5 kg	9603
Z 1239	☐ <u>ZINC BROMIDE</u> anhydrous 99%	7699-45-8	500 gm	2619	5 kg	23004
Z 1245	☐ <u>ZINC CARBONATE</u> basic	5970-47-8	500 gm	918	5 kg	8037
Z 1255	☐ <u>ZINC CHLORIDE</u> purified 98%	7646-85-7	500 gm	585	5 kg	5202
Z 1257	<u>ZINC CHLORIDE</u> GR 98%+	7646-85-7	100 gm	288	500 gm	729
Z 1259	<u>ZINC CHLORIDE</u> for molecular biology 98%+	7646-85-7			500 gm	2493
Z 0063	<u>ZINC CHLORIDE</u> anhydrous, 99.95%	7646-85-7	25 gm	6606	100 gm	13905
Z 1258	<u>ZINC CHROMATE</u>	13530-65-9	500 gm	1899	5 kg	13509
Z 1258a	<u>ZINC CITRATE</u> 97%	5990-32-9	500 gm	3006	5 kg	24003
Z 1262	<u>ZINC CYCLOHEXANEBUTYRATE</u> dihydrate	38582-18-2	1 gm	4608	5 gm	19809
	<u>ZINC DITHIOL</u> please see (Toluene 3,4-Dithiol Zinc Derivative)					
Z 1260	☐ <u>ZINC FLUORIDE</u> purified 98%	7783-49-5	100 gm	1548	500 gm	5319
Z 1261	<u>ZINC FORMATE</u> pure	557-41-5			500 gm	2799
Z 1263	<u>ZINC IODIDE</u> for synthesis 98%	10139-47-6			50 gm	2106
			100 gm	3186	500 gm	11907
Z 1230	<u>ZINC MAGNESIUM PHOSPHATE</u> for synthesis	- - - - -			500 gm	2493
Z 1265	☐ <u>ZINC NITRATE</u> purified 98%	10196-18-6	500 gm	603	5 kg	4905
Z 1267	☐ <u>ZINC NITRATE</u> GR 98%+	10196-18-6	500 gm	675	5 kg	5319
Z 1336	☐ <u>ZINCON</u> pract	62625-22-3	1 gm	702	5 gm	3807
					25 gm	17919
Z 1337	☐ <u>ZINCON</u> GR	62625-22-3	1 gm	945	5 gm	4491
					25 gm	20079
Z 1338	<u>ZINCON SODIUM SALT</u> GR	56484-13-0	1 gm	1107	5 gm	5409
Z 1270	<u>ZINC OXALATE</u>	547-62-2	500 gm	1395	5 kg	12042
Z 1275	☐ <u>ZINC OXIDE</u> 99%	1314-13-2	500 gm	720	5 kg	5949
Z 1277	☐ <u>ZINC OXIDE</u> GR 99%+	1314-13-2	500 gm	945	5 kg	7902
Z 1278	<u>ZINC OXIDE</u> , 99.9%	1314-13-2	100 gm	3996	500 gm	15003
Z 6920	<u>ZINC OXIDE</u> , 99.99%	1314-13-2	50 gm	3132	250 gm	11709
Z 3457	<u>ZINC OXIDE</u> 99.999%	1314-13-2	10 gm	5679	25 gm	8919
					100 gm	25902
Z 1280	<u>ZINC PEROXIDE</u> 50-60%	1314-22-3	500 gm	5679	1 kg	8991
Z 1285	<u>ZINC PHOSPHATE</u>	7779-90-0	500 gm	756	5 kg	6003
Z 5635	<u>ZINC PHTHALOCYANINE</u> 97%	14320-04-8	1 gm	1800	10 gm	9603
Z 1291	<u>ZINC SELENIDE</u> electronic grade, 99.99%	1315-09-9			10 gm	5904
Z 1292	<u>ZINC SELENITE</u> GR 99%+	13597-46-1	10 gm	1503	50 gm	3879
Z 1294	<u>ZINC SILICOFLUORIDE</u> , pract 90%	16871-71-9	100 gm	2403	500 gm	5679
Z 1293	<u>ZINC SILICOFLUORIDE</u> for synthesis 99%	16871-71-9	25 gm	3609	100 gm	13005
Z 1295	☐ <u>ZINC STEARATE</u>	557-05-1	500 gm	513	5 kg	4806
Z 1305	<u>ZINC SULPHATE</u> monohydrate, 99%	7446-19-7	500 gm	558	5 kg	4302
Z 1315	☐ <u>ZINC SULPHATE</u> heptahydrate, 99%	7446-20-0	500 gm	432	5 kg	2592
Z 1317	☐ <u>ZINC SULPHATE</u> heptahydrate, GR 99%+	7446-20-0	500 gm	522	5 kg	3789

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
Z 1316	<u>ZINC SULPHATE</u> ≥99.5%	7446-20-0	500 gm	3015	1 kg	4005
Z 5344	<u>ZINC SULPHATE</u> heptahydrate, 99.995% trace metals basis	7446-20-0	10 gm	4401	50 gm	15606
Z 1324	<u>ZINC SULPHIDE</u> pract grade	1314-98-3	500 gm	2106	5 kg	18099
Z 1325	<u>ZINC SULPHIDE</u> 98%	1314-98-3	500 gm	2691	5 kg	21609
Z 1327	<u>ZINC SULPHIDE</u> SPAZIAL 99% 'COAT' GRADE	1314-98-3	500 gm	3006	5 kg	24003
Z 0135	<u>ZINC SULPHIDE</u> powder, 10 µm, 99.99%	1314-98-3	25 gm	2644	100 gm	7191
Z 1328	<u>ZINC SULPHITE</u>	13597-44-9			100 gm	936
			500 gm	1143	5 kg	10602
Z 1329	<u>ZINC TARTRATE</u>	551-64-4	500 gm	2691	5 kg	22059
Z 1332	<u>ZINC TELLURIDE</u> 99.99%	1315-11-3	5 gm	4608	25 gm	20403
Z 0225	<u>ZIRCONIUM</u> pieces, 1-10 mm, 99.95%	7440-67-7			25 gm	11709
			100 gm	40509	1 kg	160299
Z 0036	<u>ZIRCONIUM</u> pieces, 1-10 mm, 99.99%	7440-67-7	10 gm	7704	100 gm	63009
Z 1330	<u>ZIRCONIUM</u> powder 99.9% (packaged in water)	7440-67-7	25 gm	11007	100 gm	33039
Z 4412	<u>ZIRCONIUM</u> powder, -325 mesh, 99.8%+ (packaged in water)	7440-67-7	25 gm	12006	100 gm	37809
Z 2970	<u>ZIRCONIUM</u> foil 0.127 mm (0.005in) 99.5%	7440-67-7			100 x 125 mm	6606
Z 6151	<u>ZIRCONIUM BORIDE</u> , 325 mesh, 99.5%	12045-64-6	50 gm	9405	250 gm	34002
Z 1340	<u>ZIRCONIUM CARBONATE</u> (basic) (40% ZrO ₂)	57219-64-4	100 gm	594	500 gm	2403
Z 2126	<u>ZIRCONIUM(IV) CHLORIDE</u> pract 90%	10026-11-6	5 gm	3609	250 gm	8919
Z 2124	<u>ZIRCONIUM(IV) CHLORIDE</u> 98%	10026-11-6	5 gm	5607	250 gm	11502
Z 5116	<u>ZIRCONIUM(IV) CHLORIDE</u> 99.9%	10026-11-6			5 gm	9603
Z 5117	<u>ZIRCONIUM(IV) CHLORIDE</u> anhydrous, powder, 99.99% trace metals basis	10026-11-6	5 gm	8604	25 gm	34002
Z 1345	<u>ZIRCONIUM DIOXIDE</u> 97%	1314-23-4	500 gm	2349	5 kg	20709
Z 1443	<u>ZIRCONIUM DIOXIDE</u> GR 99.5%	1314-23-4	500 gm	2709	5 kg	23004
Z 1346	<u>ZIRCONIUM DIOXIDE</u> powder, 5 µm, 99%	1314-23-4	100 gm	5607	500 gm	13905
Z 1440	<u>ZIRCONIUM DIOXIDE</u> powder, ≥10 µm, 99.95%	1314-23-4	25 gm	17019	100 gm	63009
Z 2671	<u>ZIRCONIUM DIOXIDE</u> puriss 99.9%	1314-23-4			10 gm	8991
Z 2812	<u>ZIRCONIUM DIOXIDE</u> 99.978%	1314-23-4	25 gm	18909	100 gm	60309
Z 2815	<u>ZIRCONIUM DIOXIDE</u> 99.995%	1314-23-4	25 gm	21069	100 gm	72009
Z 1372	<u>ZIRCONIUM(IV) HYDROXIDE</u> 99%+	14475-63-9	100 gm	4005	500 gm	13905
Z 1355	<u>ZIRCONIUM OXYCHLORIDE</u> 98%	13520-92-8	100 gm	387	500 gm	1188
					5 kg	10062
Z 1357	<u>ZIRCONIUM OXYCHLORIDE</u> GR 99%+ for fluoride determination	13520-92-8	25 gm	639	100 gm	1989
Z 1360	<u>ZIRCONIUM SILICATE</u> extra pure 98%+	10101-52-7	250 gm	990	1 kg	3402
Z 1374	<u>ZIRCONIUM(IV) SULPHATE</u> 99%+	57126-73-5	100 gm	3006	500 gm	8604
Z 1365	<u>ZIRCONYL NITRATE</u> for synthesis 99.5%	14985-18-3	100 gm	1494	250 gm	3402
					500 gm	6606
Z 1367	<u>ZIRCONYL NITRATE</u> 99.9%	14985-18-3			100 gm	1908
Z 1364	<u>ZIRCONYL NITRATE</u> hydrate, 99.99% trace metals basis	14985-18-3	10 gm	11709	50 gm	32004
Z 1368	<u>ZIRCONYL SULPHATE</u> 98%+	7446-31-3	100 gm	3609	500 gm	9405
Z 3010	<u>Z-L-ALANINE</u> puriss for biochemistry 99%	1142-20-7	5 gm	504	25 gm	2106
					100 gm	7506
Z 3011	<u>Z-β-ALANINE</u> puriss for biochemistry 99%	2304-94-1	1 gm	540	5 gm	1404
					25 gm	5508
Z 3012	<u>Z-L-ARGININE</u> puriss for biochemistry 99%	1234-35-1			25 gm	4005
Z 3013	<u>Z-D-ARGININE</u> puriss for biochemistry 99%	6382-93-0	1 gm	5004	5 gm	16002
					25 gm	65007
Z 3014	<u>Z-L-ASPARAGINE</u> puriss for biochemistry 99%	2304-96-3	1 gm	279	5 gm	945
					25 gm	2466

CODE	PRODUCT NAME	CAS NO.	PACKING	RATE ₹	PACKING	RATE ₹
Z 3015	<u>Z-L-ASPARTIC ACID</u> puriss for biochemistry 99%	1152-61-0	5 gm	432	25 gm	1908
Z 3041	<u>Z-L-ASPARTIC ACID-4-BENZYL ESTER</u> for biochemistry 98%+	3479-47-8	10 gm	12609	25 gm	22509
Z 3016	<u>Z-D ASPARTIC ACID</u> puriss for biochemistry 99%	78663-07-7	1 gm	603	5 gm	2502
Z 3017	<u>Z-L-GLUTAMIC ACID</u> puriss for biochemistry 99%	1155-62-0	5 gm	333	25 gm	1305
					100 gm	4905
Z 3042	<u>Z-L-GLUTAMIC ACID-4- BENZYL ESTER</u> for biochemistry 98%+	5680-86-4	10 gm	13005	25 gm	23004
Z 3018	<u>Z-L-GLUTAMINE</u> puriss for biochemistry 99%	2650-64-8	1 gm	360	5 gm	711
					25 gm	2466
Z 3020	<u>Z-L-GLYCINE</u> puriss for biochemistry 99%	1138-80-3	5 gm	657	25 gm	1305
Z 3021	<u>Z-L-HISTIDINE</u> puriss for biochemistry 99%	14997-58-1	1 gm	1107	5 gm	5103
					25 gm	20205
Z 3022	<u>Z-L-LEUCINE</u> puriss for biochemistry 99%	2018-66-8	5 gm	1440	25 gm	4005
Z 3023	<u>Z-L-LYSINE</u> puriss for biochemistry 99%	2212-75-1	1 gm	1206	5 gm	5607
					25 gm	23049
Z 3043	<u>Z-LYS(BOC)-OH (DICYCLOHEXYLAMMONIUM) SALT</u> for biochemistry 98%	2212-76-2	5 gm	5607	25 gm	20007
Z 3024	<u>Z-D-PHENYL ALANINE</u> puriss for biochemistry 99%	2448-45-5	1 gm	603	5 gm	2502
Z 3025	<u>Z-L-PHENYL ALANINE</u> puriss for biochemistry 99%	1161-13-3	5 gm	693	25 gm	2106
					100 gm	7506
Z 3044	<u>Z-L-PHENYALANINE METHYL ESTER</u> for biochemistry 98%+	35909-92-3	10 gm	10404	25 gm	18279
Z 3045	<u>Z-L-PHENYLALANINE 4-NITROPHENYL ESTER</u> for biochemistry 98%+	2578-84-9	10 gm	10008	25 gm	17001
Z 3046	<u>Z-D-PHENYLGLYCINE</u> for biochemistry 98%+	17609-52-8	10 gm	7029	25 gm	12006
Z 3047	<u>Z-L-PHENYLGLYCINE</u> for biochemistry 98%+	53990-33-3	10 gm	6102	25 gm	10809
Z 3026	<u>Z-D-PROLINE</u> puriss for biochemistry 99%	6404-31-5	1 gm	1350	5 gm	5607
					25 gm	26001
Z 3030	<u>Z-L-PROLINE</u> puriss for biochemistry 99%	1148-11-4	1 gm	243	5 gm	1188
					25 gm	3600
Z 3031	<u>Z-L-SERINE</u> puriss for biochemistry 99%	1145-80-8	1 gm	369	5 gm	1305
					25 gm	6507
Z 3032	<u>Z-L-THREONINE</u> puriss for biochemistry 99%	19728-63-3	1 gm	396	5 gm	1206
Z 3033	<u>Z-D-TRYPTOPHAN</u> puriss for biochemistry 99%	2279-15-4	1 gm	3402	5 gm	13005
Z 3035	<u>Z-L-TRYPTOPHAN</u> puriss for biochemistry 99%	7432-21-5	1 gm	342	5 gm	1206
Z 3036	<u>Z-L-TYROSINE</u> puriss for biochemistry 99%	1164-16-5	1 gm	909	5 gm	1818
Z 3048	<u>Z-O-BENZYL-L-TYROSINE</u> for biochemistry 98%+	16677-29-5	10 gm	7002	25 gm	12006
Z 3037	<u>Z-D-VALINE</u> puriss for biochemistry 99%	1685-33-2	1 gm	1206	5 gm	5202
Z 3040	<u>Z-L-VALINE</u> puriss for biochemistry 99%	1149-26-4	5 gm	882	25 gm	2349
Z 3049	<u>Z-ISONIPECOTIC ACID</u> for biochemistry 98%+	10314-98-4	10 gm	5805	25 gm	9981
Z 3050	<u>Z-NIPECOTIC ACID</u> for biochemistry 98%+	78190-11-1			10 gm	6102

* * * * *